

Norfolk Island Quarantine Survey 2012-2014 – a Comprehensive Assessment of an Isolated Subtropical Island

G.V.MAYNARD¹, B.J.LEPSCHI² AND S.F.MALFROY¹

¹Department of Agriculture and Water Resources, GPO Box 858, Canberra ACT 2601, Australia; and
²Australian National Herbarium, Centre for Australian National Biodiversity Research, GPO Box 1700, Canberra, ACT 2601, Australia

Published on 10 March 2018 at <https://openjournals.library.sydney.edu.au/index.php/LIN/index>

Maynard, G.V., Lepschi, B.J. and Malfroy, S.F. (2018). Norfolk Island quarantine survey 2012-2014 – a comprehensive assessment of an isolated subtropical island. *Proceedings of the Linnean Society of New South Wales* **140**, 7-243

A survey of Norfolk Island, Australia was carried out during 2012-2014 to develop a baseline of information on plant pests, and diseases and parasites of domestic animals for biosecurity purposes. The Norfolk Island Quarantine Survey covered introduced vascular plants, invertebrate pests of plants and animals; plant pathogens; pests and diseases of bees, and diseases and parasites of domestic animals. 1747 species were recorded across all organism groups during the course of the survey, of which 658 are newly recorded for Norfolk Island. Details of all organisms recorded during the survey are presented, along with a bibliography of plants and animals of Norfolk Island, with particular reference to introduced taxa.

Manuscript received 25 July 2017, accepted for publication 30 January 2018.

KEYWORDS: animal diseases, bees, invertebrates, Norfolk Island, plant biosecurity, plant pathogens, plant pests, quarantine survey.

INTRODUCTION

The Norfolk Island group (-29°02'S 167°57'E) is an Australian territory situated approximately 1400 km directly east of Evans Head on the Australian mainland. It is comprised of three small islands, the main island - Norfolk Island, with two smaller

uninhabited islands - Nepean Island, 1 km to the south, and Philip Island 6 km to the south (Fig. 1). Prior to July 2015 Norfolk Island was an external, self-governing territory, with independent biosecurity laws, but subsequent reforms have led to a return to Australian Commonwealth administration of Norfolk Island. Up until July 2016 Norfolk Island managed



Fig. 1: Philip and Nepean Islands as viewed from Kingston Norfolk Island looking south

NORFOLK ISLAND QUARANTINE SURVEY

the biosecurity of the island separately to the mainland under its own jurisdiction and regulations. The application of these regulations meant that very few plants, animals and their products were permitted to enter Norfolk Island for nearly 40 years. During this time, the only plant products moved onto the island on a regular basis were ginger, onions, garlic and potatoes; additionally, there were significant restrictions on the import of seeds and whole plants. In recent years there has been an interest to have the ability to move a wider range of plants and plant products to the island. To enable the safe movement of plants, animals and their products between the mainland of Australia (including Tasmania) [or elsewhere] and Norfolk Island, and visa versa; information was required on the plant and animal pest and disease status of Norfolk Island. A survey that spanned seasons and years was required to establish a baseline of data on the plant and animal health status of Norfolk Island. It documented what pests and diseases are present on the island and what was absent, hence the significant difference between the island and the rest of Australia. These data are being used to determine potential pest and disease threats that the mainland of Australia and Tasmania pose to Norfolk Island and, conversely, what pest and disease threats Norfolk Island may pose to the mainland of Australia and Tasmania. Furthermore from mid-July 2016, there has been the extension of Australian (Commonwealth) biosecurity regulation to Norfolk Island and the removal of the existing Norfolk Island regulations. The results of the data collected during the survey work are presented here.

To achieve this, during 2012-2014 a series of surveys, the Norfolk Island Quarantine Survey (NIQS), were conducted on the Norfolk Island group (primarily on Norfolk Island with some sampling on Philip Island). The purpose of these surveys was to provide a baseline of data on which appropriate measures for the biosecurity border management for both export and import could be developed. Target groups of organisms for the survey included weeds (terrestrial vascular plants only), plant pathogens, invertebrate plant and animal pests, mammalian diseases and some diseases in selected bird species. The survey was broad ranging in its application, and unusual in both its repeated nature, covering all seasons over a span of two years, as well as a primary focus as a baseline for biosecurity research, rather than being triggered by an incursion of a pest or pathogen. The survey work did not include the marine environment.

Literature on the animals and plants of Norfolk Island varies significantly from taxon to taxon and is

often difficult to access. In part, this is as per usual for scientific endeavours published in different discipline areas; however, it is compounded by a considerable amount of information being in either unpublished government reports or privately published (i.e. 'grey' literature). For some taxa such as plants, existing information is quite detailed and extensive, and in this regard the survey was less intensive and served to complement available information on introduced plants on Norfolk Island (excluding Nepean and Philip Islands), whereas in other groups, such as mites, there is almost no pre-existing information. Hence, given the issues indicated above, to assist in facilitating access to information on the fauna and flora of Norfolk Island, an extensive list of references is provided in this document to complement the survey data.

Norfolk and Philip Islands are the weathered remnants of volcanoes on the Norfolk Ridge linking New Caledonia and New Zealand. Soils are uniformly deep volcanics overlying basalt (Jones and McDougall 1973). Nepean Island was formed from windblown sand dunes during the last two ice ages (Anon. 2003). Norfolk Island is the largest of the Norfolk Island group at 32 km² and has a subtropical climate with an average rainfall of around 1300 mm per year (falling throughout the year but mostly in June and July) and an average temperature range of 12-20° C in winter, and 19-25° C in summer (BOM 2015) [a mild climate with good rainfall]. Pre-European vegetation of the island comprised subtropical rainforest (Figs 2, 3, 4), but this has largely been cleared, with exception of that now mostly conserved in Norfolk Island National Park (approximately 462 ha, including Philip and Nepean Islands). The remainder of the island is rural



Fig. 2: Norfolk Island coastal habitat



Fig. 3: Norfolk cordylines habitat

to rural-residential, with cattle grazing and vegetable production some of the main land-based rural industries. The majority of fresh fruit and vegetables required by the population are produced on the island and very few imports are permitted.

Philip Island is entirely national park, being declared as an extension to Norfolk Island National Park in 1996. Prior to the early 1980s it was almost completely denuded of vegetation, and eroded by the effects of introduced pigs, goats and rabbits, all of which have been subject to intensive eradication programs. A revegetation program was instigated in the 1980s, with aerial seeding of Norfolk Island pines, followed by direct plantings of a range of Norfolk Island native plants. Regeneration is ongoing (R.Ward pers. comm.). Nepean Island is similarly included in Norfolk Island National Park. Pre-European vegetation comprised an open forest of *Araucaria heterophylla* (Salisb.) Franco (Norfolk Island pine), but this was entirely cleared by the mid 19th Century (Anon. 2003).

The biota of Norfolk Island comprises approximately 566 vascular plant species (430 introduced), 116 birds species (including 11 introduced and 66 vagrant species), 10 mammal species (all introduced) as well as many invertebrates and plant pathogens. This survey provides a unique and comprehensive biosecurity data set for a small, subtropical, western Pacific island.

MATERIALS AND METHODS

The Norfolk Island Quarantine Survey was managed by the Australian Government Department of Agriculture. A summary of the methodologies is included below. Greater detail can be obtained from the unpublished *Norfolk Island Quarantine Survey Technical Report* of the Australian Government



Fig. 4: Norfolk Island pine (*Araucaria heterophylla* (Salisb.) Franco [Pinales: Araucariaceae]) habitat

Department of Agriculture 2015 [this can be provided on request]. For all organisms, sampling was conducted across Norfolk Island in urban, rural and ‘natural’ environments (Fig. 5). Survey work on Philip Island consisted of two, one-day sampling trips: bird faecal material in February 2014, non-fungal plant pathogens in November 2014 and one, two-day sampling trip for invertebrates and plant fungal pathogens in October 2014. Techniques used for sampling was dependent on the target taxon. All the data were consolidated into spreadsheets and a database.

Introduced vascular plants

Due to the large body of existing data on vascular plants for Norfolk Island, surveys for this component of the biota were less extensive. Two surveys of two weeks duration were undertaken, once in Spring 2013 and Autumn 2014, focusing on the naturalised taxa. Species known only from cultivation as crops or amenity plantings were not specifically targeted during the survey. Specimens were collected using standard



Fig. 5: Survey staff inspecting felled Norfolk Island pine for infestations

NORFOLK ISLAND QUARANTINE SURVEY

herbarium specimen collection techniques, pressed and dried on Norfolk Island prior to being transported to quarantine containment facilities on mainland Australia for morphological identification. A review of the existing literature relating to introduced plants on Norfolk Island was also undertaken. Specimens are lodged in the Australian National Herbarium, Canberra (CANB), with duplicates in New Zealand (primarily AK, also CHR and WELT) and Australian herbaria as appropriate. Herbarium codes follow *Index Herbariorum* (Thiers 2015).

Invertebrates

Invertebrate collections primarily targeted plant pests; however, collections for vectors and pests of animals as well as incidentals were also undertaken. A target list of 42 plant species (Table 1, pp 18-19) provided the focus of all invertebrate surveys. A series of six, seven day surveys were undertaken (two during separate summers and separate springs, and one each during winter and autumn) during 2012-2014. Techniques included hand inspection (Fig. 5), beating, sweep netting, yellow pan traps, light traps, traps with lights and a source of CO₂, lure baited traps (Qfly, medfly, papaya fruit fly, BezziLure™, LuciLure™) and Berlese funnels. Specimens collected were stored in ethanol or set and pinned for later identification. Identification was primarily morphologically-based, with the use of molecular diagnostics as appropriate. All invertebrate specimens (apart from molluscs) are lodged in the Australian National Insect Collection (ANIC), Canberra. The molluscs have been deposited in the Australian Museum, Sydney.

European honey bees

Methodologies and sampling of European honey bees (*Apis mellifera* Linnaeus, 1758) (Fig. 6) largely followed protocols outlined by the World Organisation



Fig. 6: Queen bee (*Apis mellifera* Linnaeus, 1758 [Hymenoptera: Apidae]) with workers on comb, Norfolk Island

for Animal Health (OIE). European honey bees were introduced into Norfolk Island sometime in the 19th century (they were introduced into mainland Australia in 1822 and it is thought that sometime after this, bees were taken from mainland Australia to Norfolk Island) with no import of live bees and only new bee keeping equipment imported to the island for the past 40 years, hence limited exposure to bee pests and diseases in the recent past. The indigenous bee fauna of Norfolk Island appears to be depauperate with only three species of solitary native bees having been recorded from Norfolk Island (one by Naumann (1990), one by this survey and one subsequent to the survey). However, it should be noted that this may not be a true reflection of the extent of the bee fauna of Norfolk Island as no targeted surveys for native bees have been undertaken, and the adults of bees so far recorded are normally only on the wing for a few weeks in the year. Solitary bees are not considered likely to be reservoirs of European honey bee pests or pathogens. Surveys of 25 target pests and diseases of European honey bees were conducted during the spring of 2013, with follow up surveys in 2014. Over 6000 individual bees were sampled mostly from managed hives, with additional material taken from active and abandoned feral nests. The bees were collected by hand. Notes on the conditions of the hives and bees were taken. The samples were either preserved in 70% ethanol or frozen and taken back to the mainland under permit and held in a quarantine containment facility where morphological and molecular diagnostics were undertaken.

Fungal plant pathogens

Fungal plant pathogens were surveyed by sampling of plant parts from target taxa. A target list of 42 plant species (Table 1, pp 18-19) provided the focus of all fungal plant pathogen surveys. A series of six, seven day surveys were undertaken (two during separate summers and separate springs, and one each during winter and autumn) during 2012-2014. Plant material was pressed and dried on Norfolk Island and subsequently transported to mainland Australia under a biosecurity permit to a quarantine containment facility where molecular analyses and morphological diagnostics were undertaken. Fungal plant pathogen specimens have been lodged in the Queensland Department of Agriculture and Fisheries Plant Pathology Herbarium Brisbane (BRIP).

Non-fungal plant pathogens

Non-fungal plant pathogens were surveyed by sampling of plant parts from target taxa. A target list of 42 plant species (Table 1, pp 18-19) provided

the focus of all non-fungal plant pathogen surveys. A series of six, seven day surveys were undertaken (two during separate summers and separate springs, and one each during winter and autumn) during 2012-2014. Plant material was shredded into fine particles and dehydrated by low heat drying and silica gel before transport to quarantine containment facilities on mainland Australia for molecular testing. Field symptoms were also noted. Specimens of plant pathogen bacteria and viruses are lodged in Queensland Department of Agriculture and Fisheries Plant Pathology Herbarium Brisbane (BRIP).

Vertebrates – veterinary diseases and pests

Norfolk Island has no extant native mammals. Two species of bats, previously known from the island, are now considered extinct. Currently there are 10 species of mammal occurring on the island. Tests were undertaken for the presence of diseases in cattle, sheep, pigs, cats, horses and dogs, and an assessment of veterinary records was also undertaken. Goats are also present on Norfolk Island, but no tests were carried out on these animals, as they were not present at the beginning of the survey, arriving from the Australian mainland mid-way through the survey program. The animals had also undergone mandatory testing prior to arrival.

The main vertebrate fauna consists of birds, there are around 30 species native (many of which are migratory seabirds) and 10 introduced species. Sampling for avian influenza and/or avian tuberculosis was conducted on a range of native and introduced wild birds (Figs 7, 8). Testing was undertaken as per Manual of Diagnostic Tests and Vaccines for terrestrial Animals of the OIE (OIE 2013b). In addition to the survey, historical reports of previous animal health surveys, records of importations to Norfolk Island, current regulations with regards to importations, and the presence or absence of known insect or other arthropod vectors of various diseases were also considered.

RESULTS

1747 species were recorded across all organism groups during the course of the survey, of which 658 are newly recorded for Norfolk Island. This number will increase as new species are described from specimens collected during the survey, particularly in insect and fungal pathogen groups. Three hundred and six species of naturalised vascular plants were recorded (289 collected (Table 2A, pp 20-30), 17 observed but not collected (Table 2B, p. 31), 56 of



Fig. 7: Green parrot (*Cyanoramphus cooki* (G.R. Gray, 1859) [Psittaciformes: Psittacidae]), Norfolk Island

which were new records for Norfolk Island. A further 124 species have been recorded by other authors, but were not collected or observed during the NIQS survey (Table 2C, pp 32-34). The naturalised flora of Norfolk Island now totals 430 species (Tables 2A-C, pp 20-34). Of the species recorded during the survey, five are not known to be naturalised



Fig. 8: White capped noddy (*Anous minutus* Boie, 1844 [Charadriiformes: Laridae]) nesting Philip Island, Norfolk Island group

elsewhere in Australia (*Cynoglossum amabile* Stapf & J.R.Drumm., *Howea forsteriana* (C.Moore & F.Muell.) Becc., *Iberis umbellata* L., *Metrosideros kermadecensis* W.R.B.Oliv. and *Salvia coccinea* Juss. ex Murray group cultivars), although all are commonly cultivated, at least in southern Australia (see Spencer 1995-2005).

Approximately 1200 species of indigenous (e.g. larvae of endemic longicorn beetles found in Norfolk Island pine; Fig. 9) and introduced invertebrates were recorded, of which over 400 are newly recorded for Norfolk Island, with at least 145 of these not known from elsewhere in Australia. A number of undescribed

NORFOLK ISLAND QUARANTINE SURVEY



Fig. 9: *Enicodes fichteli* (Schreibers, 1802) [Coleoptera: Cerambycidae] larvae, endemic Norfolk Island longicorn beetle, in felled Norfolk Island Pine with bark peeled to expose larvae

species of many groups were collected, as well as many taxa that remain to be fully taxonomically resolved (Table 3, pp 35-177). A single bee virus (Lake Sinai virus 1) at low levels, the microsporidian *Nosema ceranae* I.Fr., F.Feng, J.A.da Silva, S.B.Slemenda & N.J.Pieniazek and the lesser wax moth (*Achroia grisella* (Fabricius, 1794)) were detected in Norfolk Island European honey bee populations, which were otherwise found to be extremely healthy. All these taxa are known to occur in Australia. No pesticides, antibiotics or other interventions are used to manage bees on Norfolk Island. There have been no imports of European honey bees to the Island since 1992, and only new bee keeping materials are permitted (Table 4, pp 178-196).

Twenty-four plant viruses (plus a number of taxa that were not able to be fully resolved) were recorded during the NIQS survey, all of which were newly recorded for Norfolk Island (Table 5, pp 197-205). All but *Alstroemeria mosaic virus* and *Veltheimia mosaic virus* are also known to occur elsewhere in Australia. Two species of plant bacterial pathogens (both new records for Norfolk Island) were recorded, one of which (*Candidatus Liberibacter solacearum*) is not known to occur in elsewhere Australia (Table 5, pp 197-205). Approximately 180 species of plant pathogenic fungi were recorded during the survey, of which 129 were newly recorded for Norfolk Island and 29 are putative new species. There are 24 species of plant pathogenic fungi that were recorded on Norfolk Island that are currently not known to occur elsewhere in Australia (Table 6, pp 206-235).

Diseases of vertebrates detected during the survey included *Bovine viral diarrhoea virus 1*, *Mycobacterium bovis* Karlson & Lessel, infectious bovine rhinotracheitis (*Bovine herpesvirus 1*), *Leptospira pomona* (cattle), *Porcine circovirus 2*

(pigs), *Equid herpesvirus type 1* (horses), *Influenza A virus*, *Infectious bursal disease virus*, *Newcastle disease virus* (chickens) and feline immunodeficiency virus and *Felid herpesvirus 1* (cats), all of which are known to occur elsewhere in Australia (Table 7, pp 236-243). Five species of disease-vector mosquitoes (*Aedes antipodeus* (Edwards, 1920), *Culex pervigilans* Bergroth, 1889, *Culex quinquefasciatus* Say, 1823, *Aedes (Halaedes) australis* (Erichson, 1842) and *Aedes (Rampamyia) notoscriptus* (Skuse, 1889)) were also collected, all of which (with the exception of *Aedes antipodeus* and *Culex pervigilans*) also occur elsewhere in Australia.

DISCUSSION

The Norfolk Island Quarantine Survey provides a robust baseline of data of animal and plant pests and diseases occurring on Norfolk Island, hence providing a valuable aid for biosecurity decisions. This provides not only a foundation for management for the development of quarantine measures between Norfolk Island and mainland Australia, but also an extensive data set, which can be used for a number of other scientific endeavours. For example, contrary to expectations at the beginning of the survey, which predicted a relatively limited number of introduced species representing a fairly stable biota, due to the relatively small size of Norfolk Island and its uniform, benign climate, the survey revealed a high species diversity and significant fluctuations and instability in some invertebrate populations. An example of this is the extreme fluctuations in the populations of *Bactericera cockerelli* ulc, 1909 (tomato potato psyllid) which ranged from almost undetectable to extremely high populations back to almost undetectable within a span of three years (survey and post survey work by Thomas and colleagues). The survey also revealed a diverse and (apparently) increasing introduced vascular flora. Such observations are only possible through repeated surveys over subsequent years, to allow sampling of seasonal and other temporal variances.

Historical records of plant and animal pests and diseases on Norfolk Island are uneven, with some groups almost unknown and others with considerable amounts of information available. Most records of invertebrate species prior to the survey (with the exception of Lepidoptera), were the result of brief, single visits by collectors, occasionally followed up by a subsequent visit. NIQS surveys have revealed a much greater diversity of species than expected. For example, prior to the surveys there were only

three species of thrips recorded from Norfolk Island, while at the conclusion of the survey over 60 species have been recorded from Norfolk Island (Mound and Wells 2015). However, several of these species were recorded only during one survey period, a few in high numbers, and then never recorded again despite subsequent extensive searches on the same hosts at the same time of year. Similarly, differential population densities were observed for some scale insect species on Norfolk Island when compared to mainland Australia, in that some species common across a range of host species on mainland Australia were uncommon on the same host species on Norfolk Island. Also notable were many of the adventive scale insect species, otherwise common on mainland Australia, that were not recorded during the NIQS survey, including *Aonidiella aurantii* (Maskell, 1879), *Aspidiotus destructor* Signoret, 1869 and *Chrysomphalus aonidium* (Linnaeus, 1758). The cause(s) of these differences in faunal composition and relative frequency is presently unknown. While the vascular flora of Norfolk Island is relatively well known, NIQS surveys confirmed the presence of a number of previously unrecorded species, indicating continued incursions and/or naturalisation of weedy taxa. Conversely, a number of introduced taxa recorded by earlier authors (Table 2C), were not recorded during the surveys. Some of these taxa have been the target of eradication campaigns, whereas others may represent casual naturalisations that have not persisted. Such changes in floristic composition, while not unexpected, reinforce the need for close, continued management of naturalised plants on Norfolk Island, especially with regard to management or eradication of potentially serious new incursions. Comprehensive data is also now available for plant pathogens on Norfolk Island, with particular reference to those affecting agricultural and/or amenity plants. Prior to the NIQS surveys, there was very limited knowledge of plant pathogens on Norfolk Island, much of it in difficult to access 'grey' literature. Survey results reveal relatively few plant pathogens on Norfolk Island, reflecting the restricted movement of plant material onto Norfolk Island from all sources.

Norfolk Island is particularly vulnerable to pests and diseases due to its small size and relatively uniform environment, such that if a pest or disease establishes, it is likely to very rapidly disperse island-wide. Additionally, due to the nature of the island terrain (hilly with numerous inaccessible areas that are heavily vegetated), control or eradication is difficult, if not impossible. Norfolk Island's biological isolation (for terrestrial organisms) with over 600 km between

the Norfolk Island group and the nearest land mass (New Caledonia), means that the primary pathway for many of pests is via imported plants or animals. The absence of many species of quarantine concern on Norfolk Island, which are otherwise present in Australia, is likely to be due the current controls in place for movement of plant and animal material.

Note that since the completion of the NIQS, Norfolk Island has had incursions of two significant plant pests: a fungal pathogen, myrtle rust (*Puccinia psidii* G.Winter) and an insect, date seed borer (*Coccotrypes dactyliperda* (Fabricius, 1801)).

ACKNOWLEDGEMENTS

We are most grateful to the many people of Norfolk Island who supported survey staff and provided access to their properties, in particular Merv Buffett, Lou Evans, Hayden Evans, Phillip Evans, Matt Bigg, Patricia Buffett, John Smith, Margaret Smith, Dave South and George (Puss) Anderson; Jonno and Jo Snell of Greenway's Press, Dave Bigg of Charter Marine, Caz Silick and Jacques Marges of the Golden Orb Cafe, Gary Robertson and Toni Wilson of Photopress International; Pete Meers, Steve Mathews, Mark Scott, Jeff Singer of Norfolk Island Building Supplies; Martin Cross of Agricultural Supplies; Kevin Coulter, Jill Oates of KC Industries; Charles Christian-Bailey, Kim Christian-Bailey, Steve Whelan, Brett Leigh, Raewynne Tarrant, Christian Bailey Agencies, and John Christian-Bailey of JCB Cabinets. A special thanks goes to Mr Neil Tavener (Snow) who provided unflagging support for all including participation in many of the activities facilitating access to people, properties, building equipment or whatever was needed, and for his sense of humour. Additionally we particularly thank the former Norfolk Government Minister for the Environment, the Honourable Mr Ron Ward who provided unstinting support throughout the whole survey. Additionally post-survey David Dall, Department of Agriculture and Water Resources is thanked for reviewing this manuscript.

It is also acknowledged that the in-kind contributions from all survey staff went significantly beyond contracted obligations, and has allowed for an extremely comprehensive set of data for Norfolk Island's flora and fauna to be compiled. The survey staff comprised: Australian Government, Department of Agriculture and Water Resources: Glynn Maynard - responsible for the entire survey including development, implementation and facilitation of survey components; Catherine Walsh, Amelia Thomas - support and data processing; Bethany Reid - development and compilation of weeds booklet, support and data processing; Chris Dale, technology implementation. Consultants (in addition to those mentioned at the beginning of the paper) were as follows: - Brendan Lepski, lead botanical studies, Australian National Herbarium; Carson Creagh, communications and community engagement strategy; Oliver Strewé, Oliver Strewé Photography; Steven Dunbar,

NORFOLK ISLAND QUARANTINE SURVEY

Samphire Publishing Partners. Sabine Perrone, BioSecurity and AgriSystems Protection Consultants, and Jonathan Banks, Grainsmith, grain treatments and pathways.

With technical support from: Introduced vascular plants: Bronwyn Collins, Kirsten Cowley [Australian National Herbarium]. Invertebrates: Vectors - Angus Sly [Australian Government Department of Agriculture and Water Resources]; Thrips and related orders: Laurence Mound, Alice Wells; General invertebrates: Ben Boyd, Adam Broadley, Michael Gorton, Jacque Otley, Jurgen Otto, Darren Peck, Tony Robinson, Angus Sly and Luke Watson [Australian Government Department of Agriculture and Water Resources]. Bees - John Roberts (diagnostics) [CSIRO]; Fungal plant pathogens: Dean Beasley, Roger Shivas Yu Pei Tan (molecular diagnostics); Christine Horlock, Thomas Marney, Alistair McTaggart (rust diagnostics); Greg Platz, Malcolm Ryley, Louise Shuey and Sue Thompson (*Diaporthe* Nitschke diagnostics) [Queensland Department of Agriculture and Fisheries]. Non-fungal plant pathogens: Andrew Geering, Thomas Marney, Denis Persley, John Thomas [University of Queensland]. Vertebrates - veterinary diseases and pests: Iain East, Richard Rubira [Australian Government Department of Agriculture and Water Resources]

ETHICS STATEMENT

Routine veterinary work was conducted by registered veterinarians. The collection, euthanising and necropsy of mutton birds was conducted under an animal ethics permit granted by the University of Sydney to Richard Rubira, permits under the Environment Protection and Biodiversity Conservation Act (1999) granted by the Commonwealth Department of the Environment and permits granted by the Norfolk Island Administration. The collection, euthanising and necropsy of feral ducks and geese was conducted under a Permit to Carry Out a Controlled Activity in a Public Reserve (Permit No. 782) under the Public Reserves Act (1997) of the Norfolk Island Administration. Dead Crimson Rosellas were provided by the National Parks and Wildlife Service as a result of a feral pest eradication campaign. Other introduced/feral bird species were exempt from permit requirements under the Norfolk Island Government Schedule of Unprotected Birds.

FUNDING STATEMENT

The support for this work was provided by the Australian Government and the Norfolk Island Government. The survey was coordinated and implemented the Department of Agriculture supported by funds from the Department of Infrastructure

and Regional Development. The Norfolk Island Government provided infrastructure, resources and logistics on Norfolk Island. Assistance was also provided by the staff of Norfolk Island National Park.

REFERENCES

- Abell, R.S. and Falkland, A.C. (1991). The hydrogeology of Norfolk Island, South Pacific Ocean. *Department of Primary Industries and Energy, Bureau of Mineral Resources, Geology and Geophysics Bulletin* **234**, 1-57.
- Abraham, A.D., Varrelmann, M. and Vetten, H.J. (2008). Molecular evidence for the occurrence of two new luteoviruses in cool season food legumes in northeast Africa. *African Journal of Biotechnology* **7**, 414-420.
- Anon. (2003). 'Nepean Island Reserve Plan of Management, part B, section 8'. (Norfolk Island Parks and Forestry Service).
- Australian Bureau of Animal Health. (1984). 'Bovine Brucellosis and Tuberculosis National Eradication Campaign Standard Definitions and Rules' **Volume 1**. (Department of Primary Industry, Canberra).
- Beard, S.S., Pitman, A.R., Kraberger, S. and Scott, I.A.W. (2013). SYBR Green real-time quantitative PCR for the specific detection and quantification of '*Candidatus Liberibacter solanacearum*' in field samples from New Zealand. *European Journal of Plant Pathology* **136**, 203-215.
- Barker, W.R., Barker, R.M., Jessop, J.P. and Vonow, H.P. (eds) (2005). Census of South Australian Vascular Plants, 5th edn. *Journal of the Adelaide Botanic Gardens, suppl. 1*.
- BOM (2015). Bureau of Meteorology climate statistics Norfolk Island (see: http://www.bom.gov.au/climate/averages/tables/cw_200288.shtml accessed October 2015).
- Broxham, G. (2012). Abandoning the first settlement of Norfolk Island: a maritime perspective. *Papers and Proceedings (Tasmanian Historical Research Association)* **59**, 121-138.
- Butland, G.J. (1974). 'A long-term population study of Norfolk Island.' (A report to the Department of the Capital Territory of the Australian Government).
- Cameron-Stephen, I.D. (1966). 'Report to the assistant director-general, animal quarantine on an animal health survey of Norfolk Island.' (Unpublished report held in the Department of Agriculture library).
- Carbone, I. and Kohn, L.M. (1999). A method for designing primer sets for speciation studies in filamentous ascomycetes. *Mycologia* **91**, 553-556.
- CHAH (Council of Heads of Australasian Herbaria) (2014). 'Australian Plant Census'. <http://www.anbg.gov.au/chah/apc/index.html> (accessed 11th August 2014)
- Clark, B.V., Monsbourgh, M.J. and Duffy, J.H. (1969). The occurrence of *Vibrio fetus* (intestinalis) in Australian cattle. *Australian Veterinary Journal* **45**, 137-139.

- Collins, M.T., Wells, S.J., Petrini, K.R., Collins, J.E., Schultz, R.D. and Whitlock, R.H. (2005). Evaluation of five antibody detection tests for diagnosis of bovine paratuberculosis. *Clinical and Vaccine Immunology* **12**, 685-692.
- Coyne, P. (2009). *Phormium tenax* (New Zealand Flax) — Norfolk Island native? *Cunninghamia* **11**, 167-170.
- Coyne, P. (2011). 'Norfolk Island's fascinating flora' (Petaurus Press: Canberra).
- Department of Agriculture (2012). ICON Database — Import Conditions. <http://www.daff.gov.au/biosecurity/import/icon-icd> (Accessed 27 September 2013).
- Department of Agriculture (2013). National List of Notifiable Animal Diseases. <http://www.daff.gov.au/animal-plant-health/pestsdiseases-weeds/animal/notifiable> (Accessed 8 April 2013).
- Department of Agriculture (2015). 'Norfolk Island Quarantine Survey 2012-2014. Technical Report' (unpublished report of the Australian Government Department of Agriculture).
- Department of the Environment (2008). Norfolk Island National Park and Norfolk Island Botanic Garden. <https://www.environment.gov.au/system/files/resources/64df9766-e575-43e8-9c53-4be4e6361765/files/management-plan.pdf> [accessed 21 October 2015].
- de Hoog, G. S. and Gerrits van den Ende, A.H.G. (1998). Molecular diagnostics of clinical strains of filamentous basidiomycetes. *Mycoses* **41**, 183-189.
- de Lange, P.J., Gardner, R.O., Sykes, W.R., Crowcroft, G.M., Cameron, E.K., Stalker, F., Christian, M.L. and Braggins, J.E. (2005). Vascular flora of Norfolk Island: some additions and taxonomic notes. *New Zealand Journal of Botany* **43**, 563-596.
- Doherty, R.L., St. George, T.D. and Carley, J.G. (1973). Arbovirus infections of sentinel cattle in Australia and New Guinea. *Australian Veterinary Journal* **49**, 574-579.
- Dunn, S.E. (1988). 'Report of a visit to Norfolk Island by government veterinary officer, Mr S.E. Dunn'. (Unpublished report to the NSW Department of Agriculture)
- Evans, K.J., Symon, D.E., Whalen, M.A., Hosking, J.R., Barker, R.M. and Oliver, J.A., (2007). Systematics of the *Rubus fruticosus* aggregate (Rosaceae) and other exotic *Rubus* taxa in Australia. *Australian Systematic Botany* **20**, 187-251.
- FAO (2007). Wild birds and avian influenza: an introduction to applied field research and disease sampling techniques. *FAO Animal Production and Health Manual* No. 5. <http://www.fao.org/docrep/010/a1521e/a1521e00.htm> (Accessed 26 March 2014)
- Farnham, M.W., Norby, B., Goldsmith, T.J. and Wells, S.J. (2012). Meta-analysis of field studies on bovine tuberculosis skin tests in United States cattle herds. *Preventive Veterinary Medicine* **103**, 234-242.
- Ferrar, P., Standfast, H.A. and Dyce, A.L. (1975). A survey of blood-sucking and synanthropic diptera and dung insects on Norfolk Island, South Pacific. *Journal of the Australian Entomological Society* **14**, 7-13.
- Fisher, J.R. (1994). The growth of the livestock industries and the veterinary profession in Australia to 1850. *Australian Veterinary Journal* **71**, 248-253.
- Forster, J.L., Harkin, V.B., Graham, D.A. and McCullough, S.J. (2008). The effect of sample type, temperature and RNA later™ on the stability of avian influenza virus RNA. *Journal of Virological Methods* **149** 190-194.
- Gardiner, D.J. (1999). 'Review of Norfolk Island stock situation'. (Unpublished report submitted to NSW Department of Agriculture).
- Geering, A.D.W., McMichael, L.A., Dietzgen, R.G. and Thomas, J.E. (2000). Genetic diversity among banana streak virus isolates from Australia. *Phytopathology* **90**, 921-927.
- Geering, A.D.W., Parry, J.N. and Thomas, J.E. (2011). Complete genome sequence of a novel badnavirus, banana streak IM virus. *Archives of Virology* **156**, 733-737.
- Glass, N.L. and Donaldson, G. (1995). Development of primer sets designed for use with PCR to amplify conserved genes from filamentous ascomycetes. *Applied and Environmental Microbiology* **61**, 1323-1330.
- Glocke, P. and Hall, B.H. (2012). Biosecure packaging for the transport of diagnostic samples. *Australasian Plant Pathology* **41**, 587-590.
- Green, P.S. in Orchard, A.E. and Wilson, A.J.G. (eds) (1994). 'Flora of Australia vol. 49'. (Australian Government Publishing Service: Canberra).
- Grimshaw, J.F., Waterhouse, B.M. and Brake, V.M. (1999). 'NAQS/AQIS Plant Health Survey Norfolk Island October 11-22 1999'. (Report for the Australian Government Department of Agriculture, Fisheries and Forestry provided to the Administration of Norfolk Island. (unpublished))
- Harper, P.A.W. (1992). 'Norfolk Island Animal Health and Management: Report of a visit by government veterinary officer, Dr. P.A.W. Harper'. (Unpublished report to the NSW Department of Agriculture).
- Harper, P.A.W. (1993). 'Norfolk Island Animal Health and Management: Report of a second visit by official veterinarian Peter A.W. Harper BVSc PhD'. (Unpublished report to the NSW Department of Agriculture).
- Hermes, N., Evans, O. and Evans, B. (1986). Norfolk Island birds: a review 1985. *Notornis* **33**, 141-149.
- Hicks, J. and Greenwood, D. (1990). Rescuing Norfolk Island's Parrot. *Birds International* **2**, 35-47.
- Holloway, J.D. (1977). 'The Lepidoptera of Norfolk Island: their biogeography and ecology'. (Junk. The Hague).
- IPPC (2013). 'International Standards for Phytosanitary Measures ISPM 5 Glossary of Phytosanitary Terms' (FAO Rome).

NORFOLK ISLAND QUARANTINE SURVEY

- Jagoueix, S., Bové, J.M. and Garnier, M., (1996). PCR detection of the two 'Candidatus' liberobacter species associated with greening disease of citrus. *Molecular and Cellular Probes* **10**, 43-50.
- Jones, J.G. and McDougall, I. (1973). Geological History of Norfolk and Philip Islands, Southwest Pacific Ocean. *Journal of the Geological Society of Australia* **20**, 239-257.
- Karolemeas, K., de la Rúa-Domenech, R., Cooper, R., Goodchild, A.V., Clifton-Hadley, R.S., Conlan, A.J.K., Mitchell, A.P., Hewinson, R.G., Christi, A.D., Wood, J.L.N. and McKinley, T.J. (2012). Estimation of the relative sensitivity of the comparative tuberculin skin test in tuberculous cattle herds subjected to depopulation. *PLoS ONE* **7**, e43217. doi:10.1371/journal.pone.0043217.
- Keitt, B., Campbell, K., Saunders, A., Clout, M., Wang, Y., Heinz, R., Newton, N. and Tershy, B. (2011). The Global Islands Invasive Vertebrate Eradication Database: a Tool to Improve and Facilitate Restoration of Island Ecosystems. In 'Island Invasives: Eradication and Management' (Eds C.R. Veitch, M.N. Clout and D.R. Towns) pp 74-77. (International Union for Conservation of Nature, Gland, Switzerland).
- Lenzen, M. (2008). Sustainable island businesses: a case study of Norfolk Island. *Journal of Cleaner Production* **16** 2018-2035.
- Lepschi, B., Collins, B. and Cowley, K. (2014). 'Norfolk Island Quarantine Survey 2013-2014 Vascular Plants'. (Australian National Herbarium, Centre for Australian National Biodiversity Research, Canberra. Unpublished report to Australian Government Department of Agriculture).
- Lepschi, B.J., Mallinson, D.J. and Cargill, D.C. (eds). (2012). 'Census of the Vascular Plants, Hornworts, Liverworts and Slime Moulds of the Australian Capital Territory', version 3.0. <http://www.anbg.gov.au/cpbr/ACT-census-2012/index.html> (accessed 11 August 2014).
- Lonsdale, W.M. (1994). Inviting trouble: Introduced pasture species in northern Australia. *Australian Journal of Ecology* **19**, 345-354.
- Manning, J.C., Goldblatt, P., Duncan, G.D., Forest, F., Kaiser, R. and Tatarenko, I. (2010) Botany and horticulture of the genus *Freesia* (Iridaceae). *Strelitzia* **27**, 1-114.
- Miller, G. (1978). 'The prospects for rural development on Norfolk Island'. *Occasional Paper No. 46* (Bureau of Agricultural Economics. Australian Government Publishing Service, Canberra). http://adl.brs.gov.au/data/warehouse/pe_abarebrs99001481/op46_norfolk_island.pdf (Accessed 11 January 2013)
- Mills, K. (2007a). 'The Flora of Norfolk Island. 1: the indigenous flora'. (Privately published: Jamberoo).
- Mills, K. (2007b). 'The Flora of Norfolk Island. 2: epiphytes and mistletoes'. (Privately published: Jamberoo).
- Mills, K. (2007c). 'The Flora of Norfolk Island. 3: the coastal species'. (Privately published: Jamberoo).
- Mills, K. (2007d). 'The Flora of Norfolk Island. 4: the naturalised species'. (Privately published: Jamberoo).
- Mills, K. (2007e). 'The Flora of Norfolk Island. 5: field survey of the Norfolk Island endemic shrub *Euphorbia norfolkiana* (Euphorbiaceae)'. (Privately published: Jamberoo).
- Mills, K. (2007f). 'The Flora of Norfolk Island. 6: preliminary vegetation survey of Philip Island'. (Privately published: Jamberoo).
- Mills, K. (2007g). 'The Flora of Norfolk Island. 7: endemic and threatened species'. (Privately published: Jamberoo).
- Mills, K. (2007h). 'The Flora of Norfolk Island. 8: indigenous plant species recorded in public reserves on Norfolk Island'. (Privately published: Jamberoo).
- Mills, K. (2009). 'The Flora of Norfolk Island. 9: the vegetation of Nepean Island'. (Privately published: Jamberoo).
- Mills, K. (2010). 'The Flora of Norfolk Island. 10: a complete list of indigenous and naturalised species for the island group'. (Privately published: Jamberoo).
- Mills, K. (2010a). The Flora of Norfolk Island. 11: field survey and assessment of the critically endangered endemic plant *Wikstroemia australis* (Kurrajong). (Privately published: Jamberoo).
- Mills, K. (2011). 'The Flora of Norfolk Island. 12: the plants of Norfolk Island and the Kermadec Islands: similarities and differences'. (Privately published: Jamberoo).
- Mills, K. (2012a). 'The Flora of Norfolk Island. 13: a photographic guide to the seedlings and saplings of the woody plants in Norfolk Island National Park'. (Privately published: Jamberoo).
- Mills, K. (2012b). 'The Flora of Norfolk Island. 14: the endangered plants in the national park: field survey and review'. (Privately published: Jamberoo).
- Mills, K. (2012c). 'The Flora of Norfolk Island. 15: plants of the Norfolk Island Botanic Garden: survey and assessment'. (Privately published: Jamberoo).
- Mills, K. (2012d). 'The Flora of Norfolk Island. 16: the wetland plants'. (Privately published: Jamberoo).
- Mills, K. (2012e). 'The Flora of Norfolk Island. 17: the plants of Norfolk Island: a bibliography'. (Privately published: Jamberoo).
- Mills, K. (2013). 'The Flora of Norfolk Island. 18: the fern flora'. (Privately published: Jamberoo).
- Morton, J.M., Phillips, N.J., Taylor, L.F. and McGowan, M.R. (2013). Bovine viral diarrhoea virus in beef heifers in commercial herds in Australia: mob-level seroprevalences and incidences of seroconversion, and vaccine efficacy. *Australian Veterinary Journal* **91**, 517-524.
- Mound, L.A.M. (2015). Endemics and adventives: Thysanoptera (Insecta) biodiversity of Norfolk, a tiny Pacific Island. *Zootaxa* **3964**, 183-210.
- Naumann, I.D. (1990). The aculeate wasps and bees (Hymenoptera) of Norfolk and Philip Islands. *The Australian Entomological Magazine* **17**, 17-28.

- NBPSP (2011). 'National Bee Pest Surveillance Program Operations Manual version 1.0' <http://www.planthealthaustralia.com.au/wpcontent/uploads/2014/12/NBPSP-Operations-Manual.pdf> (Plant Health Australia, Canberra ACT).
- Neuweger, D., White, P. and Ponder, W. (2001). Land snails from Norfolk Island sites. *Records of the Australian Museum* **27**, 115-122.
- O'Donnell, K. and Cigelnik, E. (1997). Two divergent intragenomic rDNA ITS2 types within a monophyletic lineage of the fungus *Fusarium* are nonorthologous. *Molecular Phylogenetics and Evolution* **7**, 103-116.
- O'Donnell, K., Kistler, H.C., Cigelnik, E., Ploetz, R.C. (1998). Multiple evolutionary origins of the fungus causing Panama disease of banana: concordant evidence from nuclear and mitochondrial gene genealogies. *Proceedings of the National Academy of Sciences of the United States of America* **95**, 2044-2049.
- OIE (2013a). *OIE-Listed Diseases, Infections and Infestations in Force in 2013*. <http://www.oie.int/animal-health-in-the-world/oie-listeddiseases-2013/> (Accessed 8 April 2013)
- OIE (2013b). *Manual of Diagnostic Tests and Vaccines for Terrestrial Animals 2013*, Chapter 2.4.7 Bovine Tuberculosis. http://www.oie.int/fileadmin/Home/eng/Health_standards/tahm/2.04.07_BOVINE_TB.pdf (Accessed 1 October 2013).
- Ortiz-Catedra, L., McInnes, K., Hauber, M.E. and Brunton, D.H. (2009). First report of beak and feather disease virus (BFDV) in wild Red-fronted Parakeets (*Cyanoramphus novaeseelandiae*) in New Zealand. *Emu* **109**, 244-247.
- Paton, R., Brown, B.N., Jones, D.R. and Khair, G. (1982). 'Plant Pest and Disease Survey of Norfolk Island'. (Plant Quarantine Branch Commonwealth Department of Health. Canberra unpublished).
- Rentz, D.C.F. (1988). The Orthopteroid Insects of Norfolk Island, with Descriptions and Records of Some Related Species from Lord Howe Island. *Invertebrate Taxonomy* **2**, 1013-1077.
- Sampson, H. (no date) 'Geology of Norfolk Island' (Booklet Quality Press, ISBN: 0-9757139-06)
- Sharman, M., Thomas, J.E. and Dietzgen, R.G. (2000). Development of a multiplex immunocapture PCR with colourimetric detection for viruses of banana. *Journal of Virological Methods* **89**, 75-88.
- Sheridan, T. (2011). Bovine viral diarrhoea virus eradication campaign completed. http://www.info.gov.nf/assembly/Media%20Releases/2011/2011_09_09_BVDV%20Eradication%20Programme%20Completed.pdf (Accessed 11 January 2013)
- Smithers C.N. (1998). A species list and bibliography of the insects recorded from Norfolk Island. *Technical Reports of the Australian Museum* **13**, 1-55.
- Snowdon, W.A. (1971). Some aspects of the epizootiology of bovine ephemeral fever in Australia. *Australian Veterinary Journal* **47**, 312-317.
- Spence, T. (1951). Control of sheep scab in Britain. *Australian Veterinary Journal* **27**, 136-146.
- Spencer, R. (1995-2005). '*Horticultural flora of south-eastern Australia*, volumes 1-5'. (UNSW Press: Sydney).
- St. George, T.D. and French, E.L. (1966). Isolation of a bovine strain of myxovirus para-influenza type 3 in Australia. *Australian Veterinary Journal* **42**, 438-439.
- St. George, T.D. (1969). A bovine strain of myxovirus parainfluenza type 3: experimental transmission and a survey of antibodies in cattle in Australia and New Guinea. *Australian Veterinary Journal* **45**, 315-320.
- St. George, T.D., Snowdon, W.A., Parsonson, I.M., and French, E.L. (1967). A serological survey of mucosal disease and infectious bovine rhinotracheitis in cattle in Australia and New Guinea. *Australian Veterinary Journal* **43**, 549-557.
- Stewart, J.D. (1945). Scab in sheep in Australia and its eradication. *Australian Veterinary Journal* **21**, 32-35.
- Tang, J., Elliott, D.R., Quinn, B.D., Clover, G.R.G., and Alexander, B.J.R. (2008). Occurrence of hibiscus chlorotic ringspot virus in *Hibiscus* spp. in New Zealand. *Plant Disease* **92**, 1367-1367.
- Thiers, B. (2015; continuously updated). 'Index Herbariorum: A global directory of public herbaria and associated staff'. New York Botanical Garden's Virtual Herbarium. <http://sweetgum.nybg.org/science/ih/> (accessed 9th December 2015).
- Thomas, J., Sullivan, K., Barnes, A.M., Geering, A., Maynard, G., Dohmen-Vereijssen, J. and Smith, G. (2017). Candidatus *Liberibacter solanacearum* on Norfolk Island. Final Report PBCRC2146 February 2017; Report from the Plant Biosecurity Cooperative Research Centre.
- Untiveros, M., Perez-Egusquiza, Z. and Clover, G.R.G. (2010). PCR assays for the detection of members of the genus *Illarvirus* and family Bromoviridae. *Journal of Virological Methods* **165**, 97-104.
- van Rijswijk, B., Rodoni, B.C., Revill, P.A., Thomas, J.E., Morall, J.R. and Harding, R.M. (2004). Analysis of variability in partial sequences of genomes of tobacco yellow dwarf virus isolates. *Australasian Plant Pathology* **33**, 367-370.
- Treadgold, M.L. (1984). Growth, structural change and distribution in a very small economy: a case study of Norfolk Island. *Journal of Developing Areas* **19**, 35-58.
- Walsh, N.G. and Stajsic, V. (2007). 'A census of the vascular plants of Victoria, 8th edn'. (National Herbarium of Victoria: Melbourne).
- White, T.J., Bruns, T., Lee, S. and Taylor, J. (1990). Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In 'PCR Protocols: a guide to methods and applications' (Eds M.A. Innis, D.H. Gelfand, J.J. Sninsky, T.J. White) pp. 315-322. (Academic Press, San Diego, USA).

NORFOLK ISLAND QUARANTINE SURVEY

Table 1. Norfolk Island Quarantine Survey- plant target list for invertebrate and plant pathogen surveys

| Family | Species |
|------------------|--|
| Alliaceae | <i>Allium ampleoprasum</i> L. (leek), <i>Allium fistulosum</i> L. (spring onion), <i>Allium schoenoprasum</i> L. (chive) |
| Chenopodiaceae | <i>Beta vulgaris</i> L. (silverbeet, beetroot), <i>Chenopodium album</i> L. (fat hen), <i>Spinacia oleracea</i> L. (spinach) |
| Anacardiaceae | <i>Mangifera indica</i> L. (mango) |
| Apiaceae | <i>Anethum graveoloens</i> L. (dill), <i>Apium graveolens</i> L. (celery), <i>Coriandrum sativum</i> L. (coriander), <i>Daucus carota</i> L. (carrot), <i>Foeniculum vulgare</i> Mill. (fennel), <i>Petroselinum crispum</i> (Mill.) Fuss (parsley) |
| Apocynaceae | <i>Plumeria</i> L. (frangipani) |
| Araucariaceae | <i>Araucaria heterophylla</i> (Salisb.) Franco (Norfolk Island pine) |
| Arecaceae | <i>Howea</i> Becc. (Lord Howe Island palm), <i>Rhopalostylis baueri</i> (Seem.) H.Wend. & Drude (Norfolk Island palm) |
| Asparagaceae | <i>Cordyline obtecta</i> (Graham) Baker (ti) |
| Asteraceae | <i>Chrysanthemum ×morifolium</i> Ramat., <i>Gerbera</i> L., <i>Lactuca sativa</i> L. (lettuce), <i>Senecio australis</i> Willd., <i>Senecio hooglandii</i> Belcher |
| Brassicaceae | <i>Brassica oleracea</i> L. (Asian greens, cabbage, broccoli), <i>Brassica rapa</i> L. (turnip, bok choy) |
| Bromeliaceae | <i>Ananas comosus</i> (L.) Merr. (pineapple) |
| Capparaceae | <i>Capparis nobilis</i> (Endl.) F.Muell. ex Benth. (devil's guts) |
| Caricaceae | <i>Carica papaya</i> L. (papaya, paw paw) |
| Convolvulaceae | <i>Ipomoea batatas</i> (L.) Lam. (sweet potato) |
| Cucurbitaceae | <i>Citrullus lanatus</i> var. <i>lanatus</i> (Thunb.) Matsum. & Nakai (watermelon), <i>Cucurbita maxima</i> Lam. (pumpkin), <i>Cucumis sativus</i> L. (cucumber) |
| Cyatheaceae | <i>Cyathea brownii</i> Domin (Norfolk Island tree fern) |
| Dennstaedtiaceae | <i>Hypolepis dicksonioides</i> (Endl.) Hook (downy ground fern) |
| Euphorbiaceae | <i>Acalypha</i> L., <i>Baloghia inophylla</i> (G.Forst.) P.S.Green (brush bloodwood), <i>Euphorbia peplus</i> L. (petty spurge) |
| Fabaceae | <i>Medicago sativa</i> L. (lucerne), <i>Phaseolus vulgaris</i> L. (bean), <i>Trifolium repens</i> L. (white clover), <i>Vicia faba</i> L. (broad bean, faba bean) |
| Lamiaceae | <i>Mentha</i> L. (mint), <i>Rosmarinus officinalis</i> L. (rosemary), <i>Salvia officinalis</i> L. (sage) |
| Lauraceae | <i>Persea americana</i> Mill. (avocado) |
| Loranthaceae | <i>Ileostylus micranthus</i> (Hook.f.) Tiegh. (mistletoe) |
| Malvaceae | <i>Hibiscus insularis</i> Endl. (Philip Island Hibiscus), <i>Hibiscus rosa-sinensis</i> L. (Chinese hibiscus), <i>Lagunaria patersonia</i> (Andrews) G.Don (white oak) |
| Meliaceae | <i>Dysoxylum bijugum</i> (Labill.) Seem. (sharkwood) |
| Mimosaceae | <i>Acacia</i> Mill. |
| Moraceae | <i>Streblus pendulinus</i> (Endl.) F.Muell. (whalebone tree) |
| Musaceae | <i>Musa</i> L. (banana, plantains) |
| Myrtaceae | <i>Eucalyptus</i> L'Hér., <i>Eugenia uniflora</i> L. (Surinam cherry), <i>Psidium</i> L. spp. (guava) |
| Oleaceae | <i>Ligustrum</i> L. (privet) |
| Oxalidaceae | <i>Oxalis</i> L. (oxalis, soursob) |
| Pasifloraceae | <i>Passiflora edulis</i> Sims (passionfruit) |
| Piperaceae | <i>Macropiper excelsum</i> (G.Forst.) Miq. (kava) |
| Pittosporaceae | <i>Meryta angustifolia</i> (Endl.) Seem, <i>Pittosporum bracteolatum</i> Endl. (oleander) |
| Poaceae | <i>Cenchrus clandestinus</i> (Hochst. ex Chiov.) (kikuyu grass), <i>Digitaria ciliaris</i> (Retz.) Koeler (summer grass), <i>Sorghum halepense</i> (L.) Pers. (Johnson grass), <i>Zea mays</i> L. (maize) |
| Primulaceae | <i>Rapanea ralstoniae</i> P.S.Green (beech) |
| Psilotaceae | <i>Tmesipteris norfolkensis</i> P.S.Green (hanging fork fern) |
| Rosaceae | <i>Eriobotrya japonica</i> (Thunb.) Lindl. (loquat), <i>Fragaria ×annanssa</i> (Weston) Duchesne ex Rozier (strawberry), <i>Malus</i> Mill. (apple), <i>Prunus persica</i> (L.) Batsch (peach, nectarine), <i>Rhaphiolepis umbellata</i> (Thunb.) Makino, <i>Rosa</i> L. (rose), <i>Rubus</i> L. |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| | |
|---------------|--|
| Rubiaceae | <i>Coffea</i> L. (coffee) |
| Rutaceae | <i>Citrus ×aurantiifolia</i> (Christm.) Swingle (lime), <i>Citrus ×limon</i> (L.) Osbeck (lemon), <i>Citrus reticulata</i> Blanco (mandarin), <i>Citrus sinensis</i> (L.) Osbeck (orange), <i>Melicope littoralis</i> (Endl.) T.G.Hartley (shade tree), <i>Zanthoxylum pinnatum</i> (J.R.Forst. & G.Forst.) W.R.B.Oliv. (little yellow wood) |
| Solanaceae | <i>Solanum lycopersicum</i> L. (tomato), <i>Nicandra physalodes</i> (apple of Peru) (L.) Gaertn., <i>Solanum tuberosum</i> L. (potato), <i>Nicotiana tabacum</i> L. (tobacco), other Solanaceae species |
| Sterculiaceae | <i>Ungeria floribunda</i> Schott & Endl. (bastard oak) |
| Verbenaceae | <i>Lantana camara</i> L. (lantana) |
| Violaceae | <i>Melicytus ramiflorus</i> J.R.Forst. & G.Forst. (whiteywood) |

NORFOLK ISLAND QUARANTINE SURVEY

Table 2A. Norfolk Island Quarantine Survey – vascular plants (collected)

| Latitude | Longitude | Collection identification number | Date | Target family | Target taxon |
|----------|-----------|----------------------------------|-----------|------------------|---|
| -29.04 | 167.99 | CANB 874062 | 25/9/2013 | Acanthaceae | <i>Hypoestes aristata</i> (Vahl) Sol. ex Roem. & Schult. |
| -29.04 | 167.94 | CANB 874121 | 27/9/2013 | Acanthaceae | <i>Hypoestes phyllostachya</i> Baker |
| -29.03 | 167.95 | CANB 874359 | 25/2/2014 | Acanthaceae | <i>Ruellia</i> L. |
| -29.03 | 167.97 | CANB 874333 | 22/2/2014 | Alismataceae | <i>Hydrocleys nymphoides</i> (Humb. & Bonpl. ex Willd.) Buchenau |
| -29.04 | 167.94 | CANB 874318 | 21/2/2014 | Alstroemeriaceae | <i>Alstroemeria psittacina</i> Lehm. |
| -29.04 | 167.94 | CANB 874204 | 2/10/2013 | Amaranthaceae | <i>Amaranthus blitum</i> L. |
| -29.01 | 167.92 | CANB 874278 | 19/2/2014 | Amaranthaceae | <i>Amaranthus blitum</i> |
| -29.04 | 167.94 | CANB 874209 | 2/10/2013 | Amaranthaceae | <i>Amaranthus caudatus</i> L. |
| -29.04 | 167.99 | CANB 874070 | 25/9/2013 | Amaranthaceae | <i>Amaranthus hybridus</i> |
| -29.04 | 167.94 | CANB 874320 | 21/2/2014 | Amaranthaceae | <i>Amaranthus hybridus</i> L. |
| -29.00 | 167.93 | CANB 874037 | 24/9/2013 | Amaranthaceae | <i>Amaranthus viridis</i> L. |
| -29.04 | 167.94 | CANB 874321 | 21/2/2014 | Amaranthaceae | <i>Amaranthus viridis</i> |
| -29.04 | 167.93 | CANB 874261 | 18/2/2014 | Anacardiaceae | <i>Schinus terebinthifolia</i> Raddi |
| -29.04 | 167.94 | CANB 874198 | 2/10/2013 | Apiaceae | <i>Ammi majus</i> L. |
| -29.01 | 167.94 | CANB 874185 | 1/10/2013 | Apiaceae | <i>Centella asiatica</i> (L.) Urb. |
| -29.00 | 167.93 | CANB 874022 | 24/9/2013 | Apiaceae | <i>Cyclospermum leptophyllum</i> (Pers.) Sprague ex Britton & P. Wilson |
| -29.04 | 167.94 | CANB 874115 | 27/9/2013 | Apiaceae | <i>Foeniculum vulgare</i> Mill. |
| -29.04 | 167.94 | CANB 874202 | 2/10/2013 | Apiaceae | <i>Foeniculum vulgare</i> |
| -29.01 | 167.92 | CANB 874158 | 29/9/2013 | Apiaceae | <i>Petroselinum crispum</i> (Mill.) Fuss |
| -29.03 | 167.95 | CANB 874297 | 20/2/2014 | Apiaceae | <i>Petroselinum crispum</i> |
| -29.00 | 167.93 | CANB 874040 | 24/9/2013 | Apiaceae | <i>Torilis nodosa</i> (L.) Gaertn. |
| -29.04 | 167.94 | CANB 874288 | 19/2/2014 | Apocynaceae | <i>Catharanthus roseus</i> (L.) G. Don |
| -29.03 | 167.95 | CANB 874311 | 21/2/2014 | Apocynaceae | <i>Catharanthus roseus</i> |
| -29.00 | 167.92 | CANB 874160 | 29/9/2013 | Apocynaceae | <i>Gomphocarpus physocarpus</i> E. Mey. |
| -29.04 | 167.94 | CANB 874376 | 26/2/2014 | Apocynaceae | <i>Gomphocarpus physocarpus</i> |
| -29.04 | 167.94 | CANB 874287 | 19/2/2014 | Apocynaceae | <i>Nerium oleander</i> L. |
| -29.04 | 167.94 | CANB 874117 | 27/9/2013 | Apocynaceae | <i>Vinca major</i> L. |
| -29.04 | 167.95 | CANB 874369 | 26/2/2014 | Araceae | <i>Colocasia esculenta</i> (L.) Schott |
| -29.03 | 167.95 | CANB 874302 | 20/2/2014 | Araceae | <i>Monstera deliciosa</i> Liebm. |
| -29.04 | 168.00 | CANB 874242 | 4/10/2013 | Araceae | <i>Zantedeschia aethiopica</i> (L.) Spreng. |
| -29.05 | 167.93 | CANB 874342 | 23/2/2014 | Araliaceae | <i>Schefflera actinophylla</i> (Endl.) Harms |
| -29.04 | 167.95 | CANB 874370 | 26/2/2014 | Arecaceae | <i>Howea forsteriana</i> (C. Moore & F. Muell.) Becc. |
| -29.05 | 167.92 | CANB 874134 | 28/9/2013 | Asparagaceae | <i>Agave americana</i> L. var. <i>americana</i> |
| -29.04 | 167.94 | CANB 874289 | 19/2/2014 | Asparagaceae | <i>Chlorophytum comosum</i> (Thunb.) Jacques |
| -29.04 | 167.97 | CANB 874334 | 22/2/2014 | Asparagaceae | <i>Chlorophytum comosum</i> |
| -29.04 | 167.93 | CANB 874259 | 18/2/2014 | Asparagaceae | <i>Furcraea foetida</i> (L.) Haw. |
| -29.01 | 167.93 | CANB 874325 | 22/2/2014 | Asparagaceae | <i>Furcraea foetida</i> |
| -29.05 | 167.98 | CANB 874252 | 18/2/2014 | Asparagaceae | <i>Yucca aloifolia</i> L. |
| -29.06 | 167.97 | CANB 874189 | 1/10/2013 | Asphodelaceae | <i>Aloe maculata</i> All. |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Collection identification number | Date | Target family | Target taxon |
|----------|-----------|----------------------------------|-----------|---------------|--|
| -29.01 | 167.94 | CANB 874175 | 30/9/2013 | Asteraceae | <i>Ageratina adenophora</i> (Spreng.) R.M.King & H.Rob. |
| -29.05 | 167.98 | CANB 874000 | 23/9/2013 | Asteraceae | <i>Ageratum conyzoides</i> L. |
| -29.02 | 167.97 | CANB 874078 | 26/9/2013 | Asteraceae | <i>Ageratum conyzoides</i> |
| -29.04 | 167.99 | CANB 874058 | 25/9/2013 | Asteraceae | <i>Arctotheca calendula</i> (L.) K.Lewin |
| -29.06 | 167.97 | CANB 874226 | 3/10/2013 | Asteraceae | <i>Argyranthemum frutescens</i> subsp. <i>foeniculaceum</i> (Pit.) Humphries |
| -29.02 | 167.97 | CANB 874080 | 26/9/2013 | Asteraceae | <i>Aster subulatus</i> Michx. |
| -29.04 | 167.92 | CANB 874263 | 18/2/2014 | Asteraceae | <i>Aster subulatus</i> |
| -29.00 | 167.93 | CANB 874031 | 24/9/2013 | Asteraceae | <i>Bidens pilosa</i> L. |
| -29.05 | 167.97 | CANB 874380 | 27/2/2014 | Asteraceae | <i>Bidens pilosa</i> |
| -29.04 | 167.94 | CANB 874205 | 2/10/2013 | Asteraceae | <i>Calendula officinalis</i> L. |
| -29.01 | 167.93 | CANB 874179 | 30/9/2013 | Asteraceae | <i>Carduus tenuiflorus</i> Curtis |
| -29.03 | 167.98 | CANB 874238 | 4/10/2013 | Asteraceae | <i>Carduus tenuiflorus</i> |
| -29.04 | 167.94 | CANB 874105 | 27/9/2013 | Asteraceae | <i>Cirsium vulgare</i> (Savi) Ten. |
| -29.02 | 167.92 | CANB 874181 | 30/9/2013 | Asteraceae | <i>Cirsium vulgare</i> |
| -29.06 | 167.96 | CANB 874129 | 27/9/2013 | Asteraceae | <i>Conyza bonariensis</i> (L.) Cronquist |
| -29.00 | 167.93 | CANB 874292 | 20/2/2014 | Asteraceae | <i>Conyza bonariensis</i> |
| -29.06 | 167.95 | CANB 873986 | 23/9/2013 | Asteraceae | <i>Conyza sumatrensis</i> (Retz.) E.Walker |
| -29.00 | 167.93 | CANB 874293 | 20/2/2014 | Asteraceae | <i>Conyza sumatrensis</i> |
| -29.06 | 167.96 | CANB 873957 | 22/9/2013 | Asteraceae | <i>Cotula australis</i> (Sieber ex Spreng.) Hook.f. |
| -29.00 | 167.93 | CANB 874007 | 24/9/2013 | Asteraceae | <i>Crassocephalum crepidioides</i> (Benth.) S.Moore |
| -29.04 | 167.94 | CANB 874203 | 2/10/2013 | Asteraceae | <i>Dimorphotheca ecklonis</i> DC. |
| -29.06 | 167.96 | CANB 874269 | 18/2/2014 | Asteraceae | <i>Erechtites valerianifolius</i> (Link ex Spreng.) DC. |
| -29.06 | 167.94 | CANB 874382 | 27/2/2014 | Asteraceae | <i>Erechtites valerianifolius</i> |
| -29.05 | 167.96 | CANB 874248 | 5/10/2013 | Asteraceae | <i>Erigeron karvinskianus</i> DC |
| -29.02 | 167.97 | CANB 874366 | 25/2/2014 | Asteraceae | <i>Erigeron karvinskianus</i> |
| -29.04 | 167.99 | CANB 874067 | 25/9/2013 | Asteraceae | <i>Euryops chrysanthemoides</i> (DC.) B.Nord. |
| -29.04 | 167.98 | CANB 874251 | 5/10/2013 | Asteraceae | <i>Euryops chrysanthemoides</i> |
| -29.00 | 167.93 | CANB 874015 | 24/9/2013 | Asteraceae | <i>Galinsoga parviflora</i> Cav. |
| -29.04 | 167.99 | CANB 874059 | 25/9/2013 | Asteraceae | <i>Gamochaeta americana</i> (Mill.) Wedd. |
| -29.01 | 167.95 | CANB 874230 | 4/10/2013 | Asteraceae | <i>Gamochaeta americana</i> |
| -29.01 | 167.95 | CANB 874229 | 4/10/2013 | Asteraceae | <i>Gamochaeta pennsylvanica</i> (Willd.) Cabrera |
| -29.00 | 167.93 | CANB 874006 | 24/9/2013 | Asteraceae | <i>Gamochaeta purpurea</i> (L.) Cabrera |
| -29.04 | 167.94 | CANB 874201 | 2/10/2013 | Asteraceae | <i>Gazania linearis</i> (Thunb.) Druce |
| -29.02 | 167.93 | CANB 874245 | 5/10/2013 | Asteraceae | <i>Hypochaeris glabra</i> L. |
| -29.02 | 167.97 | CANB 874082 | 26/9/2013 | Asteraceae | <i>Hypochaeris radicata</i> L. |
| -29.04 | 167.92 | CANB 874262 | 18/2/2014 | Asteraceae | <i>Lactuca saligna</i> L. |
| -29.03 | 167.96 | CANB 874306 | 20/2/2014 | Asteraceae | <i>Lactuca saligna</i> |
| -29.00 | 167.93 | CANB 874012 | 24/9/2013 | Asteraceae | <i>Sigesbeckia orientalis</i> L. |
| -29.03 | 167.98 | CANB 874237 | 4/10/2013 | Asteraceae | <i>Sigesbeckia orientalis</i> |
| -29.02 | 167.96 | CANB 874089 | 26/9/2013 | Asteraceae | <i>Soliva sessilis</i> Ruiz & Pav. |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Collection identification number | Date | Target family | Target taxon |
|----------|-----------|----------------------------------|-----------|-----------------|--|
| -29.02 | 167.97 | CANB 874083 | 26/9/2013 | Asteraceae | <i>Sonchus oleraceus</i> L. |
| -29.00 | 167.93 | CANB 874030 | 24/9/2013 | Asteraceae | <i>Tagetes minuta</i> L. |
| -29.04 | 167.94 | CANB 874200 | 2/10/2013 | Asteraceae | <i>Tagetes patula</i> L. |
| -29.05 | 167.97 | CANB 874352 | 24/2/2014 | Asteraceae | <i>Tagetes patula</i> |
| -29.00 | 167.93 | CANB 874041 | 24/9/2013 | Asteraceae | <i>Taraxacum</i> F.H. Wigg. |
| -29.03 | 167.99 | CANB 874338 | 23/2/2014 | Asteraceae | <i>Taraxacum</i> sp. |
| -29.00 | 167.93 | CANB 874036 | 24/9/2013 | Balsaminaceae | <i>Impatiens walleriana</i> Hook.f. |
| -29.02 | 167.92 | CANB 874296 | 20/2/2014 | Balsaminaceae | <i>Impatiens walleriana</i> |
| -29.04 | 167.94 | CANB 874378 | 26/2/2014 | Basellaceae | <i>Anredera cordifolia</i> (Ten.) Steenis |
| -29.04 | 167.94 | CANB 874106 | 27/9/2013 | Bignoniaceae | <i>Tecoma capensis</i> (Thunb.) Lindl. |
| -29.03 | 167.99 | CANB 874340 | 23/2/2014 | Bignoniaceae | <i>Tecoma capensis</i> |
| -29.04 | 167.94 | CANB 874208 | 2/10/2013 | Boraginaceae | <i>Cynoglossum amabile</i> Stapf & J.R. Drumm. |
| -29.04 | 167.94 | CANB 874213 | 2/10/2013 | Brassicaceae | <i>Brassica ?oleracea</i> |
| -29.00 | 167.93 | CANB 874021 | 24/9/2013 | Brassicaceae | <i>Brassica</i> cf. <i>×juncea</i> |
| -29.00 | 167.93 | CANB 874047 | 24/9/2013 | Brassicaceae | <i>Brassica oleracea</i> L. [cultivated] |
| -29.06 | 167.94 | CANB 874187 | 1/10/2013 | Brassicaceae | <i>Brassica ×juncea</i> (L.) Czern. |
| -29.06 | 167.95 | CANB 873987 | 23/9/2013 | Brassicaceae | <i>Capsella bursa-pastoris</i> (L.) Medik. |
| -29.00 | 167.93 | CANB 874023 | 24/9/2013 | Brassicaceae | <i>Cardamine flexuosa</i> With. |
| -29.04 | 167.94 | CANB 874206 | 2/10/2013 | Brassicaceae | <i>Diplotaxis tenuifolia</i> (L.) DC |
| -29.03 | 167.95 | CANB 874309 | 21/2/2014 | Brassicaceae | <i>Diplotaxis tenuifolia</i> |
| -29.04 | 167.99 | CANB 874065 | 25/9/2013 | Brassicaceae | <i>Eruca sativa</i> Mill. |
| -29.04 | 167.94 | CANB 874199 | 2/10/2013 | Brassicaceae | <i>Eruca sativa</i> |
| -29.04 | 167.94 | CANB 874207 | 2/10/2013 | Brassicaceae | <i>Iberis umbellata</i> L. |
| -29.00 | 167.93 | CANB 874018 | 24/9/2013 | Brassicaceae | <i>Lepidium bonariense</i> L. |
| -29.00 | 167.93 | CANB 874049 | 24/9/2013 | Brassicaceae | <i>Lepidium bonariense</i> |
| -29.06 | 167.96 | CANB 870136 | 22/9/2013 | Brassicaceae | <i>Lobularia maritima</i> (L.) Desv. |
| -29.06 | 167.96 | CANB 873968 | 23/9/2013 | Brassicaceae | <i>Matthiola incana</i> (L.) W.T. Aiton |
| -29.00 | 167.93 | CANB 874011 | 24/9/2013 | Brassicaceae | <i>Sisymbrium officinale</i> (L.) Scop. |
| -29.00 | 167.93 | CANB 874009 | 24/9/2013 | Brassicaceae | <i>Sisymbrium orientale</i> L. |
| -29.04 | 167.94 | CANB 874110 | 27/9/2013 | Cannaceae | <i>Canna indica</i> L. |
| -29.03 | 167.95 | CANB 874300 | 20/2/2014 | Cannaceae | <i>Canna indica</i> |
| -29.05 | 167.93 | CANB 874341 | 23/2/2014 | Caricaceae | <i>Carica papaya</i> L. |
| -29.06 | 167.96 | CANB 873958 | 22/9/2013 | Caryophyllaceae | <i>Cerastium glomeratum</i> Thuill. |
| -29.04 | 167.94 | CANB 874123 | 27/9/2013 | Caryophyllaceae | <i>Cerastium glomeratum</i> |
| -29.02 | 167.96 | CANB 874091 | 26/9/2013 | Caryophyllaceae | <i>Paronychia brasiliiana</i> DC. |
| -29.02 | 167.96 | CANB 874088 | 26/9/2013 | Caryophyllaceae | <i>Petrorhagia dubia</i> (Raff.) G. Lopez & Romo |
| -29.00 | 167.93 | CANB 874014 | 24/9/2013 | Caryophyllaceae | <i>Polycarpon tetraphyllum</i> (L.) L. |
| -29.06 | 167.96 | CANB 874127 | 27/9/2013 | Caryophyllaceae | <i>Sagina apetala</i> Ard. |
| -29.06 | 167.96 | CANB 873964 | 23/9/2013 | Caryophyllaceae | <i>Silene gallica</i> L. var. <i>gallica</i> |
| -29.02 | 167.97 | CANB 874077 | 26/9/2013 | Caryophyllaceae | <i>Silene gallica</i> var. <i>gallica</i> |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Collection identification number | Date | Target family | Target taxon |
|----------|-----------|----------------------------------|-----------|-----------------------------|---|
| -29.02 | 167.97 | CANB 874074 | 26/9/2013 | Caryophyllaceae | <i>Silene gallica</i> var. <i>quinquevulnera</i> (L.) W.D.J.Koch |
| -29.06 | 167.96 | CANB 870137 | 22/9/2013 | Caryophyllaceae | <i>Stellaria media</i> (L.) Vill. |
| -29.04 | 167.95 | CANB 874197 | 2/10/2013 | Casuarinaceae | <i>Casuarina glauca</i> Sieber ex Spreng. |
| -29.04 | 167.95 | CANB 874358 | 25/2/2014 | Casuarinaceae | <i>Casuarina glauca</i> [cultivated] |
| -29.00 | 167.93 | CANB 874010 | 24/9/2013 | Chenopodiaceae | <i>Chenopodium album</i> L. |
| -29.03 | 167.99 | CANB 874323 | 21/2/2014 | Chenopodiaceae | <i>Chenopodium album</i> |
| -29.04 | 167.99 | CANB 874066 | 25/9/2013 | Chenopodiaceae | <i>Chenopodium murale</i> L. |
| -29.03 | 167.98 | CANB 874240 | 4/10/2013 | Chenopodiaceae | <i>Dysphania ambrosioides</i> (L.) Mosyakin & Clemants |
| -29.04 | 167.94 | CANB 874319 | 21/2/2014 | Chenopodiaceae | <i>Dysphania ambrosioides</i> |
| -29.00 | 167.92 | CANB 874279 | 19/2/2014 | Chenopodiaceae | <i>Einadia trigonos</i> subsp. <i>stellulata</i> (Benth.) Paul G.Wilson |
| -29.03 | 167.95 | CANB 874298 | 20/2/2014 | Convolvulaceae | <i>Ipomoea batatas</i> (L.) Lam. |
| -29.04 | 167.94 | CANB 874109 | 27/9/2013 | Convolvulaceae | <i>Ipomoea indica</i> (Burm.) Merr. |
| -29.06 | 167.94 | CANB 874152 | 29/9/2013 | Crassulaceae | <i>Bryophyllum pinnatum</i> (Lam.) Oken |
| -29.04 | 167.94 | CANB 874116 | 27/9/2013 | Cucurbitaceae | <i>Cucurbita maxima</i> Lam. |
| -29.03 | 167.95 | CANB 874312 | 21/2/2014 | Cucurbitaceae | <i>Cucurbita maxima</i> |
| -29.05 | 167.97 | CANB 874346 | 24/2/2014 | Cucurbitaceae | <i>Cucurbita maxima</i> |
| -29.00 | 167.93 | CANB 874046 | 24/9/2013 | Cucurbitaceae | <i>Sechium edule</i> (Jacq.) Sw. [cultivated] |
| -29.02 | 167.93 | CANB 874247 | 5/10/2013 | Cyperaceae | <i>Carex leporina</i> L. |
| -29.04 | 167.95 | CANB 874222 | 3/10/2013 | Cyperaceae | <i>Cyperus albostriatus</i> Schrad. |
| -29.04 | 167.99 | CANB 874055 | 25/9/2013 | Cyperaceae | <i>Cyperus brevifolius</i> (Rottb.) Endl. ex Hassk. |
| -29.01 | 167.93 | CANB 874154 | 29/9/2013 | Cyperaceae | <i>Cyperus gracilis</i> R.Br. |
| -29.05 | 167.95 | CANB 874002 | 23/9/2013 | Cyperaceae | <i>Cyperus involucratus</i> Rottb. |
| -29.06 | 167.96 | CANB 874266 | 18/2/2014 | Cyperaceae | <i>Cyperus polystachyos</i> Rottb. |
| -29.02 | 167.92 | CANB 874295 | 20/2/2014 | Cyperaceae | <i>Cyperus rotundus</i> L. |
| -29.04 | 167.94 | CANB 874375 | 26/2/2014 | Euphorbiaceae | <i>Euphorbia cyathophora</i> Murray |
| -29.03 | 167.95 | CANB 874004 | 24/9/2013 | Euphorbiaceae | <i>Euphorbia peplus</i> L. |
| -29.01 | 167.93 | CANB 874157 | 29/9/2013 | Euphorbiaceae | <i>Euphorbia prostrata</i> Aiton |
| -29.06 | 167.96 | CANB 874190 | 2/10/2013 | Euphorbiaceae | <i>Euphorbia prostrata</i> |
| -29.06 | 167.96 | CANB 874265 | 18/2/2014 | Euphorbiaceae | <i>Euphorbia prostrata</i> |
| -29.06 | 167.96 | CANB 874270 | 18/2/2014 | Euphorbiaceae | <i>Euphorbia prostrata</i> |
| -29.00 | 167.93 | CANB 874038 | 24/9/2013 | Euphorbiaceae | <i>Phyllanthus tenellus</i> Roxb. |
| -29.04 | 167.95 | CANB 874368 | 26/2/2014 | Euphorbiaceae | <i>Phyllanthus tenellus</i> |
| -29.00 | 167.93 | CANB 874029 | 24/9/2013 | Euphorbiaceae | <i>Ricinus communis</i> L. |
| -29.04 | 167.94 | CANB 874377 | 26/2/2014 | Euphorbiaceae | <i>Ricinus communis</i> |
| -29.00 | 167.93 | CANB 874048 | 24/9/2013 | Fabaceae | <i>Vigna unguiculata</i> (L.) Walp. [cultivated] |
| -29.02 | 167.92 | CANB 874163 | 29/9/2013 | Fabaceae (Caesalpinioideae) | <i>Caesalpinia decapetala</i> (Roth) Alston |
| -29.04 | 167.94 | CANB 874112 | 27/9/2013 | Fabaceae (Caesalpinioideae) | <i>Paraserianthes lophantha</i> (Wild.) I.C.Nielsen subsp. <i>lophantha</i> |
| -29.04 | 167.94 | CANB 874317 | 21/2/2014 | Fabaceae (Caesalpinioideae) | <i>Senna pendula</i> var. <i>glabrata</i> (Vogel) H.S.Irwin & Barneby |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Collection identification number | Date | Target family | Target taxon |
|----------|-----------|----------------------------------|-----------|--------------------------------|---|
| -29.02 | 167.92 | CANB 874162 | 29/9/2013 | Fabaceae (Caesalpinioideae) | <i>Senna septemtrionalis</i> (Viv.) H.S.Irwin & Barneby |
| -29.02 | 167.92 | CANB 874276 | 19/2/2014 | Fabaceae (Caesalpinioideae) | <i>Senna septemtrionalis</i> |
| -29.03 | 167.95 | CANB 874310 | 21/2/2014 | Fabaceae (Caesalpinioideae) | <i>Senna septemtrionalis</i> |
| -29.04 | 167.99 | CANB 874053 | 25/9/2013 | Fabaceae (Faboideae) | <i>Arachis pintoii</i> Krapov. & W.C.Greg. |
| -29.02 | 167.93 | CANB 874246 | 5/10/2013 | Fabaceae (Faboideae) | <i>Arachis pintoii</i> |
| -29.04 | 167.93 | CANB 874193 | 2/10/2013 | Fabaceae (Faboideae) | <i>Chamaecytisus palmensis</i> (Christ) F.A.Bisby & K.W.Nicholls |
| -29.03 | 167.98 | CANB 874241 | 4/10/2013 | Fabaceae (Faboideae) | <i>Crotalaria incana</i> subsp. <i>purpurascens</i> (Lam.) Milne- Redh. |
| -29.03 | 167.99 | CANB 874322 | 21/2/2014 | Fabaceae (Faboideae) | <i>Crotalaria incana</i> subsp. <i>purpurascens</i> |
| -29.01 | 167.94 | CANB 874172 | 30/9/2013 | Fabaceae (Faboideae) | <i>Crotalaria lanceolata</i> E.Mey. subsp. <i>lanceolata</i> |
| -29.06 | 167.95 | CANB 873985 | 23/9/2013 | Fabaceae (Faboideae) | <i>Desmodium incanum</i> (G.Mey.) DC. |
| -29.06 | 167.95 | CANB 874281 | 19/2/2014 | Fabaceae (Faboideae) | <i>Desmodium incanum</i> |
| -29.02 | 167.93 | CANB 874329 | 22/2/2014 | Fabaceae (Faboideae) | <i>Desmodium incanum</i> |
| -29.01 | 167.92 | CANB 874277 | 19/2/2014 | Fabaceae (Faboideae) | <i>Dipogon lignosus</i> (L.) Verdc. |
| -29.05 | 167.95 | CANB 874224 | 3/10/2013 | Fabaceae (Faboideae) | <i>Erythrina crista-galli</i> L. |
| -29.04 | 167.94 | CANB 874212 | 2/10/2013 | Fabaceae (Faboideae) | <i>Erythrina</i> × <i>sykesii</i> Barneby & Krukoff |
| -29.04 | 167.95 | CANB 874124 | 27/9/2013 | Fabaceae (Faboideae) | <i>Genista monspessulana</i> (L.) L.A.S.Johnson |
| -29.02 | 167.92 | CANB 874161 | 29/9/2013 | Fabaceae (Faboideae) | <i>Glycine microphylla</i> (Benth.) Tindale |
| -29.06 | 167.95 | CANB 873976 | 23/9/2013 | Fabaceae (Faboideae) | <i>Lotus angustissimus</i> L. |
| -29.01 | 167.94 | CANB 874324 | 22/2/2014 | Fabaceae (Faboideae) | <i>Lotus uliginosus</i> Schkuhr |
| -29.05 | 167.96 | CANB 874102 | 26/9/2013 | Fabaceae (Faboideae) | <i>Lupinus cosentinii</i> Guss. |
| -29.04 | 167.94 | CANB 874113 | 27/9/2013 | Fabaceae (Faboideae) | <i>Macroptilium atropurpureum</i> (DC.) Urb. |
| -29.01 | 167.95 | CANB 874167 | 30/9/2013 | Fabaceae (Faboideae) | <i>Macroptilium atropurpureum</i> |
| -29.01 | 167.94 | CANB 874170 | 30/9/2013 | Fabaceae (Faboideae) | <i>Macrotyloma axillare</i> var. <i>axillare</i> |
| -29.04 | 167.95 | CANB 874217 | 3/10/2013 | Fabaceae (Faboideae) | <i>Macrotyloma axillare</i> (E.Mey.) Verdc. var. <i>axillare</i> |
| -29.05 | 167.97 | CANB 874350 | 24/2/2014 | Fabaceae (Faboideae) | <i>Macrotyloma axillare</i> var. <i>axillare</i> |
| -29.03 | 167.97 | CANB 874099 | 26/9/2013 | Fabaceae (Faboideae) | <i>Medicago arabica</i> (L.) Huds. |
| -29.06 | 167.95 | CANB 870134 | 22/9/2013 | Fabaceae (Faboideae) | <i>Medicago polymorpha</i> L. |
| -29.06 | 167.96 | CANB 870135 | 22/9/2013 | Fabaceae (Faboideae) | <i>Medicago polymorpha</i> |
| -29.06 | 167.95 | CANB 873979 | 23/9/2013 | Fabaceae (Faboideae) | <i>Melilotus indicus</i> (L.) All. |
| -29.02 | 167.97 | CANB 874073 | 26/9/2013 | Fabaceae (Faboideae) | <i>Neonotonia wightii</i> (Wight & Arn.) J.A.Lackey |
| -29.04 | 167.95 | CANB 874144 | 28/9/2013 | Fabaceae (Faboideae) | <i>Neonotonia wightii</i> |
| -29.06 | 167.95 | CANB 873975 | 23/9/2013 | Fabaceae (Faboideae) | <i>Trifolium campestre</i> Schreb. |
| -29.06 | 167.95 | CANB 873977 | 23/9/2013 | Fabaceae (Faboideae) | <i>Trifolium dubium</i> Sibth. |
| -29.02 | 167.96 | CANB 874090 | 26/9/2013 | Fabaceae (Faboideae) | <i>Trifolium glomeratum</i> L. |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Collection identification number | Date | Target family | Target taxon |
|----------|-----------|----------------------------------|-----------|------------------------|---|
| -29.06 | 167.95 | CANB 873981 | 23/9/2013 | Fabaceae (Faboideae) | <i>Trifolium pratense</i> L. |
| -29.04 | 167.94 | CANB 874114 | 27/9/2013 | Fabaceae (Faboideae) | <i>Trifolium pratense</i> |
| -29.06 | 167.96 | CANB 873961 | 22/9/2013 | Fabaceae (Faboideae) | <i>Trifolium repens</i> L. var. <i>repens</i> |
| -29.06 | 167.95 | CANB 873978 | 23/9/2013 | Fabaceae (Faboideae) | <i>Vicia hirsuta</i> (L.) Gray |
| -29.00 | 167.93 | CANB 874024 | 24/9/2013 | Fabaceae (Faboideae) | <i>Vicia sativa</i> subsp. <i>nigra</i> L. |
| -29.04 | 167.96 | CANB 874196 | 2/10/2013 | Fabaceae (Mimosoideae) | <i>Acacia longifolia</i> subsp. <i>sophorae</i> (Labill.) Court |
| -29.04 | 167.94 | CANB 874316 | 21/2/2014 | Fabaceae (Mimosoideae) | <i>Acacia parramattensis</i> Tindale |
| -29.06 | 167.95 | CANB 870133 | 22/9/2013 | Frankeniaceae | <i>Frankenia pulverulenta</i> L. |
| -29.01 | 167.96 | CANB 874233 | 4/10/2013 | Gentianaceae | <i>Centaurium tenuiflorum</i> (Hoffmanns. & Link) Fritsch |
| -29.01 | 167.93 | CANB 874153 | 29/9/2013 | Geraniaceae | <i>Geranium gardneri</i> de Lange |
| -29.04 | 167.94 | CANB 874211 | 2/10/2013 | Geraniaceae | <i>Pelargonium ×hortorum</i> L.H.Bailey |
| -29.06 | 167.96 | CANB 874131 | 27/9/2013 | Hydrocharitaceae | <i>Egeria densa</i> Planch. |
| -29.01 | 167.96 | CANB 874231 | 4/10/2013 | Hypericaceae | <i>Hypericum canariense</i> L. [cultivated] |
| -29.04 | 167.97 | CANB 874249 | 5/10/2013 | Iridaceae | <i>Dietes grandiflora</i> N.E.Br. |
| -29.05 | 167.97 | CANB 874351 | 24/2/2014 | Iridaceae | <i>Dietes grandiflora</i> |
| -29.06 | 167.97 | CANB 874225 | 3/10/2013 | Iridaceae | <i>Ferraria crispa</i> Burm. |
| -29.03 | 167.97 | CANB 874097 | 26/9/2013 | Iridaceae | <i>Freesia laxa</i> (Thunb.) Goldblatt & J.C.Manning |
| -29.02 | 167.96 | CANB 874085 | 26/9/2013 | Iridaceae | <i>Freesia leichtlinii</i> Klatt subsp. <i>leichtlinii</i> × <i>Freesia leichtlinii</i> subsp. <i>alba</i> (G.L.Mey.) J.C.Manning & Goldblatt |
| -29.01 | 167.96 | CANB 874232 | 4/10/2013 | Iridaceae | <i>Freesia leichtlinii</i> subsp. <i>leichtlinii</i> × <i>Freesia leichtlinii</i> subsp. <i>alba</i> |
| -29.03 | 167.95 | CANB 874149 | 28/9/2013 | Iridaceae | <i>Gladiolus ×hortulanus</i> L.H.Bailey |
| -29.05 | 167.96 | CANB 874001 | 23/9/2013 | Iridaceae | <i>Moraea flaccida</i> (Sweet) Steud. |
| -29.02 | 167.96 | CANB 874093 | 26/9/2013 | Iridaceae | <i>Sisyrinchium rosulatum</i> E.P.Bicknell |
| -29.06 | 167.97 | CANB 874100 | 26/9/2013 | Iridaceae | <i>Watsonia meriana</i> var. <i>bulbillifera</i> (J.W.Mathews & L.Bolus) D.A.Cooke |
| -29.02 | 167.97 | CANB 874353 | 24/2/2014 | Juncaceae | <i>Juncus articulatus</i> L. |
| -29.02 | 167.97 | CANB 874095 | 26/9/2013 | Juncaceae | <i>Juncus bufonius</i> L. |
| -29.02 | 167.93 | CANB 874244 | 5/10/2013 | Juncaceae | <i>Juncus bufonius</i> |
| -29.05 | 167.95 | CANB 874284 | 19/2/2014 | Lamiaceae | <i>Mentha ×piperita</i> L. nothovar. <i>piperita</i> |
| -29.02 | 167.97 | CANB 874355 | 24/2/2014 | Lamiaceae | <i>Mentha ×piperita</i> nothovar. <i>piperita</i> |
| -29.04 | 167.99 | CANB 874063 | 25/9/2013 | Lamiaceae | <i>Salvia</i> cf. <i>coccinea</i> |
| -29.01 | 167.93 | CANB 874159 | 29/9/2013 | Lamiaceae | <i>Salvia coccinea</i> Buc'hoz ex Etl. |
| -29.01 | 167.94 | CANB 874171 | 30/9/2013 | Lamiaceae | <i>Salvia coccinea</i> |
| -29.00 | 167.93 | CANB 874005 | 24/9/2013 | Lamiaceae | <i>Stachys arvensis</i> (L.) L. |
| -29.04 | 167.99 | CANB 874069 | 25/9/2013 | Lauraceae | <i>Persea americana</i> |
| -29.00 | 167.93 | CANB 874043 | 24/9/2013 | Lauraceae | <i>Persea americana</i> Mill. [cultivated] |
| -29.02 | 167.92 | CANB 874275 | 19/2/2014 | Liliaceae | <i>Lilium formosanum</i> A.Wallace |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Collection identification number | Date | Target family | Target taxon |
|----------|-----------|----------------------------------|-----------|------------------|---|
| -29.03 | 167.95 | CANB 874303 | 20/2/2014 | Liliaceae | <i>Lilium formosanum</i> |
| -29.06 | 167.95 | CANB 873971 | 23/9/2013 | Linaceae | <i>Linum trigynum</i> L. |
| -29.04 | 167.96 | CANB 874195 | 2/10/2013 | Lomariopsidaceae | <i>Nephrolepis cordifolia</i> (L.) C.Presl |
| -29.03 | 167.93 | CANB 874140 | 28/9/2013 | Malvaceae | <i>Abutilon grandifolium</i> (Willd.) Sweet |
| -29.00 | 167.93 | CANB 874027 | 24/9/2013 | Malvaceae | <i>Malva parviflora</i> L. |
| -29.04 | 167.94 | CANB 874122 | 27/9/2013 | Malvaceae | <i>Malvastrum coromandelianum</i> (L.) Garcke |
| -29.04 | 167.99 | CANB 874068 | 25/9/2013 | Malvaceae | <i>Modiola caroliniana</i> (L.) G.Don |
| -29.01 | 167.95 | CANB 874632 | 1/10/2013 | Malvaceae | <i>Sida rhombifolia</i> L. |
| -29.04 | 167.95 | CANB 874219 | 3/10/2013 | Malvaceae | <i>Sida rhombifolia</i> |
| -29.03 | 167.99 | CANB 874339 | 23/2/2014 | Malvaceae | <i>Sida rhombifolia</i> |
| -29.03 | 167.94 | CANB 874125 | 27/9/2013 | Malvaceae | <i>Sida</i> L. |
| -29.02 | 167.92 | CANB 874274 | 19/2/2014 | Malvaceae | <i>Sida</i> sp. |
| -29.04 | 167.94 | CANB 874111 | 27/9/2013 | Meliaceae | <i>Melia azedarach</i> L. |
| -29.05 | 167.97 | CANB 874347 | 24/2/2014 | Meliaceae | <i>Melia azedarach</i> |
| -29.02 | 167.96 | CANB 874363 | 25/2/2014 | Meliaceae | <i>Toona ciliata</i> M.Roem |
| -29.04 | 167.99 | CANB 874061 | 25/9/2013 | Moraceae | <i>Morus nigra</i> L. [cultivated] |
| -29.04 | 167.94 | CANB 874104 | 27/9/2013 | Musaceae | <i>Musa acuminata</i> Colla |
| -29.03 | 167.95 | CANB 874301 | 20/2/2014 | Musaceae | <i>Musa acuminata</i> |
| -29.04 | 167.99 | CANB 874051 | 25/9/2013 | Myrtaceae | <i>Acca sellowiana</i> (O.Berg) Burret [cultivated] |
| -29.03 | 167.96 | CANB 874362 | 25/2/2014 | Myrtaceae | <i>Eucalyptus botryoides</i> Sm. |
| -29.05 | 167.98 | CANB 874255 | 18/2/2014 | Myrtaceae | <i>Metrosideros kermadecensis</i> W.R.B.Oliv. |
| -29.06 | 167.95 | CANB 874280 | 19/2/2014 | Myrtaceae | <i>Metrosideros kermadecensis</i> |
| -29.01 | 167.92 | CANB 874336 | 23/2/2014 | Myrtaceae | <i>Metrosideros kermadecensis</i> |
| -29.03 | 167.97 | CANB 874098 | 26/9/2013 | Myrtaceae | <i>Psidium cattleyanum</i> Sabine var. <i>cattleyanum</i> |
| -29.02 | 167.97 | CANB 874256 | 18/2/2014 | Myrtaceae | <i>Psidium cattleyanum</i> var. <i>cattleyanum</i> |
| -29.02 | 167.97 | CANB 874258 | 18/2/2014 | Myrtaceae | <i>Psidium cattleyanum</i> var. <i>littorale</i> (Raddi) Fosberg |
| -29.05 | 167.94 | CANB 874191 | 2/10/2013 | Myrtaceae | <i>Psidium guajava</i> L. |
| -29.02 | 167.97 | CANB 874257 | 18/2/2014 | Myrtaceae | <i>Psidium guajava</i> |
| -29.04 | 167.94 | CANB 874118 | 27/9/2013 | Myrtaceae | <i>Syzygium jambos</i> (L.) Alston |
| -29.03 | 167.97 | CANB 874367 | 26/2/2014 | Myrtaceae | <i>Syzygium jambos</i> |
| -29.03 | 167.97 | CANB 874096 | 26/9/2013 | Myrtaceae | <i>Syzygium jambos</i> [cultivated] |
| -29.02 | 167.96 | CANB 874084 | 26/9/2013 | Ochnaceae | <i>Ochna serrulata</i> (Hochst.) Walp. |
| -29.03 | 167.95 | CANB 874361 | 25/2/2014 | Oleaceae | <i>Ligustrum lucidum</i> W.T.Aiton |
| -29.00 | 167.93 | CANB 874025 | 24/9/2013 | Oleaceae | <i>Olea europaea</i> subsp. <i>cuspidata</i> (Wall. ex G.Don) Cif. |
| -29.02 | 167.93 | CANB 874328 | 22/2/2014 | Onagraceae | <i>Epilobium ciliatum</i> Raf. |
| -29.03 | 167.97 | CANB 874332 | 22/2/2014 | Onagraceae | <i>Ludwigia palustris</i> (L.) Elliott |
| -29.02 | 167.97 | CANB 874354 | 24/2/2014 | Onagraceae | <i>Ludwigia palustris</i> |
| -29.03 | 167.97 | CANB 874331 | 22/2/2014 | Onagraceae | <i>Ludwigia peploides</i> subsp. <i>montevidensis</i> |
| -29.02 | 167.97 | CANB 874356 | 24/2/2014 | Onagraceae | <i>Ludwigia peploides</i> subsp. <i>montevidensis</i> (Spreng.) P.H.Raven |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Collection identification number | Date | Target family | Target taxon |
|----------|-----------|----------------------------------|-----------|----------------|--|
| -29.06 | 167.96 | CANB 874227 | 3/10/2013 | Onagraceae | <i>Oenothera rosea</i> L'Hér. ex Aiton |
| -29.06 | 167.95 | CANB 873982 | 23/9/2013 | Orobanchaceae | <i>Orobanche minor</i> Sm. |
| -29.00 | 167.93 | CANB 874019 | 24/9/2013 | Oxalidaceae | <i>Oxalis debilis</i> Kunth |
| -29.05 | 167.98 | CANB 873998 | 23/9/2013 | Papaveraceae | <i>Argemone subfusiformis</i> G.B.Ownbey subsp. <i>subfusiformis</i> |
| -29.05 | 167.98 | CANB 873993 | 23/9/2013 | Papaveraceae | <i>Fumaria muralis</i> Sond. ex W.D.J.Koch subsp. <i>muralis</i> |
| -29.04 | 167.94 | CANB 874210 | 2/10/2013 | Papaveraceae | <i>Papaver rhoeas</i> L. |
| -29.04 | 167.95 | CANB 874147 | 28/9/2013 | Papaveraceae | <i>Papaver somniferum</i> L. |
| -29.05 | 167.95 | CANB 874188 | 1/10/2013 | Papaveraceae | <i>Papaver somniferum</i> |
| -29.01 | 167.94 | CANB 874169 | 30/9/2013 | Passifloraceae | <i>Passiflora edulis</i> Sims |
| -29.06 | 167.95 | CANB 874282 | 19/2/2014 | Passifloraceae | <i>Passiflora subpeltata</i> Ortega |
| -29.05 | 167.98 | CANB 873999 | 23/9/2013 | Phytolaccaceae | <i>Phytolacca octandra</i> L. |
| -29.05 | 167.97 | CANB 874345 | 24/2/2014 | Phytolaccaceae | <i>Phytolacca octandra</i> |
| -29.06 | 167.95 | CANB 873974 | 23/9/2013 | Phytolaccaceae | <i>Rivina humilis</i> L. |
| -29.03 | 167.98 | CANB 874239 | 4/10/2013 | Phytolaccaceae | <i>Rivina humilis</i> |
| -29.04 | 167.94 | CANB 874108 | 27/9/2013 | Pittosporaceae | <i>Pittosporum undulatum</i> Vent. |
| -29.02 | 167.92 | CANB 874164 | 29/9/2013 | Pittosporaceae | <i>Pittosporum undulatum</i> |
| -29.04 | 167.95 | CANB 874146 | 28/9/2013 | Plantaginaceae | <i>Lophospermum erubescens</i> D.Don |
| -29.03 | 167.96 | CANB 874307 | 20/2/2014 | Plantaginaceae | <i>Lophospermum erubescens</i> |
| -29.04 | 167.99 | CANB 874056 | 25/9/2013 | Plantaginaceae | <i>Misopates orontium</i> (L.) Raf. |
| -29.06 | 167.95 | CANB 873983 | 23/9/2013 | Plantaginaceae | <i>Plantago lanceolata</i> L. |
| -29.06 | 167.96 | CANB 874132 | 27/9/2013 | Plantaginaceae | <i>Plantago major</i> L. |
| -29.06 | 167.96 | CANB 873960 | 22/9/2013 | Plantaginaceae | <i>Veronica arvensis</i> L. |
| -29.06 | 167.95 | CANB 873984 | 23/9/2013 | Plantaginaceae | <i>Veronica persica</i> Poir. |
| -29.01 | 167.94 | CANB 874183 | 1/10/2013 | Plantaginaceae | <i>Veronica plebeia</i> R.Br. |
| -29.04 | 167.94 | CANB 874315 | 21/2/2014 | Poaceae | ? <i>Chimonobambusa</i> Makino |
| -29.02 | 167.96 | CANB 874087 | 26/9/2013 | Poaceae | <i>Aira cupaniana</i> Guss. |
| -29.03 | 167.92 | CANB 874273 | 19/2/2014 | Poaceae | <i>Arundo donax</i> L. |
| -29.00 | 167.93 | CANB 874035 | 24/9/2013 | Poaceae | <i>Axonopus fissifolius</i> (Raddi) Kuhl. |
| -29.06 | 167.95 | CANB 873972 | 23/9/2013 | Poaceae | <i>Bothriochloa macra</i> (Steud.) S.T.Blake |
| -29.06 | 167.95 | CANB 873973 | 23/9/2013 | Poaceae | <i>Briza minor</i> L. |
| -29.06 | 167.96 | CANB 873959 | 22/9/2013 | Poaceae | <i>Bromus catharticus</i> Vahl |
| -29.06 | 167.96 | CANB 873967 | 23/9/2013 | Poaceae | <i>Bromus diandrus</i> Roth |
| -29.06 | 167.96 | CANB 873965 | 23/9/2013 | Poaceae | <i>Bromus hordeaceus</i> L. |
| -29.04 | 167.99 | CANB 874054 | 25/9/2013 | Poaceae | <i>Cenchrus clandestinus</i> (Hochst. ex Chiov.) Morrone |
| -29.05 | 167.97 | CANB 874381 | 27/2/2014 | Poaceae | <i>Cenchrus clandestinus</i> |
| -29.01 | 167.93 | CANB 874156 | 29/9/2013 | Poaceae | <i>Cenchrus purpureus</i> (Schumach.) Morrone |
| -29.00 | 167.93 | CANB 874026 | 24/9/2013 | Poaceae | <i>Chloris gayana</i> Kunth |
| -29.02 | 167.97 | CANB 874081 | 26/9/2013 | Poaceae | <i>Cynodon dactylon</i> (L.) Pers. var. <i>dactylon</i> |
| -29.00 | 167.93 | CANB 874045 | 24/9/2013 | Poaceae | <i>Digitaria ciliaris</i> (Retz.) Koeler |
| -29.05 | 167.98 | CANB 874254 | 18/2/2014 | Poaceae | <i>Digitaria ciliaris</i> |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Collection identification number | Date | Target family | Target taxon |
|----------|-----------|----------------------------------|-----------|---------------|---|
| -29.03 | 167.96 | CANB 874308 | 20/2/2014 | Poaceae | <i>Digitaria ciliaris</i> |
| -29.06 | 167.96 | CANB 874267 | 18/2/2014 | Poaceae | <i>Echinochloa crus-galli</i> (L.) P.Beauv. |
| -29.00 | 167.93 | CANB 874291 | 20/2/2014 | Poaceae | <i>Echinochloa crus-galli</i> |
| -29.06 | 167.96 | CANB 874268 | 18/2/2014 | Poaceae | <i>Echinochloa telmatophila</i> P.W.Michael & Vickery |
| -29.04 | 167.94 | CANB 874120 | 27/9/2013 | Poaceae | <i>Ehrharta erecta</i> Lam. |
| -29.04 | 167.92 | CANB 874135 | 28/9/2013 | Poaceae | <i>Eleusine indica</i> (L.) Gaertn. |
| -29.06 | 167.96 | CANB 874283 | 19/2/2014 | Poaceae | <i>Eleusine indica</i> |
| -29.00 | 167.93 | CANB 874034 | 24/9/2013 | Poaceae | <i>Eragrostis tenuifolia</i> (A.Rich.) Hochst. ex Steud. |
| -29.04 | 167.95 | CANB 874220 | 3/10/2013 | Poaceae | <i>Eragrostis tenuifolia</i> |
| -29.06 | 167.96 | CANB 873969 | 22/9/2013 | Poaceae | <i>Hordeum glaucum</i> Steud. |
| -29.03 | 167.99 | CANB 874235 | 4/10/2013 | Poaceae | <i>Hordeum leporinum</i> Link |
| -29.06 | 167.96 | CANB 873962 | 23/9/2013 | Poaceae | <i>Lolium loliaceum</i> (Bory & Chaub.) Hand.-Mazz. |
| -29.02 | 167.94 | CANB 874186 | 1/10/2013 | Poaceae | <i>Lolium loliaceum</i> |
| -29.00 | 167.93 | CANB 874020 | 24/9/2013 | Poaceae | <i>Megathyrsus maximus</i> var. <i>pubiglumis</i> (K.Schum.) B.K.Simon & S.W.L.Jacobs |
| -29.04 | 167.99 | CANB 874060 | 25/9/2013 | Poaceae | <i>Megathyrsus maximus</i> var. <i>pubiglumis</i> |
| -29.04 | 167.95 | CANB 874215 | 3/10/2013 | Poaceae | <i>Melinis minutiflora</i> P.Beauv. |
| -29.01 | 167.96 | CANB 874234 | 4/10/2013 | Poaceae | <i>Paspalum dilatatum</i> Poir. |
| -29.06 | 167.96 | CANB 874271 | 18/2/2014 | Poaceae | <i>Paspalum dilatatum</i> |
| -29.05 | 167.97 | CANB 874348 | 24/2/2014 | Poaceae | <i>Paspalum dilatatum</i> |
| -29.06 | 167.95 | CANB 873989 | 23/9/2013 | Poaceae | <i>Poa annua</i> L. |
| -29.03 | 167.95 | CANB 874050 | 25/9/2013 | Poaceae | <i>Rostraria cristata</i> (L.) Tzvelev |
| -29.03 | 167.93 | CANB 874264 | 18/2/2014 | Poaceae | <i>Setaria parviflora</i> |
| -29.00 | 167.93 | CANB 874016 | 24/9/2013 | Poaceae | <i>Setaria pumila</i> subsp. <i>subtesselata</i> (Buse) B.K.Simon |
| -29.06 | 167.94 | CANB 874150 | 29/9/2013 | Poaceae | <i>Setaria pumila</i> subsp. <i>subtesselata</i> |
| -29.02 | 167.92 | CANB 874360 | 25/2/2014 | Poaceae | <i>Setaria sphacelata</i> var. <i>anceps</i> (Stapf & C.E.Hubb.) Veldkamp |
| -29.04 | 167.96 | CANB 874372 | 26/2/2014 | Poaceae | <i>Setaria verticillata</i> (L.) P.Beauv. |
| -29.00 | 167.93 | CANB 874290 | 20/2/2014 | Poaceae | <i>Setaria viridis</i> (L.) P.Beauv. |
| -29.00 | 167.93 | CANB 874017 | 24/9/2013 | Poaceae | <i>Sorghum arundinaceum</i> (Desv.) Stapf |
| -29.03 | 167.95 | CANB 874304 | 20/2/2014 | Poaceae | <i>Sorghum arundinaceum</i> |
| -29.02 | 167.96 | CANB 874092 | 26/9/2013 | Poaceae | <i>Sporobolus africanus</i> (Poir.) Robyns & Tournay |
| -29.06 | 167.96 | CANB 873966 | 23/9/2013 | Poaceae | <i>Stenotaphrum secundatum</i> (Walter) Kuntze |
| -29.01 | 167.92 | CANB 874335 | 23/2/2014 | Poaceae | <i>Stenotaphrum secundatum</i> |
| -29.02 | 167.96 | CANB 874086 | 26/9/2013 | Poaceae | <i>Vulpia bromoides</i> (L.) Gray |
| -29.03 | 167.95 | CANB 874142 | 28/9/2013 | Poaceae | <i>Vulpia bromoides</i> |
| -29.06 | 167.94 | CANB 874151 | 29/9/2013 | Poaceae | <i>Vulpia bromoides</i> |
| -29.04 | 167.96 | CANB 874148 | 28/9/2013 | Polygalaceae | <i>Polygala myrtifolia</i> L. |
| -29.04 | 167.97 | CANB 874250 | 5/10/2013 | Polygalaceae | <i>Polygala myrtifolia</i> |
| -29.05 | 167.98 | CANB 873992 | 23/9/2013 | Polygonaceae | <i>Emex australis</i> Steinh. |
| -29.05 | 167.98 | CANB 873991 | 23/9/2013 | Polygonaceae | <i>Rumex brownii</i> Campd. |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Collection identification number | Date | Target family | Target taxon |
|----------|-----------|----------------------------------|-----------|------------------|--|
| -29.05 | 167.97 | CANB 874379 | 27/2/2014 | Polygonaceae | <i>Rumex brownii</i> |
| -29.02 | 167.97 | CANB 874357 | 24/2/2014 | Polygonaceae | <i>Rumex crispus</i> L. |
| -29.05 | 167.95 | CANB 874285 | 19/2/2014 | Pontederiaceae | <i>Eichhornia crassipes</i> (Mart.) Solms |
| -29.05 | 167.98 | CANB 874253 | 18/2/2014 | Portulacaceae | <i>Portulaca oleracea</i> L. |
| -29.05 | 167.97 | CANB 874343 | 24/2/2014 | Potamogetonaceae | <i>Potamogeton cheesemanii</i> A.Benn. |
| -29.02 | 167.97 | CANB 874364 | 25/2/2014 | Potamogetonaceae | <i>Potamogeton cheesemanii</i> |
| -29.00 | 167.93 | CANB 874008 | 24/9/2013 | Primulaceae | <i>Lysimachia arvensis</i> (L.) U.Manns & Anderb. |
| -29.00 | 167.93 | CANB 874013 | 24/9/2013 | Primulaceae | <i>Lysimachia arvensis</i> |
| -29.04 | 167.95 | CANB 874214 | 3/10/2013 | Proteaceae | <i>Banksia integrifolia</i> L.f. subsp. <i>integrifolia</i> |
| -29.04 | 167.95 | CANB 874221 | 3/10/2013 | Proteaceae | <i>Grevillea robusta</i> A.Cunn. ex R.Br. |
| -29.01 | 167.94 | CANB 874174 | 30/9/2013 | Proteaceae | <i>Hakea salicifolia</i> (Vent.) B.L.Burtt |
| -29.03 | 167.96 | CANB 874365 | 25/2/2014 | Proteaceae | <i>Hakea salicifolia</i> |
| -29.04 | 167.93 | CANB 874192 | 2/10/2013 | Proteaceae | <i>Hakea sericea</i> Schrad. & J.C.Wendl. |
| -29.04 | 167.99 | CANB 874064 | 25/9/2013 | Proteaceae | <i>Macadamia integrifolia</i> Maiden & Betche [cultivated] |
| -29.03 | 167.98 | CANB 874374 | 26/2/2014 | Proteaceae | <i>Macadamia tetraphylla</i> L.A.S.Johnson |
| -29.03 | 167.93 | CANB 874272 | 19/2/2014 | Pteridaceae | <i>Pteris vittata</i> L. [cultivated] |
| -29.02 | 167.97 | CANB 874094 | 26/9/2013 | Ranunculaceae | <i>Ranunculus muricatus</i> L. |
| -29.03 | 167.95 | CANB 874126 | 27/9/2013 | Ranunculaceae | <i>Ranunculus muricatus</i> |
| -29.06 | 167.95 | CANB 873988 | 23/9/2013 | Ranunculaceae | <i>Ranunculus sessiliflorus</i> R.Br. ex DC. var. <i>sessiliflorus</i> |
| -29.04 | 167.96 | CANB 874194 | 2/10/2013 | Rosaceae | <i>Cotoneaster glaucophyllus</i> Franch. |
| -29.01 | 167.94 | CANB 874184 | 1/10/2013 | Rosaceae | <i>Potentilla indica</i> (Andrews) Th.Wolf |
| -29.04 | 167.94 | CANB 874119 | 27/9/2013 | Rosaceae | <i>Prunus persica</i> (L.) Batsch var. <i>persica</i> |
| -29.04 | 167.95 | CANB 874145 | 28/9/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> |
| -29.04 | 167.99 | CANB 874052 | 25/9/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> [cultivated] |
| -29.04 | 167.95 | CANB 874223 | 3/10/2013 | Rosaceae | <i>Pyrus</i> L. [cultivated] |
| -29.01 | 167.93 | CANB 874294 | 20/2/2014 | Rosaceae | <i>Rubus</i> ? <i>anglocandicans</i> A.Newton |
| -29.03 | 167.98 | CANB 874373 | 26/2/2014 | Rubiaceae | <i>Coffea arabica</i> L. |
| -29.05 | 167.93 | CANB 874139 | 28/9/2013 | Rubiaceae | <i>Coffea arabica</i> [cultivated] |
| -29.02 | 167.92 | CANB 874182 | 30/9/2013 | Rubiaceae | <i>Galium divaricatum</i> Pourr. ex Lam. |
| -29.04 | 167.95 | CANB 874218 | 3/10/2013 | Rubiaceae | <i>Galium divaricatum</i> |
| -29.06 | 167.95 | CANB 873980 | 23/9/2013 | Rubiaceae | <i>Sherardia arvensis</i> L. |
| -29.04 | 167.99 | CANB 874072 | 25/9/2013 | Rutaceae | <i>Citrus aurantiifolia</i> (Christm.) Swingle [cultivated] |
| -29.04 | 167.99 | CANB 874071 | 25/9/2013 | Rutaceae | <i>Citrus reticulata</i> Blanco [cultivated] |
| -29.00 | 167.93 | CANB 874042 | 24/9/2013 | Rutaceae | <i>Citrus</i> × <i>aurantium</i> L. [cultivated] |
| -29.02 | 167.92 | CANB 874165 | 29/9/2013 | Rutaceae | <i>Citrus</i> × <i>jambhiri</i> Lush. |
| -29.06 | 167.96 | CANB 874130 | 27/9/2013 | Salviniaceae | <i>Salvinia molesta</i> D.S.Mitch |
| -29.05 | 167.97 | CANB 874344 | 24/2/2014 | Salviniaceae | <i>Salvinia molesta</i> |
| -29.06 | 167.96 | CANB 874128 | 27/9/2013 | Scrophulariaceae | <i>Verbascum virgatum</i> Stokes |
| -29.03 | 167.95 | CANB 874384 | 27/2/2014 | Scrophulariaceae | <i>Verbascum virgatum</i> |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Collection identification number | Date | Target family | Target taxon |
|----------|-----------|----------------------------------|-----------|---------------|---|
| -29.03 | 167.98 | CANB 874337 | 23/2/2014 | Simaroubaceae | <i>Ailanthus altissima</i> (Mill.) Swingle |
| -29.05 | 167.95 | CANB 874003 | 23/9/2013 | Solanaceae | <i>Brugmansia suaveolens</i> (Humb. & Bonpl. ex Willd.) Bercht. & J.Presl |
| -29.03 | 167.94 | CANB 874286 | 19/2/2014 | Solanaceae | <i>Cestrum nocturnum</i> L. |
| -29.03 | 167.95 | CANB 874299 | 20/2/2014 | Solanaceae | <i>Cestrum nocturnum</i> |
| -29.03 | 167.95 | CANB 874313 | 21/2/2014 | Solanaceae | <i>Cestrum nocturnum</i> |
| -29.05 | 167.98 | CANB 873997 | 23/9/2013 | Solanaceae | <i>Datura stramonium</i> L. |
| -29.05 | 167.92 | CANB 874133 | 28/9/2013 | Solanaceae | <i>Lycium ferocissimum</i> Miers |
| -29.00 | 167.93 | CANB 874032 | 24/9/2013 | Solanaceae | <i>Nicandra physalodes</i> (L.) Gaertn. |
| -29.05 | 167.92 | CANB 874138 | 28/9/2013 | Solanaceae | <i>Nicotiana tabacum</i> L. |
| -29.06 | 167.96 | CANB 873990 | 23/9/2013 | Solanaceae | <i>Petunia ×atkinsiana</i> (Sweet) D.Don ex W.H.Baxter |
| -29.00 | 167.93 | CANB 874039 | 24/9/2013 | Solanaceae | <i>Physalis peruviana</i> L. |
| -29.05 | 167.98 | CANB 873994 | 23/9/2013 | Solanaceae | <i>Solanum linnaeanum</i> Hepper & P.-M.Jaeger |
| -29.01 | 167.93 | CANB 874180 | 30/9/2013 | Solanaceae | <i>Solanum linnaeanum</i> |
| -29.00 | 167.93 | CANB 874028 | 24/9/2013 | Solanaceae | <i>Solanum lycopersicum</i> L. |
| -29.05 | 167.98 | CANB 873996 | 23/9/2013 | Solanaceae | <i>Solanum mauritianum</i> Scop. |
| -29.03 | 167.95 | CANB 874314 | 21/2/2014 | Solanaceae | <i>Solanum mauritianum</i> |
| -29.00 | 167.93 | CANB 874044 | 24/9/2013 | Solanaceae | <i>Solanum muricatum</i> Aiton [cultivated] |
| -29.02 | 167.97 | CANB 874079 | 26/9/2013 | Solanaceae | <i>Solanum nodiflorum</i> Jacq. |
| -29.04 | 167.94 | CANB 874103 | 27/9/2013 | Tropaeolaceae | <i>Tropaeolum majus</i> L. |
| -29.05 | 167.97 | CANB 874349 | 24/2/2014 | Tropaeolaceae | <i>Tropaeolum majus</i> |
| -29.04 | 167.92 | CANB 874141 | 28/9/2013 | Urticaceae | <i>Urtica urens</i> L. |
| -29.03 | 167.98 | CANB 874236 | 4/10/2013 | Urticaceae | <i>Urtica urens</i> |
| -29.05 | 167.98 | CANB 873995 | 23/9/2013 | Verbenaceae | <i>Lantana camara</i> L. |
| -29.04 | 167.95 | CANB 874216 | 3/10/2013 | Verbenaceae | <i>Lantana montevidensis</i> (Spreng.) Briq. |
| -29.02 | 167.97 | CANB 874075 | 26/9/2013 | Verbenaceae | <i>Verbena incompta</i> P.W.Michael |
| -29.01 | 167.94 | CANB 874178 | 30/9/2013 | Verbenaceae | <i>Verbena incompta</i> |
| -29.06 | 167.96 | CANB 873970 | 22/9/2013 | Verbenaceae | <i>Verbena litoralis</i> Kunth |
| -29.04 | 167.95 | CANB 874143 | 28/9/2013 | Verbenaceae | <i>Verbena litoralis</i> |
| -29.01 | 167.94 | CANB 874176 | 30/9/2013 | Verbenaceae | <i>Verbena litoralis</i> |
| -29.01 | 167.94 | CANB 874177 | 30/9/2013 | Verbenaceae | <i>Verbena ×brasiliensis</i> Vell. |
| -29.06 | 167.94 | CANB 874383 | 27/2/2014 | Violaceae | <i>Viola banksii</i> K.R.Thiele & Prober |
| -29.01 | 167.94 | CANB 874371 | 26/2/2014 | Vitaceae | <i>Vitis vinifera</i> L. |
| -29.04 | 167.99 | CANB 874057 | 25/9/2013 | Vitaceae | <i>Vitis vinifera</i> [cultivated] |

Table 2B. Norfolk Island Quarantine Survey – vascular plants (observed, no collections)

| Latitude | Longitude | Target family | Target taxon | Date | Field Notes |
|----------|---------------|------------------|--|---------------------|--|
| -29.05 | 167.97 | ARECACEAE | <i>Livistona</i> R.Br. | -/9/2013 | Plant (single individual) sterile |
| -29.05 | 167.97 | ARECACEAE | <i>Phoenix canariensis</i> Hort. ex Chabaud | -/9/2013 | Plant (single individual) sterile |
| -29.03 | 167.94 | ASPARAGACEAE | <i>Asparagus plumosus</i> Baker | -/9/2013, -/2/2014 | Plants sterile (September 2013), in early bud (February 2014) |
| -29.05 | 167.96 | ASTERACEAE | <i>Centaureamelitensis</i> L. | -/9/2013 | Plants immature, in early bud |
| -29.05 | 167.96 | AZOLLACEAE | <i>Azolla pinnata</i> R.Br. | -/9/2013 | |
| -29.02 | 167.96 | BRASSICACEAE | <i>Nasturtium</i> Aiton [probably <i>N. officinale</i>] | -/2/2014 | Plants immature, in early bud |
| -29.04 | 167.96 | FABACEAE | <i>Medicago sativa</i> L. | -/2/2014 | Plants sterile |
| -29.03 | 167.94 | MORACEAE | <i>Ficus carica</i> L. | -/9/2013 | Plant (single individual) sterile |
| -29.04 | 167.94 | MYRTACEAE | <i>Corymbia</i> K.D.Hill & L.A.S.Johnson | -/10/2013, -/2/2014 | Numerous sterile seedlings naturalised from adult plantings |
| -29.05 | 167.95 | POACEAE | <i>Ammophila arenaria</i> (L.) Link | -/9/2013, -/2/2014 | Plants sterile |
| -29.06 | 167.96 | POACEAE | <i>Lagurus ovatus</i> L. | -/2/2014 | Plants senescent |
| -29.04 | 167.92 | POACEAE | <i>Paspalum distichum</i> L. | -/9/2013 | Plants sterile |
| -29.06 | 167.96 | POACEAE | <i>Spinifex sericeus</i> R.Br. | -/9/2013, -/2/2014 | Plants sterile |
| -29.05 | 167.96 | POLYGONACEAE | <i>Rumex conglomeratus</i> Murray | -/9/2013, -/2/2014 | Plants immature, in early bud (2013); senescent, in old fruit (2014) |
| -29.05 | 167.96 | PTERIDACEAE | <i>Pteris vittata</i> L. | -/9/2013, -/2/2014 | Plants sterile |
| -29.03 | 167.94 | ROSACEAE | <i>Eriobotrya japonica</i> (Thunb.) Lindl. | -/10/2013, -/2/2014 | Plant (single individual) sterile (2013), in early bud (2014) |
| -29.01 | 167.93 | SCROPHULARIACEAE | <i>Verbascum thapsus</i> L. | -/9/2013, -/2/2014 | Plants sterile (rosettes only) |

NORFOLK ISLAND QUARANTINE SURVEY

Table 2C . Norfolk Island Quarantine Survey – vascular plants (recorded by previous authors [Green (1985), de Lange et al. (2005) and Mills (2007b, 2007c, 2009, 2010, 2011, 2012, 2012b, 2012c)], not collected or observed during NIQS)*

| Target taxon | Target family |
|--|------------------|
| <i>Ruellia ciliosa</i> Pursh | ACANTHACEAE |
| <i>Carpobrotus edulis</i> (L.) N.E.Br. | AIZOACEAE |
| <i>Nothoscordum borbonicum</i> Kunth | ALLIACEAE |
| <i>Xanthosoma sagittifolium</i> (L.) Schott | ARACEAE |
| <i>Alternanthera sessilis</i> (L.) DC. [As <i>Alternanthera</i> sp. aff. <i>sessilis</i> in Mills (2010)] | AMARANTHACEAE |
| <i>Apium graveolens</i> L. | APIACEAE |
| <i>Coriandrum sativum</i> L. | APIACEAE |
| <i>Hedera helix</i> L. | ARALIACEAE |
| <i>Tetrapanax papyrifer</i> (Hook.) K.Koch | ARALIACEAE |
| <i>Asparagus aethiopicus</i> L. | ASPARAGACEAE |
| <i>Carduus pycnocephalus</i> L. | ASTERACEAE |
| <i>Erechtites hieraciifolia</i> Raf. ex DC. | ASTERACEAE |
| <i>Facelis retusa</i> (Lam.) Sch.Bip. | ASTERACEAE |
| <i>Gamochoaeta calviceps</i> (Fernald) Cabrera | ASTERACEAE |
| <i>Gamochoaeta coarctata</i> (Willd.) Kerguelen | ASTERACEAE |
| <i>Lapsana communis</i> L. | ASTERACEAE |
| <i>Montanoa hibiscifolia</i> Benth. | ASTERACEAE |
| <i>Silybum marianum</i> (L.) Gaertn. | ASTERACEAE |
| <i>Solidago</i> L. | ASTERACEAE |
| <i>Tragopogon porrifolius</i> L. | ASTERACEAE |
| <i>Cynoglossum australe</i> R.Br. | BORAGINACEAE |
| <i>Echium plantagineum</i> L. | BORAGINACEAE |
| <i>Brassica ×napus</i> L. | BRASSICACEAE |
| <i>Cakile edentula</i> (Bigelow) Hook. | BRASSICACEAE |
| <i>Rapistrum rugosum</i> (L.) All. | BRASSICACEAE |
| <i>Calceolaria tripartita</i> Ruiz & Pav. | CALCEOLARIACEAE |
| <i>Lobelia purpurascens</i> R.Br. [As <i>Pratia purpurascens</i> in Green (1994), and Mills (2007c, 2010)] | CAMPANULACEAE |
| <i>Wahlenbergia violacea</i> J.A.Pettersson | CAMPANULACEAE |
| <i>Lonicera japonica</i> Thunb. | CAPRIFOLIACEAE |
| <i>Cerastium vulgare</i> Hartm. [As <i>Cerastium fontanum</i> subsp. <i>vulgare</i> in Green (1994) and Mills (2007c, 2010)] | CARYOPHYLLACEAE |
| <i>Atriplex semibaccata</i> R.Br. | CHENOPODIACEAE |
| <i>Gloriosa superba</i> L. | COLCHICACEAE |
| <i>Tradescantia zebrina</i> Hort. ex Bosse | COMMELINACEAE |
| <i>Dichondra</i> J.R.Forst. & G.Forst. Inglewood (J.M.Dalby 86/93) [As <i>Dichondra micrantha</i> in de Lange et al. (2005) and Mills (2007c, 2010)] | CONVOLVULACEAE |
| <i>Ipomoea alba</i> L. | CONVOLVULACEAE |
| <i>Corynocarpus laevigatus</i> J.R.Forst. & G.Forst. | CORYNOCARPACEAE |
| <i>Bryophyllum delagoense</i> (Eckl. & Zeyh.) Schinz | CRASSULACEAE |
| <i>Crassula multicava</i> Lem. subsp. <i>multicava</i> | CRASSULACEAE |
| <i>Cucumis anguria</i> L. var. <i>anguria</i> [As <i>Cucumis anguria</i> in Green (1994), and Mills (2007c, 2010)] | CUCURBITACEAE |
| <i>Hesperocyparis lusitanica</i> (Mill.) Bartel [As <i>Cupressus lusitanica</i> Mill. in Green (1994)] | CUPRESSACEAE |
| <i>Hypolepis distans</i> Hook. | DENNSTAEDTIACEAE |
| <i>Acalypha wilkesiana</i> Müll.Arg. | EUPHORBIACEAE |
| <i>Homalanthus populifolius</i> Graham | EUPHORBIACEAE |

| Target taxon | Target family |
|---|-------------------------------|
| <i>Caesalpinia major</i> (Medik.) Dandy & Exell | FABACEAE (CAESALPINOIDEAE) |
| <i>Chamaecrista rotundifolia</i> (Pers.) Greene | FABACEAE (CAESALPINOIDEAE) |
| <i>Castanospermum australe</i> A.Cunn. ex Mudie | FABACEAE (FABOIDEAE) |
| <i>Crotalaria agatiflora</i> Schweinf. subsp. <i>agatiflora</i> | FABACEAE (FABOIDEAE) |
| <i>Desmodium tortuosum</i> (Sw.) DC. | FABACEAE (FABOIDEAE) |
| <i>Erythrina caffra</i> Thunb. | FABACEAE (FABOIDEAE) |
| <i>Erythrina speciosa</i> Andrews | FABACEAE (FABOIDEAE) |
| <i>Indigofera suffruticosa</i> Mill. | FABACEAE (FABOIDEAE) |
| <i>Lablab purpureus</i> (L.) Sweet | FABACEAE (FABOIDEAE) |
| <i>Medicago lupulina</i> L. | FABACEAE (FABOIDEAE) |
| <i>Pueraria lobata</i> (Willd.) Ohwi | FABACEAE (FABOIDEAE) |
| <i>Trifolium suffocatum</i> L. | FABACEAE (FABOIDEAE) |
| <i>Vicia tetrasperma</i> (L.) Moench | FABACEAE (FABOIDEAE) |
| <i>Acacia dealbata</i> A.Cunn. | FABACEAE (MIMOSOIDEAE) |
| <i>Erodium moschatum</i> (L.) L'Hér. ex Aiton | GERANIACEAE |
| <i>Geranium dissectum</i> L. | GERANIACEAE |
| <i>Pelargonium australe</i> Willd. | GERANIACEAE |
| <i>Pelargonium panduriforme</i> Eckl. & Zeyh. | GERANIACEAE |
| <i>Tritonia crocata</i> (L.) Ker Gawl. | IRIDACEAE |
| <i>Tritonia gladiolaris</i> (Lam.) Goldblatt & J.C.Manning [As <i>Tritonia lineata</i> in Green (1994)] | IRIDACEAE |
| <i>Juncus australis</i> Hook.f. | JUNCACEAE |
| <i>Juncus pallidus</i> R.Br. | JUNCACEAE |
| <i>Juncus usitatus</i> L.A.S.Johnson | JUNCACEAE |
| <i>Lavandula dentata</i> L. | LAMIACEAE |
| <i>Marrubium vulgare</i> L. | LAMIACEAE |
| <i>Mentha spicata</i> L. | LAMIACEAE |
| <i>Salvia verbenaca</i> L. | LAMIACEAE |
| <i>Cinnamomum camphora</i> (L.) J.Presl | LAURACEAE |
| <i>Cryptocarya triplinervis</i> R.Br. | LAURACEAE |
| <i>Linum marginale</i> A.Cunn. | LINACEAE |
| <i>Lythrum hyssopifolium</i> F.M.Bailey | LYTHRACEAE |
| <i>Hibiscus pedunculatus</i> L.f. | MALVACEAE |
| <i>Pavonia hastata</i> Cav. | MALVACEAE |
| <i>Triumfetta rhomboidea</i> Jacq. | MALVACEAE |
| <i>Delarbrea paradoxa</i> Veill. | MYODOCARPACEAE |
| <i>Eucalyptus fibrosa</i> F.Muell. | MYRTACEAE |
| <i>Eugenia uniflora</i> L. | MYRTACEAE |
| <i>Metrosideros excelsa</i> Sol. ex Gaertn. × <i>M. kermadecensis</i> W.R.B.Oliv. | MYRTACEAE |
| <i>Mirabilis jalapa</i> L. | NYCTAGINACEAE |
| <i>Ligustrum sinense</i> Lour. | OLEACEAE |
| <i>Oenothera affinis</i> Cambess. | ONAGRACEAE |
| <i>Oenothera stricta</i> Ledeb. ex Link subsp. <i>stricta</i> | ONAGRACEAE |
| <i>Oenothera tetraptera</i> Cav. | ONAGRACEAE |
| <i>Oxalis chnoodes</i> Lourteig | OXALIDACEAE |
| <i>Oxalis corniculata</i> L. | OXALIDACEAE |
| <i>Oxalis radicata</i> A.Rich. | OXALIDACEAE |
| <i>Passiflora ligularis</i> Juss. | PASSIFLORACEAE |
| <i>Breynia disticha</i> J.R.Forst. & G.Forst. | PHYLLANTHACEAE |
| <i>Pittosporum crassifolium</i> Banks & Sol. ex A.Cunn. | PITTOSPORACEAE |

NORFOLK ISLAND QUARANTINE SURVEY

| Target taxon | Target family |
|---|-----------------|
| <i>Plantago debilis</i> R.Br. | PLANTAGINACEAE |
| <i>Russelia equisetifolia</i> Schltld. & Champ. | PLANTAGINACEAE |
| <i>Plumbago auriculata</i> Lam. | PLUMBAGINACEAE |
| <i>Anthosachne scabra</i> (R.Br.) Nevski [As <i>Elymus rectisetus</i> in Green (1994) and as <i>Elymus scaber</i> in de Lange (2005) and Mills (2007c, 2010)] | POACEAE |
| <i>Anthoxanthum odoratum</i> L. | POACEAE |
| <i>Avena sativa</i> L. | POACEAE |
| <i>Briza maxima</i> L. | POACEAE |
| <i>Bromus arenarius</i> Labill. | POACEAE |
| <i>Bromus scoparius</i> L. | POACEAE |
| <i>Catapodium rigidum</i> (L.) C.E.Hubb. | POACEAE |
| <i>Dactylis glomerata</i> L. | POACEAE |
| <i>Eragrostis brownii</i> (Kunth) Nees | POACEAE |
| <i>Lolium rigidum</i> Gaudin | POACEAE |
| <i>Melinis repens</i> (Willd.) Zizka | POACEAE |
| <i>Phalaris minor</i> Retz. | POACEAE |
| <i>Poa pratensis</i> L. | POACEAE |
| <i>Setaria palmifolia</i> (J.Koenig) Stapf | POACEAE |
| <i>Vulpia myuros</i> f. <i>megalura</i> (Nutt.) Auquier | POACEAE |
| <i>Fallopia convolvulus</i> (L.) Á.Löve | POLYGONACEAE |
| <i>Platynerium bifurcatum</i> (Cav.) C.Chr. | POLYPODIACEAE |
| <i>Ranunculus parviflorus</i> L. | RANUNCULACEAE |
| <i>Ranunculus repens</i> L. | RANUNCULACEAE |
| <i>Rhaphiolepis umbellata</i> (Thunb.) Makino | ROSACEAE |
| <i>Pentas lanceolata</i> (Forssk.) Deflers | RUBIACEAE |
| <i>Cardiospermum halicacabum</i> L. | SAPINDACEAE |
| <i>Selaginella kraussiana</i> (Kunze) A.Braun | SELAGINELLACEAE |
| <i>Solandra maxima</i> (Sesse & Moc.) P.S.Green | SOLANACEAE |
| <i>Boehmeria nivea</i> (L.) Gaudich. | URTICACEAE |
| <i>Pilea microphylla</i> (L.) Liebm. | URTICACEAE |
| <i>Urtica dioica</i> subsp. <i>gracilis</i> (Aiton) Selander | URTICACEAE |
| <i>Duranta erecta</i> L. | VERBENACEAE |
| <i>Viola tricolor</i> L. | VIOLACEAE |

Table 3. Norfolk Island Quarantine Survey - invertebrates (plant and animal hosts) [note that 'mainland Australia' covers Tasmania as well]

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|---------------|---|----------------|---------------|--|-----------------------------------|----------------------------|----------------------------------|
| -29.03 | 167.99 | 21/02/2014 | Fabaceae | <i>Glycine max</i> (L.) Merr. | Trombidiformes | Erythraeidae | <i>Abrolophus</i> Bertese, 1891 | Y | ? | Hand collection |
| -29.04 | 167.99 | 8/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> L. | Trombidiformes | Erythraeidae | <i>Abrolophus</i> sp. | Y | ? | Beating |
| -29.04 | 167.99 | 27/11/2014 | Moraceae | <i>Ficus carica</i> L. | Trombidiformes | Eriophyiidae | <i>Aceria fica</i> (Cotte, 1920) | Y | Y | Ethanol wash |
| -29.02 | 167.95 | 23/09/2013 | Urticaceae | <i>Boehmeria australis</i> Endl. | Trombidiformes | Eriophyiidae | <i>Aceria keiferi</i> , 1944 | Y | ? | Hand collection |
| -29.05 | 167.93 | 27/09/2013 | Rutaceae | <i>Citrus</i> L. | Trombidiformes | Eriophyiidae | <i>Aceria sheldoni</i> (Ewing, 1937) | Y | Y | Hand collection |
| -29.01 | 167.92 | 26/09/2013 | Rutaceae | <i>Citrus</i> sp. | Trombidiformes | Eriophyiidae | <i>Aceria sheldoni</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 24/09/2013 | Rutaceae | <i>Citrus sinensis</i> (L.) Osbeck | Trombidiformes | Eriophyiidae | <i>Aceria sheldoni</i> | Y | Y | Ethanol wash |
| -29.01 | 167.93 | 21/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Achaea janata</i> (Linnaeus, 1758) | N | Y | Light trap in eucalypt forest |
| -29.03 | 167.94 | 26/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Achaea janata</i> | N | Y | Light trap |
| -29.05 | 167.93 | 24/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> (Salisb.) Franco | Coleoptera | Ptiliidae | <i>Acrotichis norfolkensis</i> (Deane, 1931) | N | N | Hand collection from felled tree |
| -29.03 | 167.99 | 23/10/2013 | Various | | Coleoptera | Ptiliidae | <i>Acrotichis norfolkensis</i> | N | N | Yellow pan |
| -29.00 | 167.93 | 24/10/2013 | Various | | Coleoptera | Ptiliidae | <i>Acrotichis norfolkensis</i> | N | N | Yellow pan |
| -29.04 | 167.95 | 26/11/2014 | Rosaceae | <i>Prunus persica</i> (L.) Batsch var. <i>persica</i> | Trombidiformes | Eriophyiidae | <i>Aculops Keiferi</i> , 1966 | Y | ? | Ethanol wash |
| -29.03 | 167.93 | 27/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Trombidiformes | Eriophyiidae | <i>Aculops lycopersici</i> (Tryon, 1917) | Y | Y | Ethanol wash |
| -29.00 | 167.93 | 20/02/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Trombidiformes | Eriophyiidae | <i>Aculops lycopersici</i> | Y | Y | Hand collection |
| -29.04 | 167.96 | 24/11/2014 | Fabaceae | <i>Phaseolus</i> L. | Trombidiformes | Eriophyiidae | <i>Aculops lycopersici</i> | Y | Y | Ethanol wash |
| -29.05 | 167.93 | 13/06/2013 | Fabaceae | <i>Medicago sativa</i> L. | Hemiptera | Aphididae | <i>Acyrtosiphon kondoi</i> Shinji, 1938i | Y | Y | Sweep net |
| -29.02 | 167.97 | 10/10/2014 | NA | NA | Hemiptera | Aphididae | <i>Acyrtosiphon kondoi</i> | Y | Y | Light trap |
| -29.01 | 167.92 | 16/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Aphididae | <i>Acyrtosiphon kondoi</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 8/10/2014 | Fabaceae | <i>Trifolium repens</i> L. var. <i>repens</i> | Hemiptera | Aphididae | <i>Acyrtosiphon kondoi</i> | Y | Y | Sweep net |
| -29.04 | 167.94 | 23/09/2013 | Fabaceae | <i>Trifolium repens</i> var. <i>repens</i> | Hemiptera | Aphididae | <i>Acyrtosiphon kondoi</i> | Y | Y | Hand collection |
| -29.03 | 167.94 | 10/10/2014 | Poaceae | <i>Digitaria Haller</i> | Hemiptera | Aphididae | <i>Acyrtosiphon kondoi</i> | Y | Y | Sweep net |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|--|----------------------|--|----------------|-----------------|---|-----------------------------------|----------------------------|--|
| -29.02 | 167.97 | 22/09/2013 | Fabaceae | <i>Trifolium repens</i> var. <i>repens</i> | Hemiptera | Aphididae | <i>Acyrtosiphon pisum</i> (Harris, 1776) | Y | Y | Hand collection |
| -29.05 | 167.93 | 13/06/2013 | Fabaceae | <i>Medicago sativa</i> | Hemiptera | Aphididae | <i>Acyrtosiphon pisum</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 12/06/2013 | Rutaceae | <i>Citrus ×aurantium</i> L. | Trombidiformes | Acarophenacidae | <i>Adactylidium</i> Cross, 1965 | Y | ? | Hand collection |
| -29.05 | 167.92 | 24/05/2014 | Poaceae | Unknown | Orthoptera | Podociridae | <i>Adenopterus norfolkensis</i> (Chopard, 1951) | N | N | Sweep net |
| -29.01 | 167.93 | 26/02/2014 | Myrtaceae | <i>Eucalyptus</i> L'Hér. | Coleoptera | Aderidae | <i>Aderus norfoecensis</i> (Lea, 1917) | N | N | Hand collection and sweep net |
| -29.04 | 167.99 | 24/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> (Haga, 1973) | Y | Y | Hand collection from litter |
| -29.01 | 167.94 | 22/03/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Hand collection from leaf litter |
| -29.00 | 167.94 | 24/03/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Hand collection from leaf litter |
| -29.02 | 167.96 | 24/10/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Hand collection ex leaf litter |
| -29.01 | 167.95 | 26/12/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Hand collection ex Norfolk Island pine dead wood |
| -29.01 | 167.94 | 22/12/2012 | Asparagaceae | <i>Corymbium obtecta</i> (Graham) Baker | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Hand collection from dead leaves |
| -29.01 | 167.93 | 10/07/2013 | Myrtaceae | <i>Eucalyptus</i> sp. | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Hand collection from Eucalypt plantation – dead leaves |
| -29.02 | 167.92 | 23/10/2013 | Myrtaceae | <i>Eucalyptus</i> sp. | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Hand collection ex leaf litter |
| -29.02 | 167.96 | 27/12/2012 | Proteaceae, Areaceae | <i>Grevillea robusta</i> A.Cunn. ex R.Br. | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Hand collection from dead leaves |
| -29.01 | 167.95 | 26/10/2013 | Unknown | NA | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Hand collection from dead branch and lichens |
| -29.02 | 167.95 | 21/12/2012 | NA | NA | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Hand collection from dead twigs and leaves |
| -29.02 | 167.95 | 21/12/2013 | NA | NA | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Hand collection, berlesate from leaf litter |
| -29.02 | 167.96 | 26/11/2014; 28/11/2014; 29/11/2014 | NA | NA | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Hand collection, berlesate from leaf litter |
| -29.02 | 167.95 | 21/12/2013 | NA | NA | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Ex leaf litter |
| -29.01 | 167.94 | 23/12/2013 | NA | NA | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Ex leaf litter |
| -29.02 | 167.94 | 25/05/2014 | NA | NA | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Trapping ex leaf litter |
| -29.02 | 167.95 | 22/11/2014 | Oleaceae | <i>Olea europaea</i> subsp. <i>cuspidata</i> (Wall. ex G.Don) Cif. | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Hand collection from leaf litter |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|---------------|--|--------------|-----------------|---|-----------------------------------|----------------------------|---|
| -29.00 | 167.94 | 27/11/2014; 26/03/2014 | Oleaceae | <i>Olea europaea</i> subsp. <i>cuspidata</i> | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Hand collection ex leaf litter |
| -29.01 | 167.94 | 21/10/2013; 26/10/2013 | Myrtaceae | <i>Psidium</i> <i>cattleyanum</i> Sabine var. <i>cattleyanum</i> | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Hand collection, berlesate ex leaf litter |
| -29.00 | 167.94 | 24/03/2014 | Poaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Hand collection |
| -29.02 | 167.95 | 23/11/2014 | Areaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Hand collection from dead palm frond |
| -29.01 | 167.94 | 22/12/2012 | Areaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Hand collection from dead palm fronds |
| -29.02 | 167.92 | 23/10/2013 | Araucariaceae | <i>Araucaria</i> <i>heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Adraneothrips russatus</i> | Y | Y | Hand collection from dead leaves |
| -29.06 | 167.93 | 19/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Halaedes) australis</i> (Erichson, 1842) | N | Y | Dipping in brackish water, rock pools. Thousands of larvae |
| -29.02 | 167.97 | 21/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Halaedes) australis</i> | N | Y | Dipping in brackish water ground pool |
| -29.05 | 167.95 | 24/05/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Halaedes) cf. australis</i> | N | Y | Culicoides trap Set 21.5.2014, collected 24.5.2014, damaged specimens (scales missing) |
| -29.05 | 167.93 | 24/02/2014 | Moraceae | <i>Ficus carica</i> | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> (Skuse, 1889) | Y | Y | Dipping from hollow in fig |
| -29.04 | 167.94 | 23/09/2013 | Moraceae | <i>Ficus macrophylla</i> Desf. ex Pers. | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Hand collection |
| -29.05 | 167.97 | 22/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | CO2 light trap |
| -29.04 | 167.94 | 23/09/2013 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Dipping |
| -29.04 | 167.99 | 25/09/2013 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Dipping |
| -29.04 | 167.98 | 20/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Dipping |
| -29.03 | 167.94 | 19/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | CO2 light trap |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | BG trap no CO2 |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | CO2 light trap |
| -29.03 | 167.96 | 25/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | CO2 light trap |
| -29.02 | 167.95 | 24/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | CO2 light trap |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|-------------|--------------|--------------|---------------|---------------------------------------|-----------------------------------|----------------------------|---|
| -29.04 | 167.94 | 22/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | BG trap with CO2 (21 hours of trapping) |
| -29.04 | 167.94 | 24/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Dipping from 44 gallon drum |
| -29.05 | 167.97 | 21/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Dipping from bin for string plants |
| -29.05 | 167.97 | 21/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Dipping from bird bath and bromeliads |
| -29.05 | 167.96 | 9/10/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Dipping from bucket |
| -29.03 | 167.94 | 23/09/2013 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Hand collection (larvae) |
| -29.00 | 167.93 | 24/09/2013 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Hand collection (larvae) |
| -29.00 | 167.93 | 24/09/2013 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Hand collection (larvae) |
| -29.02 | 167.96 | 10/06/2013 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Hand collection (larvae, pupae) |
| -29.03 | 167.95 | 11/06/2013 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Hand collection from tyre |
| -29.03 | 167.95 | 11/06/2013 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Hand collection from rocky cavity (larvae) |
| -29.02 | 167.96 | 10/06/2013 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Hand collection from compost heap (larvae) |
| -29.01 | 167.96 | 26/05/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Hand collection from tarpaulin holding water (larvae) |
| -29.03 | 167.94 | 24/05/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Dipping and hand collection from old discarded animal (bird?) cage with small container holding water |
| -29.03 | 167.96 | 9/10/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Dipping from plant holding platform with pooling water (larvae) |
| -29.03 | 167.96 | 22/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | CO2 light trap (soda stream cylinder) |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | CO2 light trap (surveillance) |
| -29.00 | 167.93 | 20/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Dipping in receptacles in boat |
| -29.04 | 167.94 | 19/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Dipping from tyres in fence |
| -29.12 | 167.95 | 14/10/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Hand collection from tarpaulin with pooling water (larvae) |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|----------------|---|----------------|----------------|---|-----------------------------------|----------------------------|---------------------------------------|
| -29.04 | 167.94 | 19/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Dipping in tyre |
| -29.04 | 167.94 | 19/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Dipping in tyre |
| -29.03 | 167.95 | 19/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Dipping in tyre |
| -29.03 | 167.98 | 20/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Dipping in tyre |
| -29.04 | 167.96 | 10/10/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Hand collection from water |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Dipping from water tank and tyres |
| -29.03 | 167.94 | 24/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | CO2 light trap (windy night) |
| -29.03 | 167.96 | 19/02/2014 | Bromeliaceae | Unknown | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Dipping |
| -29.03 | 167.99 | 22/12/2012 | Rutaceae | <i>Citrus × limon</i> (L.) Osbeck | Diptera | Culicidae | <i>Aedes (Rampamyia) notoscriptus</i> | Y | Y | Beating |
| -29.02 | 167.95 | 24/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes antipodensis</i> (Edwards, 1920) | N | N | CO2 light trap |
| -29.03 | 167.96 | 22/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes antipodensis</i> | N | N | CO2 light trap – soda stream cylinder |
| -29.05 | 167.97 | 22/02/2014 | NA | NA | Diptera | Culicidae | <i>Aedes antipodensis</i> | N | N | CO2 light trap |
| -29.03 | 167.99 | 22/03/2014 | Apiaceae | <i>Daucus carota</i> L. | Thysanoptera | Aeolothripidae | <i>Aeolothrips fasciatus</i> (Linnaeus, 1758) | Y | Y | Hand collection |
| -29.00 | 167.93 | 24/12/2012 | Asteraceae | <i>Lactuca sativa</i> L. | Thysanoptera | Aeolothripidae | <i>Aeolothrips fasciatus</i> | Y | Y | Hand collection from leaves |
| -29.05 | 167.93 | 29/11/2014; 12/07/2013 | Fabaceae | <i>Medicago sativa</i> | Thysanoptera | Aeolothripidae | <i>Aeolothrips fasciatus</i> | Y | Y | Hand collection from flowers |
| -29.03 | 167.99 | 24/11/2014 | Unknown | Unknown | Thysanoptera | Aeolothripidae | <i>Aeolothrips fasciatus</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 27/11/2014 | Solanaceae | <i>Capsicum annuum</i> | Thysanoptera | Aeolothripidae | <i>Aeolothrips fasciatus</i> | Y | Y | Hand collection |
| -29.05 | 167.93 | 17/02/2014 | Convolvulaceae | <i>Ipomoea cairica</i> (L.) Sweet | Coleoptera | Nitidulidae | <i>Aethina concolor</i> (Macleay, 1871) | Y | Y | Hand collection |
| -29.02 | 167.97 | 22/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> <i>Citrus</i> | Coleoptera | Nitidulidae | <i>Aethina concolor</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 27/11/2014 | Rutaceae | <i>Citrus × aurantifolia</i> (Christm.) Swingle | Trombidiformes | Tydeidae | <i>Afroydeus</i> Baker, 1970 | Y | ? | Ethanol wash |
| -29.04 | 167.99 | 24/11/2014 | Rutaceae | <i>Citrus × aurantium</i> | Trombidiformes | Tydeidae | <i>Afroydeus</i> sp. | Y | ? | Ethanol wash |
| -29.04 | 167.99 | 14/06/2013 | Rutaceae | <i>Citrus × aurantium</i> | Trombidiformes | Tydeidae | <i>Afroydeus</i> sp. | Y | ? | Hand collection |
| -29.00 | 167.93 | 24/09/2013 | Rutaceae | <i>Citrus × aurantium</i> | Trombidiformes | Tydeidae | <i>Afroydeus</i> sp. | Y | ? | Hand collection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|----------------------|--|-----------------|----------------|--|-----------------------------------|----------------------------|--------------------------|
| -29.01 | 167.93 | 13/06/2013 | Rutaceae | <i>Citrus</i> sp. | Trombidiformes | Stigmaeidae | <i>Agistemus collyerae</i> González-Rodríguez, 1963 | Y | Y | Hand collection |
| -29.06 | 167.94 | 11/10/2014 | Combretaceae | <i>Terminalia catappa</i> | Trombidiformes | Stigmaeidae | <i>Agistemus longisetus</i> González-Rodríguez, 1963 | Y | Y | Beating |
| -29.01 | 167.95 | 23/09/2013 | Urticaceae | <i>Boehmeria australis</i> | Trombidiformes | Stigmaeidae | <i>Agistemus longisetus</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 25/09/2013 | Malvaceae | <i>Lagunaria patersonia</i> (Andrews) G. Don | Trombidiformes | Stigmaeidae | <i>Agistemus novaezelandicus</i> González-Rodríguez, 1963 | Y | N | Hand collection |
| -29.04 | 167.99 | 24/11/2014 | Rutaceae | <i>Citrus ×aurantium</i> | Trombidiformes | Stigmaeidae | <i>Agistemus novaezelandicus</i> | Y | N | Ethanol wash |
| -29.01 | 167.93 | 25/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Trombidiformes | Stigmaeidae | <i>Agistemus subreticulatus</i> (Wood, 1967) | Y | N | Ethanol wash |
| -29.04 | 167.99 | 27/11/2014 | Amnonaceae | <i>Amnona muricata</i> | Trombidiformes | Stigmaeidae | <i>Agistemus</i> Summers, 1960 | Y | ? | Ethanol wash |
| -29.00 | 167.93 | 12/06/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Trombidiformes | Stigmaeidae | <i>Agistemus</i> cf. <i>subreticulatus</i> | Y | N | Ethanol wash |
| -29.06 | 167.94 | 26/11/2014 | NA | NA | Lepidoptera | Spingidae | <i>Agrius convolvuli</i> (Linnaeus, 1758) | N | Y | Light trap |
| -29.05 | 167.92 | 19/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Agrotis ipsilon</i> (Hufnagel, 1766) | N | Y | Light trap |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Agrotis ipsilon</i> | N | Y | Light trap |
| -29.01 | 167.94 | 23/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Agrotis ipsilon</i> | N | Y | Light trap |
| -29.03 | 167.96 | 25/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Agrotis ipsilon</i> | N | Y | Light trap 25-5 |
| -29.03 | 167.97 | 22/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Agrotis ipsilon</i> | N | Y | Light trap |
| -29.05 | 167.96 | 20/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Agrotis ipsilon</i> | N | Y | Light trap |
| -29.01 | 167.92 | 16/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Stylommatophora | Microcystidae | <i>Alloconcha basispiralis</i> Preston, 1913 | N | N | Hand collection |
| -29.02 | 167.97 | 22/09/2013 | NA | NA | Stylommatophora | Microcystidae | <i>Alloconcha basispiralis</i> | N | N | Hand collection on rocks |
| Unknown | Unknown | 18/07/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Stylommatophora | Microcystidae | <i>Alloconcha basispiralis</i> | N | N | Unknown |
| -29.02 | 167.97 | 22/09/2013 | NA | NA | Stylommatophora | Subulimidae | <i>Allopeas clavulimus</i> (Pötež & Michaud, 1838) | N | Y | Hand collection on rocks |
| -29.03 | 167.93 | 12/06/2013 | Cucurbitaceae | <i>Cucumis sativus</i> L. | Stylommatophora | Subulimidae | <i>Allopeas clavulimus</i> | N | Y | Hand collection |
| -29.01 | 167.95 | 26/12/2012 | NA | NA | Hemiptera | Membracidae | <i>Alosavius carinatus</i> (Funkhouser, 1927) | Y | Y | Beating |
| -29.00 | 167.93 | 26/12/2012 | Musaceae, Asteraceae | <i>Musa</i> L., <i>Lactuca sativa</i> | Diptera | Dolichopodidae | <i>Amblystolopus careensis</i> Bickel, 1994 | N | Y | Yellow pan |
| -29.00 | 167.93 | 24/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> (Chant, 1959) | Y | Y | Ethanol wash |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|----------------|--|--------------|---------------|------------------------------|-----------------------------------|----------------------------|-------------------|
| -29.04 | 167.98 | 27/11/2014 | Caricaceae | <i>Carica papaya</i> L. | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Ethanol wash |
| -29.02 | 167.93 | 27/11/2014 | Cannabaceae | <i>Celtis paniculata</i> (Fend.) Planch | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Ethanol wash |
| -29.04 | 167.99 | 27/11/2014 | Rutaceae | <i>Citrus ×aurantifolia</i> | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Ethanol wash |
| -29.0 | 167.99 | 24/11/2014 | Rutaceae | <i>Citrus ×aurantium</i> | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Ethanol wash |
| -29.00 | 167.93 | 12/06/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 27/11/2014 | Rutaceae | <i>Citrus ×aurantium</i> | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Ethanol wash |
| -29.00 | 167.93 | 26/11/2014; 24/09/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Ethanol wash |
| -29.04 | 167.99 | 24/11/2014 | Rutaceae | <i>Citrus ×limon</i> | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Ethanol wash |
| -29.04 | 167.99 | 27/11/2014 | Rutaceae | <i>Citrus reticulata</i> Blanco | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Ethanol wash |
| -29.06 | 167.94 | 11/10/2014 | Rutaceae | <i>Citrus</i> sp. | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Beating |
| -29.03 | 167.95 | 22/09/2013 | Rutaceae | <i>Citrus</i> sp. | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Hand collection |
| -29.05 | 167.92 | 7/10/2014 | Asparagaceae | <i>Cordylone oblecta</i> | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Beating |
| -29.04 | 167.99 | 27/11/2014 | Moraceae | <i>Ficus carica</i> | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Ethanol wash |
| -29.00 | 167.93 | 12/06/2013 | Arecaceae | <i>Howea forsteriana</i> (C.Moore & Muell.) Becc. | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Hand collection |
| -29.05 | 167.92 | 26/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Ethanol wash |
| -29.01 | 167.93 | 13/06/2013 | Proteaceae | <i>Macadamia integrifolia</i> Maiden & Betche | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Beating |
| -29.04 | 167.99 | 27/11/2014 | Rosaceae | <i>Malus pumila</i> Mill. | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Ethanol wash |
| -29.05 | 167.94 | 22/09/2013 | Anacardiaceae | <i>Mangifera indica</i> L. | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 27/11/2014 | Anacardiaceae | <i>Mangifera indica</i> | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Ethanol wash |
| -29.03 | 167.92 | 22/05/2014 | Passifloraceae | <i>Passiflora edulis</i> L. <i>Passiflora O.Deg.</i> <i>Prunus persica</i> | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Beating |
| -29.04 | 167.99 | 27/11/2014 | Rosaceae | var. <i>nucipersica</i> (Suckow) C.K.Schneid. | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Ethanol wash |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|-----------------|--------------|--|--------------|-----------------|--|-----------------------------------|----------------------------|--|
| -29.01 | 167.93 | 16/10/2014 | Myrtaceae | <i>Psidium cattleianum</i> var. <i>cattleianum</i> | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 27/11/2014 | Rosaceae | <i>Pyrus communis</i> L. | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Ethanol wash |
| -29.06 | 167.94 | 11/10/2014 | Combretaceae | <i>Terminalia catappa</i> | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Beating |
| -29.03 | 167.96 | 25/11/2014 | Unknown | Unknown | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Ethanol wash |
| -29.05 | 167.96 | 9/10/2014 | Vitaceae | <i>Vitis vinifera</i> L. | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Beating |
| -29.04 | 167.98 | 27/11/2014 | Vitaceae | <i>Vitis vinifera</i> | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Ethanol wash |
| -29.03 | 167.92 | 22/05/2014 | Vitaceae | <i>Vitis vinifera</i> | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Beating of grape vine growing over <i>Citrus</i> sp. |
| -29.04 | 167.99 | 27/11/2014 | Annonaceae | <i>Annona muricata</i> | Mesostigmata | Phytoseiidae | <i>Amblyseius herbicolus</i> | Y | Y | Ethanol wash |
| -29.03 | 167.93 | 27/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Mesostigmata | Phytoseiidae | <i>Amblyseius Bertese</i> , 1914 | Y | ? | Ethanol wash |
| -29.02 | 167.93 | 27/11/2014 | Fabaceae | <i>Trifolium</i> L. | Mesostigmata | Phytoseiidae | <i>Amblyseius</i> sp. | Y | ? | Ethanol wash |
| -29.00 | 167.93 | 12/06/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Mesostigmata | Ameroseiidae | <i>Ameroseius Bertese</i> , 1903 | Y | ? | Hand collection |
| -29.01 | 167.94 | 24/09/2013 | Arecaceae | Unknown | Mesostigmata | Ameroseiidae | <i>Ameroseius</i> sp. | Y | ? | Berlese tunnel of leaf litter under palms |
| -29.01 | 167.94 | 24/09/2013 | Arecaceae | Unknown | Mesostigmata | Ameroseiidae | <i>Ameroseius ornatus</i> Womersley, 1956 | Y | Y | Berlese tunnel of leaf litter under palms |
| -29.01 | 167.94 | 24/09/2013 | Arecaceae | Unknown | Mesostigmata | Ameroseiidae | <i>Ameroseius sextuberculi</i> Kang, 1996 | Y | N | Berlese tunnel of leaf litter under palms |
| -29.00 | 167.93 | 23 - 24/03/2014 | Various | | Hymenoptera | Ichneumonidae | <i>Anacis</i> Porter, 1967 | Y | ? | Yellow pan in various vegetables |
| -29.05 | 167.93 | 25/03/2014 | Poaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Anaglyptothrips digdalei</i> Mound & Palmer, 1983 | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/03/2014 | Fagaceae | <i>Quercus</i> L. | Thysanoptera | Phlaeothripidae | <i>Anaglyptothrips digdalei</i> | Y | Y | Hand collection in leaf litter |
| -29.02 | 167.95 | 22/11/2014 | Rubiaceae | <i>Pentas lanceolata</i> (Forssk.) Defflers | Thysanoptera | Thripidae | <i>Anaglyptothrips abius</i> (Girault, 1926) | Y | Y | Hand collection |
| -29.02 | 167.95 | 21/03/2014 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Anaglyptothrips abius</i> | Y | Y | Hand collection |
| -29.03 | 167.92 | 21/05/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Thysanoptera | Thripidae | <i>Anaglyptothrips abius</i> | Y | Y | Beating |
| -29.04 | 167.99 | 25/11/2014 | Asteraceae | <i>Bidens pilosa</i> L. | Thysanoptera | Thripidae | <i>Anaglyptothrips abius</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 21/02/2014 | Fabaceae | <i>Glycine max</i> | Thysanoptera | Thripidae | <i>Anaglyptothrips obscurus</i> (Müller, 1776) | Y | Y | Hand collection |
| -29.03 | 167.99 | 23/10/2013 | Poaceae | <i>Cenchrus clandestinus</i> (Hochst. ex Chiov.) Morrone | Thysanoptera | Thripidae | <i>Anaglyptothrips sudanensis</i> Trybom, 1911 | Y | Y | Hand collection |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|------------|-----------|---|---------------------|---|--------------|---------------|---|-----------------------------------|----------------------------|---|
| -29.02 | 167.95 | 23/12/2012 | Poaceae | <i>Cenchrus clandestinus</i> | Thysanoptera | Thripidae | <i>Anaphothrips sudanensis</i> | Y | Y | Hand collection |
| -29.05 | 167.98 | 24/03/2014 | Poaceae | <i>Cenchrus clandestinus</i> | Thysanoptera | Thripidae | <i>Anaphothrips sudanensis</i> | Y | Y | Hand collection from leaf bases |
| -29.03 | 167.99 | 22/03/2014 | Chenopodiaceae | <i>Chenopodium</i> L. | Thysanoptera | Thripidae | <i>Anaphothrips sudanensis</i> | Y | Y | Hand collection from flowers |
| -29.03 | 167.99 | 9/07/2013 | NA | NA | Thysanoptera | Thripidae | <i>Anaphothrips sudanensis</i> | Y | Y | Hand collection from grassy fence |
| -29.02 | 167.96 | 9/07/2013 | Poaceae | <i>Saccharum officinarum</i> L. | Thysanoptera | Thripidae | <i>Anaphothrips sudanensis</i> | Y | Y | Hand collection from dead sugar cane leaves |
| -29.03 | 167.92 | 23/11/2014 | Poaceae, Cyperaceae | Unknown | Thysanoptera | Thripidae | <i>Anaphothrips sudanensis</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/12/2012 | Poaceae | Unknown | Thysanoptera | Thripidae | <i>Anaphothrips sudanensis</i> | Y | Y | Hand collection |
| -29.01 | 167.92 | 26/11/2014 | Poaceae | Unknown | Thysanoptera | Thripidae | <i>Anaphothrips sudanensis</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/10/2013 | Poaceae, Fabaceae | <i>Zea mays</i> L., <i>Trifolium</i> sp. | Thysanoptera | Thripidae | <i>Anaphothrips sudanensis</i> | Y | Y | Hand collection from corn male flowers |
| -29.00 | 167.93 | 22/12/2013 | Various | | Thysanoptera | Thripidae | <i>Anaphothrips sudanensis</i> | Y | Y | Hand collection |
| -29.03 | 167.92 | 23/11/2014 | Poaceae | <i>Cenchrus clandestinus</i> | Thysanoptera | Thripidae | <i>Anaphothrips sudanensis</i> | Y | Y | Hand collection |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Ancyrtalia Zimmerman</i> , 1994 | Y | ? | Light trap |
| -29.01 | 167.93 | 3/12/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Ancyrtalia</i> sp. | Y | ? | Light trap in eucalypt forest |
| -29.01 | 167.94 | 2/12/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Ancyrtalia</i> sp. | Y | ? | Light trap in Norfolk Island pines |
| -29.03 | 167.97 | 28/11/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Ancyrtalia</i> sp. | Y | ? | Light trap |
| -29.01 | 167.95 | 23/09/2013 | Rosaceae | <i>Rosa</i> L. | Coleoptera | Cureulionidae | <i>Ancyrtalia</i> sp. | Y | ? | Hand collection |
| -29.036984 | 167.99122 | 25/09/2013 | Vitaceae | <i>Vitis vinifera</i> | Coleoptera | Cureulionidae | <i>Ancyrtalia</i> sp. | Y | ? | Hand collection from leaves |
| -29.04 | 167.93 | 11/11/2013 | Anacardiaceae | <i>Mangifera indica</i> | Coleoptera | Cureulionidae | <i>Ancyrtalia</i> sp. | Y | ? | Hand collection from flowers |
| -29.03 | 167.99 | 24/12/2012 | Cucurbitaceae | <i>Cucurbita pepo</i> L. | Coleoptera | Anthicidae | <i>Anthicus</i> Paykull, 1798 | Y | ? | Yellow pan in bare soil beside cucurbits |
| -29.03 | 167.99 | 23/12/2012 | Solanaceae | <i>Solanum melongena</i> L. | Coleoptera | Anthicidae | <i>Anthicus</i> sp. | Y | ? | Yellow pan |
| -29.05 | 167.98 | 29/05/2014; 21/06/2014; 24/06/2014; | NA | NA | Diptera | Anthomyiidae | <i>Anthomyia punctipennis</i> Wiedemann, 1830 | Y | Y | Bezzilure trap |
| -29.05 | 167.97 | 17/07/2014; 12/06/2014; 24/06/2014; | NA | NA | Diptera | Anthomyiidae | <i>Anthomyia punctipennis</i> | Y | Y | Bezzilure trap |
| -29.05 | 167.96 | 6/06/2014 | NA | NA | Diptera | Anthomyiidae | <i>Anthomyia punctipennis</i> | Y | Y | Bezzilure trap |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|--|---------------|--|----------------|---------------|--|-----------------------------------|----------------------------|-------------------|
| -29.05 | 167.96 | 17/07/2014; 2/07/2014; 2/06/2014; 12/06/2014; 24/06/2014; 10/06/2014; | NA | NA | Diptera | Anthomyiidae | <i>Anthomyia punctipennis</i> | Y | Y | Bezzilure trap |
| -29.05 | 167.93 | 24/06/2014; 2/07/2014 | NA | NA | Diptera | Anthomyiidae | <i>Anthomyia punctipennis</i> | Y | Y | Bezzilure trap |
| -29.05 | 167.97 | 12/06/2014; 24/06/2014; 17/07/2014; 12/12/2014; 2/07/2014 | NA | NA | Diptera | Anthomyiidae | <i>Anthomyia punctipennis</i> | Y | Y | Bezzilure trap |
| -29.03 | 167.96 | 25/05/2014 | NA | NA | Diptera | Anthomyiidae | <i>Anthomyia punctipennis</i> | Y | Y | Light trap |
| -29.03 | 167.93 | 24/06/2014; 2/07/2014; 24/07/2014; 10/06/2014 | NA | NA | Diptera | Anthomyiidae | <i>Anthomyia punctipennis</i> | Y | Y | Bezzilure trap |
| -29.03 | 167.98 | 2/07/2014; 29/05/2014; 02/06/2014; 12/06/2014; | NA | NA | Diptera | Anthomyiidae | <i>Anthomyia punctipennis</i> | Y | Y | LuciLure trap |
| -29.03 | 167.99 | 23/10/2013 | Various | NA | Diptera | Anthomyiidae | <i>Anthomyia punctipennis</i> | Y | Y | Yellow pan |
| -29.02 | 167.97 | 2/07/2014; 12/06/2014; 17/07/2014; | NA | NA | Diptera | Anthomyiidae | <i>Anthomyia punctipennis</i> | Y | Y | LuciLure trap |
| -29.01 | 167.92 | 24/06/2014; 10/06/2014; 24/06/2014 | NA | NA | Diptera | Anthomyiidae | <i>Anthomyia punctipennis</i> | Y | Y | LuciLure trap |
| -29.01 | 167.56 | 2/07/2014 | NA | NA | Diptera | Anthomyiidae | <i>Anthomyia punctipennis</i> | Y | Y | Blowfly trap |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Diptera | Anthomyiidae | <i>Anthomyia punctipennis</i> | Y | Y | Light trap |
| -29.03 | 167.94 | 23/09/2013 | Anacardiaceae | <i>Schinus terebinthifolius</i> Raddi | Diptera | Anthomyiidae | <i>Anthomyia punctipennis</i> | Y | Y | Sweep net |
| -29.03 | 167.98 | 25/09/2013 | Apiaceae | <i>Daucus carota</i> | Diptera | Anthomyiidae | <i>Anthomyia punctipennis</i> | Y | Y | Sweep net |
| -29.03 | 167.94 | 19/02/2014 | Poaceae | Unknown | Hymenoptera | Chalcididae | <i>Antrocephalus</i> Kirby, 1883 | Y | ? | Hand collection |
| -29.02 | 167.95 | 25/12/2012 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Anysidae | <i>Anysis baccarum</i> (Linnaeus, 1758) | Y | Y | Yellow pan |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|---------------|---------------------------------------|----------------|---------------|--|-----------------------------------|----------------------------|---|
| -29.12 | 167.96 | 15/10/2014; 14/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Anysidae | <i>Anysis baccarum</i> | Y | Y | Beating |
| -29.12 | 167.95 | 14/10/2014 | Rubiaceae | <i>Coprosmabaueri</i> Endl. | Trombidiformes | Anysidae | <i>Anysis baccarum</i> | Y | Y | Beating |
| -29.02 | 167.93 | 25/02/2014 | Rubiaceae | <i>Coprosma</i> J.R.Forst. & G.Forst. | Trombidiformes | Anysidae | <i>Anysis baccarum</i> | Y | Y | Sweep net |
| -29.06 | 167.97 | 25/05/2014 | Malvaceae | <i>Hibiscus ros-sinensis</i> L. | Trombidiformes | Anysidae | <i>Anysis baccarum</i> | Y | Y | Beating |
| -29.12 | 167.96 | 15/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Trombidiformes | Anysidae | <i>Anysis baccarum</i> | Y | Y | Beating |
| -29.12 | 167.95 | 14/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Trombidiformes | Anysidae | <i>Anysis baccarum</i> | Y | Y | Hand collection and beating |
| -29.03 | 167.99 | 23/05/2014 | Euphorbiaceae | <i>Ricinus communis</i> L. | Trombidiformes | Anysidae | <i>Anysis baccarum</i> | Y | Y | Beating |
| -29.04 | 167.94 | 23/09/2013 | Anacardiaceae | <i>Schinus terebinthifolius</i> | Trombidiformes | Anysidae | <i>Anysis baccarum</i> | Y | Y | Sweep net |
| -29.01 | 167.93 | 21/05/2014 | Solanaceae | <i>Solanum mauritianum</i> Scop. | Trombidiformes | Anysidae | <i>Anysis baccarum</i> | Y | Y | Beating |
| -29.00 | 167.94 | 24/02/2014 | Unknown | Unknown | Trombidiformes | Anysidae | <i>Anysis baccarum</i> | Y | Y | Hand collection from dead wood |
| -29.05 | 167.96 | 9/10/2014 | Vitaceae | <i>Vitis vinifera</i> | Trombidiformes | Anysidae | <i>Anysis baccarum</i> | Y | Y | Beating |
| -29.12 | 167.95 | 14/10/2014 | Cucurbitaceae | <i>Zehneriabaueriana</i> Endl. | Trombidiformes | Anysidae | <i>Anysis baccarum</i> | Y | Y | Hand collection |
| -29.04 | 167.96 | 26/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Anysidae | <i>Anysis baccarum</i> | Y | Y | Hand collection |
| -29.13 | 167.95 | 14/10/2014 | Amaranthaceae | <i>Achyranthes aspera</i> L. | Trombidiformes | Anysidae | <i>Anysis</i> von Heyden, 1826 | Y | ? | Beating |
| -29.02 | 167.96 | 10/06/2013 | Asparagaceae | <i>Cordylino oblecta</i> | Hemiptera | Cicadellidae | <i>Anzygna Fletcher & Larrière, 2009</i> | ? | ? | Hand collection extensive damage to plant |
| -29.03 | 167.98 | 25/09/2013 | Fabaceae | <i>Phaseolus vulgaris</i> | Hemiptera | Cicadellidae | <i>Anzygna</i> sp. | ? | ? | Hand collection plants damaged by leafhoppers |
| -29.01 | 167.94 | 24/05/2014 | Cyathaceae | <i>Cyathea brownii</i> Domin | Hemiptera | Cicadellidae | <i>Anzygna jowettiae</i> (Knights, 1976) | N | N | Beating |
| -29.03 | 167.94 | 24/05/2014 | Asparagaceae | <i>Cordylino oblecta</i> | Hemiptera | Cicadellidae | <i>Anzygna</i> sp. nov. NI01 | Y | ? | Sweep net |
| -29.03 | 167.92 | 21/05/2014 | Asparagaceae | <i>Cordylino</i> Comm. ex R.Br. | Hemiptera | Cicadellidae | <i>Anzygna</i> sp. nov. NI01 | Y | ? | Beating |
| -29.06 | 167.96 | 24/05/2014 | Asparagaceae | <i>Cordylino</i> sp. | Hemiptera | Cicadellidae | <i>Anzygna</i> sp. nov. NI01 | Y | ? | Hand collection |
| -29.03 | 167.98 | 25/09/2013 | Fabaceae | <i>Phaseolus vulgaris</i> | Hemiptera | Cicadellidae | <i>Anzygna</i> sp. nov. NI01 | Y | ? | Hand collection, plant badly damaged |
| -29.03 | 167.98 | 21/05/2014 | Fabaceae | <i>Phaseolus</i> sp. | Hemiptera | Cicadellidae | <i>Anzygna</i> sp. nov. NI02 | Y | ? | Beating |
| -29.03 | 167.98 | 25/09/2013 | Fabaceae | <i>Phaseolus vulgaris</i> | Hemiptera | Cicadellidae | <i>Anzygna</i> sp. nov. NI02 | Y | ? | Hand collection, plant badly damaged |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------------------|-----------------------------------|---|--------------|---------------|---|-----------------------------------|----------------------------|--|
| -29.01 | 167.94 | 24/02/2014 | NA | NA | Hymenoptera | Braconidae | <i>Apanteles Foerster, 1862</i> | ? | ? | Light trap |
| -29.03 | 167.99 | 23/12/2012 | Solanaceae | <i>Solanum melongena</i> | Hymenoptera | Braconidae | <i>Apanteles</i> sp. | ? | ? | Yellow pan |
| -29.03 | 167.93 | 12/06/2013 | Asteraceae | <i>Lactuca sativa</i> | Hemiptera | Aphididae | <i>Aphis Linnaeus, 1758</i> | ? | ? | Hand collection |
| -29.01 | 167.93 | 13/06/2013 | Solanaceae | <i>Solanum mauritianum</i> | Hemiptera | Aphididae | <i>Aphis</i> sp. | ? | ? | Beating |
| -29.01 | 167.95 | 25/12/2012 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Aphididae | <i>Aphis gossypii</i> Glover, 1877 | N | Y | Yellow pan |
| -29.06 | 167.94 | 26/02/2014 | Asteraceae | <i>Bidens pilosa</i> | Hemiptera | Aphididae | <i>Aphis gossypii</i> | N | Y | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Asteraceae | <i>Bidens pilosa</i> | Hemiptera | Aphididae | <i>Aphis gossypii</i> | N | Y | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Verbenaceae | <i>Lantana camara</i> L. | Hemiptera | Aphididae | <i>Aphis gossypii</i> | N | Y | Hand collection |
| -29.03 | 167.94 | 11/06/2013 | Araliaceae | <i>Meryta latifolia</i> (Endl.) Seem. | Hemiptera | Aphididae | <i>Aphis gossypii</i> | N | Y | Hand collection leaf curl – large numbers of aphids on underside of leaves |
| -29.00 | 167.93 | 26/12/2012 | Lamiaceae, Brassicaceae, Musaceae | <i>Ocimum basilicum</i> L., <i>Musa</i> sp. | Hemiptera | Aphididae | <i>Aphis gossypii</i> | N | Y | Yellow pan |
| -29.02 | 167.96 | 10/06/2013 | Solanaceae | <i>Solanum melongena</i> | Hemiptera | Aphididae | <i>Aphis gossypii</i> | N | Y | Hand collection |
| -29.04 | 167.96 | 27/02/2014 | Various | | Hemiptera | Aphididae | <i>Aphis gossypii</i> | N | Y | Yellow pan in young vegetable seedlings |
| -29.04 | 167.99 | 28/11/2014 | Amonaceae | <i>Ammonia muricata</i> | Hemiptera | Aphididae | <i>Aphis gossypii</i> | N | Y | Hand collection |
| -29.04 | 167.96 | 10/10/2014 | Apocynaceae | <i>Nerium oleander</i> L. | Hemiptera | Aphididae | <i>Aphis nerii</i> Doyer de Fonscolombe, 1841 | Y | Y | Beating and hand collection |
| -29.12 | 167.95 | 14/10/2014 | Apocynaceae | <i>Gomphocarpus physocarpus</i> F.Mey. | Hemiptera | Aphididae | <i>Aphis nerii</i> | Y | Y | Hand collection |
| -29.03 | 167.96 | 11/10/2014; 27/11/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Aphodius Illiger, 1798</i> | ? | ? | Light trap Set 11.10.14, collected 12.10.2014 |
| -29.05 | 167.95 | 20/02/2014; 12/10/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Aphodius lividus</i> (Olivier, 1789) | N | Y | Light trap |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Aphodius lividus</i> | N | Y | Light trap |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Aphodius lividus</i> | N | Y | Light trap |
| -29.03 | 167.97 | 27/11/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Aphodius lividus</i> | N | Y | Light trap |
| -29.03 | 167.98 | 24/05/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Aphodius lividus</i> | N | Y | Culicoides trap Set 24.5.2014, collected 27.5.2014 |
| -29.00 | 167.93 | 20/02/2014 | Rutaceae | <i>Citrus × aurantium</i> | Coleoptera | Scarabaeidae | <i>Aphodius lividus</i> | N | Y | Hand collection |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---|-----------------------------------|--|--------------|-----------------|--|-----------------------------------|----------------------------|---------------------------------|
| -29.00 | 167.93 | 27/02/2014 | Various | | Hymenoptera | Apidae | <i>Apis mellifera</i> Linnaeus, 1758 | N | Y | Yellow pan |
| -29.03 | 167.97 | 7/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Hymenoptera | Apidae | <i>Apis mellifera</i> | N | Y | Hand collection |
| -29.03 | 167.94 | 10/10/2014 | Poaceae | <i>Digitaria</i> sp. | Hymenoptera | Apidae | <i>Apis mellifera</i> | N | Y | Sweep net |
| -29.03 | 167.94 | 10/10/2014 | Proteaceae | <i>Macadamia integrifolia</i> | Hymenoptera | Apidae | <i>Apis mellifera</i> | N | Y | Sweep net |
| -29.05 | 167.97 | 12/06/2014; 1/10/2014; 25/10/2014 | NA | NA | Hymenoptera | Apidae | <i>Apis mellifera</i> | N | Y | Bezzilure trap |
| -29.04 | 167.99 | 25/09/2013 | NA | NA | Hymenoptera | Apidae | <i>Apis mellifera</i> | N | Y | Hand collection |
| -29.03 | 167.98 | 25/08/2014 | NA | NA | Hymenoptera | Apidae | <i>Apis mellifera</i> | N | Y | LuciLure trap |
| -29.01 | 167.93 | 3/12/2014 | NA | NA | Hymenoptera | Apidae | <i>Apis mellifera</i> | N | Y | Light trap in eucalypt forest |
| -29.13 | 167.95 | 14/10/2014 | NA | NA | Hymenoptera | Apidae | <i>Apis mellifera</i> | N | Y | Hand collection |
| -29.03 | 167.97 | 7/10/2014 | Polygalaceae | <i>Polygala myrtifolia</i> | Hymenoptera | Apidae | <i>Apis mellifera</i> | N | Y | Sweep net |
| -29.03 | 167.99 | 23/12/2012 | Solanaceae | <i>Solanum lycopersicum</i> | Hymenoptera | Apidae | <i>Apis mellifera</i> | N | Y | Yellow pan |
| -29.04 | 167.99 | 8/10/2014 | Fabaceae | <i>Trifolium repens</i> var. <i>repens</i> | Hymenoptera | Apidae | <i>Apis mellifera</i> | N | Y | Sweep net |
| -29.03 | 167.99 | 23/10/2013 | Various | | Hymenoptera | Apidae | <i>Apis mellifera</i> | N | Y | Yellow pan |
| -29.00 | 167.93 | 23/12/2012 | Various | | Hymenoptera | Apidae | <i>Apis mellifera</i> | N | Y | Yellow pan |
| -29.00 | 167.93 | 22/02/2014 | NA | NA | Lepidoptera | Gelechiidae | <i>Aproaerema simplexella</i> (Walker, 1864) | N | Y | Bucket light trap in orchard |
| -29.037 | 167.99 | 24/12/2013 | Rutaceae, Moraceae, unknown | Murray J. Koenig ex L., Morus L., unknown | Thysanoptera | Thripidae | <i>Apterorhrips apteris</i> (Daniel, 1904) | Y | Y | Hand collection from dead wood |
| -29.04 | 167.99 | 23/11/2014; 24/12/2014 | Apiaceae | <i>Petroselinum crispum</i> (Mill.) Fuss | Thysanoptera | Thripidae | <i>Apterorhrips apteris</i> | Y | Y | Hand collection |
| -29.035 | 167.94 | 25/11/2014 | Fabaceae | <i>Trifolium</i> sp. | Thysanoptera | Thripidae | <i>Apterorhrips apteris</i> | Y | Y | Hand collection from flowers |
| -29.04 | 167.99 | 24/12/2013 | Unknown | Unknown | Thysanoptera | Thripidae | <i>Apterorhrips apteris</i> | Y | Y | Hand collection from dead plant |
| -29.03 | 167.94 | 28/11/2014 | Fabaceae | <i>Arachis pintoi</i> Krapov. & W.C. Greg. | Thysanoptera | Thripidae | <i>Apterorhrips apteris</i> | Y | Y | Hand collection from flowers |
| -29.00 | 167.93 | 23/03/2014 | Poaceae | <i>Cenchrus clandestinus</i> | Thysanoptera | Phlaeothripidae | <i>Apterorhrips australis</i> | Y | Y | Hand collection from leaf bases |
| -29.00 | 167.94 | 24/03/2014 | Poaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Apterorhrips australis</i> | Y | Y | Hand collection from litter |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|----------------|--|----------------|-----------------|---|-----------------------------------|----------------------------|---|
| -29.04 | 167.96 | 21/12/2013 | Various | | Thysanoptera | Phlaeothripidae | <i>Apterygothrips australis</i> | Y | Y | Hand collection from leaves, flowers and grasses |
| -29.00 | 167.94 | 24/03/2014 | Araucariaceae | <i>Araucaria heterophylla</i> <i>Gonchris</i> | Thysanoptera | Phlaeothripidae | <i>Apterygothrips australis</i> Piklin, 1973 | Y | Y | Hand collection from leaf litter |
| -29.03 | 167.99 | 21/12/2013 | Poaceae | <i>Purpureis (Schumach.) Morrone</i> | Thysanoptera | Phlaeothripidae | <i>Apterygothrips sparsus</i> Mound & Walker, 1986 | Y | Y | Hand collection from dead grass |
| -29.02 | 167.96 | 23/10/2013 | Pitsoportaceae | <i>Pitsoportum Banks ex Gaertn.</i> | Thysanoptera | Phlaeothripidae | <i>Apterygothrips sparsus</i> | Y | Y | Hand collection from leaves |
| -29.02 | 167.96 | 9/07/2013 | Poaceae | <i>Saccharum officinarum</i> | Thysanoptera | Phlaeothripidae | <i>Apterygothrips sparsus</i> | Y | Y | Hand collection from dead sugar cane leaves |
| -29.03 | 167.93 | 22/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Apterygothrips sparsus</i> | Y | Y | Hand collection |
| -29.01 | 167.93 | 25/11/2014 | Poaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Apterygothrips sparsus</i> | Y | Y | Hand collection from eucalypt forest |
| -29.03 | 167.99 | 22/12/2012 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Apterygothrips sparsus</i> | Y | Y | Hand collection in grass |
| -29.05 | 167.98 | 24/03/2014 | Poaceae | <i>Gonchris clandestinus</i> | Thysanoptera | Phlaeothripidae | <i>Apterygothrips sparsus</i> | Y | Y | Hand collection from leaf bases |
| -29.04 | 167.99 | 22/12/2012 | Poaceae | Unknown | Thysanoptera | Thripidae | <i>Aptinothrips rufus</i> (Haliday, 1836) | Y | Y | Hand collection |
| -29.05 | 167.93 | 29/11/2014 | Fabaceae | <i>Medicago sativa</i> | Thysanoptera | Thripidae | <i>Aptinothrips rufus</i> | Y | Y | Hand collection from flowers |
| -29.02 | 167.93 | 25/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Anthribidae | <i>Araeceroles Blackburn, 1900</i> | ? | ? | Hand collection from under bark of billets |
| -29.01 | 167.93 | 20/05/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Coleoptera | Anthribidae | <i>Araeceroles</i> sp. | ? | ? | Sweep net in eucalypt forest, leaf litter and fallen timber |
| -29.01 | 167.94 | 11/06/2013 | Meliaceae | <i>Dysoxylum bijugum</i> (Labill.) Seem. | Coleoptera | Chrysomelidae | <i>Argopistes armipes</i> (Lea, 1926) | N | N | Hand collection |
| -29.01 | 167.94 | 24/09/2013 | Arecaceae | Unknown | Trombidiformes | Cunaxidae | <i>Armascurus lebowensis</i> Heyer, 1978 | Y | ? | Berlese funnel of leaf litter under palms |
| -29.12 | 167.96 | 15/10/2014 | Solanaceae | <i>Solanum nodiflorum</i> Jacq. | Coleoptera | Chrysomelidae | <i>Arsipoda Ericsson, 1842</i> | Y | ? | Beating |
| -29.01 | 167.95 | 25/12/2012 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Corylophidae | <i>Arthrolips Wollaston, 1854</i> | Y | ? | Yellow pan under plant |
| -29.01 | 167.93 | 20/05/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Coleoptera | Corylophidae | <i>Arthrolips</i> sp. | Y | ? | Sweep net in eucalypt forest |
| -29.02 | 167.92 | 25/05/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Coleoptera | Corylophidae | <i>Arthrolips</i> sp. | Y | ? | Trapping from eucalypt litter |
| -29.05 | 167.92 | 23/05/2014 | Convolvulaceae | <i>Ipomoea cairica</i> | Coleoptera | Corylophidae | <i>Arthrolips</i> sp. | Y | ? | Beating |
| -29.12 | 167.95 | 15/10/2014 | Fabaceae | <i>Lupinus</i> L. | Coleoptera | Corylophidae | <i>Arthrolips</i> sp. | Y | ? | Beating |
| -29.03 | 167.93 | 12/06/2013 | Musaceae | <i>Musa</i> sp. | Coleoptera | Corylophidae | <i>Arthrolips</i> sp. | Y | ? | Beating |
| -29.02 | 167.96 | 13/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Corylophidae | <i>Arthrolips</i> sp. | Y | ? | Hand collection from felled tree 10 months old |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|--|----------------|--|--------------|---------------|---|-----------------------------------|----------------------------|---|
| -29.04 | 167.93 | 20/06/2013 | Various | | Mesostigmata | Ascidae | <i>Asca</i> von Heyden, 1826 | Y | ? | Hand collection |
| -29.03 | 167.92 | 21/05/2014 | Anacardiaceae | <i>Mangifera indica</i> | Hemiptera | Diaspididae | <i>Aspidiotus nerii</i> Bouché, 1833 | N | Y | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Araliaceae | <i>Meryta angustifolia</i> (Fendl.) Seem | Hemiptera | Diaspididae | <i>Aspidiotus nerii</i> | N | Y | Hand collection |
| -29.03 | 167.92 | 21/05/2014 | Areaceae | <i>Howea Becc.</i> | Hemiptera | Diaspididae | <i>Aspidiotus nerii</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 14/06/2013 | Rutaceae | <i>Citrus × aurantium</i> | Thysanoptera | Thripidae | <i>Asprothrips semingricornis</i> (Girault, 1926) | Y | Y | Hand collection |
| -29.01 | 167.93 | 13/06/2013 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Thripidae | <i>Asprothrips semingricornis</i> | Y | Y | Hand collection |
| -29.04 | 167.96 | 26/03/2014 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Thripidae | <i>Asprothrips semingricornis</i> | Y | Y | Hand collection from young leaves |
| -29.04 | 167.99 | 24/12/2013; 24/03/2014; 25/12/2014 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Thripidae | <i>Asprothrips semingricornis</i> | Y | Y | Hand collection from young leaves |
| -29.04 | 167.99 | 25/09/2013 | Malvaceae | <i>Lagunaria palerssonii</i> | Thysanoptera | Thripidae | <i>Asprothrips semingricornis</i> | Y | Y | Hand collection |
| -29.02 | 167.94 | 25/05/2014 | NA | NA | Thysanoptera | Thripidae | <i>Asprothrips semingricornis</i> | Y | Y | Trapping from leaf litter |
| -29.03 | 167.95 | 26/09/2013 | Passifloraceae | <i>Passiflora edulis</i> Sims | Thysanoptera | Thripidae | <i>Asprothrips semingricornis</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 25/09/2013 | Passifloraceae | <i>Passiflora edulis</i> | Thysanoptera | Thripidae | <i>Asprothrips semingricornis</i> | Y | Y | Hand collection from leaves |
| -29.04 | 167.97 | 27/11/2014 | Passifloraceae | <i>Passiflora</i> L. | Thysanoptera | Thripidae | <i>Asprothrips semingricornis</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 25/11/2014 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Asprothrips semingricornis</i> | Y | Y | Hand collection from leaves |
| -29.01 | 167.94 | 23/12/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Asprothrips semingricornis</i> | Y | Y | Hand collection from leaves |
| -29.02 | 167.96 | 25/12/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Asprothrips semingricornis</i> | Y | Y | Hand collection |
| -29.02 | 167.95 | 25/12/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Asprothrips semingricornis</i> | Y | Y | Hand collection from young leaves |
| -29.01 | 167.95 | 22/11/2014 | Myrtaceae | <i>Psidium cattleianum</i> var. <i>cattleianum</i> | Thysanoptera | Thripidae | <i>Asprothrips semingricornis</i> | Y | Y | Hand collection from dead branch |
| -29.02 | 167.96 | 26/12/2013; 25/03/2014 | Euphorbiaceae | <i>Vernicia fordii</i> (Hemsl.) Airy Shaw | Thysanoptera | Thripidae | <i>Asprothrips semingricornis</i> | Y | Y | Hand collection from young leaves |
| -29.04 | 167.94 | 21/11/2014 | Lamiaceae | <i>Vitex trifolia</i> L. | Thysanoptera | Thripidae | <i>Asprothrips semingricornis</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 14/06/2013 | Rutaceae | <i>Casimiroa edulis</i> La Llave & Lex. | Thysanoptera | Thripidae | <i>Asprothrips semingricornis</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 24/10/2013 | Various | | Coleoptera | Scarabaeidae | <i>Araenius</i> Harold, 1867 | ? | ? | Yellow pan among various young vegetables |
| -29.05 | 167.92 | 26/11/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Araenius</i> sp. | ? | ? | Light trap |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---|---------------|------------------------------|--------------|---------------|--|-----------------------------------|----------------------------|---|
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Ataenius</i> sp. | ? | ? | Light trap |
| -29.03 | 167.95 | 7/10/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Ataenius picinus</i> Harold, 1867 | N | Y | Light trap |
| -29.01 | 167.92 | 16/10/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Ataenius picinus</i> | N | Y | Light trap |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Ataenius picinus</i> | N | Y | Light trap |
| -29.06 | 167.94 | 22/09/2013 | Various | NA | Diptera | Muscidae | <i>Atherigona</i> Rondani, 1856 | ? | ? | Sweep net |
| -29.06 | 167.97 | 24/06/2014 | NA | NA | Diptera | Muscidae | <i>Atherigona</i> sp. | ? | ? | Bezzilure trap |
| -29.06 | 167.96 | 6/06/2014 | NA | NA | Diptera | Muscidae | <i>Atherigona</i> sp. | ? | ? | Bezzilure trap |
| -29.06 | 167.96 | 2/07/2014; 12/06/2014; 24/06/2014 | NA | NA | Diptera | Muscidae | <i>Atherigona</i> sp. | ? | ? | Bezzilure trap |
| -29.05 | 167.92 | 19/05/2014 | NA | NA | Diptera | Muscidae | <i>Atherigona</i> sp. | ? | ? | Light trap |
| -29.03 | 167.93 | 10/06/2014 | NA | NA | Diptera | Muscidae | <i>Atherigona</i> sp. | ? | ? | Bezzilure trap |
| -29.01 | 167.94 | 24/02/2014 | NA | NA | Diptera | Muscidae | <i>Atherigona</i> sp. | ? | ? | Light trap |
| -29.00 | 167.93 | 21/02/2014 | NA | NA | Diptera | Muscidae | <i>Atherigona</i> sp. | ? | ? | Bucket light trap in citrus and avocado trees |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Diptera | Muscidae | <i>Atherigona</i> sp. | ? | ? | Light trap in garden |
| -29.04 | 167.94 | 28/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Atheis tenuis</i> (Butler, 1886) | N | Y | Light trap |
| -29.00 | 167.93 | 22/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Atheis tenuis</i> | N | Y | Bucket light trap in orchard |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Atheis tenuis</i> | N | Y | Light trap |
| -29.05 | 167.92 | 19/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Atheis thoracica</i> (Moore, 1884) | Y | Y | Light trap |
| -29.03 | 167.94 | 26/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Atheis thoracica</i> | Y | Y | Light trap |
| -29.01 | 167.95 | 23/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Atheis thoracica</i> | Y | Y | Light trap |
| -29.00 | 167.93 | 22/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Atheis thoracica</i> | Y | Y | Bucket light trap |
| -29.03 | 167.97 | 22/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Atheis thoracica</i> | Y | Y | Light trap |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Atheis thoracica</i> | Y | Y | Light trap |
| -29.01 | 167.94 | 24/09/2013 | Arecaceae | Unknown | Mesostigmata | Ologamasidae | <i>Athiasella</i> Lee, 1973 | Y | ? | Berlese funnel from leaf litter under palms |
| -29.00 | 167.93 | 24/09/2013 | Cucurbitaceae | <i>Cucurbita maxima</i> Lam. | Hemiptera | Aphididae | <i>Aulacorthum solani</i> (Kaltenbach, 1843) | Y | Y | Sweep net |
| -29.03 | 167.93 | 12/06/2013; 26/09/2013 | Asteraceae | <i>Lactuca sativa</i> | Hemiptera | Aphididae | <i>Aulacorthum solani</i> | Y | Y | Hand collection |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|------------------------------|--|--------------|---------------|---|-----------------------------------|----------------------------|---|
| -29.00 | 167.93 | 24/09/2013 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Aphididae | <i>Aulacorthum solani</i> | Y | Y | Hand collection |
| -29.01 | 167.93 | 13/06/2013 | Rubiaceae | <i>Coffea L.</i> | Hemiptera | Aphididae | <i>Aulacorthum solani</i> | Y | Y | Beating |
| -29.06 | 167.97 | 24/05/2014 | Brassicaceae | <i>Lobularia maritima</i> (L.) Desv. | Isopoda | Philosciidae | <i>Austrorophiloscia cf. nicholisi</i> | Y | Y | Beating |
| -29.04 | 167.93 | 18/02/2014 | Musaceae | <i>Musa sp.</i> | Isopoda | Philosciidae | <i>Austrorophiloscia cf. nicholisi</i> | Y | Y | Hand collection |
| -29.02 | 167.94 | 25/05/2014; 01/12/2014 | NA | NA | Isopoda | Philosciidae | <i>Austrorophiloscia cf. nicholisi</i> | Y | Y | Trapping from leaf litter |
| -29.02 | 167.92 | 25/05/2014 | Myrtaceae | <i>Eucalyptus sp.</i> | Isopoda | Philosciidae | <i>Austrorophiloscia cf. nicholisi</i> | Y | Y | Trapping from eucalypt leaf litter |
| -29.01 | 167.94 | 24/09/2013 | Areaceae | Unknown | Isopoda | Philosciidae | <i>Austrorophiloscia nicholisi</i> Vandel, 1973 | Y | Y | Berese tunnel from leaf litter under palms |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Austrorothis rubrescens</i> (Walker, 1858) | N | Y | Light trap in eucalypt forest |
| -29.03 | 167.95 | 21/09/2013 | NA | NA | Hemiptera | Cicadellidae | <i>Austroasca Lower</i> , 1952 | Y | ? | Hand collection from an outside light on building |
| -29.03 | 167.99 | 14/06/2013; 20/02/2014 | Fabaceae | <i>Phaseolus vulgaris</i> | Hemiptera | Cicadellidae | <i>Austroasca sp.</i> | Y | ? | Hand collection |
| -29.05 | 167.93 | 13/06/2013 | Rutaceae | <i>Zanthoxylum pinnatum</i> (J.R. Forst. & G. Forst.) W.R.B. Oliv. | Hemiptera | Cicadellidae | <i>Austroasca sp.</i> | Y | ? | Hand collection |
| -29.03 | 167.99 | 24/12/2012 | Poaceae | <i>Zea mays</i> | Hemiptera | Cicadellidae | <i>Austroasca sp.</i> | Y | ? | Yellow pan |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | | Hemiptera | Cicadellidae | <i>Austroasca viridigrisea</i> (Paoli, 1936) | Y | Y | Yellow pan among plants |
| -29.00 | 167.93 | 20/02/2014 | Cucurbitaceae | <i>Cucumis melo L.</i> | Hemiptera | Cicadellidae | <i>Austroasca viridigrisea</i> | Y | Y | Sweep net |
| -29.00 | 167.93 | 20/02/2014 | Cucurbitaceae | <i>Cucurbita pepo</i> | Hemiptera | Cicadellidae | <i>Austroasca viridigrisea</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 24/12/2012 | Cucurbitaceae | <i>Cucurbita pepo</i> | Hemiptera | Cicadellidae | <i>Austroasca viridigrisea</i> | Y | Y | Yellow pan on bare soil beside cucurbits |
| -29.02 | 167.99 | 21/02/2014 | Fabaceae | <i>Glycine max</i> | Hemiptera | Cicadellidae | <i>Austroasca viridigrisea</i> | Y | Y | Hand collection |
| -29.03 | 167.94 | 18/02/2014 | Convolvulaceae | <i>Ipomoea batatas</i> (L.) Lam. | Hemiptera | Cicadellidae | <i>Austroasca viridigrisea</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 12/06/2013 | Convolvulaceae | <i>Ipomoea batatas</i> | Hemiptera | Cicadellidae | <i>Austroasca viridigrisea</i> | Y | Y | Sweep net |
| -29.00 | 167.93 | 20/02/2014 | Asteraceae | <i>Lactuca sativa</i> | Hemiptera | Cicadellidae | <i>Austroasca viridigrisea</i> | Y | Y | Hand collection |
| -29.05 | 167.99 | 13/06/2013 | Fabaceae | <i>Medicago sativa</i> | Hemiptera | Cicadellidae | <i>Austroasca viridigrisea</i> | Y | Y | Sweep net |
| -29.03 | 167.99 | 14/06/2013 | Fabaceae | <i>Phaseolus vulgaris</i> | Hemiptera | Cicadellidae | <i>Austroasca viridigrisea</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 23/12/2012 | Solanaceae | <i>Physalis L.</i> | Hemiptera | Cicadellidae | <i>Austroasca viridigrisea</i> | Y | Y | Beating |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|--|-----------------------------------|---|--------------|----------------|---|-----------------------------------|----------------------------|--|
| -29.04 | 167.99 | 26/05/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Cicadellidae | <i>Austroasca viridigrisea</i> | Y | Y | Beating |
| -29.03 | 167.99 | 20/02/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Cicadellidae | <i>Austroasca viridigrisea</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 25/05/2014 | Solanaceae | <i>Solanum tuberosum</i> L. | Hemiptera | Cicadellidae | <i>Austroasca viridigrisea</i> | Y | Y | Beating |
| -29.01 | 167.93 | 13/06/2013 | Solanaceae | <i>Solanum tuberosum</i> | Hemiptera | Cicadellidae | <i>Austroasca viridigrisea</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 23/12/2012 | Poaceae, Brassicaceae | <i>Zea mays</i> , <i>Brassica oleracea</i> var. <i>italica</i> Plenck | Hemiptera | Cicadellidae | <i>Austroasca viridigrisea</i> | Y | Y | Yellow pan among old corn and young broccoli |
| -29.00 | 167.93 | 23/12/2012; 27/02/2014; 26/12/2012 | Various | | Hemiptera | Cicadellidae | <i>Austroasca viridigrisea</i> | Y | Y | Yellow pan among various vegetable seedlings |
| -29.12 | 167.95 | 14/10/2014 | Euphorbiaceae | <i>Baloghia inophylla</i> (G. Forst.) P.S. Green | Orthoptera | Tettigoniidae | <i>Austrosdomona personifrons</i> Rentz, 1988 | N | N | Hand collection |
| -29.03 | 167.99 | 22 - 23/03/2014 | Various | | Diptera | Dolichopodidae | <i>Austrosclapopus comexus</i> (Walker, 1835) | N | Y | Yellow pan |
| -29.00 | 167.93 | 24/10/2013 | Various | | Diptera | Dolichopodidae | <i>Austrosclapopus comexus</i> | N | Y | Yellow pan |
| -29.00 | 167.93 | 23 - 24/05/2014; 23/12/2012; 27/02/2014; 26/12/2012 | Various | | Diptera | Dolichopodidae | <i>Austrosclapopus comexus</i> | N | Y | Yellow pan among various vegetables |
| -29.03 | 167.99 | 24/12/2012 | Cucurbitaceae | <i>Cucurbita pepo</i> | Diptera | Dolichopodidae | <i>Austrosclapopus comexus</i> | N | Y | Yellow pan in bare soil beside cucurbits |
| -29.03 | 167.98 | 22/05/2014 | Apiaceae | <i>Daucus carota</i> | Diptera | Dolichopodidae | <i>Austrosclapopus comexus</i> | N | Y | Beating |
| -29.03 | 167.98 | 25/09/2013 | Apiaceae | <i>Daucus carota</i> | Diptera | Dolichopodidae | <i>Austrosclapopus comexus</i> | N | Y | Sweep net |
| -29.03 | 167.99 | 24/12/2012 | Musaceae | <i>Musa</i> sp. | Diptera | Dolichopodidae | <i>Austrosclapopus comexus</i> | N | Y | Yellow pan |
| -29.00 | 167.93 | 26/12/2012 | Musaceae, Asteraceae | <i>Musa</i> sp., <i>Lactuca sativa</i> | Diptera | Dolichopodidae | <i>Austrosclapopus comexus</i> | N | Y | Yellow pan |
| -29.03 | 167.92 | 22/05/2014 | Lamiaceae | <i>Ocimum basilicum</i> | Diptera | Dolichopodidae | <i>Austrosclapopus comexus</i> | N | Y | Beating |
| -29.00 | 167.93 | 26/12/2012 | Lamiaceae, Brassicaceae, Musaceae | <i>Ocimum basilicum</i> , <i>Musa</i> sp. | Diptera | Dolichopodidae | <i>Austrosclapopus comexus</i> | N | Y | Yellow pan near bananas |
| -29.04 | 167.99 | 8/10/2014 | Fabaceae | <i>Phaseolus vulgaris</i> | Diptera | Dolichopodidae | <i>Austrosclapopus comexus</i> | N | Y | Sweep net of beans among corn |
| -29.04 | 167.99 | 8/10/2014 | Myrtaceae | <i>Psidium guajava</i> L. | Diptera | Dolichopodidae | <i>Austrosclapopus comexus</i> | N | Y | Beating |
| -29.03 | 167.99 | 23/12/2012 | Solanaceae | <i>Solanum lycopersicum</i> | Diptera | Dolichopodidae | <i>Austrosclapopus comexus</i> | N | Y | Yellow pan |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|---------------------------|--|--------------|-----------------|---|-----------------------------------|----------------------------|---|
| -29.03 | 167.98 | 25/09/2013 | Solanaceae | <i>Solanum melongena</i> | Diptera | Dolichopodidae | <i>Austrosciapus connexus</i> | N | Y | Beating |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Zea mays</i> , <i>Brassica oleracea</i> var. <i>italica</i> | Diptera | Dolichopodidae | <i>Austrosciapus connexus</i> | N | Y | Yellow pan |
| -29.03 | 167.99 | 23/12/2012 | Poaceae, Brassicaceae | <i>Zea mays</i> , <i>Brassica oleracea</i> var. <i>italica</i> | Diptera | Dolichopodidae | <i>Austrosciapus connexus</i> | N | Y | Yellow pan among old corn and young broccoli |
| -29.03 | 167.99 | 23/10/2013 | Various | | Diptera | Dolichopodidae | <i>Austrosciapus connexus</i> | N | Y | Yellow pan |
| -29.03 | 167.96 | 11/10/2014 | NA | NA | Coleoptera | Histeridae | <i>Bacanius</i> cf. <i>norfolcensis</i> | ? | ? | Light trap Set 11.10.14, collected 12.10.2014 |
| -29.04 | 167.95 | 1/12/2014 | Various | | Hemiptera | Triozidae | <i>Bactericera cockerelli</i> ulc, 1909 | Y | Y | Yellow pan among various vegetables |
| -29.04 | 167.96 | 25/11/2014 | Convolvulaceae | <i>Ipomoea indica</i> (Burm.) Merr. | Hemiptera | Triozidae | <i>Bactericera cockerelli</i> | Y | Y | Hand collection |
| -29.06 | 167.94 | 11/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Triozidae | <i>Bactericera cockerelli</i> | Y | Y | Beating |
| -29.05 | 167.92 | 7/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Triozidae | <i>Bactericera cockerelli</i> | Y | Y | Beating |
| -29.05 | 167.92 | 7/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Triozidae | <i>Bactericera cockerelli</i> | Y | Y | Sweep net and beating |
| -29.04 | 167.98 | 9/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Triozidae | <i>Bactericera cockerelli</i> | Y | Y | Beating |
| -29.04 | 167.99 | 25/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Triozidae | <i>Bactericera cockerelli</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 8/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Triozidae | <i>Bactericera cockerelli</i> | Y | Y | Beating |
| -29.04 | 167.99 | 8/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Triozidae | <i>Bactericera cockerelli</i> | Y | Y | Beating |
| -29.03 | 167.93 | 28/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Triozidae | <i>Bactericera cockerelli</i> | Y | Y | Hand collection |
| -29.03 | 167.92 | 21/05/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Triozidae | <i>Bactericera cockerelli</i> | Y | Y | Beating |
| -29.00 | 167.93 | 25/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Triozidae | <i>Bactericera cockerelli</i> | Y | Y | Sweep net |
| -29.00 | 167.93 | 25/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Triozidae | <i>Bactericera cockerelli</i> | Y | Y | Sweep net |
| -29.04 | 167.99 | 25/05/2014 | Solanaceae | <i>Solanum tuberosum</i> | Hemiptera | Triozidae | <i>Bactericera cockerelli</i> | Y | Y | Beating |
| -29.03 | 167.92 | 21/05/2014 | Solanaceae | <i>Solanum tuberosum</i> | Hemiptera | Triozidae | <i>Bactericera cockerelli</i> | Y | Y | Beating |
| -29.04 | 167.96 | 27/02/2014 | Various | | Hemiptera | Triozidae | <i>Bactericera cockerelli</i> | Y | Y | Yellow pan among various young vegetables |
| -29.02 | 167.96 | 13/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Araneae | Desidae | <i>Badania longinqua</i> (L. Koch, 1867) | Y | Y | Hand collection from tree felled 10 months previously |
| -29.02 | 167.95 | 20/12/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Boenolthrips moundi</i> (Stannard, 1970) | Y | Y | Hand collection from dead branches |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---|---------------|---|--------------|-----------------|---------------------------|-----------------------------------|----------------------------|---|
| -29.01 | 167.95 | 26/12/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection from dead wood and grass |
| -29.01 | 167.94 | 22/03/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection from leaf litter |
| -29.03 | 167.99 | 22/03/2014 | Poaceae | <i>Cenchrus purpureus</i> | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection |
| -29.02 | 167.94 | 22/12/2013 | Asparagaceae | <i>Cordyline oblecta</i> | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection from dead leaves |
| -29.02 | 167.95 | 12/07/2013; 23/12/2013; 30/11/2014; 22/12/2012 | Asparagaceae | <i>Cordyline oblecta</i> | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection from leaves |
| -29.01 | 167.94 | | Asparagaceae | <i>Cordyline oblecta</i> | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection from dead leaves |
| -29.02 | 167.95 | 24/12/2013 | Celastraceae | <i>Elaeodendron curtipendulum</i> Endl. | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection from lichens |
| -29.02 | 167.92 | 25/05/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Trapping from eucalypt leaf litter |
| -29.00 | 167.93 | 24/12/2012 | Musaceae | <i>Musa</i> sp. | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection from dead banana leaves |
| -29.02 | 167.95 | 22/11/2014 | Musaceae | <i>Musa</i> sp. | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection from dead leaves |
| -29.03 | 167.99 | 22/03/2014 | Fagaceae | <i>Quercus</i> sp. | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection from leaf litter |
| -29.01 | 167.94 | 23/12/2013 | Arecaceae | <i>Rhopalostylis baueri</i> (Sem.) H.Wendl. & Drude | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection from dead frond |
| -29.02 | 167.96 | 9/07/2013 | Poaceae | <i>Saccharum officinarum</i> | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection from dead sugar cane leaves |
| -29.02 | 167.95 | 21/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection from dead branch |
| -29.01 | 167.94 | 30/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection from dead branch |
| -29.02 | 167.95 | 23/11/2014 | Arecaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection from dead palm frond |
| -29.02 | 167.95 | 21/12/2012 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection from dead twigs and leaves |
| -29.01 | 167.94 | 24/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection from dead wood |
| -29.01 | 167.94 | 22/10/2013 | Various | Unknown | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection from dead wood and dead palm fronds |
| -29.01 | 167.92 | 26/11/2014 | Poaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection |
| -29.02 | 167.95 | 21/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection, betesate from leaf litter |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------------------|-----------------------------------|---|----------------|-----------------|---|-----------------------------------|----------------------------|--|
| -29.01 | 167.94 | 23/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection berlesate from leaf litter |
| -29.01 | 167.94 | 22/12/2012 | Arecaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection from leaf litter |
| -29.01 | 167.95 | 21/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection berlesate |
| -29.02 | 167.95 | 21/12/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Baenothrips moundi</i> | Y | Y | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Erythraeidae | <i>Balaustium medicagoense</i> Meyer & Ryke, 1959 | Y | Y | Beating |
| -29.03 | 167.94 | 10/10/2014 | Poaceae | <i>Digitaria</i> sp. | Trombidiformes | Erythraeidae | <i>Balaustium medicagoense</i> | Y | Y | Sweep net |
| -29.04 | 167.94 | 19/02/2014 | Poaceae | Unknown | Trombidiformes | Erythraeidae | <i>Balaustium medicagoense</i> | Y | Y | Sweep net from pasture grass |
| -29.01 | 167.92 | 21/05/2014 | Poaceae | Unknown | Trombidiformes | Erythraeidae | <i>Balaustium medicagoense</i> | Y | Y | Sweep net from cattle pasture |
| -29.13 | 167.95 | 14/10/2014 | Amaranthaceae | <i>Achyranthes aspera</i> | Trombidiformes | Erythraeidae | <i>Balaustium medicagoense</i> | Y | Y | Beating |
| -29.01 | 167.92 | 24/05/2014 | NA | NA | Hemiptera | Cicadellidae | <i>Balclutha incisa</i> (Matsumura, 1902) | Y | Y | Culicoides trap Set 21.5.2014, collected 24.5.2014, cattle pasture |
| -29.05 | 167.92 | 19/05/2014 | NA | NA | Hemiptera | Cicadellidae | <i>Balclutha lucida</i> (Butler, 1877) | Y | Y | Light trap |
| -29.05 | 167.93 | 24/05/2014 | NA | NA | Hemiptera | Cicadellidae | <i>Balclutha lucida</i> | Y | Y | <i>Culicoides</i> trap Set 24.5.2014, collected 27.5.2014 |
| -29.00 | 167.94 | 24/03/2014 | Poaceae, Oleaceae | Unknown, <i>Olea europaea</i> subsp. <i>caudata</i> | Thysanoptera | Phlaeothripidae | <i>Bamboosella cingulata</i> (Hood, 1919) | Y | Y | Hand collection from litter |
| -29.00 | 167.93 | 23/03/2014 | Poaceae | <i>Cenchrus clandestinus</i> | Thysanoptera | Phlaeothripidae | <i>Bamboosella cingulata</i> | Y | Y | Hand collection from Leaf bases |
| -29.00 | 167.93 | 26/12/2012 | Various, Apiaceae, Brassicaceae | <i>Apium graveolens</i> L. | Hemiptera | Cicadellidae | <i>Batracomorphus angustatus</i> (Osborn, 1934) | N | Y | Yellow pan near bananas |
| -29.03 | 167.98 | 25/09/2013 | Apiaceae | <i>Daucus carota</i> | Hemiptera | Cicadellidae | <i>Batracomorphus angustatus</i> | N | Y | Sweep net |
| -29.03 | 167.99 | 21/02/2014 | Fabaceae | <i>Glycine max</i> | Hemiptera | Cicadellidae | <i>Batracomorphus angustatus</i> | N | Y | Hand collection |
| -29.01 | 167.95 | 25/12/2012 | Lomariopsidaceae | <i>Nephrolepis</i> Schott. | Hemiptera | Cicadellidae | <i>Batracomorphus angustatus</i> | N | Y | Yellow pan |
| -29.00 | 167.93 | 24/12/2012 | Lamiaceae | <i>Ocimum basilicum</i> | Hemiptera | Cicadellidae | <i>Batracomorphus angustatus</i> | N | Y | Beating flowering plants |
| -29.00 | 167.93 | 26/12/2012 | Lamiaceae, Brassicaceae, Musaceae | <i>Ocimum basilicum</i> , <i>Musa</i> sp. | Hemiptera | Cicadellidae | <i>Batracomorphus angustatus</i> | N | Y | Yellow pan |
| -29.02 | 167.97 | 22/12/2012 | Polygonaceae | <i>Rumex brownei</i> Campd. | Hemiptera | Cicadellidae | <i>Batracomorphus angustatus</i> | N | Y | Sweep net in dead seed heads |
| -29.00 | 167.93 | 23/12/2012; 27/02/2014 | Various | | Hemiptera | Cicadellidae | <i>Batracomorphus angustatus</i> | N | Y | Yellow pan |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|--|---------------------------------|-----------------------------------|--------------|----------------|---|-----------------------------------|----------------------------|--|
| -29.04 | 167.94 | 28/02/2014 | NA | NA | Orthoptera | Tetrigonidae | <i>Beierocolyla tarapipes</i> (Reniz, 1988) | N | N | Light trap |
| -29.03 | 167.97 | 27/11/2014 | NA | NA | Coleoptera | Cerambycidae | <i>Behnelium diversicorne</i> (White, 1846) | Y | Y | Light trap |
| -29.05 | 167.93 | 23/11/2014 | Commelinaceae | <i>Commelina cyanea</i> R.Br. | Thysanoptera | Thripidae | <i>Bhatitrips frontalis</i> (Bagnall, 1916) | Y | Y | Hand collection from leaves |
| -29.00 | 167.94 | 23/03/2014; 25/11/2014; 23/10/2013 | Commelinaceae | <i>Commelina cyanea</i> | Thysanoptera | Thripidae | <i>Bhatitrips frontalis</i> | Y | Y | Hand collection from leaves |
| -29.01 | 167.94 | 30/11/2014 | Asparagaceae | <i>Coryline obtecta</i> | Thysanoptera | Thripidae | <i>Bhatitrips frontalis</i> | Y | Y | Hand collection from dead leaves |
| -29.00 | 167.94 | 24/10/2013 | Phormiaceae | <i>Dianella</i> Lam. | Thysanoptera | Thripidae | <i>Bhatitrips frontalis</i> | Y | Y | Hand collection from dead leaves |
| -29.04 | 167.97 | 27/11/2014 | Passifloraceae | <i>Passiflora</i> sp. | Thysanoptera | Thripidae | <i>Bhatitrips frontalis</i> | Y | Y | Hand collection from leaves |
| -29.00 | 167.94 | 11/07/2013 | Unknown | Unknown | Thysanoptera | Thripidae | <i>Bhatitrips frontalis</i> | Y | Y | Hand collection |
| -29.01 | 167.94 | 24/11/2014 | Unknown | Unknown | Thysanoptera | Thripidae | <i>Bhatitrips frontalis</i> | Y | Y | Hand collection from dead wood |
| -29.00 | 167.94 | 23/10/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Thripidae | <i>Bhatitrips frontalis</i> | Y | Y | Hand collection from dead leaves |
| -29.02 | 167.97 | 22/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Zopheridae | <i>Bitoma</i> Herbst, 1793 | Y | ? | Hand collection |
| -29.02 | 167.93 | 12/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Zopheridae | <i>Bitoma</i> sp. | Y | ? | Hand collection from felled tree #8 |
| -29.03 | 167.97 | 7/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Zopheridae | <i>Bitoma</i> sp. | Y | ? | Hand collection |
| -29.02 | 167.93 | 25/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Zopheridae | <i>Bitoma</i> sp. | Y | ? | Hand collection from under bark of billets |
| -29.01 | 167.93 | 26/02/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Coleoptera | Zopheridae | <i>Bitoma</i> sp. | Y | ? | Hand collection |
| -29.01 | 167.93 | 26/11/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Coleoptera | Zopheridae | <i>Bitoma</i> sp. | Y | ? | Hand collection from under timber |
| -29.03 | 167.97 | 27/11/2014 | NA | NA | Coleoptera | Zopheridae | <i>Bitoma</i> sp. | Y | ? | Light trap |
| -29.03 | 167.96 | 26/11/2014 | Myrtaceae | <i>Eucalyptus botryoides</i> Sm. | Hemiptera | Psyllidae | <i>Blastopsylla occidentalis</i> Taylor, 1985 | Y | Y | Hand collection |
| -29.00 | 167.93 | 24/10/2013 | Various | | Collembola | Bourletellidae | <i>Bourletella hortensis</i> (Fitch, 1863) | Y | Y | Yellow pa among various young vegetables |
| -29.00 | 167.93 | 23 - 24/03/2014 | Various | | Collembola | Bourletellidae | <i>Bourletella hortensis</i> | Y | Y | Yellow pan among various vegetables |
| -29.00 | 167.93 | 26/12/2012 | Various, Apiaceae, Brassicaceae | <i>Apium graveolens</i> | Collembola | Bourletellidae | <i>Bourletella hortensis</i> | Y | Y | Yellow pan near bananas |
| -29.03 | 167.99 | 24/12/2012 | Cucurbitaceae | <i>Cucurbita pepo</i> | Collembola | Bourletellidae | <i>Bourletella hortensis</i> | Y | Y | Yellow pan in bare soil beside cucurbits |
| -29.01 | 167.94 | 24/12/2012 | Pandanaeae | <i>Freyinetia banksia</i> A.Cunn. | Collembola | Bourletellidae | <i>Bourletella hortensis</i> | Y | Y | Beating dead leaves |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|---------------------------|--|-----------------|-----------------|---|-----------------------------------|----------------------------|--|
| -29.03 | 167.99 | 24/12/2012 | Musaceae | <i>Musa</i> sp. | Collembola | Bourletiellidae | <i>Bourletiella hortensis</i> | Y | Y | Yellow pan |
| -29.00 | 167.93 | 26/12/2012 | Musaceae, Asteraceae | <i>Musa</i> sp., <i>Lactuca sativa</i> | Collembola | Bourletiellidae | <i>Bourletiella hortensis</i> | Y | Y | Yellow pan |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Solanum melongena</i> | Collembola | Bourletiellidae | <i>Bourletiella hortensis</i> | Y | Y | Yellow pan among plants |
| -29.03 | 167.99 | 23/12/2012 | Poaceae, Brassicaceae | <i>Zea mays</i> , <i>Brassica oleracea</i> var. <i>italica</i> | Collembola | Bourletiellidae | <i>Bourletiella hortensis</i> | Y | Y | Yellow pan |
| -29.03 | 167.99 | 23/10/2013 | Various | | Collembola | Bourletiellidae | <i>Bourletiella hortensis</i> | Y | Y | Yellow pan among various young vegetables |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Solanum melongena</i> | Hemiptera | Aphididae | <i>Brachycandus helichrysi</i> (Kaltenbach, 1843) | Y | Y | Yellow pan |
| -29.05 | 167.95 | 24/05/2014 | NA | NA | Trombidiformes | Tydeidae | <i>Brachytydeus</i> Thor, 1931 | Y | N | Culicoides trap Set 21.5.2014, collected 24.5.2014 |
| -29.03 | 167.95 | 13/06/2013 | Alliaceae | <i>Allium schoenoprasum</i> L. | Stylommatophora | Bradybaenidae | <i>Bradybaena similaris</i> (Férussac, 1821) | N? | Y | Hand collection |
| -29.03 | 167.93 | 26/09/2013 | Cucurbitaceae | <i>Cucumis sativus</i> | Stylommatophora | Bradybaenidae | <i>Bradybaena similaris</i> | N? | Y | Hand collection (recent copper spray) |
| -29.04 | 167.94 | 23/09/2013 | NA | <i>Howea belmoreana</i> (C. Moore & F. Muell.) Becc., <i>Howea forsteriana</i> | Stylommatophora | Bradybaenidae | <i>Bradybaena similaris</i> | N? | Y | Hand collection |
| -29.04 | 167.99 | 25/09/2013 | NA | NA | Stylommatophora | Bradybaenidae | <i>Bradybaena similaris</i> | N? | Y | Hand collection |
| -29.03 | 167.93 | 27/09/2013 | NA | NA | Stylommatophora | Bradybaenidae | <i>Bradybaena similaris</i> | N? | Y | Hand collection |
| -29.02 | 167.97 | 22/09/2013 | NA | NA | Stylommatophora | Bradybaenidae | <i>Bradybaena similaris</i> | N? | Y | Hand collection on rocks |
| -29.05 | 167.93 | 20/06/2013 | Unknown | Unknown | Stylommatophora | Bradybaenidae | <i>Bradybaena similaris</i> | N? | Y | Hand collection |
| -29.03 | 167.95 | 18/02/2014 | Asparagaceae | <i>Agave</i> L. | Stylommatophora | Bradybaenidae | <i>Bradybaena similaris</i> | N? | Y | Hand collection |
| -29.02 | 167.93 | 28/11/2014 | NA | NA | Diptera | Sciariidae | <i>Brachystia impatiens</i> (Johannsen, 1912) | Y | Y | Trapping from native plant nursery |
| -29.04 | 167.97 | 1/12/2014 | NA | NA | Diptera | Sciariidae | <i>Brachystia impatiens</i> | Y | Y | Hand collection and trapping |
| -29.01 | 167.94 | 24/09/2013 | Areaceae | Unknown | Hemiptera | Rhyarochromidae | <i>Brenthiscerus australis</i> (Bergroth, 1916) | N | Y | Berlese tunnel from leaf litter under palms |
| -29.04 | 167.98 | 27/11/2014 | Caricaceae | <i>Carica papaya</i> | Trombidiformes | Tenuipalpidae | <i>Brevipalpus Domadieu, 1875</i> | Y | ? | Ethanol wash |
| -29.04 | 167.99 | 24/11/2014 | Rutaceae | <i>Citrus × limon</i> | Trombidiformes | Tenuipalpidae | <i>Brevipalpus</i> sp. | Y | ? | Ethanol wash |
| -29.04 | 167.99 | 27/11/2014 | Rutaceae | <i>Citrus reticulata</i> | Trombidiformes | Tenuipalpidae | <i>Brevipalpus</i> sp. | Y | ? | Ethanol wash |
| -29.01 | 167.93 | 26/09/2013 | Rutaceae | <i>Citrus</i> sp. | Trombidiformes | Tenuipalpidae | <i>Brevipalpus</i> sp. | Y | ? | Hand collection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|----------------|---|----------------|---------------|---|-----------------------------------|----------------------------|---|
| -29.03 | 167.93 | 27/11/2014 | Cucurbitaceae | <i>Cucumis sativus</i> | Trombidiformes | Tenuipalpidae | <i>Brevipalpus</i> sp. | Y | ? | Ethanol wash |
| -29.03 | 167.93 | 27/11/2014 | Anacardiaceae | <i>Mangifera indica</i> | Trombidiformes | Tenuipalpidae | <i>Brevipalpus</i> sp. | Y | ? | Ethanol wash |
| -29.04 | 167.95 | 26/11/2014 | Passifloraceae | <i>Passiflora edulis</i> | Trombidiformes | Tenuipalpidae | <i>Brevipalpus</i> sp. | Y | ? | Ethanol wash |
| -29.04 | 167.99 | 27/11/2014 | Rutaceae | <i>Citrus × aurantiifolia</i> | Trombidiformes | Tenuipalpidae | <i>Brevipalpus</i> sp. | Y | ? | Ethanol wash |
| -29.03 | 167.94 | 24/11/2014 | Geraniaceae | <i>Pelargonium</i> L.Her. ex Alton | Trombidiformes | Tenuipalpidae | <i>Brevipalpus</i> sp. | Y | ? | Ethanol wash |
| -29.04 | 167.99 | 27/11/2014 | Rutaceae | <i>Citrus × aurantium</i> | Trombidiformes | Tenuipalpidae | <i>Brevipalpus phoenicis</i> (Geijskes, 1939) species-group | Y | ? | Ethanol wash |
| -29.00 | 167.93 | 12/06/2013 | Rutaceae | <i>Citrus × aurantium</i> | Trombidiformes | Tenuipalpidae | <i>Brevipalpus phoenicis</i> group | Y | ? | Ethanol wash |
| -29.00 | 167.92 | 12/06/2013 | Rutaceae | <i>Citrus × aurantium</i> | Trombidiformes | Tenuipalpidae | <i>Brevipalpus phoenicis</i> group | Y | ? | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Rutaceae | <i>Citrus</i> sp. | Trombidiformes | Tenuipalpidae | <i>Brevipalpus phoenicis</i> group sp. C | Y | ? | Hand collection |
| -29.03 | 167.97 | 27/11/2014 | NA | NA | Coleoptera | Chrysomelidae | <i>Bronitisa norfolkensis</i> Gressitt, 1960 | N | N | Light trap |
| -29.02 | 167.96 | 25/05/2014 | Areaceae | <i>Howea</i> sp. | Coleoptera | Chrysomelidae | <i>Bronitisa norfolkensis</i> | N | N | Hand collection |
| -29.04 | 167.94 | 19/02/2014 | Poaceae | Unknown | Trombidiformes | Tetranychidae | <i>Bryobia vasiljevi</i> Reek, 1953 | Y | Y | Sweep net |
| -29.12 | 167.96 | 15/10/2014 | Convolvulaceae | <i>Ipomoea cairica</i> | Hemiptera | Anthocoridae | <i>Buchananiella</i> Reuter, 1884 | ? | ? | Beating |
| -29.04 | 167.92 | 22/05/2014 | Passifloraceae | <i>Passiflora edulis</i> f. <i>flavicarpa</i> | Hemiptera | Anthocoridae | <i>Buchananiella</i> sp. | ? | ? | Beating |
| -29.03 | 167.92 | 22/05/2014 | Fabaceae | <i>Phaseolus vulgaris</i> | Hemiptera | Anthocoridae | <i>Buchananiella</i> sp. | ? | ? | Beating |
| -29.03 | 167.99 | 23/05/2014 | Euphorbiaceae | <i>Ricinus communis</i> | Hemiptera | Anthocoridae | <i>Buchananiella</i> sp. | ? | ? | Beating |
| -29.05 | 167.93 | 27/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Anthribidae | <i>Cecephatus</i> Blackbourn, 1900 | ? | ? | Hand collection from felled tree.#2 |
| Unknown | Unknown | 11/10/2013 | NA | NA | Coleoptera | Anthribidae | <i>Cecephatus</i> sp. | ? | ? | Culicoides trap 6 |
| -29.01 | 167.94 | 24/09/2013 | Areaceae | Unknown | Trombidiformes | Erythraeidae | <i>Caecilisoma</i> Berlese, 1888 | Y | ? | Berlese funnel from leaf litter under palms |
| -29.05 | 167.92 | 25/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Eriophyidae | <i>Calacarus</i> Keifer, 1940 sp. nov.? | Y | ? | Ethanol wash |
| -29.00 | 167.93 | 24/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Eriophyidae | <i>Calacarus</i> sp. nov.? | Y | ? | Ethanol wash |
| -29.02 | 167.94 | 3/12/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Eriophyidae | <i>Calacarus</i> sp. nov.? | Y | ? | Hand collection |
| -29.04 | 167.99 | 23/05/2014 | Rutaceae | <i>Citrus</i> sp. | Diptera | Caliphoridae | <i>Calliphora</i> Robineau-Desvoidy, 1830 | ? | ? | Sweep net |
| -29.12 | 167.95 | 14/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Diptera | Caliphoridae | <i>Calliphora</i> sp. | ? | ? | Sweep net |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---|----------------------|--|----------------|---------------|---|-----------------------------------|----------------------------|---|
| -29.05 | 167.9587 | 12/06/2014 | NA | NA | Diptera | Calliphoridae | <i>Calliphora</i> sp. | ? | ? | LuciLure trap |
| -29.06 | 167.96 | 2/07/2014; 02/06/2014; 28/08/2014 | NA | NA | Diptera | Calliphoridae | <i>Calliphora</i> sp. | ? | ? | LuciLure trap |
| -29.05 | 167.93 | 2/07/2014 | NA | NA | Diptera | Calliphoridae | <i>Calliphora</i> sp. | ? | ? | LuciLure trap |
| -29.05 | 167.97 | 17/07/2014; 02/07/2014 | NA | NA | Diptera | Calliphoridae | <i>Calliphora</i> sp. | ? | ? | Bezzilure trap |
| -29.04 | 167.93 | 24/06/2014 | NA | NA | Diptera | Calliphoridae | <i>Calliphora</i> sp. | ? | ? | Bezzilure trap |
| -29.04 | 167.93 | 25/08/2014; 12/12/2014 | NA | NA | Diptera | Calliphoridae | <i>Calliphora</i> sp. | ? | ? | Bezzilure trap |
| -29.04 | 167.94 | 25/08/2014 | NA | NA | Diptera | Calliphoridae | <i>Calliphora</i> sp. | ? | ? | Bezzilure trap |
| -29.01 | 167.92 | 28/05/2014 | NA | NA | Diptera | Calliphoridae | <i>Calliphora</i> sp. | ? | ? | LuciLure trap |
| -29.01 | 167.92 | 10/06/2014; 24/06/2014 | NA | NA | Diptera | Calliphoridae | <i>Calliphora</i> sp. | ? | ? | LuciLure trap |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Diptera | Calliphoridae | <i>Calliphora</i> sp. | ? | ? | Light trap in eucalypt forest |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Diptera | Calliphoridae | <i>Calliphora</i> sp. | ? | ? | Light trap #4 |
| -29.05 | 167.92 | 7/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Diptera | Calliphoridae | <i>Calliphora</i> sp. | ? | ? | Sweep net and beating |
| -29.03 | 167.97 | 7/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Calpurnius costaneus</i> (Lea, 1913) | N | Y | Hand collection |
| -29.03 | 167.95 | 25/02/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Calpurnius costaneus</i> | N | Y | Hand collection |
| -29.03 | 167.97 | 18/02/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Calpurnius costaneus</i> | N | Y | Hand collection from timber billets |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Calpurnius costaneus</i> | N | Y | Light trap #1 |
| -29.03 | 167.97 | 21/05/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Calpurnius costaneus</i> | N | Y | Hand collection from milled Norfolk Island pine |
| -29.03 | 167.93 | 27/11/2014 | Cucurbitaceae | <i>Cucumis sativus</i> | Sarcoptiformes | | <i>Calvolia Ondemans, 1911</i> | Y | N | Ethanol wash |
| -29.03 | 167.99 | 23/05/2014 | Euphorbiaceae | <i>Ricinus communis</i> | Sarcoptiformes | | <i>Calvolia</i> sp. | Y | N | Beating |
| -29.03 | 167.93 | 27/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Sarcoptiformes | | <i>Calvolia</i> sp. | Y | N | Ethanol wash |
| -29.12 | 167.95 | 14/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Coleoptera | Pitidae | <i>Calymnaderus Solier, 1849</i> | ? | ? | Hand collection |
| -29.05 | 167.93 | 13/06/2013 | Fabaceae | <i>Medicago sativa</i> | Hemiptera | Miridae | <i>Campylomma Reuter, 1878</i> | ? | ? | Sweep net |
| -29.00 | 167.93 | 26/12/2012 | Musaceae, Asteraceae | <i>Musa</i> sp., <i>Lactuca sativa</i> | Hemiptera | Miridae | <i>Campylomma</i> sp. | ? | ? | Yellow pan |
| -29.00 | 167.93 | 24/12/2012 | Lamiaceae | <i>Ocimum basilicum</i> | Hemiptera | Miridae | <i>Campylomma</i> sp. | ? | ? | Beating flowering plants |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|-----------------|---|--|--------------|---------------|--|-----------------------------------|----------------------------|-------------------------------------|
| -29.00 | 167.93 | 26/12/2012 | Lamiaceae, Brassicaceae, Musaceae | <i>Ocimum basilicum</i> , <i>Musa</i> sp. | Hemiptera | Miridae | <i>Campylomma</i> sp. | ? | ? | Yellow pan |
| -29.03 | 167.95 | 12/06/2013 | Lamiaceae | <i>Rosmarinus officinalis</i> L. | Hemiptera | Miridae | <i>Campylomma</i> sp. | ? | ? | Beating |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Solanum melongena</i> | Hemiptera | Miridae | <i>Campylomma</i> sp. | ? | ? | Yellow pan among plants |
| -29.03 | 167.96 | 26/11/2014 | Myrtaceae | <i>Eucalyptus batryoides</i> | Hemiptera | Psyllidae | <i>Cardiaspina fuscella</i> Taylor, 1962 | Y | Y | Hand collection |
| -29.02 | 167.95 | 26/02/2014 | Myrtaceae | <i>Eucalyptus batryoides</i> | Hemiptera | Psyllidae | <i>Cardiaspina fuscella</i> | Y | Y | Hand collection |
| -29.01 | 167.93 | 26/02/2014 | Myrtaceae | <i>Eucalyptus sp.</i> | Hemiptera | Psyllidae | <i>Cardiaspina fuscella</i> | Y | Y | Hand collection |
| -29.03 | 167.95 | 19/05/2014 | Myrtaceae | <i>Eucalyptus batryoides</i> | Hemiptera | Psyllidae | <i>Cardiaspina fuscella</i> | Y | Y | Sweep net |
| -29.05 | 167.92 | 24/05/2014 | Poaceae | Unknown | Hymenoptera | Fornicidae | <i>Cardiocondyla cf. mda</i> | N | Y | Sweep net |
| -29.03 | 167.99 | 22 - 23/03/2014 | Various | | Hymenoptera | Fornicidae | <i>Cardiocondyla emeryi</i> | N | N | Yellow pan among various vegetables |
| -29.05 | 167.94 | 22/09/2013 | Brassicaceae, Solanaceae | <i>Brassica oleracea</i> var. <i>capitata</i> L. | Hymenoptera | Fornicidae | <i>Cardiocondyla emeryi</i> | N | N | Hand collection |
| -29.03 | 167.99 | 25/09/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> | Hymenoptera | Fornicidae | <i>Cardiocondyla emeryi</i> Forel, 1881 | N | N | Hand collection |
| -29.03 | 167.93 | 19/02/2014 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> | Hymenoptera | Fornicidae | <i>Cardiocondyla emeryi</i> | N | N | Hand collection |
| -29.04 | 167.93 | 18/02/2014 | Caricaceae | <i>Carica papaya</i> | Hymenoptera | Fornicidae | <i>Cardiocondyla emeryi</i> | N | N | Hand collection |
| -29.03 | 167.98 | 21/05/2014 | Poaceae | <i>Cenchrus purpureus</i> | Hymenoptera | Fornicidae | <i>Cardiocondyla emeryi</i> | N | N | Sweep net |
| -29.05 | 167.97 | 24/02/2014 | Asteraceae | <i>Conyza</i> Less. | Hymenoptera | Fornicidae | <i>Cardiocondyla emeryi</i> | N | N | Hand collection |
| -29.03 | 167.92 | 21/05/2014 | Asparagaceae | <i>Cordylone</i> sp. | Hymenoptera | Fornicidae | <i>Cardiocondyla emeryi</i> | N | N | Beating |
| -29.04 | 167.99 | 22/05/2014 | Malvaceae | <i>Hibiscus</i> L. | Hymenoptera | Fornicidae | <i>Cardiocondyla emeryi</i> | N | N | Beating |
| -29.04 | 167.94 | 23/09/2013 | NA | NA | Hymenoptera | Fornicidae | <i>Cardiocondyla emeryi</i> | N | N | Hand collection from soil |
| -29.02 | 167.97 | 22/09/2013 | NA | NA | Hymenoptera | Fornicidae | <i>Cardiocondyla emeryi</i> | N | N | Hand collection from garden |
| -29.00 | 167.93 | 20/02/2014 | Lauraceae | <i>Persea americana</i> Mill. | Hymenoptera | Fornicidae | <i>Cardiocondyla emeryi</i> | N | N | Hand collection |
| -29.03 | 167.99 | 20/02/2014 | Fabaceae | <i>Phaseolus</i> sp. | Hymenoptera | Fornicidae | <i>Cardiocondyla emeryi</i> | N | N | Hand collection |
| -29.03 | 167.93 | 19/02/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hymenoptera | Fornicidae | <i>Cardiocondyla emeryi</i> | N | N | Beating |
| -29.01 | 167.93 | 13/06/2013 | Solanaceae | <i>Solanum tuberosum</i> | Hymenoptera | Fornicidae | <i>Cardiocondyla emeryi</i> | N | N | Hand collection |
| -29.04 | 167.99 | 23 - 24/03/2014 | Various | | Hymenoptera | Fornicidae | <i>Cardiocondyla emeryi</i> | N | N | Yellow pan among various vegetables |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|----------------------------|----------------------------|--|--------------|-----------------|--|-----------------------------------|----------------------------|--|
| -29.03 | 167.99 | 22 - 23/03/2014 | Various | | Hymenoptera | Formicidae | <i>Cardiocondyla nuda</i> (Mayr, 1866) | N | Y | Yellow pan among various vegetables |
| -29.02 | 167.96 | 26/03/2014 | Various | | Hymenoptera | Formicidae | <i>Cardiocondyla nuda</i> | N | Y | Yellow pan |
| -29.05 | 167.97 | 24/02/2014 | Rutaceae | <i>Citrus</i> sp. | Hymenoptera | Formicidae | <i>Cardiocondyla nuda</i> | N | Y | Hand collection |
| -29.03 | 167.94 | 18/02/2014 | Convolvulaceae | <i>Ipomoea batatas</i> | Hymenoptera | Formicidae | <i>Cardiocondyla nuda</i> | N | Y | Hand collection |
| -29.00 | 167.93 | 20/02/2014 | Convolvulaceae | <i>Ipomoea batatas</i> | Hymenoptera | Formicidae | <i>Cardiocondyla nuda</i> | N | Y | Hand collection |
| -29.05 | 167.97 | 21/02/2014 | Verbenaceae | <i>Lantana camara</i> | Hymenoptera | Formicidae | <i>Cardiocondyla nuda</i> | N | Y | Beating |
| -29.02 | 167.96 | 26/09/2013 | NA | NA | Hymenoptera | Formicidae | <i>Cardiocondyla nuda</i> | N | Y | Hand collection from soil |
| -29.04 | 167.99 | 23 - 24/03/2014 | Various | | Hymenoptera | Formicidae | <i>Cardiocondyla nuda</i> | N | Y | Yellow pan among various vegetables |
| -29.04 | 167.94 | 21/12/2012 | Malvaceae | <i>Hibiscus</i> sp. | Thysanoptera | Phlaeothripidae | <i>Carientothrips flavitibia</i> Hood, 1968 | Y | Y | Hand collection |
| -29.01 | 167.94 | 11/07/2013 | Asparagaceae | <i>Corydine obtecta</i> | Thysanoptera | Phlaeothripidae | <i>Carientothrips snovi</i> Eow, Mound, Tree & Cameron, 2014 | Y | N | Hand collection from dead leaves |
| -29.01 | 167.94 | 23/12/2013 | Areaceae | <i>Rhopalosiphum haueri</i> | Thysanoptera | Phlaeothripidae | <i>Carientothrips snovi</i> | Y | N | Hand collection from dead frond |
| -29.02 | 167.96 | 27/12/2012; 24/11/2014; | Areaceae | <i>Rhopalosiphum haueri</i> | Thysanoptera | Phlaeothripidae | <i>Carientothrips snovi</i> | Y | N | Hand collection from dead fronds |
| -29.03 | 167.94 | 12/07/2013 | Areaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Carientothrips snovi</i> | Y | N | Hand collection |
| -29.01 | 167.94 | 24/11/2014; 27/12/2012 | Areaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Carientothrips snovi</i> | Y | N | Hand collection |
| -29.01 | 167.94 | 30/11/2014; 22/12/2012 | Areaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Carientothrips snovi</i> | Y | N | Hand collection |
| -29.01 | 167.94 | 24/10/2013 | Areaceae, Scrophulariaceae | Unknown, <i>Myoporum Banks & Sol. ex G. Forst.</i> | Thysanoptera | Phlaeothripidae | <i>Carientothrips snovi</i> | Y | N | Hand collection from dead frond |
| -29.01 | 167.94 | 24/12/2013 | Euphorbiaceae, Oleaceae | <i>Baloghia inophylla</i> , <i>Jasminum</i> L. | Thysanoptera | Phlaeothripidae | <i>Carientothrips snovi</i> | Y | N | Hand collection |
| -29.1 | 167.96 | 15/10/2014 | Convolvulaceae | <i>Ipomoea cairica</i> | Coleoptera | Nitidulidae | <i>Carpophilus Stephens</i> , 1830 | Y | ? | Beating |
| -29.03 | 167.98 | 21/05/2014 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> | Coleoptera | Nitidulidae | <i>Carpophilus dimidiatus</i> (Fabricius, 1792) | Y | Y | Beating |
| -29.00 | 167.93 | 24/09/2013 | Caricaceae | <i>Carica papaya</i> | Coleoptera | Nitidulidae | <i>Carpophilus dimidiatus</i> | Y | Y | Hand collection from rotting fruit on ground |
| -29.01 | 167.93 | 26/09/2013 | Rutaceae | <i>Citrus × aurantium</i> | Coleoptera | Nitidulidae | <i>Carpophilus dimidiatus</i> | Y | Y | Hand collection from rotting fruit, <i>Drosophila</i> observed |
| -29.00 | 167.94 | 24/02/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Coleoptera | Nitidulidae | <i>Carpophilus dimidiatus</i> | Y | Y | Beating |
| -29.00 | 167.93 | 26/12/2012 | Musaceae, Asteraceae | <i>Musa</i> sp., <i>Lactuca sativa</i> | Coleoptera | Nitidulidae | <i>Carpophilus dimidiatus</i> | Y | Y | Yellow pan |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|-----------------------|--|--------------|---------------|--|-----------------------------------|----------------------------|---|
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Nitidulidae | <i>Carpophilus dimidiatus</i> | Y | Y | Light trap #3 |
| -29.04 | 167.96 | 27/02/2014 | Various | | Coleoptera | Nitidulidae | <i>Carpophilus dimidiatus</i> | Y | Y | Yellow pan among various young vegetables |
| -29.01 | 167.93 | 13/06/2013 | Rutaceae | <i>Citrus sinensis</i> | Coleoptera | Nitidulidae | <i>Carpophilus maculatus</i> Murray, 1864 | Y | Y | Hand collection from fallen fruit |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Latridiidae | <i>Carthodere</i> C.G. Thomson, 1859 | Y | ? | Light trap #3 |
| -29.03 | 167.94 | 24/05/2014 | Arecaceae | <i>Rhopalosiphum baueri</i> | Coleoptera | Latridiidae | <i>Carthodere constricta</i> (Gyllenhal, 1827) | Y | Y | Hand collection |
| -29.03 | 167.99 | 25/09/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> | Hymenoptera | Ceraphronidae | <i>Ceraphron Jurine</i> , 1807 | Y | ? | Hand collection |
| Unknown | Unknown | 2/10/2013 | NA | NA | Coleoptera | Cerambycidae | <i>Ceresium flavipes</i> (Fabricius, 1792) | N | Y | <i>Culicoides</i> trap. Site 8, <i>Culicoides</i> trap.#7 |
| -29.06 | 167.92 | 1/12/2014 | Solanaceae | <i>Lycium ferocissimum</i> Miers | Coleoptera | Cerambycidae | <i>Ceresium flavipes</i> | N | Y | Yellow pan |
| -29.03 | 167.99 | 23/12/2012 | Poaceae, Brassicaceae | <i>Zea mays</i> , <i>Brassica oleracea</i> var. <i>italica</i> | Diptera | Agromyzidae | <i>Cerodontha australis</i> Malloch, 1925 | N | Y | Yellow pan |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Triticum</i> L. | Diptera | Agromyzidae | <i>Cerodontha australis</i> | N | Y | Hand collection |
| -29.03 | 167.99 | 21/02/2014 | Myrtaceae | <i>Acaciaellowiana</i> (O.Berg) Burdet | Hemiptera | Coccidae | <i>Ceroplastes Gray</i> , 1828 | ? | ? | Hand collection |
| -29.03 | 167.98 | 14/06/2013 | Rubiaceae | <i>Coffea</i> sp. | Hemiptera | Coccidae | <i>Ceroplastes</i> sp. | ? | ? | Observation |
| -29.05 | 167.93 | 17/02/2014 | Verbenaceae | <i>Duranta erecta</i> L. | Hemiptera | Coccidae | <i>Ceroplastes</i> sp. | ? | ? | Hand collection |
| -29.04 | 167.99 | 14/06/2013 | Rosaceae | <i>Prunus dulcis</i> (Mill.) D.A. Webb | Hemiptera | Coccidae | <i>Ceroplastes</i> sp. | ? | ? | Observation |
| -29.02 | 167.96 | 10/06/2013 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Coccidae | <i>Ceroplastes destructor</i> Newstead, 1917 | N | Y | Hand collection |
| -29.01 | 167.95 | 23/09/2013 | Apocynaceae | <i>Melodinus baueri</i> Endl. | Hemiptera | Coccidae | <i>Ceroplastes destructor</i> | N | Y | Hand collection |
| -29.01 | 167.95 | 23/09/2013 | Araliaceae | <i>Meryta angustifolia</i> | Hemiptera | Coccidae | <i>Ceroplastes destructor</i> | N | Y | Hand collection |
| -29.01 | 167.95 | 23/09/2013 | Pittosporaceae | <i>Pittosporum bracteolatum</i> Endl. | Hemiptera | Coccidae | <i>Ceroplastes destructor</i> | N | Y | Sweep net |
| -29.02 | 167.96 | 10/06/2013 | Pittosporaceae | <i>Pittosporum</i> sp. | Hemiptera | Coccidae | <i>Ceroplastes destructor</i> | N | Y | Hand collection |
| -29.01 | 167.95 | 23/09/2013 | Apocynaceae | <i>Alyxia gymnogon</i> Roem. & Schult. | Hemiptera | Coccidae | <i>Ceroplastes destructor</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 14/06/2013 | Rutaceae | <i>Citrus × aurantium</i> | Hemiptera | Coccidae | <i>Ceroplastes rubens</i> Maskell, 1893 | N | Y | Hand collection |
| -29.00 | 167.93 | 24/09/2013 | Rutaceae | <i>Citrus × aurantium</i> | Hemiptera | Coccidae | <i>Ceroplastes rubens</i> | N | Y | Hand collection |
| -29.05 | 167.93 | 23/05/2014 | Rubiaceae | <i>Coffea</i> sp. | Hemiptera | Coccidae | <i>Ceroplastes rubens</i> | N | Y | Hand collection |
| -29.01 | 167.93 | 13/06/2013 | Lauraceae | <i>Persea americana</i> | Hemiptera | Coccidae | <i>Ceroplastes rubens</i> | N | Y | Hand collection |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|--|-------------------|--|--------------|---------------|---|-----------------------------------|----------------------------|--|
| -29.04 | 167.93 | 18/02/2014 | Rutaceae | <i>Citrus ×aurantium</i> | Hemiptera | Coccidae | <i>Ceroplastes sinensis</i> Del Guercio, 1900 | N | Y | Hand collection |
| -29.03 | 167.94 | 10/10/2014 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Coccidae | <i>Ceroplastes sinensis</i> | N | Y | Hand collection |
| -29.01 | 167.93 | 26/09/2013 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Coccidae | <i>Ceroplastes sinensis</i> | N | Y | Hand collection |
| -29.02 | 167.97 | 22/09/2013 | Malvaceae | <i>Lagunaria palersania</i> | Hemiptera | Coccidae | <i>Ceroplastes sinensis</i> | N | Y | Hand collection |
| -29.123 | 167.95 | 14/10/2014 | Malvaceae | <i>Lagunaria palersania</i> | Hemiptera | Coccidae | <i>Ceroplastes sinensis</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 25/09/2013 | Malvaceae | <i>Lagunaria palersania</i> | Hemiptera | Coccidae | <i>Ceroplastes sinensis</i> | N | Y | Hand collection |
| -29.01 | 167.93 | 13/06/2013 | Rosaceae | <i>Malus pumila</i> | Hemiptera | Coccidae | <i>Ceroplastes sinensis</i> | N | Y | Hand collection |
| -29.03 | 167.93 | 26/09/2013 | Anacardiaceae | <i>Mangifera indica</i> | Hemiptera | Coccidae | <i>Ceroplastes sinensis</i> | N | Y | Hand collection |
| -29.01 | 167.95 | 23/09/2013 | Primulaceae | <i>Myrsine raietoniae</i> (P.S.Green) Laekes | Hemiptera | Coccidae | <i>Ceroplastes sinensis</i> | N | Y | Observation |
| -29.04 | 167.99 | 8/10/2014 | Lythraceae | <i>Punica granatum</i> | Hemiptera | Coccidae | <i>Ceroplastes sinensis</i> | N | Y | Hand collection and beating |
| -29.02 | 167.96 | 10/06/2013 | Lythraceae | <i>Punica granatum</i> | Hemiptera | Coccidae | <i>Ceroplastes sinensis</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 14/06/2013 | Vitaceae | <i>Vitis vinifera</i> | Hemiptera | Coccidae | <i>Ceroplastes sinensis</i> | N | Y | Hand collection |
| -29.03 | 167.95 | 11/06/2013 | Vitaceae | <i>Vitis vinifera</i> | Hemiptera | Coccidae | <i>Ceroplastes sinensis</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 14/06/2013 | Rutaceae | <i>Casimiroa edulis</i> | Hemiptera | Coccidae | <i>Ceroplastes sinensis</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 24/03/2014 | Rutaceae, Poaceae | <i>Citrus</i> sp. | Thysanoptera | Thripidae | <i>Chaetamaphothrips orchidii</i> (Moulton, 1907) | Y | Y | Hand collection from young citrus leaves and grass |
| -29.05 | 167.93 | 25/03/2014; 23/11/2014; 26/03/2014 | Commelinaceae | <i>Commelina cyanea</i> | Thysanoptera | Thripidae | <i>Chaetamaphothrips orchidii</i> | Y | Y | Hand collection from leaves |
| -29.03 | 167.95 | 26/09/2013 | Passifloraceae | <i>Passiflora edulis</i> | Thysanoptera | Thripidae | <i>Chaetamaphothrips orchidii</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 24/12/2013 | Apiaceae | <i>Petroselinum crispum</i> | Thysanoptera | Thripidae | <i>Chaetamaphothrips orchidii</i> | Y | Y | Hand collection |
| -29.05 | 167.92 | 23/05/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Thysanoptera | Thripidae | <i>Chaetamaphothrips orchidii</i> | Y | Y | Trapping |
| -29.02 | 167.93 | 25/05/2014 | Fabaceae | <i>Trifolium</i> sp. | Thysanoptera | Thripidae | <i>Chaetamaphothrips orchidii</i> | Y | Y | Beating |
| -29.05 | 167.93 | 26/03/2014 | Unknown | Unknown | Thysanoptera | Thripidae | <i>Chaetamaphothrips orchidii</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 24/09/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Thysanoptera | Thripidae | <i>Chaetamaphothrips orchidii</i> | Y | Y | Hand collection |
| -29.03 | 167.93 | 19/02/2014 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> | Coleoptera | Chrysomelidae | <i>Chaetocnema paspalae</i> (Broun, 1923) | N | N | Hand collection |
| -29.01 | 167.94 | 11/06/2013 | Meliaceae | <i>Dysoxylum bijugum</i> | Coleoptera | Chrysomelidae | <i>Chaetocnema paspalae</i> | N | N | Hand collection |
| -29.03 | 167.94 | 18/02/2014 | Convolvulaceae | <i>Ipomoea batatas</i> | Coleoptera | Chrysomelidae | <i>Chaetocnema paspalae</i> | N | N | Hand collection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|---|---|-----------------|---------------|--|-----------------------------------|----------------------------|--|
| -29.03 | 167.99 | 14/06/2013; 23/12/2012 | Convolvulaceae | <i>Ipomoea batatas</i> | Coleoptera | Chrysomelidae | <i>Chaetocnema paspaliae</i> | N | N | Sweep net |
| -29.00 | 167.93 | 20/02/2014; 12/06/2013 | Convolvulaceae | <i>Ipomoea batatas</i> | Coleoptera | Chrysomelidae | <i>Chaetocnema paspaliae</i> | N | N | Hand collection |
| -29.00 | 167.93 | 26/12/2012 | Lamiaceae, Brassicaceae, Musaceae | <i>Ocimum basilicum</i> , <i>Musa</i> sp. | Coleoptera | Chrysomelidae | <i>Chaetocnema paspaliae</i> | N | N | Yellow pan |
| -29.03 | 167.99 | 14/06/2013 | Fabaceae | <i>Phaseolus vulgaris</i> | Coleoptera | Chrysomelidae | <i>Chaetocnema paspaliae</i> | N | N | Hand collection |
| -29.02 | 167.97 | 22/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> <i>Fragaria</i> | Coleoptera | Chrysomelidae | <i>Chaetocnema paspaliae</i> | N | N | Hand collection |
| -29.04 | 167.97 | 26/05/2014 | Rosaceae | <i>xananassa</i> (Weston) Duchesne ex Rozier | Hemiptera | Aphididae | <i>Chaetosiphon fragaefolii</i> (Cockerell, 1901) | Y | Y | Hand collection |
| -29.00 | 167.93 | 24/09/2013 | Arecaceae | <i>Howea belmoreana</i> , <i>Howea forsteriana</i> | Trombidiformes | Cheytiidae | <i>Cheyletogenes waitiei</i> Gerson, 1994 | Y | Y | Hand collection |
| -29.06 | 167.94 | 26/11/2014 | NA | NA | Coleoptera | Carabidae | <i>Chlaenius flaviventris</i> W.S. Macleay, 1825 | N | Y | Light trap |
| -29.01 | 167.94 | 24/09/2013 | Arecaceae | Unknown | Stylommatophora | Punctidae | <i>Christianonocha orexias</i> (Preston, 1913) | N | N | Berlese funnel from leaf litter under palms |
| -29.00 | 167.93 | 22/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Chrysodeixis Hübner</i> , 1821 | ? | ? | Bucket light trap in orchard |
| -29.04 | 167.97 | 9/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Lepidoptera | Noctuidae | <i>Chrysodeixis argentifera</i> (Guenee, 1852) | N | Y | Beating |
| -29.03 | 167.98 | 22/05/2014 | Apiaceae | <i>Daucus carota</i> | Lepidoptera | Noctuidae | <i>Chrysodeixis erosoma</i> (Doubleday, 1843) | | | Beating - larvae |
| -29.03 | 167.98 | 22/05/2014 | Convolvulaceae | <i>Ipomoea batatas</i> | Lepidoptera | Noctuidae | <i>Chrysodeixis erosoma</i> | N | Y | Beating |
| -29.00 | 167.93 | 20/02/2014 | Convolvulaceae | <i>Ipomoea batatas</i> | Lepidoptera | Noctuidae | <i>Chrysodeixis erosoma</i> | N | Y | Hand collection |
| -29.03 | 167.92 | 21/05/2014 | Anacardiaceae | <i>Mangifera indica</i> | Lepidoptera | Noctuidae | <i>Chrysodeixis erosoma</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 8/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Lepidoptera | Noctuidae | <i>Chrysodeixis erosoma</i> | N | Y | Beating |
| -29.04 | 167.99 | 8/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Lepidoptera | Noctuidae | <i>Chrysodeixis erosoma</i> | N | Y | Beating |
| -29.03 | 167.98 | 21/05/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Lepidoptera | Noctuidae | <i>Chrysodeixis erosoma</i> | N | Y | Beating |
| -29.01 | 167.92 | 16/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Lepidoptera | Noctuidae | <i>Chrysodeixis erosoma</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 25/05/2014 | Solanaceae | <i>Solanum tuberosum</i> | Lepidoptera | Noctuidae | <i>Chrysodeixis erosoma</i> | N | Y | Beating |
| -29.00 | 167.93 | 24/09/2013 | Cucurbitaceae | <i>Cucumis sativus</i> | Lepidoptera | Noctuidae | <i>Chrysodeixis erosoma</i> | N | Y | Hand collection |
| -29.02 | 167.93 | 27/09/2013 | Oleaceae | <i>Nestegis apetala</i> (Vahl) L.A.S. Johnson | Hemiptera | Diaspididae | <i>Chrysomphalus dictyospermi</i> (Morgan, 1889) | Y | Y | Hand collection |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|---------------|---|--------------|---------------|---|-----------------------------------|----------------------------|-------------------|
| -29.04 | 167.99 | 25/09/2013 | Musaceae | <i>Musa</i> sp. | Hemiptera | Diaspididae | <i>Chrysomphalus dictyospermi</i> | Y | Y | Hand collection |
| -29.03 | 167.93 | 26/09/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> (Maskell, 1891) | N | Y | Hand collection |
| -29.04 | 167.99 | 14/06/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.00 | 167.92 | 20/02/2014 | Rutaceae | <i>Citrus ×aurantium</i> | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.00 | 167.93 | 24/09/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.00 | 167.93 | 24/09/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.01 | 167.95 | 23/09/2013 | Rutaceae | <i>Citrus ×limon</i> | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.05 | 167.93 | 27/09/2013 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.01 | 167.94 | 11/06/2013 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.01 | 167.93 | 26/09/2013 | Araceae | <i>Howea belmoreana</i> , <i>Howea forsteriana</i> | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.00 | 167.93 | 24/09/2013 | Araceae | <i>Howea belmoreana</i> , <i>Howea forsteriana</i> | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.03 | 167.96 | 19/02/2014 | Lauraceae | <i>Laurus nobilis</i> L. | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.00 | 167.93 | 24/09/2013 | Anacardiaceae | <i>Mangifera indica</i> | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.04 | 167.94 | 23/09/2013 | Araliaceae | <i>Meryta angustifolia</i> | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Araliaceae | <i>Meryta angustifolia</i> | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.04 | 167.94 | 23/09/2013 | Musaceae | <i>Musa</i> sp. | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.03 | 167.93 | 26/09/2013 | Musaceae | <i>Musa</i> sp. | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Musaceae | <i>Musa</i> sp. | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.02 | 167.93 | 27/09/2013 | Oleaceae | <i>Nestegis apetala</i> | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.01 | 167.93 | 26/02/2014 | Oleaceae | <i>Olea europaea</i> subsp. <i>causidata</i> <i>Psidium</i> | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.02 | 167.95 | 24/09/2013 | Myrtaceae | <i>catleyanum</i> var. <i>catleyanum</i> | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Araceae | <i>Rhopalosiphum haueri</i> | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.01 | 167.94 | 11/06/2013 | Araceae | <i>Rhopalosiphum haueri</i> | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.02 | 167.93 | 27/09/2013 | Araceae | <i>Rhopalosiphum haueri</i> | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---|---------------|-----------------------------|--------------|---------------|--|-----------------------------------|----------------------------|--|
| -29.04 | 167.94 | 23/09/2013 | Anacardiaceae | <i>Schinus molle</i> | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.03 | 167.96 | 19/02/2014 | Bromeliaceae | Unknown | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.01 | 167.95 | 24/09/2013 | Euphorbiaceae | <i>Baloghia mophylla</i> | Hemiptera | Diaspididae | <i>Chrysomphalus pinnulifer</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 23/05/2014 | Rutaceae | <i>Citrus sp.</i> | Diptera | Calliphoridae | <i>Chrysomya megacephala</i> (Fabricius, 1794) | Y | Y | Sweep net |
| -29.04 | 167.98 | 9/10/2014 | Anacardiaceae | <i>Mangifera indica</i> | Diptera | Calliphoridae | <i>Chrysomya megacephala</i> | Y | Y | Sweep net and beating |
| -29.06 | 167.97 | 12/12/2014 | NA | NA | Diptera | Calliphoridae | <i>Chrysomya megacephala</i> | Y | Y | Bezzilure trap |
| -29.05 | 167.98 | 10/10/2014 | NA | NA | Diptera | Calliphoridae | <i>Chrysomya megacephala</i> | Y | Y | Light trap |
| -29.05 | 167.98 | 12/06/2014; 24/08/2014; 10/10/2014 | NA | NA | Diptera | Calliphoridae | <i>Chrysomya megacephala</i> | Y | Y | Bezzilure trap |
| -29.05 | 167.96 | 28/05/2014 | NA | NA | Diptera | Calliphoridae | <i>Chrysomya megacephala</i> | Y | Y | LuciLure trap |
| -29.05 | 167.97 | 24/06/2014; 17/07/2014; 01/10/2014; 25/10/2014 | NA | NA | Diptera | Calliphoridae | <i>Chrysomya megacephala</i> | Y | Y | Bezzilure trap |
| -29.04 | 167.94 | 12/12/2014 | NA | NA | Diptera | Calliphoridae | <i>Chrysomya megacephala</i> | Y | Y | Bezzilure trap |
| -29.03 | 167.98 | 12/12/2014; 29/05/2014; 12/06/2014; 25/08/2014 | NA | NA | Diptera | Calliphoridae | <i>Chrysomya megacephala</i> | Y | Y | LuciLure trap |
| -29.05 | 167.98 | 12/12/2014 | NA | NA | Diptera | Calliphoridae | <i>Chrysomya megacephala</i> | Y | Y | Bezzilure trap over 5000 flies in trap |
| -29.04 | 167.99 | 8/10/2014 | NA | Unknown | Diptera | Calliphoridae | <i>Chrysomya megacephala</i> | Y | Y | Sweep net through grass and weeds in orchard |
| -29.04 | 167.99 | 8/10/2014 | Rutaceae | <i>Citrus xaurantifolia</i> | Diptera | Calliphoridae | <i>Chrysomya megacephala</i> | N | Y | Hand collection and sweep net |
| -29.00 | 167.93 | 22/02/2014 | NA | NA | Diptera | Calliphoridae | <i>Chrysomya rufifacies</i> (Macquart, 1843) | Y | Y | Bucket light trap in orchard |
| -29.04 | 167.99 | 8/10/2014 | Myrtaceae | <i>Psidium guajava</i> | Diptera | Calliphoridae | <i>Chrysomya saffrana</i> (Bigot, 1877) | Y | Y | Beating |
| -29.06 | 167.96 | 28/08/2014 | NA | NA | Diptera | Calliphoridae | <i>Chrysomya varipes</i> (Macquart, 1851) | N | Y | LuciLure trap |
| -29.05 | 167.98 | 10/10/2014 | NA | NA | Diptera | Calliphoridae | <i>Chrysomya varipes</i> | N | Y | Bezzilure trap |
| -29.05 | 167.98 | 12/12/2014 | NA | NA | Diptera | Calliphoridae | <i>Chrysomya varipes</i> | N | Y | Bezzilure trap |
| -29.04 | 167.97 | 25/10/2014 | NA | NA | Diptera | Calliphoridae | <i>Chrysomya varipes</i> | N | Y | Bezzilure trap |
| -29.03 | 167.94 | 12/12/2014 | NA | NA | Diptera | Calliphoridae | <i>Chrysomya varipes</i> | N | Y | Bezzilure trap |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---|--------------|--|--------------|---------------|---|-----------------------------------|----------------------------|---|
| -29.03 | 167.98 | 17/07/2014; 25/08/2014; 12/12/2014; 02/06/2014 | NA | NA | Diptera | Calliphoridae | <i>Chrysomya varipes</i> | N | Y | LuciLure trap |
| -29.01 | 167.92 | 12/12/2014 | NA | NA | Diptera | Calliphoridae | <i>Chrysomya varipes</i> | N | Y | LuciLure trap |
| -29.06 | 167.97 | 24/06/2014; 12/12/2014 | NA | NA | Diptera | Calliphoridae | <i>Chrysomya varipes</i> | N | Y | Bezzilure trap |
| -29.00 | 167.93 | 23/12/2012 | Various | | Hemiptera | Cicadellidae | <i>Cicadulina bimaculata</i> (Evans, 1940) | Y | Y | Yellow pan |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Clambidae | <i>Clambus Fischer von Waldheim, 1820</i> | Y | ? | Light trap #3 |
| -29.03 | 167.92 | 21/05/2014 | Apiaceae | <i>Daucus carota</i> | Lepidoptera | Geometridae | <i>Cleora Curtis, 1825</i> | ? | ? | Beating |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Coleoptera | Carabidae | <i>Clivina basalis</i> Chaudoir, 1843 | N | Y | Light trap #2 |
| -29.01 | 167.94 | 24/09/2013 | Arecaceae | Unknown | Araneae | Clubionidae | <i>Clubiona comita</i> C.L. Koch, 1839 | Y | N | Berlese funnel from leaf litter under palms |
| -29.03 | 167.97 | 7/10/2014 | NA | NA | Araneae | Clubionidae | <i>Clubiona Latreille, 1804</i> | Y | ? | Light trap Set 6.10.14, collected 7.10.14 |
| -29.03 | 167.98 | 22/05/2014 | Apiaceae | <i>Daucus carota</i> | Coleoptera | Coccinellidae | <i>Coccinella septempunctata</i> (Linnaeus, 1758) | Y | N | Beating |
| -29.03 | 167.99 | 22 - 23/05/2014 | Various | | Coleoptera | Coccinellidae | <i>Coccinella transversalis</i> Fabricius, 1781 | Y | Y | Yellow pan |
| -29.12 | 167.96 | 15/10/2014 | Solanaceae | <i>Solanum nodiflorum</i> | Coleoptera | Coccinellidae | <i>Coccinella transversalis</i> | Y | Y | Beating |
| -29.05 | 167.93 | 13/06/2013 | Fabaceae | <i>Medicago sativa</i> | Coleoptera | Coccinellidae | <i>Coccinella transversalis</i> | Y | Y | Hand collection |
| -29.02 | 167.97 | 22/09/2013 | Fabaceae | <i>Trifolium repens</i> var. <i>repens</i> | Coleoptera | Coccinellidae | <i>Coccinella undecimpunctata</i> Linnaeus, 1758 | Y | Y | Hand collection |
| -29.03 | 167.95 | 11/06/2013 | Apocynaceae | <i>Plumeria rubra</i> L. | Hemiptera | Coccidae | <i>Coccus hesperidum</i> Linnaeus, 1758 | N | Y | Hand collection |
| -29.03 | 167.95 | 11/06/2013 | Vitaceae | <i>Vitis vinifera</i> | Hemiptera | Coccidae | <i>Coccus hesperidum</i> | N | Y | Hand collection |
| -29.05 | 167.98 | 24/02/2014 | Asparagaceae | <i>Yucca aloifolia</i> L. | Hemiptera | Coccidae | <i>Coccus hesperidum</i> | N | Y | Beating |
| -29.05 | 167.93 | 19/05/2014 | Moraceae | <i>Ficus</i> L. | Hemiptera | Coccidae | <i>Coccus hesperidum</i> | N | Y | Light trap |
| -29.05 | 167.93 | 19/05/2014 | Moraceae | <i>Ficus</i> sp. | Hemiptera | Coccidae | <i>Coccus longulus</i> (Douglas, 1887) | Y | Y | Light trap |
| -29.01 | 167.95 | 25/02/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Hemiptera | Coccidae | <i>Coccus longulus</i> | Y | Y | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Hemiptera | Coccidae | <i>Coccus longulus</i> | Y | Y | Hand collection and beating |
| -29.05 | 167.96 | 27/09/2013 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Coccidae | <i>Coccus longulus</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 14/06/2013 | Rutaceae | <i>Citrus × aurantium</i> | Hemiptera | Coccidae | <i>Coccus viridis</i> (Green, 1889) | Y | Y | Hand collection |
| -29.05 | 167.93 | 27/09/2013 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Coccidae | <i>Coccus viridis</i> | Y | Y | Hand collection |
| -29.02 | 167.93 | 25/02/2014 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Coccidae | <i>Coccus viridis</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Coccidae | <i>Coccus viridis</i> | Y | Y | Hand collection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|-------------|---|--------------|---------------|--|-----------------------------------|----------------------------|----------------------------------|
| -29.01 | 167.93 | 26/09/2013 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Coccidae | <i>Coccus viridis</i> | Y | Y | Hand collection |
| -29.03 | 167.98 | 20/02/2014 | Rubiaceae | <i>Coffea arabica</i> L. | Hemiptera | Coccidae | <i>Coccus viridis</i> | Y | Y | Beating |
| -29.05 | 167.93 | 23/05/2014 | Rubiaceae | <i>Coffea</i> sp. | Hemiptera | Coccidae | <i>Coccus viridis</i> | Y | Y | Hand collection |
| -29.03 | 167.98 | 14/06/2013 | Rubiaceae | <i>Coffea</i> sp. | Hemiptera | Coccidae | <i>Coccus viridis</i> | Y | Y | Hand collection |
| -29.01 | 167.93 | 13/06/2013 | Rubiaceae | <i>Coffea</i> sp. | Hemiptera | Coccidae | <i>Coccus viridis</i> | Y | Y | Hand collection |
| -29.03 | 167.95 | 25/09/2013 | Araliaceae | <i>Meryta latifolia</i> | Hemiptera | Coccidae | <i>Coccus viridis</i> | Y | Y | Hand collection |
| -29.03 | 167.95 | 11/06/2013 | Apocynaceae | <i>Plumeria rubra</i> | Hemiptera | Coccidae | <i>Coccus viridis</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 14/06/2013 | Myrtaceae | <i>Psidium guajava</i> | Hemiptera | Coccidae | <i>Coccus viridis</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Solanaceae | <i>Solanum melongena</i> | Hemiptera | Coccidae | <i>Coccus viridis</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 14/06/2013 | Rutaceae | <i>Casimiroa edulis</i> | Hemiptera | Coccidae | <i>Coccus viridis</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 26/03/2014 | Various | | Coleoptera | Coccinellidae | <i>Coelophora inaequalis</i> (Fabricius, 1775) | N | Y | Yellow pan in orchard |
| -29.12 | 167.95 | 14/10/2014 | Aizoaceae | <i>Carpobrotus glaucescens</i> (Haw.) Schwantes | Coleoptera | Coccinellidae | <i>Coelophora inaequalis</i> | N | Y | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Rubiaceae | <i>Coprosma haueri</i> | Coleoptera | Coccinellidae | <i>Coelophora inaequalis</i> | N | Y | Beating |
| -29.12 | 167.95 | 14/10/2014 | Poaceae | <i>Digitaria</i> sp. | Coleoptera | Coccinellidae | <i>Coelophora inaequalis</i> | N | Y | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Apocynaceae | <i>Gomphocarpus physocarpus</i> | Coleoptera | Coccinellidae | <i>Coelophora inaequalis</i> | N | Y | Hand collection |
| -29.12 | 167.95 | 15/10/2014 | Apocynaceae | <i>Gomphocarpus physocarpus</i> | Coleoptera | Coccinellidae | <i>Coelophora inaequalis</i> | N | Y | Hand collection |
| -29.12 | 167.96 | 15/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Coleoptera | Coccinellidae | <i>Coelophora inaequalis</i> | N | Y | Beating |
| -29.03 | 167.99 | 20/02/2014 | Solanaceae | <i>Nicandra physalodes</i> (L.) Gaertn. | Coleoptera | Coccinellidae | <i>Coelophora inaequalis</i> | N | Y | Sweep net |
| -29.06 | 167.97 | 25/05/2014 | Unknown | Unknown | Coleoptera | Coccinellidae | <i>Coelophora inaequalis</i> | N | Y | Beating |
| -29.12 | 167.95 | 14/10/2014 | Verbenaceae | <i>Verbena</i> L. | Coleoptera | Coccinellidae | <i>Coelophora inaequalis</i> | N | Y | Hand collection |
| -29.03 | 167.99 | 25/09/2013 | Poaceae | <i>Zea mays</i> | Coleoptera | Coccinellidae | <i>Coelophora inaequalis</i> | N | Y | Hand collection from hydroponics |
| -29.00 | 167.93 | 27/02/2014 | Various | | Coleoptera | Coccinellidae | <i>Coelophora inaequalis</i> | N | Y | Yellow pan |
| -29.05 | 167.95 | 12/10/2014 | NA | NA | Coleoptera | Chrysomelidae | <i>Colaspoides norfolcensis</i> Lea, 1915 | N | N | Light trap |
| -29.03 | 167.95 | 7/10/2014 | NA | NA | Coleoptera | Chrysomelidae | <i>Colaspoides norfolcensis</i> | N | N | Light trap |

G. V. MAYNARD, B. J. LEPSCHI AND S. F. MALFROY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|-----------------|----------------|--|----------------|----------------|---|-----------------------------------|----------------------------|---|
| -29.01 | 167.94 | 24/02/2014 | NA | NA | Coleoptera | Chrysomelidae | <i>Colaspoides norfolcensis</i> | N | N | Light trap |
| -29.05 | 167.92 | 1/12/2014 | NA | NA | Coleoptera | Chrysomelidae | <i>Colaspoides norfolcensis</i> | N | N | Light trap in Norfolk Island pines |
| -29.02 | 167.94 | 2/12/2014 | NA | NA | Coleoptera | Chrysomelidae | <i>Colaspoides norfolcensis</i> | N | N | Light trap in Norfolk Island pines |
| -29.05 | 167.92 | 3/12/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Chrysomelidae | <i>Colaspoides norfolcensis</i> | N | N | Hand collection from felled tree #2 |
| -29.12 | 167.96 | 15/10/2014 | Convolvulaceae | <i>Ipomoea cairica</i> | Coleoptera | Coccinellidae | <i>Coleophora Hübnert, 1822</i> | ? | ? | Beating |
| -29.04 | 167.99 | 8/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Araneae | Theridiidae | <i>Coleosoma floridanum</i> Banks, 1900 | Y | N | Beating |
| -29.01 | 167.94 | 24/09/2013 | Arecaceae | Unknown | Araneae | Theridiidae | <i>Coleosoma Pickard-Cambridge, 1882</i> | Y | N | Berlese tunnel from leaf litter under palms |
| -29.03 | 167.95 | 12/06/2013 | Lamiaceae | <i>Rosmarinus officinalis</i> | Hemiptera | Flatidae | <i>Colgar Kirkaldy, 1900</i> | Y | ? | Beating |
| -29.05 | 167.97 | 24/02/2014 | Rutaceae | <i>Citrus × aurantium</i> | Hemiptera | Flatidae | <i>Colgar peracatum</i> (Walker, 1858) | Y | Y | Hand collection |
| -29.04 | 167.93 | 18/02/2014 | Rutaceae | <i>Citrus × aurantium</i> | Hemiptera | Flatidae | <i>Colgar peracatum</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Solanaceae | <i>Solanum melongena</i> | Hemiptera | Flatidae | <i>Colgar peracatum</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 26/09/2013 | Caricaceae | <i>Carica papaya</i> | Hemiptera | Flatidae | <i>Colgar peracatum</i> | Y | Y | Hand collection |
| -29.01 | 167.93 | 26/09/2013 | Arecaceae | <i>Howea belmoreana, Howea forsteriana</i> | Hemiptera | Halimococcidae | <i>Colobopyga australiensis</i> Datz, 1979 | Y | Y | Hand collection |
| -29.04 | 167.94 | 23/09/2013 | Arecaceae | <i>Howea belmoreana, Howea forsteriana</i> | Hemiptera | Halimococcidae | <i>Colobopyga kevensis</i> (Newstead, 1901) | N | Y | Hand collection |
| -29.00 | 167.93 | 12/06/2013 | Arecaceae | <i>Howea forsteriana</i> | Hemiptera | Halimococcidae | <i>Colobopyga kevensis</i> | N | Y | Hand collection |
| -29.03 | 167.95 | 11/06/2013 | Arecaceae | <i>Howea sp.</i> | Hemiptera | Halimococcidae | <i>Colobopyga kevensis</i> | N | Y | Hand collection |
| -29.00 | 167.93 | 24/09/2013 | Arecaceae | <i>Howea belmoreana, Howea forsteriana</i> | Hemiptera | Halimococcidae | <i>Colobopyga kevensis</i> | N | Y | Hand collection |
| -29.03 | 167.92 | 21/05/2014 | Arecaceae | <i>Howea sp.</i> | Hemiptera | Halimococcidae | <i>Colobopyga palmicola</i> Williams & Watson, 1990 | N | N | Hand collection |
| -29.04 | 167.98 | 27/11/2014 | Vitaceae | <i>Vitis vinifera</i> | Trombidiformes | Eriophyidae | <i>Colomerus vitis</i> (Pagenstecher, 1857) | Y | Y | Ethanol wash |
| -29.05 | 167.92 | 24/05/2014 | Poaceae | Unknown | Orthoptera | Tettigoniidae | <i>Concepnathus Ihunberg, 1815</i> | ? | ? | Sweep net |
| -29.03 | 167.99 | 22 - 23/03/2014 | Various | Various | Coleoptera | Elatridae | <i>Conoderus Eschscholtz, 1829</i> | ? | ? | Yellow pan |
| -29.00 | 167.93 | 24/10/2013 | Various | Various | Coleoptera | Elatridae | <i>Conoderus sp.</i> | ? | ? | Yellow pan among various young vegetables |
| -29.00 | 167.93 | 20/02/2014 | Rutaceae | <i>Citrus × aurantium</i> | Coleoptera | Elatridae | <i>Conoderus sp.</i> | ? | ? | Hand collection |
| -29.03 | 167.95 | 25/02/2014 | NA | NA | Coleoptera | Elatridae | <i>Conoderus sp.</i> | ? | ? | Hand collection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|--------------------------|---------------|--|-----------------|----------------|--------------------------------------|-----------------------------------|----------------------------|---|
| -29.01 | 167.92 | 16/10/2014 | NA | NA | Coleoptera | Elatridae | <i>Conoderus</i> sp. | ? | ? | Light trap |
| -29.01 | 167.94 | 24/02/2014 | NA | NA | Coleoptera | Elatridae | <i>Conoderus</i> sp. | ? | ? | Light trap |
| -29.01 | 167.93 | 3/12/2014; 27/02/2014 | NA | NA | Coleoptera | Elatridae | <i>Conoderus</i> sp. | ? | ? | Light trap in eucalypt forest |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Coleoptera | Elatridae | <i>Conoderus</i> sp. | ? | ? | Light trap garden, light trap #4 |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Coleoptera | Elatridae | <i>Conoderus</i> sp. | ? | ? | Light trap #2 |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Elatridae | <i>Conoderus</i> sp. | ? | ? | Light trap #3 |
| -29.03 | 167.96 | 25/05/2014 | NA | NA | Coleoptera | Elatridae | <i>Conoderus</i> sp. | ? | ? | Light trap |
| -29.05 | 167.92 | 1/12/2014 | NA | NA | Coleoptera | Elatridae | <i>Conoderus</i> sp. | ? | ? | Light trap in Norfolk Island pines |
| -29.03 | 167.97 | 27/11/2014 | NA | NA | Coleoptera | Elatridae | <i>Conoderus</i> sp. | ? | ? | Light trap |
| -29.01 | 167.95 | 23/05/2014 | NA | NA | Coleoptera | Elatridae | <i>Conoderus</i> sp. | ? | ? | Light trap Set 22.5.2014, collected 23.5.2014 |
| -29.03 | 167.92 | 22/05/2014 | Fabaceae | <i>Phaseolus vulgaris</i> | Coleoptera | Elatridae | <i>Conoderus</i> sp. | ? | ? | Beating |
| -29.06 | 167.96 | 24/06/2014 | NA | NA | Diptera | Sphaeroceridae | <i>Copromyza</i> Duda, 1923 | ? | ? | LuciLure trap |
| -29.05 | 167.95 | 12/10/2014 | NA | NA | Diptera | Sphaeroceridae | <i>Copromyza</i> sp. | ? | ? | Light trap |
| -29.05 | 167.92 | 19/05/2014 | NA | NA | Diptera | Sphaeroceridae | <i>Copromyza</i> sp. | ? | ? | Light trap |
| -29.05 | 167.96 | 28/05/2014 | NA | NA | Diptera | Sphaeroceridae | <i>Copromyza</i> sp. | ? | ? | LuciLure trap |
| -29.03 | 167.98 | 29/05/2014 | NA | NA | Diptera | Sphaeroceridae | <i>Copromyza</i> sp. | ? | ? | LuciLure trap |
| -29.02 | 167.97 | 24/06/2014 | NA | NA | Diptera | Sphaeroceridae | <i>Copromyza</i> sp. | ? | ? | LuciLure trap |
| -29.00 | 167.93 | 21/02/2014 | NA | NA | Diptera | Sphaeroceridae | <i>Copromyza</i> sp. | ? | ? | Bucket light trap |
| -29.04 | 167.99 | 25/09/2013 | Caricaceae | <i>Carica papaya</i> | Stylommatophora | Helicidae | <i>Cornu aspersum</i> (Müller, 1774) | N | Y | Hand collection |
| -29.04 | 167.94 | 23/09/2013 | NA | NA | Stylommatophora | Helicidae | <i>Cornu aspersum</i> | N | Y | Hand collection |
| -29.03 | 167.95 | 21/09/2013 | NA | NA | Stylommatophora | Helicidae | <i>Cornu aspersum</i> | N | Y | Observation |
| -29.03 | 167.93 | 26/09/2013 | Apiaceae | <i>Apium graveolens</i> | Stylommatophora | Helicidae | <i>Cornu aspersum</i> | N | Y | Hand collection |
| -29.04 | 167.98 | 9/10/2014 | Anacardiaceae | <i>Mangifera indica</i> | Coleoptera | Latridiidae | <i>Corticaria</i> Marsham, 1802 | Y | ? | Sweep net and beating |
| -29.03 | 167.92 | 22/05/2014 | Lamiaceae | <i>Ocimum basilicum</i> | Coleoptera | Latridiidae | <i>Corticaria</i> sp. | Y | ? | Beating |
| -29.12 | 167.95 | 14/10/2014 | Agavaceae | <i>Phormium tenax</i> J.R.Forst. & G.Forst. | Coleoptera | Latridiidae | <i>Corticaria</i> sp. | Y | ? | Sweep net and beating |
| -29.03 | 167.99 | 23/05/2014 | Euphorbiaceae | <i>Ricinus communis</i> | Coleoptera | Latridiidae | <i>Corticaria</i> sp. | Y | ? | Beating |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|--------------|--|--------------|---------------|---|-----------------------------------|----------------------------|---|
| -29.05 | 167.92 | 7/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Coleoptera | Latridiidae | <i>Corticaria</i> sp. | Y | ? | Beating |
| -29.03 | 167.99 | 23/12/2012 | Solanaceae | <i>Solanum lycopersicum</i> | Coleoptera | Latridiidae | <i>Corticaria</i> sp. | Y | ? | Yellow pan |
| -29.04 | 167.99 | 26/05/2014 | Solanaceae | <i>Solanum mauritianum</i> | Coleoptera | Latridiidae | <i>Corticaria</i> sp. | Y | ? | Beating |
| -29.01 | 167.92 | 21/05/2014 | Poaceae | Unknown | Coleoptera | Latridiidae | <i>Corticaria</i> sp. | Y | ? | Sweep net in cattle pasture |
| -29.05 | 167.96 | 9/10/2014 | Vitaceae | <i>Vitis vinifera</i> | Coleoptera | Latridiidae | <i>Corticaria</i> sp. | Y | ? | Beating |
| -29.04 | 167.99 | 25/05/2014 | Amnonaceae | <i>Amnona reticulata</i> | Coleoptera | Latridiidae | <i>Corticaria</i> Reitter, 1881 | Y | ? | Beating |
| -29.00 | 167.93 | 24/09/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> | Coleoptera | Latridiidae | <i>Corticaria</i> sp. | Y | ? | Hand collection |
| -29.01 | 167.93 | 13/06/2013 | Caricaceae | <i>Carica papaya</i> | Coleoptera | Latridiidae | <i>Corticaria</i> sp. | Y | ? | Beating of leaves |
| -29.06 | 167.94 | 22/09/2013 | Lauraceae | <i>Persea americana</i> | Coleoptera | Latridiidae | <i>Corticaria</i> sp. | Y | ? | Hand collection |
| -29.03 | 167.99 | 20/02/2014 | Fabaceae | <i>Phaseolus vulgaris</i> | Coleoptera | Latridiidae | <i>Corticaria</i> sp. | Y | ? | Hand collection |
| -29.03 | 167.98 | 25/09/2013 | Fabaceae | <i>Phaseolus vulgaris</i> | Coleoptera | Latridiidae | <i>Corticaria</i> sp. | Y | ? | Hand collection from badly damaged plants |
| -29.03 | 167.93 | 28/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Coleoptera | Latridiidae | <i>Corticaria</i> sp. | Y | ? | Hand collection |
| -29.02 | 167.97 | 24/02/2014 | NA | NA | Diptera | Sciartidae | <i>Corynoptera fatigans</i> (Johannsen, 1912) | Y | N | Culicoides trap |
| -29.04 | 167.99 | 23/05/2014; 14/06/2013 | Proteaceae | <i>Macadamia integrifolia</i> | Lepidoptera | Caposinidae | <i>Coscinopycha improbana</i> Meyrick, 1881 | N | Y | Hand collection Larvae found in nut between green husk and shell; adult reared from nut |
| -29.01 | 167.95 | 23/05/2014 | NA | NA | Lepidoptera | Caposinidae | <i>Coscinopycha improbana</i> | N | Y | Light trap |
| -29.01 | 167.93 | 21/05/2014; 27/02/2014 | NA | NA | Lepidoptera | Caposinidae | <i>Coscinopycha improbana</i> | N | Y | Light trap in eucalypt forest |
| -29.03 | 167.96 | 25/05/2014 | NA | NA | Lepidoptera | Caposinidae | <i>Coscinopycha improbana</i> | N | Y | Light trap |
| -29.03 | 167.97 | 22/05/2014 | NA | NA | Lepidoptera | Caposinidae | <i>Coscinopycha improbana</i> | N | Y | Light trap |
| -29.05 | 167.94 | 26/02/2014 | Myrtaceae | <i>Psidium guajava</i> | Lepidoptera | Caposinidae | <i>Coscinopycha improbana</i> | N | Y | Reared in lab |
| -29.04 | 167.99 | 26/05/2014 | Rutaceae | <i>Citrus reticulata</i> | Lepidoptera | Caposinidae | <i>Coscinopycha improbana</i> | N | Y | Hand collection larvae in fruit |
| -29.04 | 167.96 | 9/10/2014 | Caricaceae | <i>Carica papaya</i> | Coleoptera | Silvanidae | <i>Cryptamorpha desjardinsi</i> (Guéim-Ménéville, 1844) | N | Y | Beating |
| -29.04 | 167.99 | 8/10/2014 | Rutaceae | <i>Citrus × aurantium</i> | Coleoptera | Silvanidae | <i>Cryptamorpha desjardinsi</i> | N | Y | Hand collection |
| -29.05 | 167.92 | 7/10/2014 | Asparagaceae | <i>Cordylone oblecta</i> | Coleoptera | Silvanidae | <i>Cryptamorpha desjardinsi</i> | N | Y | Beating |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|---------------|----------------------------------|-----------------|----------------|--|-----------------------------------|----------------------------|---|
| -29.01 | 167.93 | 26/11/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Coleoptera | Silvanidae | <i>Cryptamorpha desjardinsi</i> | N | Y | Hand collection from under timber |
| -29.03 | 167.93 | 19/02/2014 | Asteraceae | <i>Lactuca sativa</i> | Coleoptera | Silvanidae | <i>Cryptamorpha desjardinsi</i> | N | Y | Beating |
| -29.04 | 167.96 | 9/10/2014 | Musaceae | <i>Musa</i> sp. | Coleoptera | Silvanidae | <i>Cryptamorpha desjardinsi</i> | N | Y | Beating |
| -29.04 | 167.94 | 23/09/2013 | Musaceae | <i>Musa</i> sp. | Coleoptera | Silvanidae | <i>Cryptamorpha desjardinsi</i> | N | Y | Hand collection |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Coleoptera | Silvanidae | <i>Cryptamorpha desjardinsi</i> | N | Y | Light trap #1 |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Silvanidae | <i>Cryptamorpha desjardinsi</i> | N | Y | Light trap #3 |
| -29.03 | 167.96 | 25/09/2013 | NA | NA | Coleoptera | Silvanidae | <i>Cryptamorpha desjardinsi</i> | N | Y | Hand collection from timber |
| -29.01 | 167.95 | 25/12/2012 | Lamiaceae | <i>Nephtolepis</i> sp. | Coleoptera | Silvanidae | <i>Cryptamorpha desjardinsi</i> | N | Y | Yellow pan |
| -29.00 | 167.93 | 12/06/2013 | Lauraceae | <i>Persea americana</i> | Coleoptera | Silvanidae | <i>Cryptamorpha desjardinsi</i> | N | Y | Hand collection from fruit |
| -29.05 | 167.92 | 24/05/2014 | Poaceae | Unknown | Coleoptera | Silvanidae | <i>Cryptamorpha desjardinsi</i> | N | Y | Sweep net |
| -29.05 | 167.93 | 24/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Silvanidae | <i>Cryptamorpha desjardinsi</i> | N | Y | Hand collection from felled tree |
| -29.01 | 167.94 | 24/09/2013 | Areaceae | Unknown | Stylommatophora | Charopidae | <i>Cryptocharopa exagians</i> (Cox, 1870) | N | N | Berlese funnel from leaf litter under palms |
| -29.03 | 167.93 | 26/09/2013 | Bromeliaceae | <i>Ananas comosus</i> (L.) Merr. | Coleoptera | Coccinellidae | <i>Cryptolaemus?</i> sp. | ? | ? | Hand collection |
| -29.03 | 167.97 | 27/11/2014 | NA | NA | Coleoptera | Laemophloeidae | <i>Cryptolestes norfolcensis</i> (Lea, 1929) | N | N | Light trap |
| -29.03 | 167.96 | 25/09/2013 | NA | NA | Coleoptera | Laemophloeidae | <i>Cryptolestes norfolcensis</i> | N | N | Hand collection from timber |
| -29.02 | 167.93 | 25/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Laemophloeidae | <i>Cryptolestes norfolcensis</i> | N | N | Hand collection from under bark of billets |
| -29.03 | 167.99 | 25/09/2013 | NA | NA | Diptera | Culicidae | <i>Culex</i> Linnaeus, 1758 | ? | ? | Dipping |
| -29.05 | 167.92 | 7/10/2014 | NA | NA | Diptera | Culicidae | <i>Culex</i> sp. | ? | ? | Culicoides trap, Set 7.10.14, collected 1.1.10.14, pined, damaged specimen (scales missing) |
| -29.02 | 167.93 | 12/10/2014 | NA | NA | Diptera | Culicidae | <i>Culex australis</i> (Ericsson, 1842) | Y | Y | Hand collection (larvae) |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex cf. pervigilans</i> | N | N | CO2 light trap |
| -29.00 | 167.93 | 24/09/2013 | NA | NA | Diptera | Culicidae | <i>Culex cf. pervigilans</i> | N | N | Hand collection (larvae) |
| -29.05 | 167.97 | 21/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex cf. pervigilans</i> | N | N | Dipping in water |
| -29.02 | 167.92 | 27/09/2013 | NA | NA | Diptera | Culicidae | <i>Culex cf. pervigilans</i> | N | N | Hand collection (larvae, water trough) |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|-------------|--------------|--------------|---------------|---|-----------------------------------|----------------------------|---|
| -29.02 | 167.93 | 26/05/2014 | NA | NA | Diptera | Culicidae | <i>Culex pervigilans</i> Bergroth, 1889 | N | N | Dipping tyre track in driveway adjacent shade house holding water |
| -29.06 | 167.96 | 24/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex pervigilans</i> | N | N | Dipping, ground pool |
| -29.02 | 167.96 | 26/05/2014 | NA | NA | Diptera | Culicidae | <i>Culex pervigilans</i> | N | N | Hand collection, tarpaulin holding water, larvae |
| -29.02 | 167.96 | 26/09/2013 | NA | NA | Diptera | Culicidae | <i>Culex pervigilans</i> | N | N | Dipping, pooled water |
| -29.02 | 167.97 | 21/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex pervigilans</i> | N | N | Dipping in brackish water ground pool |
| -29.05 | 167.97 | 22/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> Say, 1823 | N | Y | CO2 light trap |
| -29.03 | 167.94 | 19/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | CO2 light trap |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | CO2 light trap |
| -29.03 | 167.96 | 25/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | CO2 light trap |
| -29.02 | 167.95 | 24/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | CO2 light trap |
| -29.04 | 167.94 | 24/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Dipping, 44 gallon drum |
| -29.05 | 167.97 | 21/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Dipping, Bin for striking plants |
| -29.00 | 167.93 | 20/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Dipping, Surveillance, water tank with hole in side |
| -29.02 | 167.93 | 26/05/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Dipping, Track in driveway adjacent shade house holding water |
| -29.05 | 167.97 | 13/06/2013 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Hand collection, drum, larvae |
| -29.03 | 167.97 | 20/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Dipping, Ground pool in cow hoof print |
| -29.04 | 167.98 | 9/10/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Dipping, Plant holding platform with pooling water - larvae |
| -29.04 | 167.94 | 24/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Dipping, rock pool |
| -29.03 | 167.96 | 22/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Dipping |
| -29.04 | 167.94 | 23/09/2013 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Hand collection, rock pool |
| -29.03 | 167.96 | 22/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | CO2 light trap, soda stream cylinder |
| -29.05 | 167.94 | 19/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Dipping, surveillance, fish pond |
| -29.00 | 167.93 | 20/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Dipping, surveillance, metal tank |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|--------------|---------------------------------|----------------|---------------|---|-----------------------------------|----------------------------|--|
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | CO2 light trap, surveillance, public land – CO2 light trap |
| -29.04 | 167.94 | 19/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Dipping, Surveillance, public land, used tyres in fence |
| -29.00 | 167.93 | 20/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Dipping, Surveillance, receptacles in boat |
| -29.04 | 167.98 | 20/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Dipping, Surveillance, water troughs |
| -29.02 | 167.96 | 26/05/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Hand collection, Tarpaulin holding water |
| -29.03 | 167.95 | 11/06/2013 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Hand collection, Tyre, kentia palm nursery, larvae and pupae |
| -29.03 | 167.95 | 19/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Dipping, used tyres |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Dipping, Water tank and tyres |
| -29.06 | 167.94 | 11/10/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Dipping, Wheelbarrow with tarpaulin, larvae |
| -29.03 | 167.94 | 24/02/2014 | NA | NA | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | CO2 light trap, windy night |
| -29.05 | 167.93 | 24/02/2014 | Moraceae | <i>Ficus carica</i> | Diptera | Culicidae | <i>Culex quinquefasciatus</i> | N | Y | Dipping, hollow in fig |
| -29.03 | 167.98 | 25/09/2013 | Solanaceae | <i>Solanum melongena</i> | Hemiptera | Pentatomidae | <i>Cuspicona Dallas, 1851</i> | ? | ? | Beating |
| -29.03 | 167.94 | 10/10/2014 | Brassicaceae | <i>Eruca sativa</i> Mill. | Araneae | Araneidae | <i>Cycloxa Menge, 1866</i> | ? | ? | Hand collection |
| -29.01 | 167.93 | 21/05/2014 | Solanaceae | <i>Solanum mauritianum</i> | Sarcoptiformes | | <i>Czespinskia transversosirata</i> (Oudemans, 1931) | Y | Y | Beating, eucalypt forest |
| -29.04 | 167.99 | 23/05/2014 | Myrtaceae | <i>Psidium guajava</i> | Sarcoptiformes | | <i>Czespinskia transversosirata</i> | Y | Y | Beating |
| -29.01 | 167.94 | 24/02/2014 | NA | NA | Diptera | Stratiomyidae | <i>Damaromyia Kertész, 1916</i> | Y | ? | Light trap |
| -29.12 | 167.95 | 15/10/2014 | Apocynaceae | <i>Gomphocarpus physocarpus</i> | Lepidoptera | Nymphalidae | <i>Danaus plexippus</i> (Linnaeus, 1758) | N | N | Hand collection, late instar caterpillar |
| -29.03 | 167.93 | 10/10/2014 | Poaceae | <i>Digitaria</i> sp. | Coleoptera | Anthribidae | <i>Dasyanthribus Holloway, 1982</i> | Y | ? | Sweep net |
| -29.02 | 167.92 | 25/05/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Coleoptera | Anthribidae | <i>Dasyanthribus</i> sp. | Y | ? | Trapping, eucalypt litter |
| -29.01 | 167.94 | 24/09/2013 | Areaceae | Unknown | Coleoptera | Anthribidae | <i>Dasyanthribus</i> sp. | Y | ? | Berlese tunnel from leaf litter under palms |
| -29.04 | 167.96 | 2/06/2014 | Unknown | Unknown | Diptera | Anthomyiidae | <i>Delia urbana</i> (Malloch, 1924) | N | Y | Unknown |
| -29.03 | 167.96 | 25/05/2014 | NA | NA | Coleoptera | Chrysomelidae | <i>Dematocnoma norfolkiana</i> Jolivet, Verma & Mille, 2006 | N | N | Light trap |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------------------|-------------------------|--|--------------|---------------|--|-----------------------------------|----------------------------|--|
| -29.01 | 167.93 | 16/10/2014 | Unknown | Unknown | Thysanoptera | Thripidae | <i>Dendrothrips Uzel</i> , 1895 | Y | ? | Beating |
| -29.04 | 167.99 | 25/05/2014 | Annonaceae | <i>Annona reticulata</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> Mound, 1999 | Y | Y | Beating |
| -29.01 | 167.94 | 21/03/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection from terminal leaves |
| -29.05 | 167.92 | 7/10/2014 | Euphorbiaceae | <i>Baloghia inophylla</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Beating |
| -29.01 | 167.94 | 24/12/2013 | Euphorbiaceae, Oleaceae | <i>Baloghia inophylla</i> , <i>Jasminum</i> sp. | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection |
| -29.03 | 167.92 | 21/05/2014 | Caricaceae | <i>Carica papaya</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Beating |
| -29.04 | 167.99 | 22/05/2014 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Beating |
| -29.03 | 167.94 | 10/10/2014 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection |
| -29.01 | 167.93 | 16/10/2014 | Rubiaceae | <i>Coffea arabica</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 21/12/2013 | Rubiaceae | <i>Coffea</i> sp. | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection |
| -29.05 | 167.93 | 25/03/2014 | Commelinaceae | <i>Commelina cyanea</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection from leaves |
| -29.02 | 167.94 | 27/03/2014 | Rubiaceae | <i>Coprosma haneri</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection from leaves |
| -29.02 | 167.94 | 26/03/2014 | Sapindaceae | <i>Dodonaea viscosa</i> Jacq. subsp. <i>viscosa</i> Muehlenbachia Meisn. | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection from leaves |
| -29.01 | 167.94 | 22/03/2014 | Polygonaceae | <i>australis</i> (G.Forst.) Meisn. | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection |
| -29.01 | 167.94 | 22/03/2014 | Scrophulariaceae | <i>Myoporum obscurum</i> Endl. | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection |
| -29.01 | 167.94 | 26/03/2014; 22/03/2014 | Scrophulariaceae | <i>Myoporum obscurum</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection |
| -29.04 | 167.96 | 24/11/2014 | Scrophulariaceae | <i>Myoporum obscurum</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection from flowers |
| -29.02 | 167.97 | 24/05/2014 | NA | NA | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Culicoides trap Set 21.5.2014, collected 24.5.2014 |
| -29.03 | 167.94 | 23/05/2014 | Oleaceae | <i>Nestegis apetala</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Trapping |
| -29.02 | 167.96 | 25/12/2013 | Oleaceae | <i>Nestegis apetala</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection |
| -29.01 | 167.94 | 11/07/2013 | Oleaceae | <i>Nestegis apetala</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection |
| -29.02 | 167.93 | 27/09/2013 | Oleaceae | <i>Nestegis apetala</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 25/11/2014 | Oleaceae | <i>Nestegis apetala</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection from leaves |
| -29.01 | 167.94 | 24/12/2012 | Oleaceae | <i>Nestegis apetala</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection from leaves |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|----------------|--|--------------|-----------------|---|-----------------------------------|----------------------------|--|
| -29.01 | 167.93 | 16/10/2014 | Oleaceae | <i>Olea europaea</i> subsp. <i>caudata</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection |
| -29.03 | 167.95 | 26/09/2013 | Passifloraceae | <i>Passiflora edulis</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 23/11/2014 | Apiaceae | <i>Petroselinum crispum</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 23/10/2013 | Pitosporaceae | <i>Pitiosporum</i> sp. | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection from leaves |
| -29.02 | 167.95 | 25/12/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection from young leaves |
| -29.01 | 167.95 | 22/11/2014 | Myrtaceae | <i>Psidium cattleianum</i> var. <i>cattleianum</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection, from dead branch |
| -29.02 | 167.96 | 9/07/2013 | Poaceae | <i>Saccharum officinarum</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection from dead sugar cane leaves |
| -29.01 | 167.94 | 25/11/2014; 24/10/2013 | Moraceae | <i>Streblus pendulinus</i> (Fendl.) E. Muell. | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection from leaves |
| -29.01 | 167.95 | 26/10/2013 | Unknown | Unknown | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 24/11/2014 | Poaceae | <i>Zea mays</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection from corn tassels and leaves |
| -29.01 | 167.94 | 22/10/2013 | Apocynaceae | <i>Alyxia gynopogon</i> | Thysanoptera | Thripidae | <i>Dendrothrips diaspora</i> | Y | Y | Hand collection |
| -29.02 | 167.94 | 25/10/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Deplorothrips norfolkii</i> Mound & Tree, 2016 | Y | ? | Hand collection, litter |
| -29.01 | 167.94 | 25/11/2014 | Rutaceae | <i>Citrus × jambhiri</i> Lush. | Thysanoptera | Phlaeothripidae | <i>Deplorothrips norfolkii</i> | Y | ? | Hand collection from dead branch |
| -29.02 | 167.94 | 22/12/2013; 25/10/2013 | Rutaceae | <i>Citrus × jambhiri</i> | Thysanoptera | Phlaeothripidae | <i>Deplorothrips norfolkii</i> | Y | ? | Hand collection, dead branches |
| -29.01 | 167.94 | 24/03/2014; 30/11/2014 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Phlaeothripidae | <i>Deplorothrips norfolkii</i> | Y | ? | Hand collection from dead branch |
| -29.01 | 167.94 | 21/10/2013 | Asparagaceae | <i>Cordyline oblecta</i> | Thysanoptera | Phlaeothripidae | <i>Deplorothrips norfolkii</i> | Y | ? | Hand collection, berlesate from litter |
| -29.02 | 167.95 | 24/12/2013 | Celastraceae | <i>Elaeodendron curtipezdulum</i> | Thysanoptera | Phlaeothripidae | <i>Deplorothrips norfolkii</i> | Y | ? | Hand collection from lichens |
| -29.04 | 167.96 | 25/10/2013 | Verbenaceae | <i>Lantana canara</i> | Thysanoptera | Phlaeothripidae | <i>Deplorothrips norfolkii</i> | Y | ? | Hand collection |
| 29.02 | 167.96 | 25/12/2012 | Meliaceae | <i>Toona ciliata</i> M. Roem. | Thysanoptera | Phlaeothripidae | <i>Deplorothrips norfolkii</i> | Y | ? | Hand collection, dead branches |
| -29.01 | 167.95 | 22/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Deplorothrips norfolkii</i> | Y | ? | Hand collection, dead branches |
| -29.01 | 167.94 | 30/11/2014; 23/12/2012 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Deplorothrips norfolkii</i> | Y | ? | Hand collection, dead branches |
| -29.01 | 167.94 | 22/12/2012 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Deplorothrips norfolkii</i> | Y | ? | Hand collection from dead twigs on ground |
| -29.02 | 167.95 | 20/12/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Deplorothrips norfolkii</i> | Y | ? | Hand collection, dead branches |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|-------------------|---|-----------------|---------------|---|-----------------------------------|----------------------------|---|
| -29.01 | 167.95 | 25/12/2012 | Lomariopsidaceae | <i>Nephrolepis</i> sp. | Hemiptera | Miridae | <i>Derocoris</i> Kirschbaum, 1856 | Y | ? | Yellow pan |
| -29.01 | 167.94 | 11/06/2013 | Meliaceae | <i>Dysoxylum bijugum</i> | Hemiptera | Miridae | <i>Derocoris</i> sp. | Y | ? | Hand collection |
| -29.03 | 167.93 | 12/06/2013 | Cucurbitaceae | <i>Cucumis sativus</i> | Stylommatophora | Agrolimacidae | <i>Deroceras invadens</i> Reise, Hutchinson, Schumack & Schlitt, 2011 | N? | Y | Hand collection |
| -29.02 | 167.97 | 22/09/2013 | NA | NA | Stylommatophora | Agrolimacidae | <i>Deroceras invadens</i> | N? | Y | Hand collection |
| -29.02 | 167.97 | 22/09/2013 | NA | NA | Stylommatophora | Agrolimacidae | <i>Deroceras invadens</i> | N? | Y | Hand collection |
| -29.06 | 167.94 | 22/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Stylommatophora | Agrolimacidae | <i>Deroceras invadens</i> | N? | Y | Hand collection from timber |
| -29.01 | 167.95 | 25/12/2012 | Lomariopsidaceae | <i>Nephrolepis</i> sp. | Hymenoptera | Ichneumonidae | <i>Diadromus</i> Wesmael, 1845 | Y | ? | Yellow pan |
| -29.00 | 167.93 | 24/12/2012 | Lamiaceae | <i>Ocimum basilicum</i> | Hymenoptera | Ichneumonidae | <i>Diadromus</i> sp. | Y | ? | Beating flowering plants |
| -29.03 | 167.99 | 22 - 23/03/2014 | Various | | Hymenoptera | Ichneumonidae | <i>Diadromus</i> sp. | Y | ? | Yellow pan among various vegetables |
| -29.03 | 167.93 | 12/06/2013; 26/09/2013 | Bromeliaceae | <i>Ananas comosus</i> | Hemiptera | Diaspididae | <i>Diaspis bromeliae</i> (Kerner, 1778) | Y | Y | Hand collection |
| -29.01 | 167.94 | 24/09/2013 | Arecaceae | Unknown | Orthoptera | Trigonidiidae | <i>Dictyonemobius lateralis</i> Chopard, 1951 | N | N | Berlese tunnel from leaf litter under palms |
| -29.05 | 167.97 | 21/02/2014 | Fabaceae | <i>Phaseolus</i> sp. | Hemiptera | Pentatomidae | <i>Dictyops caenosus</i> (Westwood, 1837) | N | Y | Hand collection |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Digitonthophagus gazella</i> (Fabricius, 1787) | N | Y | Light trap #3 |
| -29.03 | 167.97 | 28/11/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Digitonthophagus gazella</i> | N | Y | Light trap |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Digitonthophagus gazella</i> | N | Y | Light trap |
| -29.03 | 167.97 | 18/02/2014 | NA | NA | Coleoptera | Tenebrionidae | <i>Dioedus araucariae</i> (Lea, 1929) | N | N | Hand collection from timber billets |
| -29.04 | 167.94 | 23/09/2013 | Euphorbiaceae | <i>Baloghia inophylla</i> | Coleoptera | Coccinellidae | <i>Diomus</i> Mulsant, 1850 | Y | ? | Hand collection |
| -29.04 | 167.98 | 9/10/2014 | Asparagaceae | <i>Cordylone obtecta</i> | Coleoptera | Coccinellidae | <i>Diomus</i> sp. | Y | ? | Sweep net and beating |
| -29.02 | 167.97 | 22/09/2013 | Sapindaceae | <i>Dodonaea viscosa</i> subsp. <i>viscosa</i> | Coleoptera | Coccinellidae | <i>Diomus</i> sp. | Y | ? | Sweep net |
| -29.05 | 167.92 | 23/05/2014 | Convolvulaceae | <i>Ipomoea carnea</i> | Coleoptera | Coccinellidae | <i>Diomus</i> sp. | Y | ? | Beating |
| -29.05 | 167.93 | 12/07/2013 | Fabaceae | <i>Medicago sativa</i> | Coleoptera | Coccinellidae | <i>Diomus</i> sp. | Y | ? | Beating |
| -29.02 | 167.97 | 4/04/2014 | NA | NA | Coleoptera | Coccinellidae | <i>Diomus</i> sp. | Y | ? | Hand collection |
| -29.00 | 167.94 | 24/02/2014 | Hemerocallidaceae | <i>Phormium tenax</i> | Coleoptera | Coccinellidae | <i>Diomus</i> sp. | Y | ? | Beating |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|--|---------------------------------|--|--------------|---------------|---|-----------------------------------|----------------------------|---|
| -29.01 | 167.93 | 16/10/2014 | Myrtaceae | <i>Psidium cattleianum</i> var. <i>cattleianum</i> | Coleoptera | Coccinellidae | <i>Diomus</i> sp. | Y | ? | Hand collection |
| -29.03 | 167.98 | 25/09/2013 | Solanaceae | <i>Solanum melongena</i> | Coleoptera | Coccinellidae | <i>Diomus</i> sp. | Y | ? | Beating |
| -29.01 | 167.93 | 16/10/2014 | Unknown | Unknown | Coleoptera | Coccinellidae | <i>Diomus</i> sp. | Y | ? | Beating |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Triticum</i> sp. | Coleoptera | Coccinellidae | <i>Diomus notescens</i> (Blackburn, 1889) | Y | Y | Hand collection |
| -29.02 | 167.97 | 22/12/2012 | Polygonaceae | <i>Rumex browinii</i> | Coleoptera | Coccinellidae | <i>Diomus notescens</i> | Y | Y | Sweep net of dead seed heads |
| -29.06 | 167.94 | 26/11/2014 | NA | NA | Coleoptera | Cerambycidae | <i>Diotimana undulata</i> (Pascoe, 1859) | N | Y | Light trap |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Coleoptera | Cerambycidae | <i>Diotimana undulata</i> | N | Y | Light trap in eucalypt forest |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Coleoptera | Cerambycidae | <i>Diotimana undulata</i> | N | Y | Light trap #1 |
| -29.05 | 167.93 | 26/11/2014 | NA | NA | Coleoptera | Cerambycidae | <i>Diotimana undulata</i> | N | Y | Light trap in Norfolk Island pines |
| -29.05 | 167.92 | 1/12/2014; 19/05/2014; 26/05/2014; 19/05/2014 | NA | NA | Coleoptera | Cerambycidae | <i>Diotimana undulata</i> | N | Y | Light trap in Norfolk Island pines |
| -29.02 | 167.94 | 2/12/2014 | NA | NA | Coleoptera | Cerambycidae | <i>Diotimana undulata</i> | N | Y | Light trap in Norfolk Island pines |
| -29.05 | 167.93 | 14/06/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cerambycidae | <i>Diotimana undulata</i> | N | Y | Hand collection |
| -29.03 | 167.99 | 23/10/2013 | Various | | Diptera | Tephritidae | <i>Dioxya brachybasis</i> Hardy, 1988 | Y | Y | Yellow pan among various young vegetables |
| -29.02 | 167.96 | 25/12/2012 | Cucurbitaceae | | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Beating |
| -29.00 | 167.93 | 24/10/2013 | Various | | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Yellow pan among various young vegetables |
| -29.00 | 167.93 | 23 - 24/03/2014; 27/02/2014 | Various | | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Yellow pan among various young vegetables |
| -29.02 | 167.96 | 26/03/2014 | Various | | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Yellow pan in orchard |
| -29.04 | 167.93 | 18/02/2014 | Alliaceae | <i>Allium cepa</i> L. | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 26/12/2012 | Various, Apiaceae, Brassicaceae | <i>Apium graveolens</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Yellow pan near bananas |
| -29.01 | 167.95 | 25/12/2012 | Araucariaceae | <i>Araucaria heterophylla</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Yellow pan under plant |
| -29.05 | 167.94 | 22/09/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>capitata</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Hand collection |
| -29.06 | 167.94 | 11/10/2014 | Poaceae | <i>Cenchrus clandestinus</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Sweep net |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|---------------------------------|---|--------------|---------------|---|-----------------------------------|----------------------------|--|
| -29.00 | 167.93 | 24/09/2013 | Cucurbitaceae | <i>Cucurbita maxima</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Sweep net |
| -29.03 | 167.98 | 22/05/2014 | Apiaceae | <i>Daucus carota</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Beating |
| -29.03 | 167.99 | 21/02/2014 | Fabaceae | <i>Glycine max</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Hand collection |
| -29.12 | 167.95 | 15/10/2014 | Apocynaceae | <i>Gomphocarpus physocarpus</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 20/02/2014 | Convolvulaceae | <i>Ipomoea batatas</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 25/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Verbenaceae | <i>Lantana camara</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 24/12/2012 | Musaceae | <i>Musa sp.</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Yellow pan |
| -29.00 | 167.93 | 26/12/2012 | Musaceae, Asteraceae | <i>Musa sp., Lactuca sativa</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Yellow pan |
| -29.03 | 167.94 | 26/05/2014 | NA | NA | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Light trap Set 25.5.2014 collected 26.5.2014 |
| -29.01 | 167.95 | 25/12/2012 | Lomariopsidaceae | <i>Nephrolepis sp.</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Yellow pan |
| -29.00 | 167.93 | 24/12/2012 | Lamiaceae | <i>Ocimum basilicum</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Beating flowering plants |
| -29.00 | 167.93 | 26/12/2012 | Various, Apiaceae, Brassicaceae | <i>Ocimum basilicum, Musa sp.</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Yellow pan |
| -29.03 | 167.99 | 25/09/2013 | Fabaceae | <i>Phaseolus vulgaris</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Hand collection |
| -29.06 | 167.94 | 22/09/2013 | Plantaginaceae | <i>Plantago lanceolata</i> L. | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Sweep net |
| -29.00 | 167.93 | 25/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Sweep net |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Solanum melongena</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Yellow pan |
| -29.03 | 167.98 | 25/09/2013 | Solanaceae | <i>Solanum melongena</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Beating |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Triticum sp.</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | | | Hand collection |
| -29.04 | 167.99 | 8/10/2014 | Various | Unknown | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Sweep net through grass and weeds in orchard |
| -29.04 | 167.96 | 27/02/2014 | Various | | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Yellow pan among various young vegetables |
| -29.03 | 167.99 | 20/02/2014 | Polygonaceae, Asteraceae | <i>Rheum rhubarbarum</i> L., <i>Bidens pilosa</i> | Diptera | Tephritidae | <i>Dioxya brachybasis</i> | Y | Y | Sweep net |
| -29.00 | 167.93 | 26/12/2012 | Various, Apiaceae, Brassicaceae | <i>Apium graveolens</i> | Diptera | Tephritidae | <i>Dioxya sororella</i> (Wiedemann, 1830) | Y | Y | Yellow pan near banana |
| -29.01 | 167.95 | 25/12/2012 | Araucariaceae | <i>Araucaria heterophylla</i> | Diptera | Tephritidae | <i>Dioxya sororella</i> | Y | Y | Yellow pan under plant |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|-----------------------------|-----------------------------------|---|-----------------|----------------|--|-----------------------------------|----------------------------|---|
| -29.00 | 167.93 | 26/12/2012 | Musaceae, Asteraceae | <i>Musa</i> sp., <i>Lactuca sativa</i> | Diptera | Tephritidae | <i>Dioxya sororeula</i> | Y | Y | Yellow pan |
| -29.01 | 167.95 | 25/12/2012 | Lomariopsidaceae | <i>Nephrolepis</i> sp. | Diptera | Tephritidae | <i>Dioxya sororeula</i> | Y | Y | Yellow pan |
| -29.00 | 167.93 | 24/12/2012 | Lamiaceae | <i>Ocimum basilicum</i> | Diptera | Tephritidae | <i>Dioxya sororeula</i> | Y | Y | Beating flowering plants |
| -29.00 | 167.93 | 26/12/2012 | Lamiaceae, Brassicaceae, Musaceae | <i>Ocimum basilicum</i> , <i>Musa</i> sp. | Diptera | Tephritidae | <i>Dioxya sororeula</i> | Y | Y | Yellow pan |
| -29.00 | 167.93 | 23 - 24/03/2014; 24/10/2013 | Various | | Diptera | Tephritidae | <i>Dioxya sororeula</i> | Y | Y | Yellow pan |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Neuroptera | Myrmeleontidae | <i>Distoleon bisrigatus</i> (Rambur, 1842) | N | Y | Light trap |
| -29.01 | 167.92 | 16/10/2014 | NA | NA | Coleoptera | Ptinidae | <i>Dorcotoma Paykull, 1798</i> | ? | ? | Light trap |
| -29.02 | 167.94 | 2/12/2014 | NA | NA | Coleoptera | Ptinidae | <i>Dorcotoma</i> sp. | ? | ? | Light trap among Norfolk Island pines |
| -29.02 | 167.93 | 25/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureuliionidae | <i>Dryophthorus Germar, 1824</i> | ? | ? | Hand collection under bark of billets |
| -29.03 | 167.97 | 21/05/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureuliionidae | <i>Dryophthorus</i> sp. | ? | ? | Hand collection from sawn timber |
| -29.01 | 167.94 | 24/12/2012 | Pandanaceae | <i>Freycinetia banksia?</i> | Coleoptera | Cureuliionidae | <i>Dryophthorus</i> sp. | ? | ? | Beating dead leaves |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Cureuliionidae | <i>Dryophthorus</i> sp. | ? | ? | Light trap #3 |
| -29.05 | 167.93 | 24/09/2013 | Unknown | Unknown | Hypsogastropoda | Assiminetidae | <i>Duritropis albocarinata</i> (Mousson, 1873) | N | N | Hand collection |
| -29.01 | 167.94 | 24/09/2013 | Areaceae | Unknown | Hypsogastropoda | Assiminetidae | <i>Duritropis albocarinata</i> | N | N | Berlese funnel from leaf litter under palms |
| -29.03 | 167.98 | 18/07/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hypsogastropoda | Assiminetidae | <i>Duritropis albocarinata</i> | N | N | Hand collection |
| -29.03 | 167.95 | 14/06/2013 | Apiaceae | <i>Daucus carota</i> | Hemiptera | Aphididae | <i>Dysaphis Börner, 1931</i> | Y | ? | Hand collection |
| -29.01 | 167.95 | 25/02/2014 | Asparagaceae | <i>Cordyline oblecta</i> | Hemiptera | Pseudococcidae | <i>Dysmicoccus Ferris, 1905</i> sp.nov. | Y | ? | Hand collection |
| -29.03 | 167.94 | 24/05/2014 | Asparagaceae | <i>Cordyline oblecta</i> | Hemiptera | Pseudococcidae | <i>Dysmicoccus</i> sp. nov.? | Y | N | Sweep net |
| -29.03 | 167.93 | 12/06/2013; 26/09/2013 | Bromeliaceae | <i>Ananas comosus</i> | Hemiptera | Pseudococcidae | <i>Dysmicoccus brevipes</i> (Cockerell, 1893) | Y | Y | Hand collection |
| -29.04 | 167.94 | 9/06/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Pseudococcidae | <i>Dysmicoccus insulae</i> Williams & Watson, 1988 | N | N | Hand collection |
| -29.05 | 167.93 | 24/09/2013; 27/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Pseudococcidae | <i>Dysmicoccus insulae</i> | N | N | Hand collection from felled tree |
| -29.05 | 167.92 | 27/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Pseudococcidae | <i>Dysmicoccus insulae</i> | N | N | Hand collection from felled tree |
| -29.12 | 167.95 | 14/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Pseudococcidae | <i>Dysmicoccus insulae</i> | N | N | Beating |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|---------------|---|--------------|----------------|--|-----------------------------------|----------------------------|---|
| -29.06 | 167.96 | 27/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Pseudococcidae | <i>Dysmicoccus insulae</i> | N | N | Hand collection |
| -29.05 | 167.93 | 2/12/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cerambycidae | <i>Dysilaeta naevia</i> Olliff, 1888 | N | N | Hand collection from felled tree #1 |
| -29.04 | 167.94 | 23/09/2013 | Areaceae | <i>Howea belmoreana</i> , <i>Howea forsteriana</i> | Blattodea | Ectobiidae | <i>Ectoneura insularis</i> Hebard, 1943 | Y | Y | Hand collection |
| -29.02 | 167.93 | 26/09/2013 | Malvaceae | <i>Hibiscus insularis</i> Endl. | Blattodea | Ectobiidae | <i>Ectoneura insularis</i> | Y | Y | Hand collection |
| -29.01 | 167.94 | 24/09/2013 | Areaceae | Unknown | Psocodea | Ectopsocidae | <i>Ectopsocus insularis</i> | N | Y | Berlese funnel from leaf litter under palms |
| -29.01 | 167.95 | 25/12/2012 | Araucariaceae | <i>Araucaria heterophylla</i> | Diptera | Hybotidae | <i>Elaphropeza</i> Macquart, 1827 | Y | ? | Yellow pan under plant |
| -29.00 | 167.93 | 24/09/2013 | Areaceae | <i>Howea belmoreana</i> , <i>Howea forsteriana</i> | Araneae | Clubionidae | <i>Elaver</i> Pickard-Cambridge, 1898 | Y | N | Hand collection |
| -29.01 | 167.93 | 20/05/2014 | Poaceae | <i>Paspalum</i> L. | Hemiptera | Reduviidae | <i>Empicoris</i> Wolff, 1811 | ? | ? | Sweep net in eucalypt forest |
| -29.03 | 167.94 | 26/05/2014 | NA | NA | Lepidoptera | Pyralidae | <i>Endorricha mesenterialis</i> (Walker, 1859) | N | Y | Light trap |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Lepidoptera | Pyralidae | <i>Endorricha mesenterialis</i> | N | Y | Light trap |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Lepidoptera | Pyralidae | <i>Endorricha mesenterialis</i> | N | Y | Light trap |
| -29.01 | 167.94 | 23/05/2014 | NA | NA | Lepidoptera | Pyralidae | <i>Endorricha mesenterialis</i> | N | Y | Light trap |
| -29.01 | 167.94 | 24/02/2014 | NA | NA | Lepidoptera | Pyralidae | <i>Endorricha mesenterialis</i> | N | Y | Light trap |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Lepidoptera | Pyralidae | <i>Endorricha mesenterialis</i> | N | Y | Light trap in eucalypt forest |
| -29.00 | 167.93 | 22/02/2014 | NA | NA | Lepidoptera | Pyralidae | <i>Endorricha mesenterialis</i> | N | Y | Bucket light trap in orchard |
| -29.03 | 167.97 | 22/05/2014 | NA | NA | Lepidoptera | Pyralidae | <i>Endorricha mesenterialis</i> | N | Y | Light trap |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Lepidoptera | Pyralidae | <i>Endorricha mesenterialis</i> | N | Y | Light trap |
| Unknown | Unknown | 23/10/2013 | Unknown | Unknown | Coleoptera | Latridiidae | <i>Enicmus</i> C.G. Thomson, 1859 | Y | ? | Unknown |
| -29.03 | 167.99 | 23/05/2014 | Euphorbiaceae | <i>Ricinus communis</i> | Coleoptera | Cerambycidae | <i>Enicodes</i> Gray, 1832 | ? | N | Beating |
| -29.05 | 167.92 | 24/05/2014 | Poaceae | Unknown | Coleoptera | Cerambycidae | <i>Enicodes</i> sp. | ? | N | Sweep net |
| -29.05 | 167.93 | 24/09/2013; 14/06/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cerambycidae | <i>Enicodes fichteli</i> (Schreibers, 1802) | N | N | Hand collection |
| -29.04 | 167.99 | 25/09/2013 | Caricaceae | <i>Carica papaya</i> | Coleoptera | Cerambycidae | <i>Enicodes fichteli</i> | N | N | Hand collection |
| -29.02 | 167.96 | 25/12/2012 | Rosaceae | <i>Malus pumila</i> | Coleoptera | Cerambycidae | <i>Enicodes fichteli</i> | N | N | Beating |
| -29.03 | 167.94 | 11/06/2013 | Araliaceae | <i>Meryta angustifolia</i> | Coleoptera | Cerambycidae | <i>Enicodes fichteli</i> | N | N | Hand collection |
| -29.03 | 167.94 | 11/06/2013 | Araliaceae | <i>Meryta latifolia</i> | Coleoptera | Cerambycidae | <i>Enicodes fichteli</i> | N | N | Hand collection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---|------------------------------|--------------------------------|--------------|---------------|--|-----------------------------------|----------------------------|--|
| -29.01 | 167.56 | Unknown | NA | NA | Coleoptera | Cerambycidae | <i>Enicodes fichteli</i> | N | N | Hand collection |
| -29.03 | 167.97 | 18/02/2014 | NA | NA | Coleoptera | Cerambycidae | <i>Enicodes fichteli</i> | N | N | Hand collection from timber |
| -29.12 | 167.95 | 15/10/2014 | Various | | Coleoptera | Cerambycidae | <i>Enicodes fichteli</i> | N | N | Hand collection |
| -29.04 | 167.94 | 28/02/2014 | NA | NA | Hymenoptera | Ichneumonidae | <i>Enicospilus insularis</i> (Kirby, 1881) | Y | Y | Light trap |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Coleoptera | Hydrophilidae | <i>Enochmus</i> C.G. Thomson, 1859 | Y | ? | Light trap #1 |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Hydrophilidae | <i>Enochmus</i> sp. | Y | ? | Light trap #3 |
| -29.01 | 167.94 | 24/10/2013; 22/03/2014; 24/12/2013; 25/11/2014 | Moraceae | <i>Streblus penulimus</i> | Thysanoptera | Thripidae | <i>Ensisferotrips primus</i> Bianchi, 1945 | Y | Y | Hand collection from leaves |
| -29.01 | 167.94 | 22/03/2014 | Polygonaceae | <i>Muehlenbeckia australis</i> | Thysanoptera | Thripidae | <i>Ensisferotrips primus</i> | Y | Y | Hand collection |
| -29.03 | 167.93 | 19/02/2014 | Solanaceae | | Coleoptera | Coccinellidae | <i>Epitachna vigintioctopunctata</i> (Fabricius, 1775) | Y | Y | Hand collection |
| -29.03 | 167.99 | 22 - 23/03/2014; 23/10/2013 | Various | | Coleoptera | Coccinellidae | <i>Epitachna vigintioctopunctata</i> | Y | Y | Yellow pan among various vegetables |
| -29.00 | 167.93 | 23 - 24/03/2014; 27/02/2014 | Various | | Coleoptera | Coccinellidae | <i>Epitachna vigintioctopunctata</i> | Y | Y | Yellow pan among various vegetables |
| -29.03 | 167.94 | 19/02/2014 | Solanaceae | <i>Capsicum annuum</i> | Coleoptera | Coccinellidae | <i>Epitachna vigintioctopunctata</i> | Y | Y | Hand collection |
| -29.06 | 167.96 | 24/05/2014 | Asparagaceae | <i>Cordylone</i> sp. | Coleoptera | Coccinellidae | <i>Epitachna vigintioctopunctata</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 24/12/2012 | Cucurbitaceae | <i>Cucurbita pepo</i> | Coleoptera | Coccinellidae | <i>Epitachna vigintioctopunctata</i> | Y | Y | Yellow pan in bare soil beside cucurbits |
| -29.02 | 167.97 | 24/06/2014 | NA | NA | Coleoptera | Coccinellidae | <i>Epitachna vigintioctopunctata</i> | Y | Y | Lucifure trap |
| -29.03 | 167.98 | 22/05/2014 | Solanaceae | <i>Nicantra physalodes</i> | Coleoptera | Coccinellidae | <i>Epitachna vigintioctopunctata</i> | Y | Y | Beating |
| -29.04 | 167.98 | 9/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Coleoptera | Coccinellidae | <i>Epitachna vigintioctopunctata</i> | Y | Y | Beating |
| -29.03 | 167.99 | 23/12/2012 | Solanaceae | <i>Solanum lycopersicum</i> | Coleoptera | Coccinellidae | <i>Epitachna vigintioctopunctata</i> | Y | Y | Yellow pan |
| -29.03 | 167.98 | 25/09/2013; 14/06/2013 | Solanaceae | <i>Solanum melongena</i> | Coleoptera | Coccinellidae | <i>Epitachna vigintioctopunctata</i> | Y | Y | Beating |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Solanum melongena</i> | Coleoptera | Coccinellidae | <i>Epitachna vigintioctopunctata</i> | Y | Y | Yellow pan among plants |
| -29.02 | 167.97 | 22/09/2013 | Solanaceae | <i>Solanum nodiflorum</i> | Coleoptera | Coccinellidae | <i>Epitachna vigintioctopunctata</i> | Y | Y | Hand collection |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------------------|-----------------------|--|----------------|----------------|---|-----------------------------------|----------------------------|--|
| -29.04 | 167.99 | 25/11/2014 | Solanaceae | <i>Solanum tuberosum</i> | Coleoptera | Coccinellidae | <i>Epilachna vigintioctopunctata</i> | Y | Y | Hand collection |
| -29.03 | 167.93 | 12/06/2013 | Solanaceae | <i>Solanum tuberosum</i> | Coleoptera | Coccinellidae | <i>Epilachna vigintioctopunctata</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Triticum</i> sp. | Coleoptera | Coccinellidae | <i>Epilachna vigintioctopunctata</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 23/12/2012 | Poaceae, Brassicaceae | <i>Zea mays</i> , <i>Brassica oleracea</i> var. <i>italica</i> | Coleoptera | Coccinellidae | <i>Epilachna vigintioctopunctata</i> | Y | Y | Yellow pan among old corn and young broccoli |
| -29.03 | 167.99 | 22 - 23/05/2014 | Various | | Coleoptera | Coccinellidae | <i>Epilachna vigintioctopunctata</i> | Y | Y | Yellow pan |
| -29.04 | 167.99 | 23 - 24/05/2014 | Various | | Coleoptera | Nitidulidae | <i>Epurvea</i> Erichson, 1843 | ? | ? | Yellow pan among various vegetables |
| -29.03 | 167.99 | 23/10/2013 | Various | | Coleoptera | Nitidulidae | <i>Epurvea</i> sp. | ? | ? | Yellow pan among various vegetables |
| -29.02 | 167.96 | 10/06/2013 | Rutaceae | <i>Citrus × aurantium</i> | Coleoptera | Nitidulidae | <i>Epurvea</i> sp. | ? | ? | Hand collection from rotten fruit under tree |
| -29.01 | 167.93 | 26/09/2013; 13/06/2013 | Rutaceae | <i>Citrus × aurantium</i> | Coleoptera | Nitidulidae | <i>Epurvea</i> sp. | ? | ? | Hand collection from rotting fruit, <i>Drosophila</i> observed |
| -29.04 | 167.99 | 26/05/2014 | Rutaceae | <i>Citrus reticulata</i> | Coleoptera | Nitidulidae | <i>Epurvea</i> sp. | ? | ? | Hand collection from fallen fruit |
| -29.01 | 167.94 | 23/09/2013 | Rutaceae | <i>Citrus × limon</i> | Coleoptera | Nitidulidae | <i>Epurvea</i> sp. | ? | ? | Hand collection |
| -29.03 | 167.94 | 26/05/2014 | NA | NA | Coleoptera | Nitidulidae | <i>Epurvea</i> sp. | ? | ? | Light trap Set 25.5.2014, collected 26.5.2014 |
| -29.01 | 167.93 | 3/12/2014; 02/12/2014 | NA | NA | Coleoptera | Nitidulidae | <i>Epurvea</i> sp. | ? | ? | Light trap in eucalypt fores |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Nitidulidae | <i>Epurvea</i> sp. | ? | ? | Light trap #3 |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Lepidoptera | Geometridae | <i>Epyaxa sodalata</i> Walker, 1862 | N | N | Light trap |
| -29.05 | 167.92 | 19/05/2014 | NA | NA | Lepidoptera | Geometridae | <i>Epyaxa sodalata</i> | N | N | Light trap |
| -29.04 | 167.95 | 8/10/2014 | Asparagaceae | <i>Cordyline oblecta</i> | Araneae | Araneidae | <i>Eriophora pustulosa</i> (Walckenaer, 1842) | Y | Y | Beating |
| -29.03 | 167.94 | 10/10/2014 | Proteaceae | <i>Macadamia integrifolia</i> | Diptera | Syphidae | <i>Eristalis tenax</i> (Linnaeus, 1758) | Y | Y | Sweep net |
| -29.03 | 167.95 | 22/09/2013 | NA | NA | Diptera | Syphidae | <i>Eristalis tenax</i> | Y | Y | Hand collection |
| -29.05 | 167.94 | 15/12/2014 | Unknown | Unknown | Diptera | Syphidae | <i>Eristalis tenax</i> | Y | Y | Unknown |
| -29.03 | 167.98 | 21/05/2014 | Poaceae | <i>Cenchrus purpureus</i> | Diptera | Syphidae | <i>Eristalis tenax</i> | Y | Y | Sweep net |
| -29.04 | 167.99 | 27/11/2014 | Rosaceae | <i>Prunus persica</i> var. <i>mucipersica</i> | Trombidiformes | Stigmaeidae | <i>Eryngiopus nelsonensis</i> Wood, 1971 | Y | N | Ethanol wash |
| -29.03 | 167.97 | 22/05/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Dermoptera | Anisolabididae | <i>Euborelia annulipes</i> (Lucas, 1847) | Y | Y | Hand collection from sawn timber |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|---------------|--|--------------|----------------|--|-----------------------------------|----------------------------|---------------------------------------|
| -29.02 | 167.97 | 22/09/2013 | Araceae | <i>Colocasia esculenta</i> (L.) Schott | Dermaptera | Anisolabididae | <i>Euborellia annulipes</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Anacardiaceae | <i>Mangifera indica</i> | Dermaptera | Anisolabididae | <i>Euborellia annulipes</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 25/09/2013 | NA | NA | Dermaptera | Anisolabididae | <i>Euborellia annulipes</i> | Y | Y | Hand collection |
| -29.04 | 167.94 | 23/09/2013 | NA | NA | Dermaptera | Anisolabididae | <i>Euborellia annulipes</i> | Y | Y | Hand collection |
| -29.06 | 167.96 | 25/05/2014 | Unknown | Unknown | Dermaptera | Anisolabididae | <i>Euborellia annulipes</i> | Y | Y | Hand collection from logs |
| -29.02 | 167.93 | 25/02/2014 | Araucariaceae | <i>Arucaria heterophylla</i> | Dermaptera | Anisolabididae | <i>Euborellia annulipes</i> | Y | Y | Hand collection under bark of billets |
| -29.03 | 167.99 | 21/02/2014 | Myrtaceae | <i>Acca sellowiana</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> (Signoret, 1873) | N | Y | Hand collection |
| -29.03 | 167.93 | 26/09/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.00 | 167.93 | 12/06/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 14/06/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.00 | 167.94 | 24/09/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.01 | 167.94 | 23/09/2013 | Rutaceae | <i>Citrus ×limon</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.05 | 167.93 | 27/09/2013 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.03 | 167.94 | 10/10/2014 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.03 | 167.93 | 12/06/2013 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.01 | 167.93 | 26/09/2013 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.03 | 167.94 | 23/09/2013 | Asparagaceae | <i>Cordylone oblecta</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.02 | 167.93 | 26/09/2013 | Malvaceae | <i>Hibiscus insularis</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 25/09/2013 | Malvaceae | <i>Lagunaria patersonia</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.03 | 167.94 | 11/06/2013 | Malvaceae | <i>Lagunaria patersonia</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.03 | 167.99 | 14/06/2013 | Malvaceae | <i>Lagunaria patersonia</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.01 | 167.95 | 25/02/2014; 23/09/2013 | Malvaceae | <i>Lagunaria patersonia</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection and beating |
| -29.03 | 167.93 | 26/09/2013 | Anacardiaceae | <i>Mangifera indica</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|------------------|---|----------------|---------------|---------------------------------|-----------------------------------|----------------------------|--|
| -29.01 | 167.93 | 13/06/2013 | Anacardiaceae | <i>Mangifera indica</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Observation |
| -29.01 | 167.93 | 24/09/2013 | Anacardiaceae | <i>Mangifera indica</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.04 | 167.94 | 23/09/2013 | Araliaceae | <i>Meryta angustifolia</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.03 | 167.95 | 25/09/2013 | Araliaceae | <i>Meryta latifolia</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.03 | 167.93 | 26/09/2013 | Musaceae | <i>Musa</i> sp. | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.01 | 167.95 | 23/09/2013 | Scrophulariaceae | <i>Myoporum obscurum</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Observation |
| -29.01 | 167.95 | 23/09/2013 | Primulaceae | <i>Myrsine raistoniae</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Observation |
| -29.04 | 167.99 | 14/06/2013 | Myrtaceae | <i>Psidium guajava</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.04 | 167.94 | 23/09/2013 | Anacardiaceae | <i>Schinus terebinthifolius</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.05 | 167.93 | 17/02/2014 | Unknown | Unknown | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Araliaceae | <i>Meryta angustifolia</i> | Hemiptera | Coccidae | <i>Eucalymnatus tessellatus</i> | N | Y | Hand collection |
| -29.06 | 167.94 | 11/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Eupodidae | <i>Eupodes Koch, 1835</i> | Y | ? | Beating |
| -29.06 | 167.94 | 26/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Eupodidae | <i>Eupodes</i> sp. | Y | ? | Ethanol wash |
| -29.05 | 167.92 | 25/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Eupodidae | <i>Eupodes</i> sp. | Y | ? | Ethanol wash |
| -29.02 | 167.93 | 27/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Eupodidae | <i>Eupodes</i> sp. | Y | ? | Ethanol wash |
| -29.00 | 167.93 | 26/11/2014 | Rutaceae | <i>Citrus ×aurantium</i> | Trombidiformes | Eupodidae | <i>Eupodes</i> sp. | Y | ? | Ethanol wash |
| -29.00 | 167.93 | 24/09/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Trombidiformes | Eupodidae | <i>Eupodes</i> sp. | Y | ? | Hand collection |
| -29.05 | 167.93 | 27/09/2013 | Rutaceae | <i>Citrus</i> sp. | Trombidiformes | Eupodidae | <i>Eupodes</i> sp. | Y | ? | Hand collection |
| -29.01 | 167.93 | 26/09/2013 | Rutaceae | <i>Citrus</i> sp. | Trombidiformes | Eupodidae | <i>Eupodes</i> sp. | Y | ? | Hand collection |
| -29.05 | 167.92 | 7/10/2014 | Asparagaceae | <i>Cordylone obtecta</i> | Trombidiformes | Eupodidae | <i>Eupodes</i> sp. | Y | ? | Beating |
| -29.03 | 167.99 | 24/12/2012 | Cucurbitaceae | <i>Cucurbita pepo</i> | Trombidiformes | Eupodidae | <i>Eupodes</i> sp. | Y | ? | Yellow pan in bare soil beside cucurbits |
| -29.05 | 167.92 | 7/10/2014 | Convolvulaceae | <i>Ipomoea cairica</i> | Trombidiformes | Eupodidae | <i>Eupodes</i> sp. | Y | ? | Beating |
| -29.04 | 167.96 | 26/02/2014 | Myrtaceae | <i>Leptospermum</i> J.R.Forst. & G.Forst. | Trombidiformes | Eupodidae | <i>Eupodes</i> sp. | Y | ? | Beating |
| -29.01 | 167.93 | 13/06/2013 | Proteaceae | <i>Macadamia integrifolia</i> | Trombidiformes | Eupodidae | <i>Eupodes</i> sp. | Y | ? | Beating |
| -29.05 | 167.94 | 22/09/2013 | Anacardiaceae | <i>Mangifera indica</i> | Trombidiformes | Eupodidae | <i>Eupodes</i> sp. | Y | ? | Hand collection |
| -29.04 | 167.99 | 23/05/2014 | Moraceae | <i>Morus</i> sp. | Trombidiformes | Eupodidae | <i>Eupodes</i> sp. | Y | ? | Beating |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|-----------------|----------------|---|----------------|---------------|---|-----------------------------------|----------------------------|---|
| -29.04 | 167.96 | 10/10/2014 | Musaceae | <i>Musa</i> sp. | Trombidiformes | Eupodiidae | <i>Eupodes</i> sp. | Y | ? | Beating |
| -29.00 | 167.93 | 12/06/2013 | Musaceae | <i>Musa</i> sp. | Trombidiformes | Eupodiidae | <i>Eupodes</i> sp. | Y | ? | Hand collection |
| -29.02 | 167.97 | 22/09/2013 | NA | NA | Trombidiformes | Eupodiidae | <i>Eupodes</i> sp. | Y | ? | Hand collection from soil |
| -29.03 | 167.92 | 22/05/2014 | Passifloraceae | <i>Passiflora edulis</i> f. <i>flavicarpa</i> <i>Psidium cattleianum</i> var. <i>cattleianum</i> | Trombidiformes | Eupodiidae | <i>Eupodes</i> sp. | Y | ? | Beating |
| -29.01 | 167.92 | 16/10/2014 | Myrtaceae | <i>Terminalia catappa</i> | Trombidiformes | Eupodiidae | <i>Eupodes</i> sp. | Y | ? | Hand collection |
| -29.06 | 167.94 | 11/10/2014 | Combretaceae | <i>Terminalia catappa</i> | Trombidiformes | Eupodiidae | <i>Eupodes</i> sp. | Y | ? | Beating |
| -29.04 | 167.95 | 24/11/2014 | Unknown | Unknown | Trombidiformes | Eupodiidae | <i>Eupodes</i> sp. | Y | ? | Ethanol wash |
| -29.01 | 167.94 | 24/09/2013 | Arecaceae | Unknown | Trombidiformes | Eupodiidae | <i>Eupodes</i> sp. | Y | ? | Berlese funnel from leaf litter under palms |
| -29.05 | 167.96 | 9/10/2014 | Vitaceae | <i>Vitis vinifera</i> | Trombidiformes | Eupodiidae | <i>Eupodes</i> sp. | Y | ? | Beating |
| -29.03 | 167.92 | 22/05/2014 | Vitaceae | <i>Vitis vinifera</i> | Trombidiformes | Eupodiidae | <i>Eupodes</i> sp. | Y | ? | Beating from grape vine growing over citrus |
| -29.03 | 167.95 | 21/09/2013 | NA | NA | Araneae | Salicidae | <i>Euphyrs cf. terrestris</i> | Y | N | Hand collection |
| -29.01 | 167.92 | 16/10/2014 | NA | NA | Coleoptera | Brentidae | <i>Euschizus internatus</i> (Passoe, 1872) | N | Y | Light trap |
| -29.03 | 167.96 | 25/09/2013 | NA | NA | Coleoptera | Brentidae | <i>Euschizus internatus</i> | N | Y | Hand collection from timber |
| -29.03 | 167.97 | 21/05/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Brentidae | <i>Euschizus internatus</i> | N | Y | Hand collection from milled timber |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Coleoptera | Carabidae | <i>Euthenarus bicolor</i> Moore, 1985 | N | Y | Light trap #2 |
| -29.03 | 167.99 | 22 - 23/03/2014 | Various | | Diptera | Stratiomyidae | <i>Exaireta spinigera</i> (Wiedemann, 1830) | Y | Y | Yellow pan among various vegetables |
| -29.00 | 167.93 | 24/10/2013 | Various | | Diptera | Stratiomyidae | <i>Exaireta spinigera</i> | Y | Y | Yellow pan among various young vegetables |
| -29.02 | 167.96 | 26/03/2014 | Various | | Diptera | Stratiomyidae | <i>Exaireta spinigera</i> | Y | Y | Yellow pan in orchard |
| -29.04 | 167.99 | 23/05/2014 | Rutaceae | <i>Citrus</i> sp. | Diptera | Stratiomyidae | <i>Exaireta spinigera</i> | Y | Y | Sweep net |
| -29.03 | 167.96 | 25/05/2014 | NA | NA | Diptera | Stratiomyidae | <i>Exaireta spinigera</i> | Y | Y | Light trap |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Diptera | Stratiomyidae | <i>Exaireta spinigera</i> | Y | Y | Light trap #2 |
| -29.04 | 167.94 | 23/09/2013 | Anacardiaceae | <i>Schinus terebinthifolius</i> | Diptera | Stratiomyidae | <i>Exaireta spinigera</i> | Y | Y | Sweep net |
| -29.04 | 167.99 | 26/05/2014 | Unknown | Unknown | Diptera | Stratiomyidae | <i>Exaireta spinigera</i> | Y | Y | Sweep net |
| -29.04 | 167.96 | 27/02/2014 | Various | | Diptera | Stratiomyidae | <i>Exaireta spinigera</i> | Y | Y | Yellow pan among various young vegetables |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------------------|---------------------------------|--|-----------------|---------------|---|-----------------------------------|----------------------------|--|
| -29.00 | 167.93 | 26/12/2012 | Various, Apiaceae, Brassicaceae | <i>Apium graveolens</i> | Hemiptera | Cicadellidae | <i>Exitiamus plebeius</i> (Kirilady, 1906) | N | Y | Yellow pan near bananas |
| -29.01 | 167.93 | 21/05/2014 | Poaceae | Unknown | Hemiptera | Cicadellidae | <i>Exitiamus?</i> sp. | ? | ? | Sweep net in cattle pasture |
| -29.01 | 167.94 | 24/09/2013 | Araceae | Unknown | Coleoptera | Cureulionidae | <i>Exomesites</i> Broun, 1886 | Y | ? | Berlese funnel form leaf litter under palms |
| -29.02 | 167.96 | 13/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Stylommatophora | Microcystidae | <i>Familena insculpta</i> (Pfeiffer, 1846) | N | N | Hand collection from tree felled 10 months prior |
| -29.01 | 167.93 | 26/09/2013 | Araceae | <i>Howea belmoreana</i> , <i>Howea forsteriana</i> | Hemiptera | Diaspididae | <i>Fiorinia fiorinae</i> (Tagioni, 1867) | N | Y | Hand collection |
| -29.04 | 167.94 | 23/09/2013 | Lauraceae | <i>Persea americana</i> | Hemiptera | Diaspididae | <i>Fiorinia fiorinae</i> | N | Y | Hand collection |
| -29.01 | 167.93 | 13/06/2013 | Lauraceae | <i>Persea americana</i> | Hemiptera | Diaspididae | <i>Fiorinia fiorinae</i> | N | Y | Hand collection |
| -29.02 | 167.93 | 27/09/2013 | Araceae | <i>Rhopalosiphum halteri</i> | Hemiptera | Diaspididae | <i>Fiorinia fiorinae</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 25/09/2013 | Araceae | <i>Howea belmoreana</i> , <i>Howea forsteriana</i> | Hemiptera | Diaspididae | <i>Fiorinia fiorinae</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 23/11/2014; 29/11/2014 | Fabaceae | <i>Arachis pintoi</i> | Thysanoptera | Thripidae | <i>Frankliniella schultzei</i> (Trybom, 1910) | Y | Y | Hand collection |
| -29.04 | 167.99 | 22/05/2014 | Malvaceae | <i>Hibiscus</i> sp. | Thysanoptera | Thripidae | <i>Frankliniella schultzei</i> | Y | Y | Beating |
| -29.04 | 167.99 | 29/11/2014 | Malvaceae | <i>Hibiscus</i> sp. | Thysanoptera | Thripidae | <i>Frankliniella schultzei</i> | Y | Y | Hand collection from flower petal |
| -29.04 | 167.99 | 27/11/2014 | Malvaceae | <i>Hibiscus</i> sp. | Thysanoptera | Thripidae | <i>Frankliniella schultzei</i> | Y | Y | Hand collection from flowers |
| -29.04 | 167.99 | 29/11/2014 | Malvaceae | <i>Hibiscus</i> sp. | Thysanoptera | Thripidae | <i>Frankliniella schultzei</i> | Y | Y | Hand collection from flower petal |
| -29.03 | 167.94 | 28/11/2014 | Asteraceae | <i>Hieracium</i> L. | Thysanoptera | Thripidae | <i>Frankliniella schultzei</i> | Y | Y | Hand collection from flowers |
| -29.05 | 167.93 | 17/02/2014 | Convolvulaceae | <i>Ipomoea cairica</i> | Thysanoptera | Thripidae | <i>Frankliniella schultzei</i> | Y | Y | Hand collection |
| -29.05 | 167.97 | 27/11/2014 | Convolvulaceae | <i>Ipomoea cairica</i> | Thysanoptera | Thripidae | <i>Frankliniella schultzei</i> | Y | Y | Hand collection from flowers |
| -29.04 | 167.99 | 25/11/2014; 27/11/2014 | Convolvulaceae | <i>Ipomoea cairica</i> | Thysanoptera | Thripidae | <i>Frankliniella schultzei</i> | Y | Y | Hand collection from flowers |
| -29.05 | 167.92 | 23/05/2014 | Convolvulaceae | <i>Ipomoea cairica</i> | Thysanoptera | Thripidae | <i>Frankliniella schultzei</i> | Y | Y | Beating |
| -29.04 | 167.99 | 23/11/2014 | Bignoniaceae | <i>Jacaranda</i> Juss. | Thysanoptera | Thripidae | <i>Frankliniella schultzei</i> | Y | Y | Hand collection from flowers |
| -29.04 | 167.99 | 29/11/2014 | Liliaceae | <i>Lilium formosum</i> A. Wallace | Thysanoptera | Thripidae | <i>Frankliniella schultzei</i> | Y | Y | Hand collection from flowers |
| -29.05 | 167.96 | 28/05/2014 | NA | NA | Thysanoptera | Thripidae | <i>Frankliniella schultzei</i> | Y | Y | LuciLure trap |
| -29.03 | 167.94 | 23/05/2014 | Strelitziaceae | <i>Strelitzia reginae</i> Banks ex Adon | Thysanoptera | Thripidae | <i>Frankliniella schultzei</i> | Y | Y | Beating |
| -29.03 | 167.94 | 28/11/2014 | Fabaceae | <i>Arachis pintoi</i> | Thysanoptera | Thripidae | <i>Frankliniella schultzei</i> | Y | Y | Hand collection from flowers |
| -29.03 | 167.93 | 27/11/2014 | Araceae | <i>Colocasia esculenta</i> | Mesostigmata | Laelapidae | <i>Gaeolaelaps queenslandicus</i> (Womersley, 1956) | Y | Y | Ethanol wash |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|--------------------------------|---------------------------------|---|----------------|---------------|--------------------------------------|-----------------------------------|----------------------------|---|
| -29.01 | 167.93 | 20/05/2014 | Poaceae | <i>Paspalum</i> sp. | Sarcoptiformes | Galiumidae | <i>Galium</i> ? | Y | ? | Sweep net in eucalypt forest |
| -29.01 | 167.94 | 24/09/2013 | Areaceae | Unknown | Mesostigmata | Ologamasidae | <i>Gamasiphis</i> Berlese, 1904 | Y | ? | Berlese funnel from leaf litter under palms |
| -29.04 | 167.99 | 24/11/2014 | Musaceae | <i>Musa</i> sp. | Araneae | Araneidae | <i>Gasteracantha</i> Sundevall, 1833 | Y | ? | Ethanol wash |
| -29.06 | 167.94 | 22/09/2013 | Various | | Diptera | Chloropidae | <i>Gaurax</i> Loew, 1863 | Y | ? | Sweep net |
| -29.04 | 167.99 | 23 - 24/03/2014 | Various | | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Yellow pan among various vegetables |
| -29.03 | 167.98 | 29/05/2014; 17/07/2014 | NA | | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | LuciLure trap |
| -29.03 | 167.99 | 23/10/2013 | Various | | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Yellow pan among various young vegetables |
| -29.03 | 167.99 | 22 - 23/03/2014; 23/10/2013 | Various | | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Yellow pan among various vegetables |
| -29.00 | 167.93 | 23 - 24/03/2014; 24/10/2013 | Various | | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Yellow pan among various vegetables |
| -29.02 | 167.95 | 25/12/2012 | Apocynaceae | <i>Alyxia gymnopogon</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Beating |
| -29.03 | 167.93 | 12/06/2013 | Bromeliaceae | <i>Ananas comosus</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Sweep net |
| -29.00 | 167.93 | 26/12/2012 | Various, Apiaceae, Brassicaceae | <i>Apium graveolens</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Yellow pan near bananas |
| -29.05 | 167.94 | 22/09/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>capitata</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Hand collection |
| -29.00 | 167.93 | 24/12/2012 | Caricaceae | <i>Carica papaya</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Yellow pan |
| -29.05 | 167.96 | 9/10/2014 | Rutaceae | <i>Citrus</i> sp. | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Beating |
| -29.03 | 167.99 | 14/06/2013 | Cucurbitaceae | <i>Cucumis sativus</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Hand collection |
| -29.00 | 167.93 | 24/09/2013 | Cucurbitaceae | <i>Cucurbita maxima</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Sweep net |
| -29.00 | 167.93 | 20/02/2014 | Cucurbitaceae | <i>Cucurbita pepo</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Hand collection |
| -29.03 | 167.99 | 24/12/2012 | Cucurbitaceae | <i>Cucurbita pepo</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Yellow pan on bare soil beside cucurbits |
| -29.03 | 167.98 | 25/09/2013 | Apiaceae | <i>Daucus carota</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Sweep net |
| -29.03 | 167.94 | 10/10/2014 | Poaceae | <i>Digitaria</i> sp. | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Sweep net |
| -29.01 | 167.95 | 25/12/2012 | Iridaceae | <i>Gladiolus hortulanus</i> L.H.Bailey | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Yellow pan |
| -29.03 | 167.99 | 21/02/2014 | Fabaceae | <i>Glycine max</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Hand collection |
| -29.03 | 167.98 | 22/05/2014 | Convolvulaceae | <i>Ipomoea batatas</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Beating |
| -29.03 | 167.99 | 14/06/2013 | Convolvulaceae | <i>Ipomoea batatas</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Sweep net |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|------------|------------|---------------------------|---|--|--------------|---------------|-------------------|-----------------------------------|----------------------------|--|
| -29.00 | 167.93 | 20/02/2014 | Convolvulaceae | <i>Ipomoea batatas</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Hand collection |
| -29.00 | 167.93 | 23/10/2013 | Asteraceae, Chenopodiaceae | <i>Lactuca sativa</i> , <i>Beta vulgaris</i> L. | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Beating in lettuce flowers, beetroot leaves |
| -29.05 | 167.93 | 13/06/2013 | Fabaceae | <i>Medicago sativa</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Sweep net |
| -29.03 | 167.99 | 24/12/2012 | Musaceae | <i>Musa</i> sp. | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Yellow pan |
| -29.00 | 167.93 | 26/12/2012 | Musaceae, Asteraceae | <i>Musa</i> sp., <i>Lactuca sativa</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Yellow pan |
| -29.06 | 167.96 | 12/06/2014; 24/06/2014 | NA | NA | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | LuciLure trap |
| -29.01 | 167.92 | 16/10/2014 | NA | NA | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Light trap |
| -29.01 | 167.95 | 25/12/2012 | Lomariopsidaceae | <i>Nephrolepis</i> sp. | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Yellow pan |
| -29.00 | 167.93 | 26/12/2012 | Lamiaceae, Brassicaceae, Musaceae | <i>Ocimum basilicum</i> , <i>Musa</i> sp. | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Yellow pan |
| -29.01 | 167.93 | 20/05/2014 | Poaceae | <i>Paspalum</i> sp. | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Sweep net in eucalyptus fores |
| -29.03 | 167.99 | 20/02/2014 | Fabaceae | <i>Phaseolus vulgaris</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Hand collection |
| -29.03 | 167.98 | 21/05/2014 | Fabaceae | <i>Phaseolus vulgaris</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Beating |
| -29.00 | 167.93 | 24/09/2013 | Fabaceae | <i>Phaseolus vulgaris</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Hand collection |
| -29.03 | 167.98 | 25/09/2013 | Fabaceae | <i>Phaseolus vulgaris</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Agavaceae | <i>Phormium tenax</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Sweep net and beating |
| -29.057236 | 167.938334 | 11/10/2014 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> <i>Rheum</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Beating |
| -29.03 | 167.99 | 20/02/2014 | Polygonaceae, Asteraceae | <i>rhabarbarum</i> , <i>Bidens pilosa</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | | | Sweep net |
| -29.03 | 167.92 | 21/05/2014 | Solanaceae | <i>Solanum</i> <i>lycopersicum</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | | | Beating |
| -29.03 | 167.98 | 21/05/2014 | Solanaceae | <i>Solanum</i> <i>lycopersicum</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | | | Beating |
| -29.03 | 167.99 | 23/12/2012 | Solanaceae | <i>Solanum</i> <i>lycopersicum</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | | | Yellow pan |
| -29.01 | 167.92 | 16/10/2014 | Solanaceae | <i>Solanum</i> <i>lycopersicum</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | | | Hand collection |
| -29.06 | 167.94 | 11/10/2014 | Solanaceae | <i>Solanum</i> <i>lycopersicum</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Beating |
| -29.01 | 167.93 | 21/05/2014 | Solanaceae | <i>Solanum</i> <i>mauritanicum</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Beating in eucalyptus forest |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|------------------------------|---|----------------|-----------------|--|-----------------------------------|----------------------------|------------------------------|
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Solanum melongena</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | | | Yellow pan |
| -29.04 | 167.99 | 25/05/2014 | Solanaceae | <i>Solanum tuberosum</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | | | Beating |
| -29.03 | 167.92 | 21/05/2014 | Solanaceae | <i>Solanum tuberosum</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | | | Beating |
| -29.01 | 167.93 | 13/06/2013 | Solanaceae | <i>Solanum tuberosum</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | | | Hand collection |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Triticum</i> sp. | Diptera | Chloropidae | <i>Gaurax</i> sp. | | | Hand collection |
| -29.01 | 167.92 | 21/05/2014 | Poaceae | Unknown | Diptera | Chloropidae | <i>Gaurax</i> sp. | Y | ? | Sweep net in cattle pasture |
| -29.03 | 167.99 | 24/12/2012 | Poaceae | <i>Zea mays</i> | Diptera | Chloropidae | <i>Gaurax</i> sp. | | | Yellow pan |
| -29.12 | 167.95 | 14/10/2014 | Gekkonidae | <i>Christinus guentheri</i> (Boulenger, 1885) | Trombidiformes | Pterygosomidae | <i>Gecchia Mésquin</i> , 1878 | Y | ? | Hand collection |
| -29.02 | 167.95 | 24/12/2013 | Celastraceae | <i>Elaeodendron curtispindulum</i> | Thysanoptera | Phlaeothripidae | <i>Graulithrips nigricoxa</i> (Girault, 1929) | Y | Y | Hand collection from lichens |
| -29.06 | 167.94 | 26/11/2014 | NA | NA | Hemiptera | Pentatomidae | <i>Glaucias amyoti</i> (Dallas, 1852) | N | Y | Light trap |
| -29.05 | 167.93 | 26/11/2014 | NA | NA | Hemiptera | Pentatomidae | <i>Glaucias amyoti</i> | N | Y | Light trap |
| -29.03 | 167.95 | 7/10/2014 | NA | NA | Hemiptera | Pentatomidae | <i>Glaucias amyoti</i> | N | Y | Light trap |
| -29.01 | 167.92 | 16/10/2014 | NA | NA | Hemiptera | Pentatomidae | <i>Glaucias amyoti</i> | N | Y | Light trap |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Hemiptera | Pentatomidae | <i>Glaucias amyoti</i> | N | Y | Light trap #4 |
| -29.04 | 167.99 | 25/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Pentatomidae | <i>Glaucias amyoti</i> | N | Y | Hand collection |
| -29.00 | 167.93 | 20/02/2014 | Rutaceae | <i>Citrus ×aurantium</i> | Hemiptera | Pentatomidae | <i>Glaucias amyoti</i> | N | Y | Hand collection |
| -29.03 | 167.96 | 26/02/2014 | Myrtaceae | <i>Eucalyptus botryoides</i> | Hemiptera | Psyllidae | <i>Glycaspis Taylor</i> , 1960 | Y | Y | Hand collection |
| -29.03 | 167.96 | 26/11/2014 | Myrtaceae | <i>Eucalyptus botryoides</i> | Hemiptera | Psyllidae | <i>Glycaspis granulata</i> (Froggatt, 1901) | Y | Y | Hand collection |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Blattodea | Kalotermitidae | <i>Glyptotermes brevicornis</i> Froggatt, 1897 | N | Y | Light trap, alates caught |
| -29.05 | 167.94 | 22/09/2013 | Oleaceae | <i>Olea europaea</i> subsp. <i>caudata</i> | Blattodea | Kalotermitidae | <i>Glyptotermes brevicornis</i> | N | Y | Hand collection |
| -29.05 | 167.92 | 24/09/2013 | Araucariaceae | <i>Araticaria heterophylla</i> | Blattodea | Kalotermitidae | <i>Glyptotermes brevicornis</i> | N | Y | Hand collection |
| -29.03 | 167.95 | 25/02/2014 | NA | NA | Coleoptera | Tenebrionidae | <i>Gnaticerus cornutus</i> (Fabricius, 1798) | N | Y | Hand collection |
| -29.06 | 167.95 | 27/09/2013 | NA | NA | Coleoptera | Tenebrionidae | <i>Gonocephalum insulanum</i> (Olivier, 1888) | N | N | Hand collection from soil |
| -29.06 | 167.96 | 25/05/2014 | NA | NA | Coleoptera | Tenebrionidae | <i>Gonocephalum insulanum</i> | N | N | Hand collection |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|------------------------------|--|--------------|-----------------|---|-----------------------------------|----------------------------|--|
| -29.02 | 167.96 | 10/06/2013 | Fabaceae | <i>Phaseolus vulgaris</i> | Diptera | Chyromyidae | <i>Gymnochromya nigradorsum</i> (Malloch, 1925) | Y | Y | Hand collection |
| -29.05 | 167.92 | 26/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Mesostigmata | Phytoseiidae | <i>Gynaxeius christinae</i> (Schicha, 1981) | Y | Y | Ethanol wash |
| -29.05 | 167.92 | 25/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Mesostigmata | Phytoseiidae | <i>Gynaxeius christinae</i> | Y | Y | Ethanol wash |
| -29.03 | 167.97 | 27/11/2014 | NA | NA | Coleoptera | Ptinidae | <i>Hadrobregmus australiensis</i> Pic, 1901 | Y | Y | Light trap |
| Unknown | Unknown | 1/10/2013 | Bovidae | <i>Bos taurus</i> Linnaeus, 1758 <i>Macropiper excelsum</i> subsp. <i>psittacorum</i> (Endl.) Sykes | Ixodida | Ixodidae | <i>Haemaphysalis longicornis</i> Neumann, 1901 | N | Y | Hand collection |
| Unknown | Unknown | 27/06/2014 | Piperaceae | | Ixodida | Ixodidae | <i>Haemaphysalis longicornis</i> | N | Y | Unknown |
| Unknown | Unknown | 20/02/2014 | Unknown | Unknown | Ixodida | Ixodidae | <i>Haemaphysalis longicornis</i> | N | Y | Hand collection |
| Unknown | Unknown | 14/09/2013 | Bovidae | <i>Bos taurus</i> | Ixodida | Ixodidae | <i>Haemaphysalis longicornis</i> | N | Y | Hand collection |
| Unknown | Unknown | 20/02/2014 | Suidae | <i>Sus scroja</i> Linnaeus, 1758 | Psocodea | Haematopimidae | <i>Haematopimus suis</i> (Linnaeus, 1758) | Y | Y | Hand collection |
| -29.03 | 167.56 | 10/12/2014 | Procellariidae | <i>Ardenna pacificus</i> (Gmelin, 1789) | Phthiraptera | Philopteridae | <i>Helipaurus mirabilis</i> Thompson, 1940 | N | Y | Hand collection |
| -29.04 | 167.99 | 23/11/2014 | Malvaceae | <i>Hibiscus insularis</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips avus</i> Mound & Minai, 2007 | Y | Y | Hand collection from dead wood, dead seed heads, Hand collection from dead palm leaves and dead pea pods |
| -29.04 | 167.99 | 25/11/2014 | Arecaceae, Fabaceae, Araceae | | Thysanoptera | Phlaeothripidae | <i>Haplothrips bituberculatus</i> (Girault, 1927) | Y | Y | Hand collection from flowers |
| -29.01 | 167.94 | 22/12/2012 | Fabaceae | <i>Crotalaria</i> L. | Thysanoptera | Phlaeothripidae | <i>Haplothrips bituberculatus</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 25/03/2014 | Phormiaceae | <i>Dianella</i> sp. | Thysanoptera | Phlaeothripidae | <i>Haplothrips bituberculatus</i> | Y | Y | Hand collection |
| -29.03 | 167.95 | 10/07/2013 | Sapindaceae | <i>Dodonaea viscosa</i> subsp. <i>viscosa</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips bituberculatus</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 27/12/2012 | Myrtaceae | <i>Metrosideros</i> Banks ex Gaertn. | Thysanoptera | Phlaeothripidae | <i>Haplothrips bituberculatus</i> | Y | Y | Hand collection from leaves |
| -29.02 | 167.96 | 25/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Haplothrips bituberculatus</i> | Y | Y | Hand collection from dead wood |
| -29.01 | 167.94 | 24/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Haplothrips bituberculatus</i> | Y | Y | Hand collection from dead wood |
| -29.02 | 167.96 | 9/07/2013 | Various | | Thysanoptera | Phlaeothripidae | <i>Haplothrips bituberculatus</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 22/12/2013 | Various | | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> (Franklin, 1908) | Y | Y | Hand collection |
| -29.13 | 167.95 | 14/10/2014 | Amaranthaceae | <i>Achyranthes aspera</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Beating |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|--|--|--|--------------|-----------------|----------------------------|-----------------------------------|----------------------------|--|
| -29.04 | 167.97 | 25/03/2014 | Asteraceae | <i>Ambrosia</i> L.? | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.01 | 167.95 | 26/12/2013 | Araucariaceae, Poaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from dead wood and grass |
| -29.03 | 167.99 | 22/12/2013 | Asteraceae | <i>Bidens pilosa</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.04 | 167.98 | 24/11/2014 | Asteraceae | <i>Bidens pilosa</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.03 | 167.94 | 28/11/2014 | Asteraceae | <i>Bidens pilosa</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.03 | 167.99 | 21/12/2013; 22/10/2013 | Asteraceae | <i>Bidens pilosa</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.02 | 167.95 | 22/11/2014 | Asteraceae | <i>Bidens pilosa</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.03 | 167.99 | 21/12/2013 | Brassicaceae, Solanaceae | <i>Brassica oleracea</i> var. <i>italica</i> , <i>Brassica oleracea</i> var. <i>botrytis</i> L., <i>Capsicum annuum</i> , <i>Capsella bursa-pastoris</i> (L.) Medik.? | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 24/12/2012 | Brassicaceae | <i>Capsella bursa-pastoris</i> (L.) Medik.? | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 23/10/2013 | Poaceae | <i>Cenchrus clandestinus</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/03/2014 | Poaceae | <i>Cenchrus purpureus</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.04 | 167.98 | 24/11/2014 | Chenopodiaceae | <i>Chenopodium</i> sp. | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 21/12/2013; 22/03/2014; 22/12/2012 | Chenopodiaceae | <i>Chenopodium</i> sp. | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.04 | 167.99 | 24/03/2014 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from young citrus leaves and grass |
| -29.03 | 167.99 | 23/12/2012 | Rubiaceae | <i>Coffea</i> sp. | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.05 | 167.97 | 24/02/2014 | Asteraceae | <i>Conyza</i> sp. | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 26/09/2013 | Apiaceae | <i>Coriandrum sativum</i> L., <i>Cucurbita</i> L., <i>Solanum lycopersicum</i> , <i>Allium porrum</i> L., <i>Chenopodium</i> sp., <i>Digitaria</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.00 | 167.93 | 23/03/2014 | Cucurbitaceae, Solanaceae, Alliaceae, Chenopodiaceae, Poaceae, | <i>Solanum lycopersicum</i> , <i>Allium porrum</i> L., <i>Chenopodium</i> sp., <i>Digitaria</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.04 | 167.97 | 25/03/2014 | Lythraceae | <i>Cuphea</i> P.Browne | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|---|--|--------------|-----------------|----------------------------|-----------------------------------|----------------------------|--|
| -29.03 | 167.99 | 22/12/2013 | Poaceae | <i>Cynodon dactylon</i> (L.) Pers. | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 25/12/2012 | Poaceae | <i>Cynodon dactylon</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.02 | 167.96 | 25/03/2014 | Apiaceae, Rosaceae | <i>Foeniculum vulgare</i> Mill., <i>Prunus persica</i> var. <i>persica</i> <i>Galinsoga parviflora</i> Cav. | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from leaves |
| -29.03 | 167.99 | 22/03/2014 | Asteraceae | <i>Hibiscus insularis</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 23/11/2014 | Malvaceae | <i>Hieracium</i> sp. | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from dead wood and dead seed heads |
| -29.03 | 167.94 | 28/11/2014 | Asteraceae | <i>Hieracium</i> sp. | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.02 | 167.96 | 25/11/2014 | Asteraceae | <i>Hieracium</i> sp. | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.05 | 167.92 | 23/11/2014 | Convolvulaceae | <i>Ipomoea cairica</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.05 | 167.93 | 23/11/2014 | Convolvulaceae | <i>Ipomoea cairica</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.03 | 167.94 | 28/11/2014 | Convolvulaceae | <i>Ipomoea cairica</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.03 | 167.99 | 22/10/2013 | Asteraceae, Chenopodiaceae, Apiaceae, Solanaceae, Fabaceae, Cucurbitaceae | <i>Lactuca sativa</i> , <i>Spinacia oleracea</i> L., <i>Apium graveolens</i> , <i>Solanum lycopersicum</i> , <i>Phaseolus</i> sp., <i>Cucurbita pepo</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Hand collection | |
| -29.05 | 167.97 | 21/02/2014 | Verbenaceae | <i>Lantana camara</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Beating |
| -29.02 | 167.95 | 21/12/2012 | Asteraceae | <i>Leucanthemum vulgare</i> Lam. | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.05 | 167.93 | 26/03/2014 | Fabaceae | <i>Medicago sativa</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 23/11/2014 | Fabaceae | <i>Medicago sativa</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.04 | 167.99 | 24/12/2013 | Apiaceae | <i>Petroselinum crispum</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.04 | 167.94 | 21/12/2012 | Apiaceae | <i>Petroselinum crispum</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.03 | 167.99 | 9/07/2013 | Various, Solanaceae, Asteraceae | <i>Physalis</i> sp., <i>Bidens pilosa</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.04 | 167.96 | 26/03/2014 | Fabaceae, Alliaceae, various | <i>Pisum sativum</i> L., <i>Allium cepa</i> var. <i>aggregatum</i> G. Don | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|-----------------|----------------------------|---|--------------|------------------|--|-----------------------------------|----------------------------|---------------------------------------|
| -29.05 | 167.93 | 23/12/2013 | Plantaginaceae | <i>Plantago</i> L. | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.03 | 167.99 | 23/12/2012 | Solanaceae | <i>Solanum lycopersicum</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Yellow pan |
| -29.03 | 167.99 | 22/12/2012 | Solanaceae | <i>Solanum lycopersicum</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers, leaves |
| -29.02 | 167.96 | 10/06/2013 | Solanaceae | <i>Solanum melongena</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.05 | 167.92 | 28/11/2014 | Asteraceae | <i>Tagetes</i> L. | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.05 | 167.98 | 24/03/2014 | Fabaceae | <i>Trifolium pratense</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.02 | 167.96 | 23/10/2013 | Fabaceae | <i>Trifolium repens</i> var. <i>repens</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/12/2012 | Fabaceae | <i>Trifolium repens</i> var. <i>repens</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.04 | 167.99 | 23/11/2014 | Fabaceae | <i>Trifolium</i> sp. | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.02 | 167.93 | 25/05/2014 | Fabaceae | <i>Trifolium</i> sp. | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Beating |
| -29.03 | 167.99 | 24/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 25/03/2014 | Poaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 26/11/2014 | Apiaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.03 | 167.99 | 22/03/2014 | Poaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from flowers |
| -29.02 | 167.95 | 10/07/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 24/12/2012 | Poaceae | <i>Zea mays</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 21/12/2013 | Poaceae | <i>Zea mays</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection from old male flowers |
| -29.01 | 167.92 | 25/11/2014 | Asteraceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Haplothrips gowdeyi</i> | Y | Y | Hand collection |
| -29.05 | 167.93 | 23/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Haplothrips leucanthemi</i> (Schrank, 1781) | Y | Y | Hand collection |
| -29.05 | 167.93 | 26/03/2014 | Fabaceae | <i>Medicago sativa</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips robustus</i> Bagnall, 1918 | Y | Y | Hand collection |
| -29.04 | 167.94 | 21/12/2012 | Verbenaceae, Anacardiaceae | <i>Lantana camara</i> , <i>Schinus terebinthifolius</i> | Thysanoptera | Phlaeothripidae | <i>Haplothrips robustus</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 23 - 24/05/2014 | Various | | Coleoptera | Coccinellidae | <i>Harmonia testudinaria</i> (Mulsant, 1850) | N | Y | Yellow pan |
| -29.03 | 167.95 | 21/09/2013 | NA | NA | Hemiptera | Rhyparochromidae | <i>Hebrolthaeus concisus</i> Scudder, 1981 | N | N | Hand collection from outside light |
| -29.03 | 167.98 | 14/06/2013 | Solanaceae | <i>Solanum melongena</i> | Lepidoptera | Noctuidae | <i>Helicoverpa armigera</i> (Hübner, 1808) | N | Y | Hand collection |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|---------------|---|--------------|---------------|---|-----------------------------------|----------------------------|--|
| -29.01 | 167.93 | 13/06/2013 | Poaceae | <i>Zea mays</i> | Lepidoptera | Noctuidae | <i>Helicoverpa armigera</i> | N | Y | Hand collection |
| -29.03 | 167.98 | 21/05/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Lepidoptera | Noctuidae | <i>Helicoverpa armigera</i> | N | Y | Beating |
| -29.06 | 167.94 | 27/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Thripidae | <i>Heliothrips haemorrhoidalis</i> (Bouché, 1833) | Y | Y | Hand collection |
| -29.01 | 167.94 | 21/03/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Thripidae | <i>Heliothrips haemorrhoidalis</i> | Y | Y | Hand collection from terminal branches |
| -29.03 | 167.93 | 12/06/2013 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Thripidae | <i>Heliothrips haemorrhoidalis</i> | Y | Y | Hand collection |
| -29.04 | 167.94 | 21/10/2013 | Rubiaceae | <i>Coprosma</i> sp. | Thysanoptera | Thripidae | <i>Heliothrips haemorrhoidalis</i> | Y | Y | Hand collection |
| -29.01 | 167.94 | 11/07/2013 | Asparagaceae | <i>Cordyline oblecta</i> | Thysanoptera | Thripidae | <i>Heliothrips haemorrhoidalis</i> | Y | Y | Hand collection from dead leaves |
| -29.04 | 167.94 | 21/12/2012 | Euphorbiaceae | <i>Croton</i> L. | Thysanoptera | Thripidae | <i>Heliothrips haemorrhoidalis</i> | Y | Y | Hand collection from leaves |
| -29.03 | 167.95 | 10/07/2013 | Sapindaceae | <i>Dodonaea viscosa</i> subsp. <i>viscosa</i> | Thysanoptera | Thripidae | <i>Heliothrips haemorrhoidalis</i> | Y | Y | Hand collection |
| -29.00 | 167.94 | 11/07/2013 | Sapindaceae | <i>Dodonaea viscosa</i> subsp. <i>viscosa</i> | Thysanoptera | Thripidae | <i>Heliothrips haemorrhoidalis</i> | Y | Y | Hand collection |
| -29.04 | 167.97 | 26/05/2014 | Rosaceae | <i>Fragaria x ananassa</i> | Thysanoptera | Thripidae | <i>Heliothrips haemorrhoidalis</i> | Y | Y | Hand collection |
| -29.01 | 167.94 | 22/03/2014 | Polygonaceae | <i>Mitchellaecia australis</i> | Thysanoptera | Thripidae | <i>Heliothrips haemorrhoidalis</i> | Y | Y | Hand collection |
| -29.03 | 167.98 | 20/02/2014 | Fagaceae | <i>Quercus</i> sp. | Thysanoptera | Thripidae | <i>Heliothrips haemorrhoidalis</i> | Y | Y | Beating |
| -29.01 | 167.94 | 30/11/2014 | Unknown | Unknown | Thysanoptera | Thripidae | <i>Heliothrips haemorrhoidalis</i> | Y | Y | Hand collection |
| -29.02 | 167.95 | 22/11/2014 | Unknown | Unknown | Thysanoptera | Thripidae | <i>Heliothrips haemorrhoidalis</i> | Y | Y | Hand collection from dead twigs and leaves |
| -29.04 | 167.99 | 25/05/2014 | Amonaceae | <i>Ammonia reitaulata</i> | Thysanoptera | Thripidae | <i>Heliothrips haemorrhoidalis</i> | Y | Y | Beating |
| -29.03 | 167.94 | 10/10/2014 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Thripidae | <i>Heliothrips haemorrhoidalis</i> | Y | Y | Hand collection from paddock |
| -29.03 | 167.96 | 25/05/2014 | NA | NA | Lepidoptera | Crambidae | <i>Helita undalis</i> (Fabricius, 1781) | N | Y | Light trap |
| -29.04 | 167.99 | 25/09/2013 | Musaceae | <i>Musa</i> sp. | Hemiptera | Diaspididae | <i>Hemiberlesia cyanophylli</i> (Signoret, 1869) | Y | Y | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Musaceae | <i>Musa</i> sp. | Hemiptera | Diaspididae | <i>Hemiberlesia cyanophylli</i> | Y | Y | Hand collection |
| -29.04 | 167.94 | 23/09/2013 | Araliaceae | <i>Meryta angustifolia</i> | Hemiptera | Diaspididae | <i>Hemiberlesia cyanophylli</i> | Y | Y | Hand collection |
| -29.04 | 167.94 | 23/09/2013 | Asparagaceae | <i>Cordyline oblecta</i> | Hemiptera | Diaspididae | <i>Hemiberlesia lataniae</i> (Signoret, 1869) | Y | Y | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Araliaceae | <i>Meryta angustifolia</i> | Hemiptera | Diaspididae | <i>Hemiberlesia lataniae</i> | Y | Y | Hand collection |
| -29.03 | 167.95 | 22/05/2014 | Araliaceae | <i>Meryta</i> J.R.Forst. & G.Forst. | Hemiptera | Diaspididae | <i>Hemiberlesia lataniae</i> | Y | Y | Hand collection |
| -29.05 | 167.94 | 22/09/2013 | Musaceae | <i>Musa</i> sp. | Hemiptera | Diaspididae | <i>Hemiberlesia lataniae</i> | Y | Y | Hand collection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|------------------------------|---|--------------|---------------|--|-----------------------------------|----------------------------|---|
| -29.04 | 167.94 | 23/09/2013 | Musaceae | <i>Musa</i> sp. | Hemiptera | Diaspididae | <i>Hemiberlesia lataniae</i> | Y | Y | Hand collection |
| -29.03 | 167.93 | 26/09/2013 | Musaceae | <i>Musa</i> sp. | Hemiptera | Diaspididae | <i>Hemiberlesia lataniae</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 20/02/2014 | Musaceae | <i>Musa</i> sp. | Hemiptera | Diaspididae | <i>Hemiberlesia lataniae</i> | Y | Y | Sweep net |
| -29.00 | 167.93 | 12/06/2013; 12/09/2013 | Musaceae | <i>Musa</i> sp. | Hemiptera | Diaspididae | <i>Hemiberlesia lataniae</i> | Y | Y | Hand collection |
| -29.03 | 167.93 | 12/06/2013 | Lauraceae | <i>Persea americana</i> | Hemiptera | Diaspididae | <i>Hemiberlesia lataniae</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 14/06/2013 | Rosaceae | <i>Prunus dulcis</i> | Hemiptera | Diaspididae | <i>Hemiberlesia lataniae</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 25/09/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Hemiptera | Diaspididae | <i>Hemiberlesia lataniae</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Arecaceae | <i>Rhopalosiphum baueri</i> | Hemiptera | Diaspididae | <i>Hemiberlesia lataniae</i> | Y | Y | Hand collection |
| -29.01 | 167.94 | 23/09/2013 | Arecaceae | <i>Rhopalosiphum baueri</i> | Hemiptera | Diaspididae | <i>Hemiberlesia lataniae</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 14/06/2013 | Vitaceae | <i>Vitis vinifera</i> | Hemiptera | Diaspididae | <i>Hemiberlesia lataniae</i> | Y | Y | Hand collection |
| -29.01 | 167.93 | 13/06/2013 | Amonaceae | <i>Amona muricata</i> | Hemiptera | Diaspididae | <i>Hemiberlesia lataniae</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 12/06/2013; 24/09/2013 | Musaceae | <i>Musa</i> sp. | Hemiptera | Diaspididae | <i>Hemiberlesia rapax</i> (Constock, 1881) | Y | Y | Hand collection |
| -29.03 | 167.97 | 20/02/2014 | NA | NA | Odonata | Corduliidae | <i>Hemicordulia australiae</i> (Rambur, 1842) | N | Y | Light trap #3 |
| -29.04 | 167.96 | 10/10/2014 | NA | NA | Odonata | Corduliidae | <i>Hemicordulia australiae</i> | N | Y | Sweep net caught on the wing |
| -29.04 | 167.99 | 25/11/2014 | Arecaceae, Fabaceae, Araceae | | Thysanoptera | Thripidae | <i>Hercinotrips bichinctus</i> (Bagnall, 1919) | Y | Y | Hand collection from dead palm leaves and dead pea pods |
| -29.03 | 167.99 | 24/12/2012 | Alliaceae | <i>Allium porrum</i> | Thysanoptera | Thripidae | <i>Hercinotrips bichinctus</i> | Y | Y | Hand collection |
| -29.04 | 167.97 | 26/11/2014 | Asparagaceae | <i>Asparagus officinalis</i> L. | Thysanoptera | Thripidae | <i>Hercinotrips bichinctus</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 27/12/2012 | Asparagaceae | <i>Asparagus</i> L. | Thysanoptera | Thripidae | <i>Hercinotrips bichinctus</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 21/12/2013 | Asteraceae | <i>Bidens pilosa</i> | Thysanoptera | Thripidae | <i>Hercinotrips bichinctus</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 24/12/2012 | Brassicaceae | <i>Brassica oleracea</i> var. <i>capitata</i> | Thysanoptera | Thripidae | <i>Hercinotrips bichinctus</i> | Y | Y | Hand collection from seedlings |
| -29.05 | 167.97 | 13/06/2013 | Solanaceae | <i>Capsicum annuum</i> | Thysanoptera | Thripidae | <i>Hercinotrips bichinctus</i> | Y | Y | Hand collection |
| -29.06 | 167.94 | 11/10/2014 | Poaceae | <i>Cenchrus clandestinus</i> | Thysanoptera | Thripidae | <i>Hercinotrips bichinctus</i> | Y | Y | Sweep net |
| -29.03 | 167.99 | 23/10/2013 | Poaceae | <i>Cenchrus clandestinus</i> | Thysanoptera | Thripidae | <i>Hercinotrips bichinctus</i> | Y | Y | Hand collection |
| -29.02 | 167.95 | 23/12/2012 | Poaceae | <i>Cenchrus clandestinus</i> | Thysanoptera | Thripidae | <i>Hercinotrips bichinctus</i> | Y | Y | Hand collection |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|-------------------------------|---|--------------|---------------|-------------------------------|-----------------------------------|----------------------------|--------------------------------------|
| -29.03 | 167.99 | 22/12/2012 | Chenopodiaceae | <i>Chenopodium</i> sp. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.03 | 167.98 | 20/02/2014 | Rubiaceae | <i>Coffea arabica</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Beating |
| -29.01 | 167.93 | 16/10/2014 | Rubiaceae | <i>Coffea arabica</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 21/12/2013 | Rubiaceae | <i>Coffea</i> sp. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.03 | 167.98 | 25/09/2013 | Rubiaceae | <i>Coffea</i> sp. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.01 | 167.93 | 26/09/2013 | Rubiaceae | <i>Coffea</i> sp. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.02 | 167.97 | 22/09/2013 | Araceae | <i>Colocasia esculenta</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.05 | 167.93 | 23/11/2014; 25/03/2014 | Commelinaceae | <i>Commelina cyanea</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.00 | 167.94 | 23/10/2013 | Commelinaceae | <i>Commelina cyanea</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.05 | 167.93 | 23/11/2014 | Commelinaceae | <i>Commelina cyanea</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection from leaves |
| -29.05 | 167.93 | 23/11/2014 | Commelinaceae | <i>Commelina cyanea</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection from leaves |
| -29.02 | 167.95 | 26/12/2013 22/11/2014 | Amaryllidaceae | <i>Crinum</i> L. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection from leaves |
| -29.02 | 167.97 | 22/12/2012 | Cyathaceae, Convolvulaceae | <i>Cyathea brownii</i> , <i>Ipomoea</i> L. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 10/07/2013 | Apiaceae | <i>Daucus carota</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.00 | 167.94 | 11/07/2013; 24/12/2013 | Euphorbiaceae | <i>Euphorbia norfoliana</i> Boiss. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.00 | 167.94 | 25/11/2014 | Euphorbiaceae | <i>Euphorbia norfoliana</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection from leaves |
| -29.02 | 167.96 | 27/12/2012 | Proteaceae, Arecaceae | <i>Grevillea robusta</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection from dead leaves |
| -29.05 | 167.93 | 25/12/2013 | Araucariaceae, Proteaceae | <i>Grevillea robusta</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection from dead wood |
| -29.04 | 167.94 | 25/10/2013 | Hemerocallidaceae | <i>Hemerocallis</i> L. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection from flowers |
| -29.04 | 167.94 | 21/12/2012 | Hemerocallidaceae | <i>Hemerocallis</i> sp. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection leaf damage (larvae) |
| -29.02 | 167.95 | 22/11/2014 | Hemerocallidaceae | <i>Hemerocallis</i> sp. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection from leaves |
| -29.03 | 167.94 | 28/11/2014 | Asteraceae | <i>Hieracium</i> sp. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection from flowers |
| -29.03 | 167.99 | 22/10/2013 | Convolvulaceae | <i>Ipomoea batatas</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|--|--|---|--------------|---------------|-------------------------------|-----------------------------------|----------------------------|----------------------------------|
| -29.03 | 167.98 | 25/09/2013 | Convolvulaceae | <i>Ipomoea batatas</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.05 | 167.92 | 23/11/2014 | Convolvulaceae | <i>Ipomoea cairica</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.02 | 167.97 | 22/09/2013 | Convolvulaceae | <i>Ipomoea cairica</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/12/2012 | Convolvulaceae | <i>Ipomoea</i> sp. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection from leaves |
| -29.01 | 167.95 | 26/12/2012 | Oleaceae | <i>Jasminum</i> sp. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection from leaves |
| -29.01 | 167.93 | 16/10/2014 | Verbenaceae | <i>Lantana camara</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/12/2012 | Fabaceae | <i>Medicago</i> L. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 27/12/2012 | Myrtaceae, Convolvulaceae, Rutaceae, | <i>Metrosideros</i> sp., <i>Ipomoea</i> sp. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 24/12/2013 | Moraceae, unknown | <i>Murraya, Morus</i> sp. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 26/12/2012; 20/02/2014; 24/09/2013 | Musaceae | <i>Musa</i> sp. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection from fruit |
| -29.02 | 167.96 | 9/07/2013 | Musaceae | <i>Musa</i> sp. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection from dead leaves |
| -29.05 | 167.95 | 12/10/2014 | NA | NA | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Light trap |
| -29.02 | 167.95 | 24/12/2013 | Passifloraceae | <i>Passiflora ligularis</i> Juss. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 23/11/2014; 24/12/2013 | Apiaceae | <i>Pterodrilum crispum</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 25/11/2014 | Fabaceae | <i>Phaseolus</i> sp. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 23/12/2012 | Fabaceae | <i>Phaseolus</i> sp. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 21/12/2013 | Fabaceae, Apiaceae | <i>Phaseolus</i> sp., <i>Apium graveolens</i> , | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 24/12/2012 | Fabaceae, Asteraceae | <i>Lactuca carola</i> <i>Phaseolus</i> sp., <i>Lactuca sativa</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection (larvae) |
| -29.03 | 167.99 | 22/10/2013 | Solanaceae | <i>Physalis peruviana</i> L. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 9/07/2013 | Various, Solanaceae, Asteraceae | <i>Physalis</i> sp., <i>Bidens pilosa</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.01 | 167.94 | 23/12/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection from leaves |
| -29.05 | 167.93 | 23/11/2014 | Phytolaccaceae | <i>Rivina humilis</i> L. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection from leaves |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---|----------------------|--|--------------|---------------|--|-----------------------------------|----------------------------|---|
| -29.03 | 167.99 | 22/12/2012; 7/10/2014; 23/05/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection from flowers and leaves |
| -29.02 | 167.96 | 10/06/2013; 26/09/2013 | Solanaceae | <i>Solanum melongena</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 23/10/2013 | Solanaceae | <i>Solanum muricatum</i> Aiton | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.02 | 167.97 | 22/09/2013 | Solanaceae | <i>Solanum nodiflorum</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 25/05/2014 | Solanaceae | <i>Solanum tuberosum</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Beating |
| -29.03 | 167.99 | 22/10/2013 | Chenopodiaceae | <i>Spinacia oleracea</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/03/2014 | Meliaceae, Rubiaceae | <i>Toona</i> (Endl.) M. Roem., <i>Coffea</i> sp. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/10/2013 | Poaceae, Fabaceae | <i>Trifolium</i> sp. | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.05 | 167.93 | 26/03/2014 | Unknown | Unknown | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/12/2012 | Poaceae | Unknown | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 24/11/2014 | Unknown | Unknown | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.02 | 167.95 | 25/12/2013 | Unknown | Unknown | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.01 | 167.95 | 22/11/2014 | Unknown | Unknown | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 24/12/2013 | Unknown | Unknown | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection from dead wood in pot plant |
| -29.02 | 167.96 | 28/11/2014 | Unknown | Unknown | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection from leaf litter |
| -29.12 | 167.95 | 15/10/2014 | Cucurbitaceae | <i>Zehneria baneriana</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Cucurbitaceae | <i>Zehneria baneriana</i> | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 9/07/2013 | Various | | Thysanoptera | Thripidae | <i>Hercinothrips bicornis</i> | Y | Y | Hand collection |
| -29.05 | 167.92 | 23/05/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Thysanoptera | Thripidae | <i>Hercinothrips femoralis</i> (Reuter, 1891) | Y | Y | Trapping |
| -29.05 | 167.92 | 23/05/2014 | Convolvulaceae | <i>Ipomoea cairica</i> | Thysanoptera | Thripidae | <i>Hercinothrips femoralis</i> | Y | Y | Beating |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Lepidoptera | Crambidae | <i>Herpetogramma licarsisalis</i> (Walker, 1859) | N | Y | Light trap |
| -29.05 | 167.92 | 19/05/2014 | NA | NA | Lepidoptera | Crambidae | <i>Herpetogramma licarsisalis</i> | N | Y | Light trap |
| -29.04 | 167.94 | 28/02/2014 | NA | NA | Lepidoptera | Crambidae | <i>Herpetogramma licarsisalis</i> | N | Y | Light trap |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Lepidoptera | Crambidae | <i>Herpetogramma licarsisalis</i> | N | Y | Light trap |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|------------------------------|---|----------------|-----------------|---|-----------------------------------|----------------------------|---|
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Lepidoptera | Crambidae | <i>Herpetogramma licarsisalis</i> | N | Y | Bucket light trap |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Lepidoptera | Crambidae | <i>Herpetogramma licarsisalis</i> | N | Y | Light trap |
| -29.01 | 167.95 | 23/05/2014 | NA | NA | Lepidoptera | Crambidae | <i>Herpetogramma licarsisalis</i> | N | Y | Light trap |
| -29.01 | 167.94 | 24/02/2014 | NA | NA | Lepidoptera | Crambidae | <i>Herpetogramma licarsisalis</i> | N | Y | Light trap |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Lepidoptera | Crambidae | <i>Herpetogramma licarsisalis</i> | N | Y | Light trap in eucalypt forest |
| -29.00 | 167.93 | 22/02/2014 | NA | NA | Lepidoptera | Crambidae | <i>Herpetogramma licarsisalis</i> | N | Y | Bucket light trap in orchard |
| -29.03 | 167.93 | 19/02/2014 | Poaceae, Solanaceae, various | <i>Zea mays</i> , <i>Solanum lycopersicum</i> | Lepidoptera | Crambidae | <i>Herpetogramma licarsisalis</i> | N | Y | Sweep net |
| -29.02 | 167.93 | 25/02/2014 | Poaceae | <i>Cenchrus purpureus</i> | Lepidoptera | Crambidae | <i>Herpetogramma licarsisalis</i> | N | Y | Sweep net |
| -29.04 | 167.94 | 23/09/2013 | Poaceae | <i>Digitaria</i> sp. | Coleoptera | Scarabaeidae | <i>Heteronychus arator</i> (Fabricius, 1775) | N | Y | Hand collection in lawn near lab |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Heteronychus arator</i> | N | Y | Light trap |
| -29.03 | 167.95 | 7/10/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Heteronychus arator</i> | N | Y | Light trap |
| -29.03 | 167.95 | 10/06/2013 | NA | NA | Coleoptera | Scarabaeidae | <i>Heteronychus arator</i> | N | Y | Hand collection attracted to light |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Heteronychus arator</i> | N | Y | Light trap in eucalypt forest |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Heteronychus arator</i> | N | Y | Light trap #4 |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Heteronychus arator</i> | N | Y | Light trap #3 |
| -29.05 | 167.92 | 26/11/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Heteronychus arator</i> | N | Y | Light trap among Norfolk Island pines |
| -29.01 | 167.95 | 23/05/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Heteronychus arator</i> | N | Y | Light trap Set 22.5.2014, collected 23.5.2014 |
| -29.03 | 167.94 | 26/05/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Heteronychus arator</i> | N | Y | Light trap Set 25.5.2014, collected 26.5.2014 |
| -29.00 | 167.93 | 20/02/2014 | Rutaceae | <i>Citrus × aurantium</i> | Coleoptera | Scarabaeidae | <i>Heteronychus arator</i> | N | Y | Hand collection |
| -29.01 | 167.93 | 13/06/2013 | Rutaceae | <i>Citrus</i> sp. | Sarcoptiformes | Histiogmatidae | <i>Histiogmatia</i> Kramer, 1876 | Y | ? | Hand collection |
| -29.01 | 167.95 | 22/11/2014 | Malvaceae | <i>Hibiscus</i> sp. | Thysanoptera | Phlaeothripidae | <i>Holoerythrips maynardae</i> Mound & Tree, 2014 | Y | N | Hand collection from dead twigs and leaves |
| -29.02 | 167.96 | 26/11/2014 | Malvaceae | <i>Lagunaria patersoniana</i> | Thysanoptera | Phlaeothripidae | <i>Holoerythrips maynardae</i> | Y | N | Hand collection from dead branch and moss |
| -29.02 | 167.95 | 26/12/2013 | Oleaceae | <i>Olea europaea</i> subsp. <i>causidata</i> | Thysanoptera | Phlaeothripidae | <i>Holoerythrips maynardae</i> | Y | N | Hand collection from dead branches |
| -29.01 | 167.94 | 23/12/2013 | Atreaceae | <i>Rhopalosiphum baueri</i> | Thysanoptera | Phlaeothripidae | <i>Holoerythrips maynardae</i> | Y | N | Hand collection from dead front |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|---------------------------|--|--------------|-----------------|---|-----------------------------------|----------------------------|---|
| -29.02 | 167.96 | 25/12/2012 | Meliaceae | <i>Toona ciliata</i> | Thysanoptera | Phlaeothripidae | <i>Holoengythrips maynardae</i> | Y | N | Hand collection from dead branches |
| -29.03 | 167.93 | 22/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Holoengythrips maynardae</i> | Y | N | Hand collection from dead branch |
| -29.01 | 167.95 | 26/10/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Holoengythrips maynardae</i> | Y | N | Hand collection from dead branch |
| -29.01 | 167.95 | 26/10/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Holoengythrips maynardae</i> | Y | N | Hand collection from dead branch and lichens |
| -29.02 | 167.96 | 27/12/2012 | Arecaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Holoengythrips maynardae</i> | Y | N | Hand collection from dead leaves |
| -29.03 | 167.93 | 22/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Holoengythrips maynardae</i> | Y | N | Hand collection from dead wood |
| -29.02 | 167.95 | 24/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Holoengythrips maynardae</i> | Y | N | Hand collection from dead wood |
| -29.02 | 167.96 | 25/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Holoengythrips maynardae</i> | Y | N | Hand collection from dead wood |
| -29.02 | 167.96 | 29/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Holoengythrips maynardae</i> | Y | N | Hand collection from leaf litter |
| -29.04 | 167.99 | 23/11/2014 | Malvaceae | <i>Hibiscus insularis</i> | Thysanoptera | Phlaeothripidae | <i>Holoengythrips maynardae</i> | Y | N | Hand collection from dead wood and dead seed heads |
| -29.01 | 167.94 | 24/02/2014 | NA | NA | Diptera | Lauxaniidae | <i>Homoneura van der Wulp, 1891</i> | ? | ? | Light trap |
| -29.02 | 167.95 | 24/12/2013 | Celastraceae | <i>Elaeodendron curtipendulum</i> | Thysanoptera | Phlaeothripidae | <i>Hoplandrothrips lei</i> (Kamy, 1925) | N | N | Hand collection from lichens |
| -29.05 | 167.93 | 25/12/2013 | Araucariaceae, Proteaceae | <i>Grevillea robusta</i> | Thysanoptera | Phlaeothripidae | <i>Hoplandrothrips lei</i> | N | N | Hand collection from dead wood |
| -29.02 | 167.96 | 29/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Phlaeothripidae | <i>Hoplandrothrips lei</i> | N | N | Hand collection |
| -29.01 | 167.95 | 26/12/2013 | Oleaceae | <i>Olea europaea</i> subsp. <i>cuspidata</i> | Thysanoptera | Phlaeothripidae | <i>Hoplandrothrips lei</i> | N | N | Hand collection from dead branches |
| -29.02 | 167.96 | 25/12/2013 | Meliaceae | <i>Toona ciliata</i> | Thysanoptera | Phlaeothripidae | <i>Hoplandrothrips lei</i> | N | N | Hand collection from dead branch |
| -29.02 | 167.95 | 25/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Hoplandrothrips lei</i> | N | N | Hand collection from dead branches |
| -29.02 | 167.96 | 29/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Hoplandrothrips lei</i> | N | N | Hand collection from leaf litter |
| -29.02 | 167.95 | 24/12/2013 | Rosaceae, Meliaceae | | Thysanoptera | Phlaeothripidae | <i>Hoplandrothrips lei</i> | N | N | Hand collection |
| -29.02 | 167.96 | 26/12/2013 | Bignoniaceae | <i>Jacaranda</i> sp. | Thysanoptera | Phlaeothripidae | <i>Hoplothrips orientalis</i> (Ananthakrishnan, 1969) | Y | Y | Hand collection from dead branch |
| -29.04 | 167.94 | 10/07/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Hoplothrips orientalis</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 23/12/2012 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Hoplothrips orientalis</i> | Y | Y | Hand collection from pile of rubbish and dead twigs |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|--|---|--|--------------|-----------------|---|-----------------------------------|----------------------------|---|
| -29.01 | 167.94 | 22/12/2012 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Hoplothrips orientalis</i> | Y | Y | Hand collection on ground among dead twigs |
| -29.01 | 167.94 | 30/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Hoplothrips orientalis</i> | Y | Y | Hand collection from dead wood |
| -29.04 | 167.99 | 23/11/2014 | Malvaceae | <i>Hibiscus insularis</i> | Thysanoptera | Phlaeothripidae | <i>Hoplothrips orientalis</i> | Y | Y | Hand collection from dead wood and seed heads |
| -29.03 | 167.95 | 11/06/2013; 12/06/2013; 25/09/2013 | Apocynaceae | <i>Plumeria rubra</i> | Hemiptera | Diaspididae | <i>Howardia biclavis</i> (Comstock, 1883) | Y | Y | Hand collection |
| -29.02 | 167.96 | 26/09/2013 | Apocynaceae | <i>Plumeria rubra</i> | Hemiptera | Diaspididae | <i>Howardia biclavis</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 25/09/2013 | Rosaceae | <i>Malus pumila</i> | Hemiptera | Diaspididae | <i>Howardia biclavis</i> | Y | Y | Hand collection |
| -29.02 | 167.93 | 24/10/2013 | Various | | Diptera | Ephydriidae | <i>Hydrellia tritici</i> Coquillett, 1903 | Y | Y | Yellow pan among various young vegetables |
| -29.02 | 167.95 | 25/12/2012 | Apocynaceae | <i>Alyxia gynopogon</i> | Diptera | Ephydriidae | <i>Hydrellia tritici</i> | Y | Y | Beating |
| -29.03 | 167.99 | 24/12/2012 | Cucurbitaceae | <i>Cucurbita pepo</i> | Diptera | Ephydriidae | <i>Hydrellia tritici</i> | Y | Y | Yellow pan in bare soil beside cucurbits |
| -29.03 | 167.99 | 24/12/2012 | Musaceae | <i>Musa</i> sp. | Diptera | Ephydriidae | <i>Hydrellia tritici</i> | Y | Y | Yellow pan |
| -29.05 | 167.98 | 10/10/2014 | NA | NA | Diptera | Ephydriidae | <i>Hydrellia tritici</i> | Y | Y | Light trap Set 9,10,14, collected 10,10,14 |
| -29.01 | 167.95 | 25/12/2012 | Lamiaceae, Lamiaceae, Brassicaceae, Musaceae | <i>Nephrolepis</i> sp. <i>Ocimum basilicum</i> , <i>Musa</i> sp. | Diptera | Ephydriidae | <i>Hydrellia tritici</i> | Y | Y | Yellow pan |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Solanum melongena</i> | Diptera | Ephydriidae | <i>Hydrellia tritici</i> | Y | Y | Yellow pan near bananas |
| -29.03 | 167.94 | 19/02/2014 | Poaceae | Unknown | Diptera | Ephydriidae | <i>Hydrellia tritici</i> | Y | Y | Yellow pan among plants |
| -29.03 | 167.99 | 23/10/2013 | Various | | Diptera | Ephydriidae | <i>Hydrellia tritici</i> | Y | Y | Hand collection |
| -29.01 | 167.94 | 24/02/2014 | NA | NA | Lepidoptera | Heminiidae | <i>Hydrilodes norfolki</i> Holloway, 1977 | N | N | Light trap |
| -29.05 | 167.95 | 27/05/2014 | NA | NA | Hymenoptera | Colletidae | <i>Hyleoides concinna</i> (Fabricius, 1775) | Y | Y | Hand collection from window sill |
| -29.01 | 167.92 | 16/10/2014 | Asteraceae | <i>Sonchus oleraceus</i> L. | Hemiptera | Aphididae | <i>Hyperomyzus lacucae</i> (Linnaeus, 1758) | Y | Y | Hand collection |
| -29.01 | 167.94 | 24/09/2013 | Arecaceae | Unknown | Mesostigmata | Laelapidae | <i>Hypoopsis Canestrini</i> , 1884 | Y | ? | Berlese funnel from leaf litter under palms |
| -29.02 | 167.96 | 25/05/2014 | Arecaceae | <i>Howea</i> sp. | Hymenoptera | Formicidae | <i>Hypoponera punctatissima</i> (Roger, 1859) | N | Y | Hand collection |
| -29.03 | 167.97 | 25/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hymenoptera | Formicidae | <i>Hypoponera punctatissima</i> | N | Y | Hand collection from timber |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|----------------|---|--------------|---------------|---|-----------------------------------|----------------------------|---|
| -29.04 | 167.99 | 14/06/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Hemiptera | Aphididae | <i>Hysteroxena setariae</i> (Thomas, 1878) | Y | Y | Hand collection from leaves |
| -29.01 | 167.93 | 20/05/2014 | Poaceae | <i>Paspalum</i> sp. | Hemiptera | Aphididae | <i>Hysteroxena setariae</i> | Y | Y | Sweep net in eucalypt forest |
| -29.04 | 167.93 | 18/02/2014 | Rutaceae | <i>Citrus ×aurantium</i> | Hemiptera | Monophlebidae | <i>Icerya</i> Signoret, 1875 | ? | ? | Hand collection |
| -29.03 | 167.93 | 12/06/2013 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Monophlebidae | <i>Icerya</i> sp. | ? | ? | Hand collection (immatures) |
| -29.03 | 167.99 | 20/02/2014 | Moraceae | <i>Ficus carica</i> | Hemiptera | Monophlebidae | <i>Icerya</i> sp. | ? | ? | Hand collection (immatures) |
| -29.04 | 167.99 | 25/09/2013 | Rosaceae | <i>Fragaria ×anassa</i> | Hemiptera | Monophlebidae | <i>Icerya</i> sp. | ? | ? | Hand collection |
| -29.04 | 167.93 | 18/02/2014 | Rhamnaceae | <i>Novena dulcis</i> Thunb. | Hemiptera | Monophlebidae | <i>Icerya</i> sp. | ? | ? | Hand collection |
| -29.04 | 167.93 | 18/02/2014 | Musaceae | <i>Musa</i> sp. | Hemiptera | Monophlebidae | <i>Icerya</i> sp. | ? | ? | Hand collection |
| -29.05 | 167.97 | 24/02/2014 | Vitaceae | <i>Vitis vinifera</i> | Hemiptera | Monophlebidae | <i>Icerya</i> sp. | ? | ? | Hand collection |
| -29.00 | 167.93 | 24/09/2013 | Rutaceae | <i>Citrus sinensis</i> | Hemiptera | Monophlebidae | <i>Icerya purchasi</i> Maskell, 1879 | N | Y | Hand collection |
| -29.05 | 167.93 | 27/09/2013 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Monophlebidae | <i>Icerya purchasi</i> | N | Y | Hand collection |
| -29.04 | 167.93 | 18/02/2014 | Caricaceae | <i>Carica papaya</i> | Hemiptera | Monophlebidae | <i>Icerya purchasi</i> | N | Y | Hand collection |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Lepidoptera | Immidae | <i>Imma celiphaga</i> Bradley, 1982 | N | Y | Light trap |
| -29.01 | 167.94 | 24/02/2014 | NA | NA | Lepidoptera | Immidae | <i>Imma celiphaga</i> | N | Y | Light trap |
| -29.03 | 167.96 | 25/05/2014 | NA | NA | Lepidoptera | Immidae | <i>Imma celiphaga</i> | N | Y | Light trap |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Lepidoptera | Immidae | <i>Imma celiphaga</i> | N | Y | Light trap |
| -29.12 | 167.95 | 15/10/2014 | Fabaceae | <i>Lupinus</i> sp. | Lepidoptera | Immidae | <i>Imma</i> Walker, 1859 | ? | ? | Beating |
| -29.03 | 167.94 | 24/05/2014 | NA | NA | Orthoptera | Podoscirtidae | <i>Insulascirtus christiani</i> Otte, & Rentz, 1985 | N | N | Dipping and hand collection from old discarded animal cage with small container holding water |
| -29.01 | 167.94 | 24/09/2013 | Areaceae | Unknown | Mesosigmata | Ascidae | <i>Iphidazercon gibbus</i> (Berlese, 1903) | Y | N | Berlese funnel from leaf litter under palms |
| -29.05 | 167.95 | 24/05/2014 | NA | NA | Mesosigmata | Ascidae | <i>Iphidazercon gibbus</i> | Y | N | <i>Culicoides</i> trap |
| -29.04 | 167.99 | 8/10/2014 | Rutaceae | <i>Citrus ×aurantium</i> | Hymenoptera | Formicidae | <i>Iridomyrmex</i> Mayr, 1862 | ? | ? | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Apocynaceae | <i>Gomphocarpus physocarpus</i> | Hymenoptera | Formicidae | <i>Iridomyrmex</i> sp. | ? | ? | Hand collection |
| -29.12 | 167.96 | 15/10/2014 | Convolvulaceae | <i>Ipomoea cairica</i> | Hymenoptera | Formicidae | <i>Iridomyrmex</i> sp. | ? | ? | Beating |
| -29.12 | 167.96 | 15/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Hymenoptera | Formicidae | <i>Iridomyrmex</i> sp. | ? | ? | Beating |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|-------------------------|---------------|--|--------------|---------------|---|-----------------------------------|----------------------------|---|
| -29.03 | 167.99 | 23/05/2014 | Euphorbiaceae | <i>Ricinus communis</i> | Hymenoptera | Fornicidae | <i>Iridomyrmex</i> sp. | ? | ? | Beating |
| -29.06 | 167.94 | 22/09/2013 | Oleaceae | <i>Olea europaea</i> subsp. <i>cuspidata</i> | Hymenoptera | Fornicidae | <i>Iridomyrmex calvus</i> Emery, 1914 | N | Y | Hand collection |
| -29.03 | 167.95 | 22/09/2013 | Rutaceae | <i>Citrus</i> sp. | Hymenoptera | Fornicidae | <i>Iridomyrmex calvus</i> | N | Y | Hand collection |
| -29.00 | 167.93 | 23/12/2012 | Various | | Hymenoptera | Fornicidae | <i>Iridomyrmex suchieri</i> Forel, 1907 | N | Y | Yellow pan among various young vegetables |
| -29.05 | 167.97 | 24/02/2014 | Caricaceae | <i>Carica papaya</i> | Hymenoptera | Fornicidae | <i>Iridomyrmex suchieri</i> | N | Y | Hand collection |
| -29.03 | 167.93 | 19/02/2014 | Poaceae | <i>Cenchrus purpureus</i> | Hymenoptera | Fornicidae | <i>Iridomyrmex suchieri</i> | N | Y | Hand collection |
| -29.05 | 167.97 | 24/02/2014 | Rutaceae | <i>Citrus</i> sp. | Hymenoptera | Fornicidae | <i>Iridomyrmex suchieri</i> | N | Y | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Poaceae | <i>Digitaria</i> sp. | Hymenoptera | Fornicidae | <i>Iridomyrmex suchieri</i> | N | Y | Hand collection |
| -29.04 | 167.93 | 18/02/2014 | Apiaceae | <i>Foeniculum vulgare</i> | Hymenoptera | Fornicidae | <i>Iridomyrmex suchieri</i> | N | Y | Hand collection |
| -29.04 | 167.96 | 10/10/2014 | Proteaceae | <i>Grevillea</i> R.Br. ex Knight | Hymenoptera | Fornicidae | <i>Iridomyrmex suchieri</i> | N | Y | Beating (workers) |
| -29.03 | 167.99 | 25/09/2013 | Asteraceae | <i>Lactuca sativa</i> | Hymenoptera | Fornicidae | <i>Iridomyrmex suchieri</i> | N | Y | Hand collection from hydroponics |
| -29.02 | 167.97 | 22/09/2013 | NA | NA | Hymenoptera | Fornicidae | <i>Iridomyrmex suchieri</i> | N | Y | Hand collection from ant nest |
| -29.06 | 167.95 | 27/09/2013 | NA | NA | Hymenoptera | Fornicidae | <i>Iridomyrmex suchieri</i> | N | Y | Hand collection from soil |
| -29.04 | 167.94 | 23/09/2013 | NA | NA | Hymenoptera | Fornicidae | <i>Iridomyrmex suchieri</i> | N | Y | Hand collection from soil |
| -29.02 | 167.96 | 26/09/2013 | NA | NA | Hymenoptera | Fornicidae | <i>Iridomyrmex suchieri</i> | N | Y | Hand collection from soil |
| -29.04 | 167.99 | 25/09/2013; | NA | NA | Hymenoptera | Fornicidae | <i>Iridomyrmex suchieri</i> | N | Y | Hand collection |
| -29.04 | 167.94 | 23/09/2013 | NA | NA | Hymenoptera | Fornicidae | <i>Iridomyrmex suchieri</i> | N | Y | Hand collection |
| -29.03 | 167.97 | 18/02/2014 | NA | NA | Hymenoptera | Fornicidae | <i>Iridomyrmex suchieri</i> | N | Y | Hand collection from timber |
| -29.06 | 167.94 | 11/10/2014 | Combretaceae | <i>Terminalia catappa</i> | Hymenoptera | Fornicidae | <i>Iridomyrmex suchieri</i> | N | Y | Beating |
| -29.04 | 167.99 | 23 - 24/03/2014 | Various | | Hymenoptera | Fornicidae | <i>Iridomyrmex suchieri</i> | N | Y | Yellow pan among various vegetables |
| -29.05 | 167.92 | 24/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Tenebrionidae | <i>Ischnus Fauvel, 1904</i> | ? | ? | Hand collection from felled tree |
| -29.05 | 167.92 | 2/12/2014; 3/12/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Tenebrionidae | <i>Ischnus</i> sp. | ? | ? | Hand collection from felled tree #2 |
| -29.03 | 167.97 | 7/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Tenebrionidae | <i>Ischnus</i> sp. | ? | ? | Hand collection from timber |
| -29.03 | 167.97 | 7/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Tenebrionidae | <i>Ischnus</i> sp. | ? | ? | Hand collection from timber |
| -29.03 | 167.97 | 18/02/2014 | NA | NA | Coleoptera | Tenebrionidae | <i>Ischnus</i> sp. | ? | ? | Hand collection from timber billets |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|-------------------|---|--------------|-----------------|---|-----------------------------------|----------------------------|---|
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Tenebrionidae | <i>Iscamus</i> sp. | ? | ? | Light trap #3 |
| -29.03 | 167.97 | 27/11/2014 | NA | NA | Coleoptera | Tenebrionidae | <i>Iscamus</i> sp. | ? | ? | Light trap |
| -29.02 | 167.97 | 22/12/2012 | Polygonaceae | <i>Rumex browinii</i> | Odonata | Coenagrionidae | <i>Ischnura aurora</i> (Brauer, 1865) | N | Y | Sweep net of dead seed heads |
| -29.03 | 167.97 | 25/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Blattodea | Kalotermitidae | <i>Kalotermes banksiae</i> (Hill, 1942) | N | Y | Hand collection from timber |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Blattodea | Kalotermitidae | <i>Kalotermes banksiae</i> | N | Y | Bucket light trap |
| -29.05 | 167.94 | 22/09/2013 | Oleaceae | <i>Olea europaea</i> subsp. <i>caespitata</i> | Blattodea | Kalotermitidae | <i>Kalotermes banksiae</i> | N | Y | Hand collection |
| -29.05 | 167.92 | 27/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Blattodea | Kalotermitidae | <i>Kalotermes banksiae</i> | N | Y | Hand collection from dead branch on live tree |
| -29.04 | 167.99 | 22/05/2014 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Phlaeothripidae | <i>Karyothrips flavipes</i> (Jones, 1912) | Y | Y | Beating |
| -29.04 | 167.99 | 24/03/2014 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Phlaeothripidae | <i>Karyothrips flavipes</i> | Y | Y | Hand collection from young leaves |
| -29.03 | 167.99 | 24/11/2014 | Apiaceae | <i>Cottandrum sativum</i> | Thysanoptera | Phlaeothripidae | <i>Karyothrips flavipes</i> | Y | Y | Hand collection from flowers |
| -29.00 | 167.94 | 24/02/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Phlaeothripidae | <i>Karyothrips flavipes</i> | Y | Y | Beating |
| -29.04 | 167.99 | 25/09/2013 | Rutaceae | <i>Citrus × aurantium</i> | Thysanoptera | Phlaeothripidae | <i>Karyothrips flavipes</i> | Y | Y | Hand collection from leaves and fruit |
| -29.02 | 167.95 | 23/12/2012 | Poaceae | <i>Cenchrus clandestinus</i> | Thysanoptera | Phlaeothripidae | <i>Karyothrips melaleucus</i> (Bagnall, 1911) | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/03/2014 | Poaceae | <i>Cenchrus purpureus</i> | Thysanoptera | Phlaeothripidae | <i>Karyothrips melaleucus</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 23/11/2014 | Malvaceae | <i>Hibiscus insularis</i> | Thysanoptera | Phlaeothripidae | <i>Karyothrips melaleucus</i> | Y | Y | Hand collection from dead wood, dead seed heads |
| -29.03 | 167.99 | 9/07/2013 | NA | NA | Thysanoptera | Phlaeothripidae | <i>Karyothrips melaleucus</i> | Y | Y | Hand collection from grassy fence |
| -29.00 | 167.94 | 24/03/2014 | Poaceae, Oleaceae | <i>Olea europaea</i> subsp. <i>caespitata</i> | Thysanoptera | Phlaeothripidae | <i>Karyothrips melaleucus</i> | Y | Y | Hand collection from grasses, olive leaf litter |
| -29.00 | 167.94 | 27/11/2014 | Oleaceae | <i>Olea europaea</i> subsp. <i>caespitata</i> | Thysanoptera | Phlaeothripidae | <i>Karyothrips melaleucus</i> | Y | Y | Hand collection from litter |
| -29.02 | 167.96 | 25/03/2014 | Poaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Karyothrips melaleucus</i> | Y | Y | Hand collection |
| -29.00 | 167.94 | 24/03/2014 | Poaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Karyothrips melaleucus</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 23/03/2014 | Poaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Karyothrips melaleucus</i> | Y | Y | Hand collection, betesate of dried grass |
| -29.01 | 167.93 | 25/11/2014 | Poaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Karyothrips melaleucus</i> | Y | Y | Hand collection in eucalypt forest |
| -29.05 | 167.93 | 25/03/2014 | Poaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Karyothrips melaleucus</i> | Y | Y | Hand collection from grass |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|----------------|-------------------------------|----------------|-----------------|---|-----------------------------------|----------------------------|---|
| -29.03 | 167.92 | 23/11/2014 | Poaceae | <i>Cenchrus clandestinus</i> | Thysanoptera | Phlaeothripidae | <i>Karyothrips melaleucus</i> | Y | Y | Hand collection |
| -29.01 | 167.94 | 24/09/2013 | Areaceae | Unknown | Collembola | Katiannidae | <i>Katianna Börner</i> , 1906 | Y | ? | Berlese funnel from leaf litter under palms |
| -29.04 | 167.98 | 27/11/2014 | Vitaceae | <i>Vitis vinifera</i> | Mesostigmata | Phytoseiidae | <i>Kuzinellus scythinus</i> (Chazeau, 1970) | Y | Y | Ethanol wash |
| -29.03 | 167.94 | 24/11/2014 | Geraniaceae | <i>Pelargonium</i> sp. | Mesostigmata | Phytoseiidae | <i>Kuzinellus scythinus</i> | Y | Y | Ethanol wash |
| -29.00 | 167.93 | 21/02/2014 | NA | NA | Diptera | Lonchaeidae | <i>Lamprolonchaea browniana</i> (Bezza, 1919) | Y | Y | Bucket light trap |
| -29.03 | 167.99 | 20/02/2014 | Fabaceae | <i>Phaseolus vulgaris</i> | Diptera | Lonchaeidae | <i>Lamprolonchaea browniana</i> | Y | Y | Hand collection |
| Unknown | Unknown | 18/03/2013 | Solanaceae | <i>Solanum lycopersicum</i> | Diptera | Lonchaeidae | <i>Lamprolonchaea browniana</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 20/02/2014 | Convolvulaceae | <i>Ipomoea batatas</i> | Diptera | Lonchaeidae | <i>Lamprolonchaea browniana</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 26/05/2014 | Rutaceae | <i>Citrus reticulata</i> | Coleoptera | Nitidulidae | <i>Lasiodactylus Perty</i> , 1830 | ? | ? | Hand collection from fallen fruit |
| -29.01 | 167.95 | 23/09/2013 | Rutaceae | <i>Citrus × limon</i> | Coleoptera | Nitidulidae | <i>Lasiodactylus calvus</i> Olliff, 1888 | N | Y | Hand collection |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Nitidulidae | <i>Lasiodactylus calvus</i> | N | Y | Light trap #3 |
| -29.02 | 167.95 | 25/12/2012 | Lamiaceae | <i>Neprolepis</i> sp. | Coleoptera | Nitidulidae | <i>Lasiodactylus calvus</i> | N | Y | Yellow pan |
| -29.01 | 167.96 | 10/06/2013 | Rutaceae | <i>Citrus × aurantium</i> | Coleoptera | Nitidulidae | <i>Lasiodactylus calvus</i> | N | Y | Hand collection from rotten fruit |
| -29.12 | 167.95 | 14/10/2014 | Malvaceae | <i>Lagunaria patersoniana</i> | Coleoptera | Ptinidae | <i>Leanothium marmoratus</i> (Lea, 1924) | N | N | Hand collection and beating |
| -29.02 | 167.57 | 10/12/2014 | NA | NA | Coleoptera | Ptinidae | <i>Leanothium marmoratus</i> | N | N | Hand collection |
| -29.02 | 167.94 | 2/12/2014 | NA | NA | Coleoptera | Ptinidae | <i>Leanothium marmoratus</i> | N | N | Light trap in Norfolk Island pines |
| -29.03 | 167.97 | 27/11/2014 | NA | NA | Coleoptera | Ptinidae | <i>Leanothium marmoratus</i> | N | N | Light trap |
| -29.01 | 167.93 | 26/11/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Coleoptera | Ptinidae | <i>Leanothium marmoratus</i> | N | N | Sweep net |
| -29.01 | 167.94 | 24/09/2013 | Areaceae | Unknown | Hemiptera | Reduviidae | <i>Leaylia norfolkiana</i> (Wygodzinsky, 1956) | N | N | Berlese funnel from leaf litter under palms |
| -29.02 | 167.92 | 25/05/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Hemiptera | Reduviidae | <i>Leaylia norfolkiana</i> | N | N | Trapping from eucalypt leaf litter |
| -29.01 | 167.93 | 13/06/2013 | Rutaceae | <i>Citrus</i> sp. | Sarcoptiformes | Glycyphagidae | <i>Lepidoglyphus destructor</i> (Schrank, 1781) | Y | Y | Hand collection |
| -29.03 | 167.92 | 21/05/2014 | Areaceae | <i>Howea</i> sp. | Hemiptera | Diaspididae | <i>Lepidosaphes Shimer</i> , 1868 | ? | ? | Hand collection |
| -29.00 | 167.93 | 12/06/2013 | Rutaceae | <i>Citrus × aurantium</i> | Hemiptera | Diaspididae | <i>Lepidosaphes beckii</i> (Newman, 1869) | N | Y | Hand collection |
| -29.04 | 167.99 | 14/06/2013 | Rutaceae | <i>Citrus × aurantium</i> | Hemiptera | Diaspididae | <i>Lepidosaphes beckii</i> | N | Y | Hand collection |
| -29.00 | 167.93 | 24/09/2013 | Rutaceae | <i>Citrus × aurantium</i> | Hemiptera | Diaspididae | <i>Lepidosaphes beckii</i> | N | Y | Hand collection |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|---------------------------|---------------------------|--------------|----------------|--|-----------------------------------|----------------------------|---|
| -29.01 | 167.94 | 23/09/2013 | Rutaceae | <i>Citrus ×limon</i> | Hemiptera | Diaspididae | <i>Lepidosaphes beckii</i> | N | Y | Hand collection |
| -29.05 | 167.93 | 27/09/2013 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Diaspididae | <i>Lepidosaphes beckii</i> | N | Y | Hand collection |
| -29.03 | 167.93 | 12/06/2013 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Diaspididae | <i>Lepidosaphes beckii</i> | N | Y | Hand collection |
| -29.03 | 167.95 | 22/09/2013 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Diaspididae | <i>Lepidosaphes beckii</i> | N | Y | Hand collection |
| -29.02 | 167.93 | 25/02/2014 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Diaspididae | <i>Lepidosaphes beckii</i> | N | Y | Hand collection |
| -29.01 | 167.93 | 13/06/2013 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Diaspididae | <i>Lepidosaphes beckii</i> | N | Y | Hand collection |
| -29.03 | 167.93 | 26/09/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Hemiptera | Diaspididae | <i>Lepidosaphes beckii</i> | N | Y | Hand collection |
| -29.01 | 167.94 | 24/09/2013 | Arecaceae | Unknown | Psocodea | Lepidopsocidae | <i>Lepolepis graemei</i> Smithers & Thornton, 1974 | N | N | Berlese funnel from leaf litter under palms |
| -29.03 | 167.99 | 23/10/2013 | Various | | Diptera | Sphaerozeridae | <i>Leptocera</i> Olivier, 1813 | ? | ? | Yellow pan among various young vegetables |
| -29.00 | 167.93 | 24/10/2013 | Various | | Diptera | Sphaerozeridae | <i>Leptocera</i> sp. | ? | ? | Yellow pan among various young vegetables |
| -29.01 | 167.94 | 24/02/2014 | NA | NA | Diptera | Sphaerozeridae | <i>Leptocera</i> sp. | ? | ? | Light trap |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Diptera | Sphaerozeridae | <i>Leptocera</i> sp. | ? | ? | Light trap from eucalypt forest |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Diptera | Sphaerozeridae | <i>Leptocera</i> sp. | ? | ? | Light trap #4 |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Diptera | Sphaerozeridae | <i>Leptocera</i> sp. | ? | ? | Light trap #3 |
| -29.03 | 167.99 | 20/02/2014 | Fabaceae | <i>Phaseolus vulgaris</i> | Diptera | Sphaerozeridae | <i>Leptocera</i> sp. | ? | ? | Hand collection |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Solanum melongena</i> | Diptera | Sphaerozeridae | <i>Leptocera</i> sp. | ? | ? | Yellow pan |
| -29.03 | 167.98 | 25/09/2013 | Solanaceae | <i>Solanum melongena</i> | Diptera | Sphaerozeridae | <i>Leptocera</i> sp. | ? | ? | Beating |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Hemiptera | Cixiidae | <i>Leptolamia lunata</i> Löcker, 2014 | Y | Y | Light trap in eucalypt forest |
| -29.06 | 167.96 | 2/06/2014 | NA | NA | Diptera | Milichidae | <i>Leptomelopa</i> Becker, 1903 | Y | ? | LuciLure trap |
| -29.06 | 167.96 | 12/06/2014 | NA | NA | Diptera | Milichidae | <i>Leptomelopa</i> sp. | Y | ? | LuciLure trap |
| -29.05 | 167.92 | 19/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Leucania stenographa</i> Lower, 1900 | N | Y | Light trap |
| -29.04 | 167.94 | 28/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Leucania stenographa</i> | N | Y | Light trap |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Leucania stenographa</i> | N | Y | Light trap in eucalypt forest |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Leucania stenographa</i> | N | Y | Light trap |
| -29.03 | 167.96 | 25/05/2014 | NA | NA | Diptera | Limoniidae | <i>Limonia</i> Meigen, 1803 | ? | ? | Light trap |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|-------------------|----------------------------------|--------------|---------------|--|-----------------------------------|----------------------------|----------------------------------|
| -29.02 | 167.97 | 22/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Diaspididae | <i>Lindingsaspis rossi</i> (Maskell, 1892) | N | Y | Hand collection |
| -29.02 | 167.93 | 25/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Diaspididae | <i>Lindingsaspis rossi</i> | N | Y | Hand collection |
| -29.00 | 167.94 | 24/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Diaspididae | <i>Lindingsaspis rossi</i> | N | Y | Hand collection |
| -29.05 | 167.92 | 24/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Diaspididae | <i>Lindingsaspis rossi</i> | N | Y | Hand collection from felled tree |
| -29.03 | 167.95 | 25/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Diaspididae | <i>Lindingsaspis rossi</i> | N | Y | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Diaspididae | <i>Lindingsaspis rossi</i> | N | Y | Hand collection |
| -29.02 | 167.94 | 11/06/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Diaspididae | <i>Lindingsaspis rossi</i> | N | Y | Hand collection |
| -29.02 | 167.97 | 22/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Diaspididae | <i>Lindingsaspis rossi</i> | N | Y | Hand collection |
| -29.05 | 167.92 | 27/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Diaspididae | <i>Lindingsaspis rossi</i> | N | Y | Hand collection from felled tree |
| -29.02 | 167.93 | 27/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Diaspididae | <i>Lindingsaspis rossi</i> | N | Y | Hand collection |
| -29.02 | 167.93 | 27/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Diaspididae | <i>Lindingsaspis rossi</i> | N | Y | Hand collection |
| -29.02 | 167.93 | 27/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Diaspididae | <i>Lindingsaspis rossi</i> | N | Y | Ethanol wash |
| -29.03 | 167.99 | 25/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Diaspididae | <i>Lindingsaspis rossi</i> | N | Y | Hand collection from hydroponics |
| -29.02 | 167.93 | 25/05/2014 | Rubiaceae | <i>Coprosma</i> sp. | Hemiptera | Diaspididae | <i>Lindingsaspis rossi</i> | N | Y | Hand collection |
| -29.03 | 167.95 | 15/06/2013 | Hemerocallidaceae | <i>Dianella intermedia</i> Endl. | Hemiptera | Diaspididae | <i>Lindingsaspis rossi</i> | N | Y | Hand collection |
| -29.04 | 167.96 | 26/02/2014 | Myrtaceae | <i>Leptospermum</i> sp. | Hemiptera | Diaspididae | <i>Lindingsaspis rossi</i> | N | Y | Beating |
| -29.02 | 167.96 | 10/06/2013 | Lythraceae | <i>Punica granatum</i> | Hemiptera | Diaspididae | <i>Lindingsaspis rossi</i> | N | Y | Hand collection |
| -29.04 | 167.96 | 26/02/2014 | Fabaceae | Unknown | Hemiptera | Diaspididae | <i>Lindingsaspis rossi</i> | N | Y | Hand collection |
| -29.04 | 167.94 | 9/06/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Diaspididae | <i>Lindingsaspis rossi</i> | N | Y | Hand collection |
| -29.04 | 167.92 | 18/02/2014 | NA | NA | Hymenoptera | Formicidae | <i>Linepithema humile</i> (Mayr, 1868) | N | Y | Hand collection |
| -29.02 | 167.92 | 24/06/2014 | NA | NA | Hymenoptera | Formicidae | <i>Linepithema humile</i> | N | Y | LuciLure trap |
| -29.04 | 167.94 | 18/05/2014 | NA | NA | Hymenoptera | Formicidae | <i>Linepithema humile</i> | N | Y | Hand collection |
| -29.03 | 167.92 | 21/05/2014 | Caricaceae | <i>Carica papaya</i> | Hymenoptera | Formicidae | <i>Linepithema humile</i> | N | Y | Beating |
| -29.03 | 167.99 | 11/10/2014 | Brassicaceae | <i>Brassica rapa</i> L. | Hemiptera | Aphididae | <i>Lipaphis pseudobrassiccae</i> (Davis, 1914) | Y | Y | Hand collection |
| -29.04 | 167.99 | 8/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Aphididae | <i>Lipaphis pseudobrassiccae</i> | Y | Y | Beating |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|-----------------|-------------------------------|--|--------------|---------------|---|-----------------------------------|----------------------------|--|
| -29.03 | 167.98 | 14/06/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> | Hemiptera | Aphididae | <i>Lipaphis pseudobrassicae</i> | Y | Y | Beating |
| -29.04 | 167.99 | 23 - 24/03/2014 | Various | | Diptera | Agromyzidae | <i>Liriomyza</i> Mik, 1894 | Y | ? | Yellow pan among various vegetables |
| -29.03 | 167.99 | 21/02/2014 | Fabaceae | <i>Glycine max</i> | Diptera | Agromyzidae | <i>Liriomyza</i> sp. | Y | ? | Hand collection |
| -29.05 | 167.97 | 24/02/2014 | Brassicaceae | <i>Nasturtium Aiton</i> | Diptera | Agromyzidae | <i>Liriomyza</i> sp. | Y | ? | Hand collection |
| -29.03 | 167.99 | 23/12/2012 | Poaceae and Brassicaceae | <i>Zea mays</i> , <i>Brassica oleracea</i> var. <i>italica</i> | Diptera | Agromyzidae | <i>Liriomyza</i> sp. | Y | ? | Yellow pan among old corn and young broccoli |
| -29.03 | 167.99 | 23/10/2013 | Various | | Diptera | Agromyzidae | <i>Liriomyza brassicae</i> (Riley, 1885) | Y | Y | Yellow pan among various young vegetables |
| -29.00 | 167.93 | 23/12/2012 | Various | | Diptera | Agromyzidae | <i>Liriomyza brassicae</i> | Y | Y | Yellow pan |
| -29.05 | 167.94 | 22/09/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>capitata</i> | Diptera | Agromyzidae | <i>Liriomyza brassicae</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 25/09/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> | Diptera | Agromyzidae | <i>Liriomyza brassicae</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 24/12/2012 | Caricaceae | <i>Carica papaya</i> | Diptera | Agromyzidae | <i>Liriomyza brassicae</i> | Y | Y | Yellow pan |
| -29.00 | 167.93 | 20/02/2014 | Cucurbitaceae | <i>Cucurbita pepo</i> | Diptera | Agromyzidae | <i>Liriomyza brassicae</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 23/10/2013 | Asteraceae and Chenopodiaceae | <i>Lactuca sativa</i> , <i>Beta vulgaris</i> | Diptera | Agromyzidae | <i>Liriomyza brassicae</i> | Y | Y | Beating lettuce leaves, beetroot flowers |
| -29.03 | 167.99 | 20/02/2014 | Polygonaceae, Asteraceae | <i>Rheum</i> , <i>Rhabarbarum</i> , <i>Bidens pilosa</i> | Diptera | Agromyzidae | <i>Liriomyza brassicae</i> | Y | Y | Sweep net |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Solanum melongena</i> | Diptera | Agromyzidae | <i>Liriomyza brassicae</i> | Y | Y | Yellow pan |
| -29.03 | 167.98 | 25/09/2013 | Solanaceae | <i>Solanum melongena</i> | Diptera | Agromyzidae | <i>Liriomyza brassicae</i> | Y | Y | Beating |
| -29.03 | 167.99 | 23/12/2012 | Poaceae and Brassicaceae | <i>Zea mays</i> , <i>Brassica oleracea</i> var. <i>italica</i> | Diptera | Agromyzidae | <i>Liriomyza brassicae</i> | Y | Y | Yellow pan among old corn and young broccoli |
| -29.03 | 167.99 | 22 - 23/03/2014 | Various | | Diptera | Agromyzidae | <i>Liriomyza brassicae</i> | Y | Y | Yellow pan among various vegetables |
| -29.00 | 167.93 | 24/10/2013 | Various | | Diptera | Agromyzidae | <i>Liriomyza caulophaga</i> (Klein Schmidt, 1961) | Y | Y | Yellow pan |
| -29.00 | 167.93 | 24/09/2013 | Cucurbitaceae | <i>Cucurbita maxima</i> | Diptera | Agromyzidae | <i>Liriomyza caulophaga</i> | Y | Y | Sweep net |
| -29.06 | 167.95 | 27/09/2013 | NA | NA | Diptera | Agromyzidae | <i>Liriomyza caulophaga</i> | Y | Y | Hand collection from soil |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Diptera | Agromyzidae | <i>Liriomyza caulophaga</i> | Y | Y | Light trap #3 |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Triticum</i> sp. | Diptera | Agromyzidae | <i>Liriomyza caulophaga</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22 - 23/03/2014 | Various | | Diptera | Agromyzidae | <i>Liriomyza caulophaga</i> | Y | Y | Yellow pan among various vegetables |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|-----------------|---------------------------------|---|--------------|-----------------|--|-----------------------------------|----------------------------|---|
| -29.03 | 167.99 | 24/12/2012 | Cucurbitaceae | <i>Cucurbita pepo</i> | Diptera | Agromyzidae | <i>Liriomyza electa</i> Spencer, 1977 | Y | Y | Yellow pan on bare soil beside cucurbits |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Solanum melongena</i> | Diptera | Agromyzidae | <i>Liriomyza electa</i> | Y | Y | Yellow pan |
| -29.03 | 167.99 | 22 - 23/05/2014 | Various | | Diptera | Agromyzidae | <i>Liriomyza electa</i> | Y | Y | Yellow pan among various vegetables |
| -29.00 | 167.93 | 24/10/2013 | Various | | Hymenoptera | Crabronidae | <i>Liris festinans</i> (Smith, 1859) | N | Y | Yellow pan among various young vegetables |
| -29.00 | 167.93 | 23 - 24/05/2014 | Various | | Hymenoptera | Crabronidae | <i>Liris festinans</i> | N | Y | Yellow pan among various young vegetables |
| -29.00 | 167.93 | 27/02/2014 | Various | | Hymenoptera | Crabronidae | <i>Liris festinans</i> | N | Y | Yellow pan among various young vegetables |
| -29.00 | 167.93 | 26/12/2012 | Various, Apiaceae, Brassicaceae | <i>Apium graveolens</i> | Hymenoptera | Crabronidae | <i>Liris festinans</i> | N | Y | Yellow pan |
| -29.03 | 167.99 | 24/12/2012 | Musaceae | <i>Musa</i> sp. | Hymenoptera | Crabronidae | <i>Liris festinans</i> | N | Y | Yellow pan |
| -29.00 | 167.93 | 26/12/2012 | Musaceae, Asteraceae | <i>Musa</i> sp., <i>Lactuca sativa</i> | Hymenoptera | Crabronidae | <i>Liris festinans</i> | N | Y | Yellow pan |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Solanum melongena</i> | Hymenoptera | Crabronidae | <i>Liris festinans</i> | N | Y | Yellow pan |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Solanum melongena</i> | Hymenoptera | Crabronidae | <i>Liris festinans</i> | N | Y | Yellow pan |
| -29.03 | 167.99 | 23/12/2012 | Poaceae and Brassicaceae | <i>Zea mays</i> , <i>Brassica oleracea</i> var. <i>italica</i> | Hymenoptera | Crabronidae | <i>Liris festinans</i> | N | Y | Yellow pan |
| -29.03 | 167.99 | 22 - 23/05/2014 | Various | | Hymenoptera | Crabronidae | <i>Liris festinans</i> | N | Y | Yellow pan among various vegetables |
| -29.01 | 167.94 | 24/09/2013 | Areaceae | Unknown | Hemiptera | Aradidae | <i>Lissaptera?</i> sp. | Y | ? | Berlese funnel from leaf litter under palms |
| -29.00 | 167.93 | 20/02/2014 | Rutaceae | <i>Citrus × aurantium</i> | Hymenoptera | Ichneumonidae | <i>Lissoptilpa Kriechbaumer, 1889</i> | ? | ? | Hand collection |
| -29.02 | 167.95 | 21/12/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Lissothrips tavernei</i> Mound & Tree, 2015 | Y | N | Hand collection |
| -29.01 | 167.94 | 24/12/2013 | Euphorbiaceae, Oleaceae | <i>Baloghia inophylla</i> , <i>Jasminum</i> sp., <i>Elaeodendron curtipezadulum</i> | Thysanoptera | Phlaeothripidae | <i>Lissothrips tavernei</i> | Y | N | Hand collection |
| -29.02 | 167.95 | 24/12/2013 | Celastraceae | <i>Lagunaria patersonia</i> | Thysanoptera | Phlaeothripidae | <i>Lissothrips tavernei</i> | Y | N | Hand collection from lichens |
| -29.02 | 167.96 | 29/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Phlaeothripidae | <i>Lissothrips tavernei</i> | Y | N | Hand collection |
| -29.02 | 167.96 | 26/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Phlaeothripidae | <i>Lissothrips tavernei</i> | Y | N | Hand collection from dead branches and moss |
| -29.01 | 167.94 | 30/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Lissothrips tavernei</i> | Y | N | Hand collection from mossy dead branch |
| -29.01 | 167.94 | 24/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Lissothrips tavernei</i> | Y | N | Hand collection from dead wood |
| -29.01 | 167.93 | 26/11/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Coleoptera | Mycetophagidae | <i>Litargus</i> Erichson, 1846 | Y | ? | Hand collection from under timber |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|---------------|-------------------------------|----------------|----------------|---|-----------------------------------|----------------------------|---|
| -29.03 | 167.99 | 24/12/2012 | Musaceae | <i>Musa</i> sp. | Coleoptera | Mycetophagidae | <i>Litargus</i> sp. | Y | ? | Yellow pan |
| -29.05 | 167.95 | 12/10/2014 | NA | NA | Lepidoptera | Tortricidae | <i>Lobesia transitifera</i> (Meyrick, 1920) | Y | Y | Light trap |
| -29.02 | 167.93 | 28/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Tenebrionidae | <i>Lorelus fumatus</i> (Lea, 1929) | N | Y | Hand collection |
| -29.02 | 167.93 | 25/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Tenebrionidae | <i>Lorelus fumatus</i> | N | Y | Hand collection from under bark of billets |
| -29.05 | 167.93 | 24/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Tenebrionidae | <i>Lorelus fumatus</i> | N | Y | Hand collection from felled tree |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Tenebrionidae | <i>Lorelus fumatus</i> | N | Y | Light trap #3 |
| -29.05 | 167.98 | 24/02/2014 | Asparagaceae | <i>Yucca aloifolia</i> | Coleoptera | Tenebrionidae | <i>Lorelus fumatus</i> | N | Y | Beating |
| -29.03 | 167.97 | 7/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Tenebrionidae | <i>Lorelus fumatus</i> | N | Y | Hand collection |
| -29.05 | 167.92 | 27/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Tydeidae | <i>Lorryia</i> Oudemans, 1925 | Y | ? | Hand collection from felled tree |
| -29.04 | 167.98 | 9/10/2014 | Anacardiaceae | <i>Mangifera indica</i> | Diptera | Calliphoridae | <i>Lucilia</i> Robineau-Desvoidy, 1830 | ? | ? | Sweep net and beating various vegetables |
| -29.00 | 167.93 | 23/12/2012; 24/10/2013 | Various | | Diptera | Calliphoridae | <i>Lucilia sericata</i> (Meigen, 1826) | N | Y | Yellow pan among seedlings |
| -29.05 | 167.97 | 25/10/2014 | NA | NA | Diptera | Calliphoridae | <i>Lucilia sericata</i> | N | Y | Bezzilure trap |
| -29.03 | 167.98 | 24/06/2014; 12/12/2014 | NA | NA | Diptera | Calliphoridae | <i>Lucilia sericata</i> | N | Y | LuciLure trap |
| -29.02 | 167.97 | 2/06/2014 | NA | NA | Diptera | Calliphoridae | <i>Lucilia sericata</i> | N | Y | LuciLure trap |
| -29.04 | 167.99 | 23 - 24/03/2014 | Various | | Diptera | Calliphoridae | <i>Lucilia sericata</i> | N | Y | Yellow pan |
| -29.00 | 167.93 | 24/10/2013 | Various | | Diptera | Phoridae | <i>Lycoriella sativae</i> (Johannsen, 1912) | Y | N | Yellow pan among various young vegetables |
| -29.01 | 167.92 | 26/11/2014 | NA | NA | Diptera | Sciariidae | <i>Lycoriella sativae</i> | Y | N | <i>Cuticoides</i> trap among various Norfolk Island pines |
| -29.03 | 167.99 | 23/10/2013 | Various | | Diptera | Sciariidae | <i>Lycoriella sativae</i> | Y | N | Yellow pan among various young vegetables |
| -29.01 | 167.92 | 16/10/2014 | NA | NA | Coleoptera | Bostrichidae | <i>Lyctus brunneus</i> (Stephens, 1830) | Y | Y | Light trap |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Bostrichidae | <i>Lyctus brunneus</i> | Y | Y | Light trap #3 |
| -29.03 | 167.96 | 25/09/2013 | NA | NA | Coleoptera | Bostrichidae | <i>Lyctus brunneus</i> | Y | Y | Hand collection from timber |
| -29.01 | 167.93 | 26/02/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Coleoptera | Bostrichidae | <i>Lyctus brunneus</i> | Y | Y | Hand collection |
| -29.05 | 167.95 | 12/10/2014 | NA | NA | Hemiptera | Miridae | <i>Lygus</i> Herklotz, 1858 | ? | ? | Light trap |
| -29.03 | 167.95 | 7/10/2014 | NA | NA | Hemiptera | Miridae | <i>Lygus</i> sp. | ? | ? | Light trap |
| -29.04 | 167.98 | 9/10/2014 | Anacardiaceae | <i>Mangifera indica</i> | Mesostigmata | Macrochelidae | <i>Macrocheles</i> Latreille, 1829 | Y | ? | Sweep net and beating |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------------------|---------------------------|---|--------------|-----------------|---|-----------------------------------|----------------------------|---|
| -29.05 | 167.95 | 12/10/2014 | NA | NA | Mesostigmata | Macrochelidae | <i>Macrocheles</i> sp. | Y | ? | Light trap |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Mesostigmata | Macrochelidae | <i>Macrocheles</i> sp. | Y | ? | Light trap #4 |
| -29.05 | 167.93 | 26/11/2014 | NA | NA | Mesostigmata | Macrochelidae | <i>Macrocheles</i> sp. | Y | ? | Light trap among Norfolk Island pines |
| -29.02 | 167.97 | 10/10/2014 | NA | NA | Mesostigmata | Macrochelidae | <i>Macrocheles</i> sp. | Y | ? | Light trap Set 10,10,14, collected 11,10,14 |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Mesostigmata | Macrochelidae | <i>Macrocheles gamma</i> Halliday, 2000 | Y | Y | Light trap #3 |
| -29.02 | 167.95 | 20/12/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Macrophthalmothrips neocaledonensis</i> Bournier, 1997 | Y | N | Hand collection from dead branches |
| -29.05 | 167.93 | 25/12/2013 | Araucariaceae, Proteaceae | <i>Grevillea robusta</i> | Thysanoptera | Phlaeothripidae | <i>Macrophthalmothrips neocaledonensis</i> | Y | N | Hand collection from dead wood |
| -29.02 | 167.96 | 29/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Phlaeothripidae | <i>Macrophthalmothrips neocaledonensis</i> | Y | N | Hand collection |
| -29.02 | 167.96 | 26/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Phlaeothripidae | <i>Macrophthalmothrips neocaledonensis</i> | Y | N | Hand collection from dead branch and moss |
| -29.02 | 167.95 | 23/03/2014 | Meliaceae | <i>Melia azedarach</i> L. | Thysanoptera | Phlaeothripidae | <i>Macrophthalmothrips neocaledonensis</i> | Y | N | Hand collection from dead branch |
| -29.02 | 167.96 | 25/12/2013 | Meliaceae | <i>Toona ciliata</i> | Thysanoptera | Phlaeothripidae | <i>Macrophthalmothrips neocaledonensis</i> | Y | N | Hand collection from dead branch |
| -29.02 | 167.96 | 27/03/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Macrophthalmothrips neocaledonensis</i> | Y | N | Hand collection |
| -29.02 | 167.95 | 25/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Macrophthalmothrips neocaledonensis</i> | Y | N | Hand collection |
| -29.02 | 167.96 | 28/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Macrophthalmothrips neocaledonensis</i> | Y | N | Hand collection from leaf litter |
| -29.02 | 167.95 | 21/12/2013; 25/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Macrophthalmothrips neocaledonensis</i> | Y | N | Hand collection |
| -29.04 | 167.93 | 18/02/2014 | Alliaceae | <i>Allium cepa</i> | Hemiptera | Aphididae | <i>Macrosiphum euphorbiae</i> (Thomas, 1878) | Y | Y | Hand collection |
| -29.05 | 167.94 | 22/09/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>capitata</i> | Hemiptera | Aphididae | <i>Macrosiphum euphorbiae</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 24/09/2013 | Cucurbitaceae | <i>Cucurbita maxima</i> | Hemiptera | Aphididae | <i>Macrosiphum euphorbiae</i> | Y | Y | Sweep net |
| -29.00 | 167.93 | 24/09/2013 | Cucurbitaceae | <i>Cucurbita pepo</i> | Hemiptera | Aphididae | <i>Macrosiphum euphorbiae</i> | Y | Y | Hand collection |
| -29.03 | 167.98 | 22/05/2014 | Apiaceae | <i>Daucus carota</i> | Hemiptera | Aphididae | <i>Macrosiphum euphorbiae</i> | Y | Y | Beating |
| -29.03 | 167.98 | 14/06/2013 | Apiaceae | <i>Daucus carota</i> | Hemiptera | Aphididae | <i>Macrosiphum euphorbiae</i> | Y | Y | Hand collection |
| -29.03 | 167.98 | 25/09/2013 | Apiaceae | <i>Daucus carota</i> | Hemiptera | Aphididae | <i>Macrosiphum euphorbiae</i> | Y | Y | Sweep net |
| -29.03 | 167.93 | 19/02/2014 | Asteraceae | <i>Lactuca sativa</i> | Hemiptera | Aphididae | <i>Macrosiphum euphorbiae</i> | Y | Y | Beating |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|---------------------------|---------------------------------|----------------|---------------|---|-----------------------------------|----------------------------|---|
| -29.03 | 167.99 | 14/06/2013 | Asteraceae | <i>Lactuca sativa</i> | Hemiptera | Aphididae | <i>Macrosiphum ephorbiae</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 20/02/2014 | Asteraceae | <i>Lactuca sativa</i> | Hemiptera | Aphididae | <i>Macrosiphum ephorbiae</i> | Y | Y | Hand collection |
| -29.01 | 167.93 | 16/10/2014 | Musaceae | <i>Musa</i> sp. | Hemiptera | Aphididae | <i>Macrosiphum ephorbiae</i> | Y | Y | Beating |
| -29.03 | 167.99 | 23/12/2012 | Solanaceae | <i>Physalis</i> sp. | Hemiptera | Aphididae | <i>Macrosiphum ephorbiae</i> | Y | Y | Beating |
| -29.05 | 167.92 | 7/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Aphididae | <i>Macrosiphum ephorbiae</i> | Y | Y | Beating |
| -29.04 | 167.98 | 9/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Aphididae | <i>Macrosiphum ephorbiae</i> | Y | Y | Beating |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Solanum melongena</i> | Hemiptera | Aphididae | <i>Macrosiphum ephorbiae</i> | Y | Y | Yellow pan |
| -29.03 | 167.98 | 25/09/2013 | Solanaceae | <i>Solanum melongena</i> | Hemiptera | Aphididae | <i>Macrosiphum ephorbiae</i> | Y | Y | Beating |
| -29.01 | 167.92 | 16/10/2014 | Asteraceae | <i>Sonchus oleraceus</i> | Hemiptera | Aphididae | <i>Macrosiphum ephorbiae</i> | Y | Y | Hand collection |
| -29.06 | 167.94 | 11/10/2014 | Combretaceae | <i>Terminalia catappa</i> | Hemiptera | Aphididae | <i>Macrosiphum ephorbiae</i> | Y | Y | Beating |
| -29.04 | 167.99 | 8/10/2014 | Poaceae | Unknown | Hemiptera | Aphididae | <i>Macrosiphum ephorbiae</i> | Y | Y | Sweep net |
| -29.04 | 167.99 | 25/09/2013 | Vitaceae | <i>Vitis vinifera</i> | Hemiptera | Aphididae | <i>Macrosiphum ephorbiae</i> | Y | Y | Hand collection from leaves |
| -29.00 | 167.93 | 23/12/2012 | Various | | Hemiptera | Aphididae | <i>Macrosiphum ephorbiae</i> | Y | Y | Yellow pan from various vegetable seedlings |
| -29.06 | 167.94 | 11/10/2014 | Rosaceae | <i>Rosa</i> sp. | Hemiptera | Aphididae | <i>Macrosiphum rosae</i> (Linnaeus, 1758) | Y | Y | Hand collection |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Triticum</i> sp. | Hemiptera | Cicadellidae | <i>Maestas Distant</i> , 1917 | ? | ? | Hand collection |
| -29.01 | 167.92 | 21/05/2014 | Poaceae | Unknown | Hemiptera | Cicadellidae | <i>Maestas knighti</i> Webb & Viraktamath, 2009 | Y | Y | Sweep net in cattle pasture |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Solanum melongena</i> | Hemiptera | Cicadellidae | <i>Maestas knighti</i> | Y | Y | Yellow pan |
| -29.04 | 167.99 | 23/05/2014 | Myrtaceae | <i>Psidium guajava</i> | Neuroptera | Chrysopidae | <i>Mallada metastigma</i> (Tillyard, 1917) | N | N | Beating |
| -29.04 | 167.99 | 14/06/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Neuroptera | Chrysopidae | <i>Mallada metastigma</i> | N | N | Hand collection |
| -29.06 | 167.95 | 27/09/2013 | NA | NA | Sylommatoptera | Microcystidae | <i>Mathewsoconcha belli</i> Preston, 1913 | N | N | Hand collection from soil |
| -29.03 | 167.94 | 24/05/2014 | Asparagaceae | <i>Cordyline oblecta</i> | Sylommatoptera | Microcystidae | <i>Mathewsoconcha sueri</i> (Sykes, 1900) | N | N | Sweep net |
| -29.03 | 167.94 | 11/06/2013 | Pitosporaceae | <i>Pitrosporum bracteolatum</i> | Sylommatoptera | Microcystidae | <i>Mathewsoconcha sueri</i> | N | N | Hand collection |
| -29.00 | 167.93 | 20/02/2014 | Rutaceae | <i>Citrus</i> sp. | Sylommatoptera | Microcystidae | <i>Mathewsoconcha sueri</i> | N | N | Hand collection (mite damage) |
| -29.04 | 167.99 | 25/09/2013 | Moraceae | <i>Ficus carica</i> | Diptera | Syphidae | <i>Melanostoma Verrall</i> , 1901 | Y | ? | Hand collection |
| -29.06 | 167.94 | 22/09/2013 | Plantaginaceae | <i>Plantago lanceolata</i> | Diptera | Syphidae | <i>Melanostoma apicale</i> Bigot, 1884 | Y | Y | Sweep net |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|------------------|--|--------------|---------------|--|-----------------------------------|----------------------------|--|
| -29.05 | 167.93 | 13/06/2013 | Fabaceae | <i>Medicago sativa</i> | Lepidoptera | Tortricidae | <i>Merophyas divulsana</i> (Walker, 1863) | N | Y | Hand collection |
| -29.02 | 167.94 | 22/12/2013 | Asparagaceae | <i>Cordyline oblecta</i> | Thysanoptera | Merothripidae | <i>Merothrips brunneus</i> Ward, 1969 | Y | Y | Hand collection from dead leaves |
| -29.02 | 167.95 | 24/12/2013 | Celastraceae | <i>Elaeodendron curtipepidulum</i> | Thysanoptera | Merothripidae | <i>Merothrips brunneus</i> | Y | Y | Hand collection from lichens |
| -29.05 | 167.93 | 12/07/2013 | Proteaceae | <i>Grevillea robusta</i> | Thysanoptera | Merothripidae | <i>Merothrips brunneus</i> | Y | Y | Hand collection from dead branch with lichen |
| -29.05 | 167.93 | 28/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Merothripidae | <i>Merothrips brunneus</i> | Y | Y | Hand collection from dead tree |
| -29.01 | 167.94 | 22/10/2013 | Scrophulariaceae | <i>Myoporum obscurum</i> | Thysanoptera | Merothripidae | <i>Merothrips brunneus</i> | Y | Y | Hand collection from dead standing branches |
| -29.01 | 167.95 | 22/11/2014 | Myrtaceae | <i>Psidium cattleianum</i> var. <i>cattleianum</i> | Thysanoptera | Merothripidae | <i>Merothrips brunneus</i> | Y | Y | Hand collection from dead branch |
| -29.01 | 167.95 | 25/12/2012 | Unknown | Unknown | Thysanoptera | Merothripidae | <i>Merothrips brunneus</i> | Y | Y | Hand collection |
| -29.02 | 167.95 | 23/11/2014 | Arecaceae | Unknown | Thysanoptera | Merothripidae | <i>Merothrips brunneus</i> | Y | Y | Hand collection from dead palm frond |
| -29.01 | 167.94 | 24/11/2014 | Unknown | Unknown | Thysanoptera | Merothripidae | <i>Merothrips brunneus</i> | Y | Y | Hand collection |
| -29.05 | 167.93 | 25/03/2014 | Poaceae | Unknown | Thysanoptera | Merothripidae | <i>Merothrips brunneus</i> | Y | Y | Hand collection from grass bases |
| -29.02 | 167.95 | 21/12/2013 | Unknown | Unknown | Thysanoptera | Merothripidae | <i>Merothrips brunneus</i> | Y | Y | Hand collection, betesate from leaf litter |
| -29.03 | 167.93 | 27/03/2014 | Various | Unknown | Thysanoptera | Merothripidae | <i>Merothrips brunneus</i> | Y | Y | Hand collection from near greenhouses |
| -29.01 | 167.94 | 25/11/2014 | Commelinaceae | <i>Commelina cyanea</i> | Thysanoptera | Merothripidae | <i>Merothrips floridensis</i> Watson, 1927 | Y | Y | Hand collection from leaves |
| -29.02 | 167.96 | 29/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Merothripidae | <i>Merothrips floridensis</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 26/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Merothripidae | <i>Merothrips floridensis</i> | Y | Y | Hand collection from dead branch and moss |
| -29.05 | 167.93 | 28/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Merothripidae | <i>Merothrips floridensis</i> | Y | Y | Hand collection from dead tree |
| -29.01 | 167.94 | 24/11/2014 | Scrophulariaceae | <i>Myoporum obscurum</i> | Thysanoptera | Merothripidae | <i>Merothrips floridensis</i> | Y | Y | Hand collection from flowers |
| -29.02 | 167.96 | 29/11/2014 | Unknown | Unknown | Thysanoptera | Merothripidae | <i>Merothrips floridensis</i> | Y | Y | Hand collection from leaf litter |
| -29.01 | 167.95 | 22/11/2014 | Unknown | Unknown | Thysanoptera | Merothripidae | <i>Merothrips floridensis</i> | Y | Y | Hand collection from dead branches |
| -29.01 | 167.94 | 24/11/2014 | Unknown | Unknown | Thysanoptera | Merothripidae | <i>Merothrips floridensis</i> | Y | Y | Hand collection from dead wood |
| -29.01 | 167.94 | 30/11/2014 | Rutaceae | <i>Citrus</i> | Thysanoptera | Merothripidae | <i>Merothrips floridensis</i> | Y | Y | Hand collection from dead tree |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|--|-------------------|--|----------------|---------------|--|-----------------------------------|----------------------------|--|
| -29.02 | 167.93 | 28/11/2014 | NA | NA | Hemiptera | Carsidariidae | <i>Mesoholotoma cf. hibisci</i> | Y | Y | Trapping |
| -29.02 | 167.93 | 25/05/2014 | Malvaceae | <i>Hibiscus filitaceus</i> L. | Hemiptera | Carsidariidae | <i>Mesoholotoma hibisci</i> (Froggatt, 1901) | Y | Y | Hand collection |
| -29.04 | 167.98 | 27/11/2014 | Lauraceae | <i>Persea americana</i> | Trombidiformes | Tydeidae | <i>Metatortrya André, 1980</i> | Y | N | Ethanol wash |
| -29.03 | 167.94 | 23/05/2014 | NA | NA | Blattodea | Blattidae | <i>Methana marginalis</i> (Saussure, 1864) | N | Y | Hand collection |
| -29.03 | 167.95 | 25/09/2013 | NA | NA | Blattodea | Blattidae | <i>Methana marginalis</i> | N | Y | Hand collection |
| -29.01 | 167.93 | 26/11/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Blattodea | Blattidae | <i>Methana marginalis</i> | N | Y | Hand collection from under timber |
| -29.02 | 167.93 | 25/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Microcryptorhynchus</i> Lea, 1928 | ? | ? | Hand collection |
| -29.01 | 167.93 | 20/05/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Coleoptera | Cureulionidae | <i>Microcryptorhynchus</i> sp. | ? | ? | Sweep net from leaf litter and fallen timber |
| -29.00 | 167.94 | 24/02/2014 | Hemerocallidaceae | <i>Phormium tenax</i> | Coleoptera | Cureulionidae | <i>Microcryptorhynchus</i> sp. | ? | ? | Beating |
| -29.05 | 167.93 | 24/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Microcryptorhynchus rufimanus</i> Lea, 1928 | N | N | Hand collection from felled tree |
| -29.01 | 167.95 | 25/02/2014 | Asparagaceae | <i>Cordyline oblecta</i> | Coleoptera | Cureulionidae | <i>Microcryptorhynchus rufimanus</i> | N | N | Hand collection |
| -29.00 | 167.93 | 20/02/2014 | Cucurbitaceae | <i>Cucumis melo</i> | Coleoptera | Cureulionidae | <i>Microcryptorhynchus rufimanus</i> | N | N | Sweep net |
| -29.01 | 167.93 | 26/02/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Coleoptera | Cureulionidae | <i>Microcryptorhynchus rufimanus</i> | N | N | Hand collection |
| -29.01 | 167.93 | 26/11/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Coleoptera | Cureulionidae | <i>Microcryptorhynchus rufimanus</i> | N | N | Sweep net |
| -29.01 | 167.93 | 13/06/2013 | Rosaceae | <i>Malus pumila</i> | Coleoptera | Cureulionidae | <i>Microcryptorhynchus rufimanus</i> | N | N | Hand collection |
| -29.06 | 167.94 | 11/10/2014 | Oleaceae | <i>Olea europaea</i> subsp. <i>cuspidata</i> | Coleoptera | Cureulionidae | <i>Microcryptorhynchus rufimanus</i> | N | N | Beating |
| -29.12 | 167.95 | 15/10/2014 | Various | | Coleoptera | Cureulionidae | <i>Microcryptorhynchus rufimanus</i> | N | N | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Cucurbitaceae | <i>Zelmeria baneriana</i> | Coleoptera | Cureulionidae | <i>Microcryptorhynchus setosus</i> Lea, 1928 | N | N | Hand collection |
| -29.00 | 167.94 | 24/02/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Coleoptera | Cureulionidae | <i>Microcryptorhynchus setosus</i> | N | N | Beating |
| -29.05 | 167.93 | 24/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cerambycidae | <i>Microlamia norfolkensis</i> Breuning, 1947 | N | N | Hand collection |
| -29.01 | 167.95 | 22/12/2012 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cerambycidae | <i>Microlamia norfolkensis</i> | N | N | Hand collection from dead foliage |
| -29.02 | 167.93 | 25/02/2014; 12/10/2014; 27/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cerambycidae | <i>Microlamia norfolkensis</i> | N | N | Hand collection from nursery seedlings |
| -29.12 | 167.95 | 14/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cerambycidae | <i>Microlamia norfolkensis</i> | N | N | Hand collection and beating |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|-------------------|---|----------------|---------------|--|-----------------------------------|----------------------------|--|
| -29.12 | 167.95 | 15/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cerambycidae | <i>Microlamia norfolkensis</i> | N | N | Beating |
| -29.12 | 167.96 | 15/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cerambycidae | <i>Microlamia norfolkensis</i> | N | N | Beating |
| -29.03 | 167.99 | 14/06/2013 | Malvaceae | <i>Lagunaria patersonia</i> | Coleoptera | Cerambycidae | <i>Microlamia norfolkensis</i> | N | N | Hand collection |
| -29.12 | 167.96 | 15/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Coleoptera | Cerambycidae | <i>Microlamia norfolkensis</i> | N | N | Beating |
| -29.01 | 167.93 | 13/06/2013 | Rosaceae | <i>Maius pumila</i> | Coleoptera | Cerambycidae | <i>Microlamia norfolkensis</i> | N | N | Hand collection |
| -29.05 | 167.93 | 26/11/2014 | NA | NA | Coleoptera | Cerambycidae | <i>Microlamia norfolkensis</i> | N | N | Light trap |
| -29.01 | 167.92 | 10/06/2014 | NA | NA | Coleoptera | Cerambycidae | <i>Microlamia norfolkensis</i> | N | N | LuciLure trap |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Coleoptera | Cerambycidae | <i>Microlamia norfolkensis</i> | N | N | Light trap #1 |
| -29.00 | 167.94 | 24/02/2014 | Hemerocallidaceae | <i>Phormium tenax</i> | Coleoptera | Cerambycidae | <i>Microlamia norfolkensis</i> | N | N | Beating |
| -29.06 | 167.94 | 25/05/2014 | Unknown | Unknown | Coleoptera | Cerambycidae | <i>Microlamia norfolkensis</i> | N | N | Hand collection |
| -29.00 | 167.94 | 24/02/2014 | Unknown | Unknown | Coleoptera | Cerambycidae | <i>Microlamia norfolkensis</i> | N | N | Hand collection from dead wood |
| -29.05 | 167.93 | 20/06/2013 | Various | Unknown | Coleoptera | Cerambycidae | <i>Microlamia norfolkensis</i> | ? | ? | Hand collection |
| -29.00 | 167.94 | 24/02/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Coleoptera | Cerambycidae | <i>Microlamia viridis</i> (Slipinski & Escalona, 2013) | N | N | Beating |
| -29.03 | 167.94 | 10/10/2014 | Poaceae | <i>Digitaria</i> sp. | Coleoptera | Cerambycidae | <i>Microlamia viridis</i> | N | N | Sweep net |
| -29.04 | 167.99 | 23/05/2014 | Moraceae | <i>Morus</i> sp. | Coleoptera | Cerambycidae | <i>Microlamia cf. viridis</i> | ? | ? | Beating |
| -29.03 | 167.92 | 22/05/2014 | Lamiaceae | <i>Ocimum basilicum</i> | Coleoptera | Cerambycidae | <i>Microlamia cf. viridis</i> | ? | ? | Beating |
| -29.05 | 167.92 | 24/05/2014 | Poaceae | Unknown | Coleoptera | Cerambycidae | <i>Microlamia cf. viridis</i> | ? | ? | Sweep net |
| -29.03 | 167.99 | 24/12/2012 | Cucurbitaceae | <i>Cucurbita pepo</i> | Neuroptera | Hemerobidae | <i>Micromus tasmaniae</i> (Walker, 1860) | N | Y | Yellow pan on bare soil beside cucurbits |
| -29.05 | 167.98 | 17/07/2014 | NA | NA | Neuroptera | Hemerobidae | <i>Micromus tasmaniae</i> | N | Y | Bezzilure trap |
| -29.03 | 167.98 | 22/05/2014 | Solanaceae | <i>Nicandra physalodes</i> | Neuroptera | Hemerobidae | <i>Micromus tasmaniae</i> | N | Y | Beating |
| -29.03 | 167.99 | 24/12/2012 | Solanaceae | <i>Capsicum annum</i> | Neuroptera | Hemerobidae | <i>Micromus tasmaniae</i> | N | Y | Beating leaves, flowers |
| -29.02 | 167.93 | 25/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Erythraeidae | <i>Micromaris</i> Hirst, 1926 | Y | ? | Hand collection |
| -29.00 | 167.93 | 20/02/2014 | Brassicaceae | <i>Brassica oleracea</i> var. <i>capitata</i> | Trombidiformes | Erythraeidae | <i>Micromaris</i> sp. | Y | ? | Hand collection |
| -29.03 | 167.99 | 20/02/2014 | Fabaceae | <i>Phaseolus vulgaris</i> | Trombidiformes | Erythraeidae | <i>Micromaris</i> sp. | Y | ? | Hand collection |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|----------------|-------------------------------|----------------|---------------|--|-----------------------------------|----------------------------|--|
| -29.12 | 167.95 | 14/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Erythraeidae | <i>Microsmaris hirsi</i> Womersley, 1934 | Y | Y | Hand collection and beating |
| -29.12 | 167.95 | 14/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Erythraeidae | <i>Microsmaris hirsi</i> | Y | Y | Beating |
| -29.04 | 167.94 | 19/02/2014 | Poaceae | Unknown | Trombidiformes | Erythraeidae | <i>Microsmaris joanae</i> Hirst, 1928 | Y | YY | Sweep net |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Mantodea | Mantidae | <i>Miomantis caffra</i> Sausure, 1871 | Y | N | Light trap |
| -29.05 | 167.93 | 26/11/2014 | NA | NA | Mantodea | Mantidae | <i>Miomantis caffra</i> | Y | N | Light trap among Norfolk Island pines |
| -29.04 | 167.98 | 9/10/2014 | Poaceae | Unknown | Mantodea | Mantidae | <i>Miomantis caffra</i> | Y | N | Hand collection |
| -29.03 | 167.9 | 25/05/2014 | Asparagaceae | <i>Cordylina</i> sp. | Mantodea | Mantidae | <i>Miomantis caffra</i> | Y | N | Hand collection |
| -29.03 | 167.97 | 21/05/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Mitrasethus lateralis</i> Lea, 1931 | N | N | Hand collection from sawn timber |
| -29.05 | 167.92 | 19/05/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Mitrasethus lateralis</i> | N | N | Light trap |
| -29.01 | 167.92 | 16/10/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Mitrasethus lateralis</i> | N | N | Light trap |
| -29.03 | 167.97 | 27/11/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Mitrasethus lateralis</i> | N | N | Light trap |
| -29.03 | 167.97 | 18/02/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Mitrasethus lateralis</i> | N | N | Hand collection from timber billets |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Mitrasethus lateralis</i> | N | N | Light trap #1 |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Mitrasethus lateralis</i> | N | N | Light trap #3 |
| -29.05 | 167.92 | 1/12/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Mitrasethus lateralis</i> | N | N | Light trap among Norfolk Island pines |
| -29.05 | 167.93 | 26/11/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Mitrasethus lateralis</i> | N | N | Light trap among Norfolk Island pines |
| -29.03 | 167.97 | 28/11/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Mitrasethus lateralis</i> | N | N | Light trap |
| -29.03 | 167.96 | 25/09/2013 | NA | NA | Coleoptera | Cureulionidae | <i>Mitrasethus lateralis</i> | N | N | Hand collection from timber |
| -29.02 | 167.93 | 25/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Mitrasethus lateralis</i> | N | N | Hand collection from under bark of billets |
| -29.03 | 167.97 | 22/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Mocis frugalis</i> (Fabricius, 1775) | Y | Y | Light trap |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Mocis frugalis</i> | N | Y | Light trap in eucalypt forest |
| -29.01 | 167.93 | 20/05/2014 | Poaceae | <i>Paspalum</i> sp. | Hymenoptera | Formicidae | <i>Monomorium</i> Mayr, 1855 | Y | ? | Sweep net from eucalypt forest |
| -29.05 | 167.93 | 24/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hymenoptera | Formicidae | <i>Monomorium fieldi</i> Forel, 1910 | N | Y | Hand collection from felled trees |
| -29.02 | 167.96 | 10/06/2013 | Asparagaceae | <i>Cordylina obtecta</i> | Hymenoptera | Formicidae | <i>Monomorium fieldi</i> | N | Y | Hand collection |
| -29.05 | 167.92 | 23/05/2014 | Convolvulaceae | <i>Ipomoea cairica</i> | Hymenoptera | Formicidae | <i>Monomorium fieldi</i> | N | Y | Beating |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|---------------------------------|-------------------------------|--------------|---------------|---|-----------------------------------|----------------------------|---|
| -29.05 | 167.97 | 21/02/2014 | Verbenaceae | <i>Lantana camara</i> | Hymenoptera | Formicidae | <i>Monomorium fieldi</i> | N | Y | Beating |
| -29.02 | 167.94 | 25/05/2014 | NA | NA | Hymenoptera | Formicidae | <i>Monomorium fieldi</i> | N | Y | Trapping from leaf litter |
| -29.03 | 167.94 | 23/05/2014 | Oleaceae | <i>Nestegis apetala</i> | Hymenoptera | Formicidae | <i>Monomorium fieldi</i> | N | Y | Trapping |
| -29.03 | 167.94 | 24/05/2014 | Arecaceae | <i>Rhopalosiphum baueri</i> | Hymenoptera | Formicidae | <i>Monomorium fieldi</i> | N | Y | Hand collection |
| -29.01 | 167.94 | 24/09/2013 | Arecaceae | Unknown | Hymenoptera | Formicidae | <i>Monomorium fieldi</i> | N | Y | Berlese funnel from leaf litter under palms |
| -29.02 | 167.93 | 25/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Hymenoptera | Formicidae | <i>Monomorium fieldi</i> | N | Y | Hand collection |
| Unknown | Unknown | 25/09/2013 | NA | NA | Hymenoptera | Formicidae | <i>Monomorium foricola</i> (Jerdon, 1851) | N | Y | from bee hive |
| -29.12 | 167.96 | 15/10/2014 | Convolvulaceae | <i>Ipomoea cairica</i> | Hymenoptera | Formicidae | <i>Monomorium rubriceps</i> Mayr, 1876 | N | Y | Beating |
| -29.12 | 167.95 | 14/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Hymenoptera | Formicidae | <i>Monomorium rubriceps</i> | N | Y | Hand collection |
| -29.12 | 167.96 | 15/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Hymenoptera | Formicidae | <i>Monomorium rubriceps</i> | N | Y | Beating |
| -29.01 | 167.95 | 23/09/2013 | Primulaceae | <i>Myrsine ralstoniae</i> | Hymenoptera | Formicidae | <i>Monomorium rubriceps</i> | N | Y | Observation |
| -29.05 | 167.92 | 24/05/2014 | NA | NA | Hymenoptera | Formicidae | <i>Monomorium rubriceps</i> | N | Y | Hand collection from ant nest under rock |
| -29.12 | 167.95 | 14/10/2014 | NA | NA | Hymenoptera | Formicidae | <i>Monomorium rubriceps</i> | N | Y | Hand collection from on rock |
| -29.06 | 167.94 | 22/09/2013 | Lauraceae | <i>Persea americana</i> | Hymenoptera | Formicidae | <i>Monomorium rubriceps</i> | N | Y | Hand collection |
| -29.03 | 167.94 | 24/05/2014 | Solanaceae | <i>Solanum mauritianum</i> | Hymenoptera | Formicidae | <i>Monomorium rubriceps</i> | N | Y | Hand collection |
| -29.02 | 167.96 | 13/10/2014 | Meliaceae | <i>Toona ciliata</i> | Hymenoptera | Formicidae | <i>Monomorium rubriceps</i> | N | Y | Hand collection from sawn log pile |
| -29.03 | 167.93 | 10/10/2014 | Unknown | Unknown | Hymenoptera | Formicidae | <i>Monomorium rubriceps</i> | N | Y | Hand collection from fallen branch in rainforest area |
| -29.02 | 167.96 | 25/05/2014 | Arecaceae | <i>Howea</i> sp. | Hymenoptera | Formicidae | <i>Monomorium rubriceps</i> | N | Y | Hand collection |
| -29.05 | 167.97 | 21/02/2014 | Rutaceae | <i>Zanthoxylum pinnatum</i> | Lepidoptera | Tineidae | <i>Monopis meliorella</i> (Walker, 1863) | N | Y | Reared from seeds |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Lepidoptera | Tineidae | <i>Monopis meliorella</i> | N | Y | Light trap in eucalypt forest |
| -29.04 | 167.96 | 27/02/2014 | Various | | Coleoptera | Monotomidae | <i>Monotoma Herbst, 1793</i> | ? | ? | Yellow pan among various young vegetables |
| -29.00 | 167.93 | 24/10/2013; 27/02/2014 | Various | | Coleoptera | Mordellidae | <i>Mordella norfolcensis</i> Lea, 1917 | N | N | Yellow pan |
| -29.00 | 167.93 | 26/12/2012 | Various, Apiaceae, Brassicaceae | <i>Apium graveolens</i> | Coleoptera | Mordellidae | <i>Mordella norfolcensis</i> | N | N | Yellow pan near bananas |
| -29.01 | 167.93 | 16/10/2014 | Asparagaceae | <i>Cordyline oblecta</i> | Coleoptera | Mordellidae | <i>Mordella norfolcensis</i> | N | N | Beating |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|--|-----------------------|--|----------------|---------------|---|-----------------------------------|----------------------------|--|
| -29.12 | 167.95 | 14/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Coleoptera | Mordellidae | <i>Mordella norfolcensis</i> | N | N | Hand collection and beating |
| -29.05 | 167.92 | 1/12/2014 | Solanaceae | <i>Lycium ferocissimum</i> | Coleoptera | Mordellidae | <i>Mordella norfolcensis</i> | N | N | Yellow pan |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Coleoptera | Mordellidae | <i>Mordella norfolcensis</i> | N | N | Light trap in eucalypt forest |
| -29.01 | 167.95 | 25/12/2012 | Lomariopsidaceae | <i>Nephrolepis</i> sp. | Coleoptera | Mordellidae | <i>Mordella norfolcensis</i> | N | N | Yellow pan |
| -29.03 | 167.99 | 23/12/2012 | Poaceae, Brassicaceae | <i>Zea mays</i> , <i>Brassica oleracea</i> var. <i>italica</i> | Coleoptera | Mordellidae | <i>Mordella norfolcensis</i> | N | N | Yellow pan among old corn and young broccoli |
| -29.03 | 167.99 | 22 - 23/03/2014 | Various | | Coleoptera | Mordellidae | <i>Mordella norfolcensis</i> | N | N | Yellow pan among various vegetables |
| -29.06 | 167.96 | 24/06/2014 | NA | Unknown | Diptera | Muscidae | <i>Muscina stabulans</i> (Fallén, 1817) | N | Y | LuciLure trap |
| -29.03 | 167.96 | 20/02/2014 | NA | Unknown | Pscodera | Myopsocidae | <i>Myopsocus</i> Hagen, 1866 | ? | ? | Bucket light trap |
| -29.05 | 167.92 | 20/06/2013 | Various | | Trombidiformes | Erythraetidae | <i>Mypongia</i> Southcott, 1961 | Y | ? | Hand collection |
| -29.06 | 167.94 | 22/09/2013 | Plantaginaceae | <i>Plantago lanceolata</i> | Trombidiformes | Erythraetidae | <i>Mypongia</i> sp. | Y | ? | Sweep net |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Triticum</i> sp. | Trombidiformes | Erythraetidae | <i>Mypongia</i> sp. | Y | ? | Hand collection |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Triticum</i> sp. | Lepidoptera | Noctuidae | <i>Mythimna convecta</i> (Walker, 1857) | Y | ? | Hand collection |
| -29.00 | 167.93 | 23/12/2012 | Various | | Hemiptera | Aphididae | <i>Myzus persicae</i> (Sulzer, 1776) | Y | Y | Yellow pan among various vegetable seedlings |
| -29.04 | 167.93 | 18/02/2014 | Brassicaceae | <i>Brassica oleracea</i> var. <i>capitata</i> | Hemiptera | Aphididae | <i>Myzus persicae</i> | Y | Y | Sweep net |
| -29.05 | 167.94 | 22/09/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>capitata</i> | Hemiptera | Aphididae | <i>Myzus persicae</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>capitata</i> | Hemiptera | Aphididae | <i>Myzus persicae</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 25/09/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> | Hemiptera | Aphididae | <i>Myzus persicae</i> | Y | Y | Hand collection |
| -29.03 | 167.93 | 19/02/2014 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> | Hemiptera | Aphididae | <i>Myzus persicae</i> | Y | Y | Hand collection |
| -29.03 | 167.98 | 14/06/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> | Hemiptera | Aphididae | <i>Myzus persicae</i> | Y | Y | Beating |
| -29.00 | 167.93 | 24/09/2013; 20/02/2014; 12/06/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> | Hemiptera | Aphididae | <i>Myzus persicae</i> | Y | Y | Hand collection |
| -29.03 | 167.93 | 26/09/2013 | Cucurbitaceae | <i>Cucumis sativus</i> | Hemiptera | Aphididae | <i>Myzus persicae</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 24/12/2012 | Cucurbitaceae | <i>Cucurbita pepo</i> | Hemiptera | Aphididae | <i>Myzus persicae</i> | Y | Y | Yellow pan in bare soil beside cucurbits |
| -29.03 | 167.98 | 14/06/2013 | Apiaceae | <i>Daucus carota</i> | Hemiptera | Aphididae | <i>Myzus persicae</i> | Y | Y | Hand collection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|-----------------------------------|--|----------------|----------------|---|-----------------------------------|----------------------------|--|
| -29.03 | 167.94 | 10/10/2014 | Brassicaceae | <i>Eruca sativa</i> | Hemiptera | Aphididae | <i>Myzus persicae</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 26/12/2012 | Musaceae, Asteraceae | <i>Musa</i> sp., <i>Lactuca sativa</i> | Hemiptera | Aphididae | <i>Myzus persicae</i> | Y | Y | Yellow pan |
| -29.00 | 167.93 | 26/12/2012 | Lamiaceae, Brassicaceae, Musaceae | <i>Ocimum basilicum</i> , <i>Musa</i> sp. | Hemiptera | Aphididae | <i>Myzus persicae</i> | Y | Y | Yellow pan |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Solanum melongena</i> | Hemiptera | Aphididae | <i>Myzus persicae</i> | Y | Y | Yellow pan |
| -29.03 | 167.93 | 12/06/2013 | Solanaceae | <i>Solanum tuberosum</i> | Hemiptera | Aphididae | <i>Myzus persicae</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 24/12/2012 | Poaceae | <i>Zea mays</i> | Hemiptera | Aphididae | <i>Myzus persicae</i> | Y | Y | Yellow pan |
| -29.03 | 167.99 | 23/12/2012 | Various | <i>Zea mays</i> , <i>Brassica oleracea</i> var. <i>italica</i> | Hemiptera | Aphididae | <i>Myzus persicae</i> | Y | Y | Yellow pan among old corn and young broccoli |
| -29.04 | 167.96 | 27/02/2014 | Various | | Hemiptera | Aphididae | <i>Myzus persicae</i> | Y | Y | Yellow pan among various young vegetables |
| -29.03 | 167.98 | 21/05/2014 | Poaceae | <i>Cenchrus purpureus</i> | Coleoptera | Cureulionidae | <i>Naupaactus cervinus</i> Boheman, 1840 | Y | Y | Sweep net |
| -29.04 | 167.94 | 19/02/2014 | Rutaceae | <i>Citrus × aurantium</i> | Coleoptera | Cureulionidae | <i>Naupaactus cervinus</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 22/05/2014 | Rutaceae | <i>Citrus</i> sp. | Coleoptera | Cureulionidae | <i>Naupaactus cervinus</i> | Y | Y | Beating |
| -29.03 | 167.98 | 14/06/2013 | Apiaceae | <i>Daucus carota</i> | Coleoptera | Cureulionidae | <i>Naupaactus cervinus</i> | Y | Y | Beating |
| -29.04 | 167.94 | 22/12/2012 | Malvaceae | <i>Hibiscus</i> sp. | Coleoptera | Cureulionidae | <i>Naupaactus cervinus</i> | Y | Y | Hand collection |
| -29.05 | 167.93 | 13/06/2013 | Fabaceae | <i>Medicago sativa</i> | Coleoptera | Cureulionidae | <i>Naupaactus cervinus</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 25/12/2012 | NA | NA | Coleoptera | Cureulionidae | <i>Naupaactus cervinus</i> | Y | Y | Beating dead timber |
| -29.03 | 167.98 | 22/05/2014 | Solanaceae | <i>Nicantha physalides</i> | Coleoptera | Cureulionidae | <i>Naupaactus cervinus</i> | Y | Y | Beating |
| -29.03 | 167.94 | 19/02/2014 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Coleoptera | Cureulionidae | <i>Naupaactus cervinus</i> | Y | Y | Hand collection |
| -29.04 | 167.93 | 18/02/2014 | Carnitaceae | <i>Carica papaya</i> | Coleoptera | Cureulionidae | <i>Naupaactus cervinus</i> | Y | Y | Hand collection |
| -29.06 | 167.94 | 19/02/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Naupaactus leucoloma</i> Boheman, 1840 | | | Hand collection on rock |
| -29.05 | 167.92 | 27/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Sarcoptiformes | Acaridae | <i>Neocorymedon</i> Samsinak, 1980 | Y | N | Hand collection from felled tree |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Cerambycidae | <i>Neobethelium megalcephalum</i> Blackburn, 1894 | N | Y | Light trap #3 |
| -29.01 | 167.92 | 16/10/2014 | NA | NA | Coleoptera | Cerambycidae | <i>Neobethelium megalcephalum</i> | N | Y | Light trap |
| -29.04 | 167.99 | 14/06/2013 | Rutaceae | <i>Citrus × aurantium</i> | Sarcoptiformes | Sarcoptiformes | <i>Neocalvolia</i> (Hughes, 1970) | Y | N | Hand collection |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|-------------------|--|--------------|---------------|---|-----------------------------------|----------------------------|---|
| -29.00 | 167.93 | 22/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Megalea sumia</i> (Guenee, 1852) | N | Y | Bucket light trap in orchard |
| -29.04 | 167.98 | 26/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Aphididae | <i>Neophylaphis araucariae</i> Takahashi, 1937 | Y | Y | Hand collection |
| -29.02 | 167.93 | 25/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Aphididae | <i>Neophylaphis araucariae</i> | Y | Y | Hand collection from nursery seedlings |
| -29.06 | 167.94 | 27/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Hemiptera | Aphididae | <i>Neophylaphis araucariae</i> | Y | Y | Hand collection |
| -29.02 | 167.94 | 3/12/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Mesostigmata | Phytoseiidae | <i>Neoseiella novaezealandiae</i> (Collyer, 1964) | Y | Y | Hand collection |
| -29.04 | 167.99 | 27/11/2014 | Rutaceae | <i>Citrus ×aurantium</i> | Mesostigmata | Phytoseiidae | <i>Neoseiella novaezealandiae</i> | Y | Y | Ethanol wash |
| -29.00 | 167.93 | 24/09/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Mesostigmata | Phytoseiidae | <i>Neoseiella novaezealandiae</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 27/11/2014 | Rosaceae | <i>Pyrus communis</i> | Mesostigmata | Phytoseiidae | <i>Neoseiella novaezealandiae</i> | Y | Y | Ethanol wash |
| -29.05 | 167.92 | 25/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Mesostigmata | Phytoseiidae | <i>Neoseiella novaezealandiae</i> | Y | Y | Ethanol wash |
| -29.02 | 167.93 | 27/11/2014 | Fabaceae | <i>Trifolium</i> sp. | Mesostigmata | Phytoseiidae | <i>Neoseiella novaezealandiae</i> | Y | Y | Ethanol wash |
| -29.04 | 167.94 | 23/11/2014 | Hemerocallidaceae | <i>Hemerocallis</i> sp. | Mesostigmata | Phytoseiidae | <i>Neoseiella novaezealandiae</i> | Y | Y | Ethanol wash |
| -29.03 | 167.98 | 25/09/2013 | Solanaceae | <i>Solanum melongena</i> | Hemiptera | Aphididae | <i>Neotoxoptera</i> Theobald, 1915 | Y | ? | Beating |
| -29.03 | 167.99 | 25/09/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> | Hemiptera | Aphididae | <i>Neotoxoptera</i> sp. | Y | ? | Hand collection |
| -29.04 | 167.98 | 9/10/2014 | Anacardiaceae | <i>Mangifera indica</i> | Hemiptera | Miridae | <i>Nesidiocoris</i> Kirkaldy, 1902 | Y | ? | Sweep net and beating |
| -29.04 | 167.99 | 8/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Miridae | <i>Nesidiocoris</i> sp. | Y | ? | Beating |
| -29.01 | 167.92 | 16/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Miridae | <i>Nesidiocoris</i> sp. | Y | ? | Hand collection |
| -29.04 | 167.99 | 25/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Miridae | <i>Nesidiocoris tenuis</i> (Reuter, 1895) | Y | Y | Hand collection |
| -29.04 | 167.99 | 25/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Miridae | <i>Nesidiocoris tenuis</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Miridae | <i>Nesidiocoris tenuis</i> | Y | Y | Aspirator |
| -29.00 | 167.93 | 25/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Miridae | <i>Nesidiocoris tenuis</i> | Y | Y | Sweep net |
| -29.00 | 167.93 | 27/02/2014 | Various | NA | Hemiptera | Miridae | <i>Nesidiocoris tenuis</i> | Y | Y | Yellow pan among various young vegetables |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Lepidoptera | Arecidae | <i>Nesioica cladara</i> Turner, 1917 | N | N | Light trap |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|------------------------------|--------------------------------|------------------|-----------------|--|-----------------------------------|----------------------------|---|
| -29.01 | 167.95 | 23/05/2014 | NA | NA | Lepidoptera | Arecidae | <i>Nesiotica cladara</i> | N | N | Light trap |
| -29.01 | 167.94 | 24/09/2013 | Arecaceae | Unknown | Pseudoscorpiones | Chernetidae | <i>Nesochernes gracilis</i> <i>norfolkensis</i> Beter, 1976 | N | N | Berlese funnel from leaf litter under palms |
| -29.03 | 167.94 | 26/05/2014 | NA | NA | Dermaptera | Spongiphoridae | <i>Nesogaster halli</i> Hincks, 1949 | Y | Y | Light trap Set 25.5.2014, collected 26.5.2014 |
| -29.05 | 167.98 | 10/10/2014 | NA | NA | Dermaptera | Spongiphoridae | <i>Nesogaster halli</i> | Y | Y | Light trap Set 9.10.14, collected 10.10.14 |
| -29.02 | 167.97 | 22/09/2013 | Araceae | <i>Colocasia esculenta</i> | Dermaptera | Spongiphoridae | <i>Nesogaster halli</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 25/11/2014 | Arecaceae, Fabaceae, Araceae | NA | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> (Bagnall, 1916) | Y | Y | Hand collection from dead palm leaves, dead pea pods |
| -29.01 | 167.94 | 11/07/2013 | Malvaceae | <i>Abutilon julianae</i> Endl. | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection |
| -29.02 | 167.95 | 21/12/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection |
| -29.02 | 167.94 | 26/03/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from leaf litter |
| -29.01 | 167.94 | 25/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from terminal branches |
| -29.02 | 167.95 | 23/12/2012 | Poaceae | <i>Cenchrus clandestinus</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/03/2014 | Poaceae | <i>Cenchrus purpureus</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection |
| -29.02 | 167.94 | 22/12/2013 | Rutaceae | <i>Citrus × jambhiri</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from dead branches |
| -29.03 | 167.99 | 21/12/2013 | Rubiaceae | <i>Coffea</i> sp. | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection |
| -29.01 | 167.94 | 11/07/2013 | Asparagaceae | <i>Cordyline oblecta</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from dead leaves |
| -29.02 | 167.96 | 25/03/2014 | Phormiaceae | <i>Dianella</i> sp. | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 21/02/2014 | Fabaceae | <i>Glycine max</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 27/12/2012 | Proteaceae, Araceae | <i>Grevillea robusta</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from dead leaves |
| -29.04 | 167.99 | 23/11/2014 | Malvaceae | <i>Hibiscus insularis</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from dead wood, dead seed heads |
| -29.01 | 167.95 | 22/11/2014 | Malvaceae | <i>Hibiscus</i> sp. | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from dead twigs and leaves |
| -29.03 | 167.99 | 22/12/2012 | Convolvulaceae | <i>Ipomoea</i> sp. | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from dead stem and leaves, larvae present |
| -29.00 | 167.94 | 24/02/2014 | Malvaceae | <i>Lagunaria patersoniana</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Beating |
| -29.04 | 167.96 | 25/10/2013 | Verbenaceae | <i>Lantana camara</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|---------------------------------|--|--------------|-----------------|------------------------------|-----------------------------------|----------------------------|--|
| -29.03 | 167.97 | 18/02/2014 | Verbenaceae | <i>Lantana camara</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Beating |
| -29.05 | 167.93 | 29/11/2014 | Fabaceae | <i>Melicago sativa</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from flowers |
| -29.04 | 167.96 | 10/10/2014 | Musaceae | <i>Musa</i> sp. | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Beating |
| -29.01 | 167.94 | 22/10/2013 | Scrophulariaceae | <i>Myoporum obscurum</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from dead standing branches |
| -29.03 | 167.99 | 9/07/2013 | NA | NA | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection |
| -29.00 | 167.94 | 26/03/2014 | Oleaceae, Poaceae | <i>Olea europaea</i> subsp. <i>causidata</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from grass litter |
| -29.00 | 167.94 | 24/03/2014 | Poaceae, Oleaceae | <i>Olea europaea</i> subsp. <i>causidata</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from grasses, olive litter |
| -29.03 | 167.99 | 9/07/2013 | Various, Solanaceae, Asteraceae | <i>Physalis</i> sp., <i>Bidens pilosa</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection |
| -29.01 | 167.94 | 23/12/2013 | Areaceae | <i>Rhopalostylis baueri</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from dead frond |
| -29.02 | 167.96 | 25/12/2013 | Meliaceae | <i>Toona ciliata</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from dead branch |
| -29.03 | 167.99 | 22/03/2014 | Meliaceae, Rubiaceae | <i>Toona</i> sp., <i>Coffea</i> sp. | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/12/2012 | Poaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 9/07/2013 | Various | Unknown | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection |
| -29.01 | 167.92 | 26/11/2014 | Poaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection |
| -29.01 | 167.95 | 26/12/2012 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection |
| -29.00 | 167.94 | 24/03/2014 | Poaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection |
| -29.02 | 167.95 | 21/12/2012 | Poaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from base of grass, larvae present |
| -29.03 | 167.93 | 22/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 26/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 27/12/2012 | Areaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from dead leaves |
| -29.02 | 167.95 | 22/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from dead twigs and leaves |
| -29.03 | 167.93 | 22/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from dead wood |
| -29.02 | 167.96 | 25/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from dead wood |
| -29.02 | 167.96 | 26/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection, betesate from leaf litter |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|----------------------|--|--------------|-----------------|--|-----------------------------------|----------------------------|---|
| -29.00 | 167.94 | 24/03/2014 | Poaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from litter |
| -29.01 | 167.94 | 23/12/2012 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection from old dead branch |
| -29.05 | 167.96 | 9/10/2014 | Vitaceae | <i>Vitis vinifera</i> | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Beating |
| -29.00 | 167.93 | 22/12/2013 | Various | | Thysanoptera | Phlaeothripidae | <i>Nesothrips propinquus</i> | Y | Y | Hand collection |
| -29.05 | 167.93 | 24/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Araneae | Theridiidae | <i>Nesticodes rufipes</i> (Lucas, 1846) | Y | Y | Hand collection |
| -29.03 | 167.95 | 7/10/2014 | NA | NA | Hymenoptera | Ichneumonidae | <i>Nezara viridula</i> Gray, 1860 | ? | ? | Light trap |
| -29.01 | 167.94 | 24/02/2014 | NA | NA | Hymenoptera | Ichneumonidae | <i>Nezara viridula</i> sp. | ? | ? | Light trap |
| -29.04 | 167.99 | 23/05/2014 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Pentatomidae | <i>Nezara viridula</i> (Linnaeus, 1758) | N | Y | Sweep net |
| -29.03 | 167.99 | 21/02/2014 | Fabaceae | <i>Glycine max</i> | Hemiptera | Pentatomidae | <i>Nezara viridula</i> | N | Y | Hand collection |
| -29.03 | 167.99 | 20/02/2014 | Solanaceae | <i>Nicandra physalodes</i> | Hemiptera | Pentatomidae | <i>Nezara viridula</i> | N | Y | Sweep net |
| -29.03 | 167.98 | 14/06/2013 | Solanaceae | <i>Solanum melongena</i> | Hemiptera | Pentatomidae | <i>Nezara viridula</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 25/11/2014 | Solanaceae | <i>Solanum tuberosum</i> | Hemiptera | Pentatomidae | <i>Nezara viridula</i> | N | Y | Hand collection |
| -29.03 | 167.99 | 25/09/2013 | Poaceae | <i>Zea mays</i> | Hemiptera | Pentatomidae | <i>Nezara viridula</i> | N | Y | Hand collection from hydroponics |
| -29.03 | 167.93 | 19/02/2014 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> | Hemiptera | Pentatomidae | <i>Nezara viridula</i> | N | Y | Hand collection |
| -29.03 | 167.95 | 7/10/2014 | NA | NA | Diptera | Dolichopodidae | <i>Nothorhaphium aemulans</i> (Becker, 1922) | N | Y | Light trap |
| -29.00 | 167.93 | 26/12/2012 | Musaceae, Asteraceae | <i>Musa</i> sp., <i>Lactuca sativa</i> | Diptera | Dolichopodidae | <i>Nothorhaphium aemulans</i> | N | Y | Yellow pan |
| -29.03 | 167.93 | 26/09/2013 | Bromeliaceae | <i>Ananas comosus</i> | Hymenoptera | Fornicidae | <i>Nyländeria obscura</i> (Mayr, 1862) | N | Y | Hand collection |
| -29.05 | 167.93 | 11/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Hymenoptera | Fornicidae | <i>Nyländeria obscura</i> | N | Y | Hand collection from felled tree #1 |
| -29.02 | 167.93 | 12/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Hymenoptera | Fornicidae | <i>Nyländeria obscura</i> | N | Y | Hand collection from felled tree #6 (workers) |
| -29.03 | 167.94 | 23/05/2014 | Asteraceae | <i>Crassocephalum crepidioides</i> (Benth.) J.S. Moore | Hymenoptera | Fornicidae | <i>Nyländeria obscura</i> | N | Y | Trapping |
| -29.02 | 167.96 | 25/05/2014 | Arecaceae | <i>Howea</i> sp. | Hymenoptera | Fornicidae | <i>Nyländeria obscura</i> | N | Y | Hand collection |
| -29.05 | 167.97 | 24/02/2014 | Tropaeolaceae | <i>Tropaeolum</i> L. | Hymenoptera | Fornicidae | <i>Nyländeria obscura</i> | N | Y | Hand collection |
| -29.02 | 167.97 | 22/09/2013 | NA | | Hymenoptera | Fornicidae | <i>Nyländeria obscura</i> | N | Y | Hand collection |
| -29.01 | 167.93 | 13/06/2013 | Rubiaceae | <i>Coffea</i> sp. | Hymenoptera | Fornicidae | <i>Nyländeria obscura</i> group | ? | ? | Hand collection |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|---------------|-------------------------------|--------------|---------------|--|-----------------------------------|----------------------------|--|
| -29.01 | 167.93 | 26/09/2013 | Rubiaceae | <i>Coffea</i> sp. | Hymenoptera | Formicidae | <i>Nylanderia vaga</i> (Forel, 1901) | N | Y | Hand collection |
| -29.03 | 167.94 | 24/05/2014 | Asparagaceae | <i>Cordyline oblecta</i> | Hymenoptera | Formicidae | <i>Nylanderia vaga</i> | N | Y | Sweep net |
| -29.05 | 167.92 | 24/05/2014 | NA | NA | Hymenoptera | Formicidae | <i>Nylanderia vaga</i> | N | Y | Hand collection from ant nest under rock |
| -29.01 | 167.93 | 20/05/2014 | Poaceae | <i>Paspalum</i> sp. | Hymenoptera | Formicidae | <i>Nylanderia vaga</i> | N | Y | Sweep net in eucalypt forest |
| -29.03 | 167.99 | 23/05/2014 | Euphorbiaceae | <i>Ricinus communis</i> | Hymenoptera | Formicidae | <i>Nylanderia vaga</i> | N | Y | Beating |
| -29.03 | 167.94 | 10/10/2014 | Unknown | Unknown | Hymenoptera | Formicidae | <i>Nylanderia vaga</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 25/09/2013 | Vitaceae | <i>Vitis vinifera</i> | Hymenoptera | Formicidae | <i>Nylanderia vaga</i> | N | Y | Hand collection from leaves |
| -29.01 | 167.93 | 16/10/2014 | Poaceae | <i>Cenchrus purpureus</i> | Hymenoptera | Formicidae | <i>Nylanderia vaga</i> | N | Y | Hand collection |
| -29.05 | 167.97 | 24/02/2014 | Asteraceae | <i>Conyza</i> sp. | Hemiptera | Orsillidae | <i>Nysius caledoniae</i> Distant, 1920 | Y | Y | Hand collection |
| -29.03 | 167.93 | 19/02/2014 | Asteraceae | <i>Lactuca sativa</i> | Hemiptera | Orsillidae | <i>Nysius caledoniae</i> | Y | Y | Beating |
| -29.03 | 167.99 | 24/12/2012 | Musaceae | <i>Musa</i> sp. | Hemiptera | Orsillidae | <i>Nysius caledoniae</i> | Y | Y | Yellow pan |
| -29.00 | 167.93 | 24/12/2012 | Lamiaceae | <i>Ocimum basilicum</i> | Hemiptera | Orsillidae | <i>Nysius caledoniae</i> | Y | Y | Beating from flowering plants |
| -29.03 | 167.93 | 19/02/2014 | Bromeliaceae | <i>Ananas comosus</i> | Hemiptera | Orsillidae | <i>Nysius caledoniae</i> | Y | Y | Hand collection |
| -29.01 | 167.93 | 13/06/2013 | Verbenaceae | <i>Lantana camara</i> | Hemiptera | Orsillidae | <i>Nysius vinitor</i> Bergroth, 1891 | N | Y | Hand collection |
| -29.05 | 167.93 | 13/06/2013 | Fabaceae | <i>Medicago sativa</i> | Hemiptera | Orsillidae | <i>Nysius vinitor</i> | N | Y | Sweep net |
| -29.03 | 167.99 | 14/06/2013 | Cucurbitaceae | <i>Cucumis sativus</i> | Hemiptera | Orsillidae | <i>Nysius vinitor</i> | N | Y | Hand collection |
| -29.05 | 167.94 | 22/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hymenoptera | Formicidae | <i>Ocheiellus Shattuck</i> , 1992 | ? | ? | Hand collection from timber |
| -29.02 | 167.93 | 27/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hymenoptera | Formicidae | <i>Ocheiellus glaber</i> (Mayr, 1862) | N | Y | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Asteraceae | <i>Bidens pilosa</i> | Hymenoptera | Formicidae | <i>Ocheiellus glaber</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 25/09/2013 | Caricaceae | <i>Carica papaya</i> | Hymenoptera | Formicidae | <i>Ocheiellus glaber</i> | N | Y | Hand collection |
| -29.03 | 167.98 | 21/05/2014 | Poaceae | <i>Cenchrus purpureus</i> | Hymenoptera | Formicidae | <i>Ocheiellus glaber</i> | N | Y | Sweep net |
| -29.03 | 167.93 | 26/09/2013 | Cucurbitaceae | <i>Cucumis sativus</i> | Hymenoptera | Formicidae | <i>Ocheiellus glaber</i> | N | Y | Hand collection |
| -29.03 | 167.99 | 22/05/2014 | Cucurbitaceae | <i>Cucumis sativus</i> | Hymenoptera | Formicidae | <i>Ocheiellus glaber</i> | N | Y | Beating |
| -29.03 | 167.97 | 7/10/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Hymenoptera | Formicidae | <i>Ocheiellus glaber</i> | | | Hand collection from nest (larvae, pupae, workers, alates) |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|-------------|-----------|--------------------------|---------------|--|----------------|---------------|--|-----------------------------------|----------------------------|---|
| -29.02 | 167.97 | 22/09/2013 | Malvaceae | <i>Lagunaria patersoniana</i> | Hymenoptera | Formicidae | <i>Ocheilus glaber</i> | N | Y | Hand collection |
| -29.00 | 167.93 | 24/09/2013 | Anacardiaceae | <i>Mangifera indica</i> | Hymenoptera | Formicidae | <i>Ocheilus glaber</i> | N | Y | Hand collection |
| -29.00 | 167.93 | 20/02/2014 | Musaceae | <i>Musa</i> sp. | Hymenoptera | Formicidae | <i>Ocheilus glaber</i> | N | Y | Sweep net |
| -29.03 | 167.97 | 18/02/2014 | NA | <i>Prunus persica</i> var. <i>persica</i> | Hymenoptera | Formicidae | <i>Ocheilus glaber</i> | N | Y | Hand collection from timber |
| -29.04 | 167.99 | 25/09/2013 | Rosaceae | <i>Solanum lycopersicum</i> | Hymenoptera | Formicidae | <i>Ocheilus glaber</i> | N | Y | Hand collection |
| -29.03 | 167.93 | 19/02/2014 | Solanaceae | Unknown | Hymenoptera | Formicidae | <i>Ocheilus glaber</i> | N | Y | Beating |
| -29.04 | 167.97 | 9/10/2014 | Unknown | Unknown | Hymenoptera | Formicidae | <i>Ocheilus glaber</i> | N | Y | Hand collection from sawn timber |
| -29.04 | 167.99 | 25/09/2013 | Vitaceae | <i>Vitis vinifera</i> | Hymenoptera | Formicidae | <i>Ocheilus glaber</i> | N | Y | Hand collection from leaves |
| -29.03 | 167.99 | 25/09/2013 | Poaceae | <i>Zea mays</i> | Hymenoptera | Formicidae | <i>Ocheilus glaber</i> | N | Y | Hand collection |
| -29.03 | 167.93 | 19/02/2014 | Bromeliaceae | <i>Ananas comosus</i> | Hymenoptera | Formicidae | <i>Ocheilus glaber</i> | N | Y | Hand collection |
| -29.05 | 167.92 | 18/02/2014 | Verbenaceae | <i>Lantana camara</i> | Coleoptera | Chrysomelidae | <i>Ocotoma scabripennis</i> Guérin-Ménéville, 1844 | Y | Y | Hand collection |
| -29.05 | 167.93 | 12/10/2014 | Verbenaceae | <i>Lantana camara</i> | Coleoptera | Chrysomelidae | <i>Ocotoma scabripennis</i> | Y | Y | Hand collection |
| -29.02 | 167.93 | 25/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> <i>Psidium cattleianum</i> var. <i>cattleianum</i> | Trombidiformes | Bdellidae | <i>Odontoscirus</i> Thor, 1913 | Y | Y | Hand collection from nursery seedlings |
| -29.01 | 167.93 | 21/05/2014 | Myrtaceae | Unknown | Trombidiformes | Bdellidae | <i>Odontoscirus</i> sp. | Y | Y | Beating in eucalypt forest |
| -29.01 | 167.94 | 24/09/2013 | Arecaceae | Unknown | Trombidiformes | Bdellidae | <i>Odontoscirus</i> sp. | Y | Y | Berlese funnel from leaf litter under palms |
| -29.06 | 167.94 | 11/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Bdellidae | <i>Odontoscirus</i> sp. | Y | Y | Beating |
| -29.03 | 167.94 | 24/05/2014 | Arecaceae | <i>Rhopalosiphum baueri</i> | Trombidiformes | Bdellidae | <i>Odontoscirus harpax</i> Aysco, 1963 | Y | Y | Hand collection |
| -29.01.5002 | 167.95 | 25/02/2014 | Myrtaceae | <i>Psidium cattleianum</i> var. <i>cattleianum</i> | Trombidiformes | Bdellidae | <i>Odontoscirus harpax</i> | Y | Y | Hand collection |
| -29.01 | 167.95 | 23/09/2013 | Urticaceae | <i>Boehmeria australis</i> | Mesostigmata | Phytoseiidae | <i>Olxiseius Ehara, 1967</i> | Y | ? | Hand collection |
| -29.03 | 167.99 | 20/02/2014 | Fabaceae | <i>Phaseolus vulgaris</i> | Lepidoptera | Crambidae | <i>Omiodes diemenalis</i> (Guenée, 1854) | N | Y | Hand collection |
| -29.06 | 167.94 | 26/11/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Onitis vanderkelleni</i> Lansberge, 1886 | N | Y | Light trap |
| -29.05 | 167.95 | 12/10/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Onitis vanderkelleni</i> | N | Y | Light trap |
| -29.01 | 167.93 | 3/12/2014; 27/02/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Onitis vanderkelleni</i> | N | Y | Light trap in eucalypt forest |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|---------------------------------|--|--------------|---------------|---|-----------------------------------|----------------------------|--|
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Onitis vanderkelleni</i> | N | Y | Light trap#4 |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Onitis vanderkelleni</i> | N | Y | Light trap #1 |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Onitis vanderkelleni</i> | N | Y | Light trap #2 |
| -29.05 | 167.93 | 26/11/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Onitis vanderkelleni</i> | N | Y | Light trap in Norfolk Island pines |
| -29.05 | 167.92 | 1/12/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Onitis vanderkelleni</i> | N | Y | Light trap in Norfolk Island pines |
| -29.02 | 167.94 | 2/12/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Onitis vanderkelleni</i> | N | Y | Light trap among Norfolk Island pines |
| -29.01 | 167.93 | 21/05/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Onitis vanderkelleni</i> | N | Y | Light trap |
| -29.03 | 167.97 | 22/05/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Onitis vanderkelleni</i> | N | Y | Light trap Set 20.5.2014, collected 21.5.2014, eucalypt forest |
| -29.04 | 167.94 | 19/02/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Onitis vanderkelleni</i> | N | Y | Hand collection from tyre with water |
| -29.00 | 167.93 | 20/02/2014 | Rutaceae | <i>Citrus ×aurantium</i> | Coleoptera | Scarabaeidae | <i>Onitis vanderkelleni</i> | N | Y | Hand collection |
| -29.03 | 167.97 | 7/10/2014 | Polygalaceae | <i>Polygala myrifolia</i> | Coleoptera | Scarabaeidae | <i>Onithophagus nigriventris</i> d'Origny, 1902 | N | Y | Sweep net |
| -29.01 | 167.95 | 23/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Ophiusa firhaca</i> (Cramer, 1777) | Y | N | Light trap |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Lepidoptera | Tineidae | <i>Opogona psola</i> Bradley, 1956 | N | N | Light trap in eucalypt forest |
| -29.00 | 167.93 | 22/02/2014 | NA | NA | Lepidoptera | Tineidae | <i>Opogona psola</i> | N | N | Bucket light trap in orchard |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Lepidoptera | Tineidae | <i>Opogona psola</i> | N | N | Light trap |
| Unknown | Unknown | 3/04/2014 | Phasianidae | <i>Gallus gallus</i> (Linnaeus, 1758) | Mesostigmata | Macronyssidae | <i>Ornithonyssus bursa</i> (Betse, 1888) | Y | Y | Hand collection |
| -29.03 | 167.99 | 23/12/2012 | Solanaceae | <i>Physalis</i> sp. | Hemiptera | Cicadellidae | <i>Orosius Distant, 1918</i> | ? | ? | Beating |
| -29.00 | 167.93 | 26/12/2012 | Various, Apiaceae, Brassicaceae | <i>Apium graveolens</i> | Hemiptera | Cicadellidae | <i>Orosius argentatus</i> (Evans, 1938) | | | Yellow pan near bananas |
| -29.03 | 167.99 | 24/12/2012 | Cucurbitaceae | <i>Cucurbita pepo</i> | Hemiptera | Cicadellidae | <i>Orosius argentatus</i> | N | Y | Yellow pan on bare soil beside cucurbits |
| -29.00 | 167.93 | 20/02/2014 | Convolvulaceae | <i>Ipomoea batatas</i> | Hemiptera | Cicadellidae | <i>Orosius argentatus</i> | N | Y | Hand collection |
| -29.00 | 167.93 | 26/12/2012 | Musaceae, Asteraceae | <i>Musa</i> sp., <i>Lactuca sativa</i> | Hemiptera | Cicadellidae | <i>Orosius argentatus</i> | N | Y | Yellow pan |
| -29.03 | 167.99 | 23/12/2012 | Solanaceae | <i>Solanum laciniatum</i> | Hemiptera | Cicadellidae | <i>Orosius argentatus</i> | N | Y | Yellow pan |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Solanum melongena</i> | Hemiptera | Cicadellidae | <i>Orosius argentatus</i> | N | Y | Yellow pan |
| -29.01 | 167.92 | 21/05/2014 | Poaceae | Unknown | Hemiptera | Cicadellidae | <i>Orosius argentatus</i> | N | Y | Sweep net in cattle pasture |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---|---------------------------------|--|-----------------|-----------------|---|-----------------------------------|----------------------------|--|
| -29.03 | 167.99 | 24/12/2012 | Poaceae | <i>Zea mays</i> | Hemiptera | Cicadellidae | <i>Orosius argentatus</i> | N | Y | Yellow pan |
| -29.03 | 167.99 | 23/12/2012 | Poaceae, Brassicaceae | <i>Zea mays</i> , <i>Brassica oleracea</i> var. <i>italica</i> | Hemiptera | Cicadellidae | <i>Orosius argentatus</i> | N | Y | Yellow pan among old corn and young broccoli |
| -29.00 | 167.93 | 23/12/2012 | Various | | Hemiptera | Cicadellidae | <i>Orosius argentatus</i> | N | Y | Yellow pan among various vegetables |
| -29.03 | 167.97 | 7/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Stylommatophora | Zonitidae | <i>Oxychilus allianus</i> (Miller, 1822) | Y | Y | Hand collection |
| -29.03 | 167.99 | 23/10/2013 | Various | | Diptera | Sarcophagidae | <i>Oxysarcodexia varia</i> (Walker, 1836) | N | Y | Yellow pan among various young vegetables |
| -29.00 | 167.93 | 26/12/2012 | Various, Apiaceae, Brassicaceae | <i>Apium graveolens</i> | Diptera | Sarcophagidae | <i>Oxysarcodexia varia</i> | N | Y | Yellow pan near bananas |
| -29.00 | 167.93 | 20/02/2014 | Convolvulaceae | <i>Ipomoea batatas</i> | Diptera | Sarcophagidae | <i>Oxysarcodexia varia</i> | N | Y | Hand collection |
| -29.06 | 167.96 | 24/06/2014; 02/07/2014; 10/06/2014; | NA | NA | Diptera | Sarcophagidae | <i>Oxysarcodexia varia</i> | N | Y | LuciLure trap |
| -29.05 | 167.93 | 02/07/2014; 24/06/2014; | NA | NA | Diptera | Sarcophagidae | <i>Oxysarcodexia varia</i> | N | Y | Bezzihure trap |
| -29.05 | 167.97 | 17/07/2014; 02/07/2014; 24/07/2014; | NA | NA | Diptera | Sarcophagidae | <i>Oxysarcodexia varia</i> | N | Y | Bezzihure trap |
| -29.03 | 167.93 | 02/07/2014; 10/06/2014; 2/07/2014; | NA | NA | Diptera | Sarcophagidae | <i>Oxysarcodexia varia</i> | N | Y | Bezzihure trap |
| -29.03 | 167.98 | 29/05/2014; 2/06/2014 | NA | NA | Diptera | Sarcophagidae | <i>Oxysarcodexia varia</i> | N | Y | LuciLure trap |
| -29.02 | 167.97 | 2/06/2014 | NA | NA | Diptera | Sarcophagidae | <i>Oxysarcodexia varia</i> | N | Y | LuciLure trap |
| -29.01 | 167.92 | 28/05/2014 | NA | NA | Diptera | Sarcophagidae | <i>Oxysarcodexia varia</i> | N | Y | LuciLure trap |
| -29.01 | 167.56 | 2/07/2014 | NA | NA | Diptera | Sarcophagidae | <i>Oxysarcodexia varia</i> | N | Y | Blowfly trap |
| -29.00 | 167.93 | 26/12/2012 | Various, Brassicaceae, Musaceae | <i>Ocimum basilicum</i> , <i>Musa</i> sp. | Diptera | Sarcophagidae | <i>Oxysarcodexia varia</i> | N | Y | Yellow pan |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Solanum melongena</i> | Diptera | Sarcophagidae | <i>Oxysarcodexia varia</i> | N | Y | Yellow pan |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Triticum</i> sp. | Diptera | Sarcophagidae | <i>Oxysarcodexia varia</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 23 - 24/05/2014 | Various | | Diptera | Sarcophagidae | <i>Oxysarcodexia varia</i> | N | Y | Yellow pan among various vegetables |
| -29.05 | 167.92 | 28/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Phlaeothripidae | <i>Ozothrips jamae</i> Mound & Palmer, 1983 | Y | N | Hand collection from dead tree |
| -29.04 | 167.99 | 25/11/2014 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Phlaeothripidae | <i>Ozothrips jamae</i> | Y | N | Hand collection |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|--------------------------|---------------|-------------------------------|-------------------|-----------------|--|-----------------------------------|----------------------------|---|
| -29.12 | 167.95 | 14/10/2014 | Rubiaceae | <i>Coprosma baueri</i> | Araucaria | Thomisidae | <i>Ozyptila</i> Simon, 1864 | Y | N | Beating |
| -29.05 | 167.92 | 3/12/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Pachycotes kuscheli</i> Schedl, 1972 | N | N | Hand collection from felled tree #2 |
| -29.02 | 167.93 | 12/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Pachycotes kuscheli</i> | N | N | Hand collection from felled tree #5 |
| -29.04 | 167.94 | 23/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Pachycotes kuscheli</i> | N | N | Hand collection from sawn timber |
| -29.05 | 167.93 | 11/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Pachycotes kuscheli</i> | N | N | Hand collection from felled tree #1 |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Pachycotes kuscheli</i> | N | N | Light trap |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Pachycotes kuscheli</i> | N | N | Light trap |
| -29.01 | 167.92 | 16/10/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Pachycotes kuscheli</i> | N | N | Light trap |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Pachycotes kuscheli</i> | N | N | Light trap #1 |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Pachycotes kuscheli</i> | N | N | Light trap #3 |
| -29.05 | 167.93 | 26/11/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Pachycotes kuscheli</i> | N | N | Light trap among Norfolk Island pines |
| -29.05 | 167.92 | 1/12/2014; 19/05/2017 | NA | NA | Coleoptera | Cureulionidae | <i>Pachycotes kuscheli</i> | N | N | Light trap among Norfolk Island pines |
| -29.03 | 167.97 | 27/11/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Pachycotes kuscheli</i> | N | N | Light trap |
| -29.03 | 167.96 | 25/09/2013 | NA | NA | Coleoptera | Cureulionidae | <i>Pachycotes kuscheli</i> | N | N | Hand collection from timber |
| -29.05 | 167.92 | 17/02/2014 | Unknown | Unknown | Coleoptera | Cureulionidae | <i>Pachycotes kuscheli</i> | N | N | Hand collection from timber |
| -29.02 | 167.93 | 25/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Pachycotes kuscheli</i> | N | N | Hand collection from under bark of billets |
| -29.05 | 167.92 | 17/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Pachycotes kuscheli</i> (Lea, 1927) | N | N | Hand collection |
| -29.01 | 167.94 | 24/09/2013 | Araucariaceae | Unknown | Architaenioglossa | Diplommatinidae | <i>Palmatina quintali</i> Iredale, 1945 | N | N | Berlese funnel from leaf litter under palms |
| -29.01 | 167.94 | 24/02/2014 | NA | NA | Lepidoptera | Crambidae | <i>Paipita unionalis</i> (Hübner, 1796) | N | N | Light trap |
| -29.01 | 167.95 | 23/05/2014 | NA | NA | Lepidoptera | Crambidae | <i>Paipita unionalis</i> | N | N | Light trap |
| -29.03 | 167.97 | 7/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Blattodea | Blaberidae | <i>Panesthia cribrata</i> Saussure, 1864 | N | Y | Hand collection |
| -29.05 | 167.92 | 24/05/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Blattodea | Blaberidae | <i>Panesthia cribrata</i> | N | Y | Hand collection from fallen logs |
| -29.04 | 167.94 | 28/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Pamydia sparsa</i> Guenee, 1852 | N | Y | Light trap |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Pamydia sparsa</i> | N | Y | Light trap |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Pamydia sparsa</i> | N | Y | Light trap from eucalypt forest |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------------------|-----------------------------------|---|----------------|-----------------|---|-----------------------------------|----------------------------|---|
| -29.00 | 167.93 | 22/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Pantylia sparsa</i> | N | Y | Bucket light trap from orchard |
| -29.03 | 167.97 | 22/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Pantylia sparsa</i> | N | Y | Light trap |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Pantylia sparsa</i> | N | Y | Light trap |
| -29.03 | 167.97 | 18/02/2014 | NA | NA | Coleoptera | Cerambycidae | <i>Papiandra norfolkensis</i> Santos-Silva, Heffern & Masuda, 2010 | N | N | Hand collection from timber billets |
| -29.05 | 167.92 | 24/05/2014 | Poaceae | Unknown | Trombidiformes | Acarophenacidae | <i>Paracarophenax</i> Cross, 1965 sp. nov.? | Y | N | Sweep net |
| -29.04 | 167.96 | 26/11/2013 | NA | NA | Hymenoptera | Vespidae | <i>Paralastor cf. vulpinus</i> | N | Y | Hand collection |
| -29.03 | 167.99 | 23/10/2013 | Various | Various | Diptera | Sepsidae | <i>Parapalaeoepsis plebeia</i> (De Meijere, 1906) | N | Y | Yellow pan among various young vegetables |
| -29.02 | 167.93 | 24/10/2013 | Various | Various | Diptera | Sepsidae | <i>Parapalaeoepsis plebeia</i> | N | Y | Yellow pan among various young vegetables |
| -29.00 | 167.93 | 23 - 24/03/2014 | Various | Various | Diptera | Sepsidae | <i>Parapalaeoepsis plebeia</i> | N | Y | Yellow pan |
| -29.03 | 167.99 | 24/12/2012 | Musaceae | <i>Musa</i> sp. | Diptera | Sepsidae | <i>Parapalaeoepsis plebeia</i> | N | Y | Yellow pan |
| -29.00 | 167.93 | 26/12/2012 | Musaceae, Asteraceae | <i>Musa</i> sp., <i>Lactuca sativa</i> | Diptera | Sepsidae | <i>Parapalaeoepsis plebeia</i> | N | Y | Yellow pan |
| -29.06 | 167.96 | 24/06/2014; 02/07/2014 | NA | NA | Diptera | Sepsidae | <i>Parapalaeoepsis plebeia</i> | N | Y | LuciLure trap |
| -29.03 | 167.93 | 2/07/2014 | NA | NA | Diptera | Sepsidae | <i>Parapalaeoepsis plebeia</i> | N | Y | Blowfly trap |
| -29.00 | 167.93 | 26/12/2012 | Lamiaceae, Brassicaceae, Musaceae | <i>Ocimum basilicum</i> , <i>Musa</i> sp. | Diptera | Sepsidae | <i>Parapalaeoepsis plebeia</i> | N | Y | Yellow pan |
| -29.04 | 167.99 | 23 - 24/03/2014 | Various | Various | Diptera | Sepsidae | <i>Parapalaeoepsis plebeia</i> | N | Y | Yellow pan among various vegetables |
| -29.02 | 167.96 | 10/06/2013 | Solanaceae | <i>Solanum melongena</i> | Hemiptera | Coccidae | <i>Parasaissetia nigra</i> (Nietner, 1861) | Y | Y | Hand collection |
| -29.03 | 167.98 | 21/05/2014 | Poaceae | <i>Cenchrus purpureus</i> | Coleoptera | Phalacridae | <i>Parasemus Guillebeau</i> , 1894 | Y | ? | Sweep net |
| -29.01 | 167.94 | 24/09/2013 | Arecaceae | Unknown | Araneae | Theridiidae | <i>Parasteatoda Archet</i> , 1946 | Y | Y | Berlese funnel from leaf litter under palms |
| -29.03 | 167.97 | 22/05/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Hymenoptera | Fornicidae | <i>Paratrechina longicornis</i> (Latreille, 1802) | N | Y | Hand collection from sawn timber |
| -29.03 | 167.97 | 25/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hymenoptera | Fornicidae | <i>Paratrechina longicornis</i> | N | Y | Hand collection from timber |
| -29.04 | 167.96 | 9/10/2014 | Cartiaceae | <i>Carica papaya</i> | Hymenoptera | Fornicidae | <i>Paratrechina longicornis</i> | N | Y | Beating |
| -29.02 | 167.97 | 22/09/2013 | NA | NA | Hymenoptera | Fornicidae | <i>Paratrechina longicornis</i> | N | Y | Hand collection from soil |
| -29.06 | 167.95 | 27/09/2013 | NA | NA | Hymenoptera | Fornicidae | <i>Paratrechina longicornis</i> | N | Y | Hand collection from soil |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|----------------------|--|--------------|----------------|--|-----------------------------------|----------------------------|----------------------------------|
| -29.02 | 167.97 | 22/09/2013 | NA | NA | Hymenoptera | Formicidae | <i>Paratrechina longicornis</i> | N | Y | Hand collection |
| -29.03 | 167.96 | 25/09/2013 | NA | NA | Hymenoptera | Formicidae | <i>Paratrechina longicornis</i> | N | Y | Hand collection from timber |
| -29.03 | 167.97 | 18/02/2014 | NA | NA | Hymenoptera | Formicidae | <i>Paratrechina longicornis</i> | N | Y | Hand collection from timber |
| -29.03 | 167.97 | 7/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Hymenoptera | Formicidae | <i>Paratrechina longicornis</i> | N | Y | Hand collection |
| -29.03 | 167.95 | 21/09/2013 | NA | NA | Araeneae | Lycooridae | <i>Paridosia paludicola</i> (Clerck, 1757) | Y | N | Hand collection |
| -29.00 | 167.93 | 26/12/2012 | Musaceae, Asteraceae | <i>Musa</i> sp., <i>Lactuca sativa</i> | Diptera | Dolichopodidae | <i>Parentia vulgaris</i> Becker, 1994 | N | Y | Yellow pan |
| -29.03 | 167.92 | 21/05/2014 | Asparagaceae | <i>Cordyline</i> sp. | Thysanoptera | Thripidae | <i>Parthenothrips dracaenae</i> (Heeger, 1854) | Y | Y | Beating |
| -29.03 | 167.95 | 8/10/2014 | Asparagaceae | <i>Cordyline oblecta</i> | Thysanoptera | Thripidae | <i>Parthenothrips dracaenae</i> | Y | Y | Beating |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Lepidoptera | Geometridae | <i>Paspilodes testulata</i> (Guenee, 1857) | N | Y | Bucket light trap |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Lepidoptera | Geometridae | <i>Paspilodes testulata</i> | N | Y | Light trap among eucalypt forest |
| -29.03 | 167.97 | 22/05/2014 | NA | NA | Lepidoptera | Geometridae | <i>Paspilodes testulata</i> | N | Y | Light trap |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Lepidoptera | Geometridae | <i>Paspilodes testulata</i> | N | Y | Light trap |
| -29.00 | 167.94 | 24/02/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Lepidoptera | Gelechiidae | <i>Pectinophora scutigera</i> (Holdaway, 1926) | N | Y | Beating |
| -29.04 | 167.94 | 28/02/2014 | NA | NA | Lepidoptera | Gelechiidae | <i>Pectinophora scutigera</i> | N | Y | Light trap |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Lepidoptera | Gelechiidae | <i>Pectinophora scutigera</i> | N | Y | Light trap among eucalypt forest |
| -29.03 | 167.96 | 25/05/2014 | NA | NA | Lepidoptera | Gelechiidae | <i>Pectinophora scutigera</i> | N | Y | Light trap |
| -29.00 | 167.93 | 22/02/2014 | NA | NA | Lepidoptera | Gelechiidae | <i>Pectinophora scutigera</i> | N | Y | Bucket light trap in orchard |
| -29.03 | 167.94 | 26/02/2014 | Malvaceae | <i>Hibiscus insularis</i> | Lepidoptera | Gelechiidae | <i>Pectinophora scutigera</i> | N | Y | Rared in lab |
| -29.01 | 167.92 | 16/10/2014 | NA | NA | Coleoptera | Carabidae | <i>Pentagonica atkinsoni</i> Fauvel, 1882 | N | N | Light trap |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Coleoptera | Carabidae | <i>Pentagonica atkinsoni</i> | N | N | Light trap in eucalypt forest |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Carabidae | <i>Pentagonica atkinsoni</i> | N | N | Light trap 33 |
| -29.03 | 167.97 | 27/11/2014 | NA | NA | Coleoptera | Carabidae | <i>Pentagonica atkinsoni</i> | N | N | Light trap |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Coleoptera | Carabidae | <i>Pentagonica atkinsoni</i> | N | N | Light trap |
| -29.00 | 167.93 | 20/02/2014 | Musaceae | <i>Musa</i> sp. | Hemiptera | Aphididae | <i>Pentalonia nigronervosa</i> Coquerel, 1859 | Y | Y | Sweep net |
| -29.04 | 167.99 | 14/06/2013 | Musaceae | <i>Musa</i> sp. | Hemiptera | Aphididae | <i>Pentalonia nigronervosa</i> | Y | Y | Hand collection in flowers only |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|---|---|----------------|---------------|---|-----------------------------------|----------------------------|---|
| -29.00 | 167.93 | 26/12/2012 | Lamiaceae, Brassicaceae, Musaceae | <i>Ocimum basilicum</i> , <i>Musa</i> sp. | Hemiptera | Aphididae | <i>Pentalonia nigronervosa</i> | Y | Y | Yellow pan |
| -29.00 | 167.93 | 23/12/2012 | Various | | Hemiptera | Aphididae | <i>Pentalonia nigronervosa</i> | Y | Y | Yellow pan among various vegetables |
| -29.05 | 167.92 | 27/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Pentamimus nepeaniamus</i> (Olliff, 1888) | N | N | Hand collection from dead branch on live tree |
| -29.05 | 167.92 | 11/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Pentamimus nepeaniamus</i> | N | N | Hand collection from felled tree #1 |
| -29.03 | 167.96 | 25/09/2013 | NA | NA | Coleoptera | Cureulionidae | <i>Pentamimus nepeaniamus</i> | N | N | Hand collection from timber |
| -29.01 | 167.94 | 23/09/2013 | Unknown | Unknown | Coleoptera | Cureulionidae | <i>Pentamimus nepeaniamus</i> | N | N | Hand collection from dead wood |
| -29.05 | 167.93 | 14/06/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Pentamimus nepeaniamus</i> | N | N | Hand collection |
| -29.02 | 167.93 | 25/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Pentarthrum millingtoni</i> Olliff, 1888 | N | N | Hand collection from under bark of billets |
| -29.03 | 167.97 | 21/05/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Pentarthrum millingtoni</i> | N | N | Hand collection from sawn timber |
| -29.02 | 167.93 | 12/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Pentarthrum millingtoni</i> | N | N | Hand collection |
| -29.03 | 167.97 | 7/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Pentarthrum millingtoni</i> | N | N | Hand collection |
| -29.05 | 167.92 | 19/05/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Pentarthrum millingtoni</i> | N | N | Light trap |
| -29.03 | 167.97 | 18/02/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Pentarthrum millingtoni</i> | N | N | Hand collection from timber billets |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Pentarthrum millingtoni</i> | N | N | Light trap #3 |
| -29.03 | 167.97 | 27/11/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Pentarthrum millingtoni</i> | N | N | Light trap |
| -29.03 | 167.96 | 25/09/2013 | NA | NA | Coleoptera | Cureulionidae | <i>Pentarthrum millingtoni</i> | N | N | Hand collection from timber |
| -29.05 | 167.92 | 24/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Pentarthrum millingtoni</i> | N | N | Hand collection |
| -29.05 | 167.92 | 25/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Eriophyidae | c.f. <i>Pentasetacus</i> | Y | ? | Ethanol wash |
| -29.00 | 167.93 | 24/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Eriophyidae | c.f. <i>Pentasetacus</i> | Y | ? | Ethanol wash |
| -29.03 | 167.97 | 18/02/2014 | NA | NA | Blattodea | Blattidae | <i>Periplaneta americana</i> (Linnaeus, 1758) | N | Y | Hand collection from timber |
| -29.03 | 167.95 | 25/02/2014 | NA | NA | Blattodea | Blattidae | <i>Periplaneta americana</i> | N | Y | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> <i>Nicandra physalodes</i> | Lepidoptera | Gelechiidae | <i>Pexicopia</i> Common, 1958 | Y | ? | Hand collection and beating |
| -29.03 | 167.98 | 22/05/2014 | Solanaceae | | Hymenoptera | Formicidae | <i>Pheidole</i> Westwood, 1841 | ? | ? | Beating |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|-------------------|----------------------------|----------------|----------------|---|-----------------------------------|----------------------------|--|
| -29.01 | 167.93 | 16/10/2014 | Poaceae | <i>Cenchrus purpureus</i> | Hymenoptera | Fornicidae | <i>Pheidole</i> sp. | ? | ? | Hand collection |
| -29.03 | 167.92 | 22/05/2014 | Lamiaceae | <i>Ocimum basilicum</i> | Hymenoptera | Fornicidae | <i>Pheidole</i> cf. <i>vigilans</i> | ? | ? | Beating |
| -29.03 | 167.99 | 24/12/2012 | Cucurbitaceae | <i>Cucurbita pepo</i> | Hymenoptera | Fornicidae | <i>Pheidole vigilans</i> (Smith, 1858) | N | Y | Yellow pan on bare soil besides cucurbits |
| -29.00 | 167.93 | 20/02/2014 | Asteraceae | <i>Lactuca sativa</i> | Hymenoptera | Fornicidae | <i>Pheidole vigilans</i> | N | Y | Hand collection |
| -29.00 | 167.93 | 20/02/2014 | Musaceae | <i>Musa</i> sp. | Hymenoptera | Fornicidae | <i>Pheidole vigilans</i> | N | Y | Sweep net |
| -29.06 | 167.95 | 27/09/2013 | NA | NA | Hymenoptera | Fornicidae | <i>Pheidole vigilans</i> | N | Y | Hand collection from soil |
| -29.12 | 167.95 | 15/10/2014 | NA | NA | Hymenoptera | Fornicidae | <i>Pheidole vigilans</i> | N | Y | Hand collection |
| -29.00 | 167.93 | 24/09/2013 | Caricaceae | <i>Carica papaya</i> | Hymenoptera | Fornicidae | <i>Pheidole vigilans</i> | N | Y | Hand collection from rotting fruit on ground |
| -29.01 | 167.93 | 13/06/2013 | Rosaceae | <i>Malus pumila</i> | Coleoptera | Curculionidae | <i>Phytectinus callosus</i> (Schoenherr, 1826) | N | Y | Hand collection |
| -29.03 | 167.97 | 7/10/2014 | Polygalaceae | <i>Polygala myrtifolia</i> | Coleoptera | Curculionidae | <i>Phytectinus callosus</i> | N | Y | Sweep net |
| -29.01 | 167.93 | 26/02/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Coleoptera | Cerambycidae | <i>Phoracantha semipunctata</i> (Fabricius, 1775) | Y | Y | Hand collection |
| -29.06 | 167.97 | 24/05/2014 | Brassicaceae | <i>Lobularia maritima</i> | Lepidoptera | Geometridae | <i>Prisognomus latcostata</i> (Walker, 1862) | N | Y | Beating |
| -29.00 | 167.93 | 12/06/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Trombidiformes | Eriophyidae | <i>Phytocopruia oleivora</i> (Ashmead, 1879) | Y | Y | Ethanol wash |
| -29.03 | 167.99 | 20/02/2014 | Fagaceae | <i>Quercus</i> sp. | Lepidoptera | Gracillariidae | <i>Phylonomyer messaniella</i> (Zeller, 1846) | N | Y | Beating |
| -29.00 | 167.93 | 23/12/2012; 24/10/2013 | Various | | Diptera | Agromyzidae | <i>Phylotromyza pitosporocaulis</i> (Hering, 1962) | Y | Y | Yellow pan |
| -29.03 | 167.98 | 22/05/2014 | Convolvulaceae | <i>Ipomoea batatas</i> | Mesostigmata | Phytoseiidae | <i>Phytoseiulus persimilis</i> Athias-Henriot, 1957 | Y | Y | Beating |
| -29.05 | 167.97 | 21/02/2014 | Fabaceae | <i>Phaseolus</i> sp. | Mesostigmata | Phytoseiidae | <i>Phytoseiulus persimilis</i> | Y | Y | Hand collection |
| -29.03 | 167.92 | 22/05/2014 | Fabaceae | <i>Phaseolus vulgaris</i> | Mesostigmata | Phytoseiidae | <i>Phytoseiulus persimilis</i> | Y | Y | Beating |
| -29.03 | 167.93 | 27/11/2014 | Fabaceae | <i>Phaseolus vulgaris</i> | Mesostigmata | Phytoseiidae | <i>Phytoseiulus persimilis</i> | Y | Y | Ethanol wash |
| -29.04 | 167.96 | 4/12/2014 | Rosaceae | <i>Rosa</i> sp. | Mesostigmata | Phytoseiidae | <i>Phytoseiulus persimilis</i> | Y | Y | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Cucurbitaceae | <i>Zelmeria baneriana</i> | Mesostigmata | Phytoseiidae | <i>Phytoseiulus persimilis</i> | Y | Y | Hand collection |
| -29.04 | 167.94 | 23/11/2014 | Hemerocallidaceae | <i>Hemerocallis</i> sp. | Mesostigmata | Phytoseiidae | <i>Phytoseiulus persimilis</i> | Y | Y | Ethanol wash |
| -29.04 | 167.99 | 23/05/2014 | Myrtaceae | <i>Psidium guajava</i> | Mesostigmata | Phytoseiidae | <i>Phytoseiulus rubiginosae</i> Schicha, 1984 | Y | Y | Beating |
| -29.04 | 167.99 | 27/11/2014 | Rosaceae | <i>Malus pumila</i> | Mesostigmata | Phytoseiidae | <i>Phytoseiulus rubiginosae</i> | Y | Y | Ethanol wash |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------------------|-----------------------------------|---|--------------|---------------|---|-----------------------------------|----------------------------|---|
| -29.04 | 167.99 | 25/11/2014 | Solanaceae | <i>Solanum tuberosum</i> | Hemiptera | Pentatomidae | <i>Piezodorus oceanicus</i> (Montrouzier, 1864) | Y | Y | Hand collection |
| -29.03 | 167.99 | 21/02/2014 | Fabaceae | <i>Glycine max</i> | Hemiptera | Pentatomidae | <i>Piezodorus oceanicus</i> | Y | Y | Hand collection |
| -29.05 | 167.92 | 19/05/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Pimelopus fischeri</i> (Montrouzier, 1860) | N | Y | Light trap |
| -29.03 | 167.95 | 7/10/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Pimelopus fischeri</i> | N | Y | Light trap |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Coleoptera | Scarabaeidae | <i>Pimelopus fischeri</i> | N | Y | Light trap #4 |
| -29.00 | 167.93 | 20/02/2014 | Rutaceae | <i>Citrus ×aurantium</i> | Coleoptera | Scarabaeidae | <i>Pimelopus fischeri</i> | N | Y | Hand collection |
| -29.02 | 167.97 | 22/09/2013 | Malvaceae | <i>Lagunaria patersonia</i> | Hemiptera | Diaspididae | <i>Pinnaspis strachani</i> (Cooley, 1899) | Y | Y | Hand collection |
| -29.04 | 167.99 | 25/09/2013 | Malvaceae | <i>Lagunaria patersonia</i> | Hemiptera | Diaspididae | <i>Pinnaspis strachani</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Solanum melangena</i> | Hymenoptera | Crabronidae | <i>Pison Junine</i> , 1808 | ? | ? | Yellow pan |
| -29.03 | 167.99 | 23/10/2013 | Various | | Hymenoptera | Crabronidae | <i>Pison marginatum</i> Smith, 1856 | N | Y | Yellow pan |
| -29.03 | 167.99 | 23/10/2013 | Various | | Hymenoptera | Crabronidae | <i>Pison spinolae</i> Shuckard, 1838 | N | Y | Yellow pan among various young vegetables |
| -29.03 | 167.99 | 24/12/2012 | Cucurbitaceae | <i>Cucurbita pepo</i> | Hymenoptera | Crabronidae | <i>Pison spinolae</i> | N | Y | Yellow pan |
| -29.03 | 167.99 | 22 - 23/03/2014 | Various | | Hymenoptera | Crabronidae | <i>Pison westwoodii</i> Shuckard, 1838 | N | Y | Yellow pan among various vegetables |
| -29.02 | 167.96 | 26/03/2014 | Various | | Hymenoptera | Crabronidae | <i>Pison westwoodii</i> | N | Y | Yellow pan |
| -29.00 | 167.93 | 23/12/2012; 27/02/2014 | Various | | Hymenoptera | Crabronidae | <i>Pison westwoodii</i> | N | Y | Yellow pan among various vegetables seedlings |
| -29.00 | 167.93 | 23 - 24/03/2014 | Various | | Hymenoptera | Crabronidae | <i>Pison westwoodii</i> | N | Y | Yellow pan among various vegetables |
| -29.00 | 167.93 | 26/12/2012 | Lamiaceae, Brassicaceae, Musaceae | <i>Ocimum basilicum</i> , <i>Musa</i> sp. | Hymenoptera | Crabronidae | <i>Pison westwoodii</i> | N | Y | Yellow pan |
| -29.03 | 167.99 | 23/12/2012 | Solanaceae | <i>Solanum lycopersicum</i> | Hymenoptera | Crabronidae | <i>Pison westwoodii</i> | N | Y | Yellow pan |
| -29.04 | 167.99 | 23 - 24/03/2014 | Various | | Hymenoptera | Crabronidae | <i>Pison westwoodii</i> | N | Y | Yellow pan among various vegetables |
| -29.01 | 167.93 | 16/10/2014 | Poaceae | <i>Cenchrus purpureus</i> | Hymenoptera | Formicidae | <i>Plagiolepis alluaudi</i> Forel, 1894 | Y? | N | Hand collection |
| -29.04 | 167.97 | 26/05/2014 | Rosaceae | <i>Fragaria ×ananassa</i> | Hymenoptera | Formicidae | <i>Plagiolepis alluaudi</i> | Y? | N | Hand collection |
| -29.02 | 167.97 | 22/09/2013 | Malvaceae | <i>Lagunaria patersonia</i> | Hymenoptera | Formicidae | <i>Plagiolepis alluaudi</i> | Y? | N | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Hymenoptera | Formicidae | <i>Plagiolepis alluaudi</i> | Y? | N | Hand collection |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------------------|---------------|---|--------------|-----------------|--|-----------------------------------|----------------------------|--|
| -29.04 | 167.99 | 23/05/2014 | Myrtaceae | <i>Psidium guajava</i> | Hymenoptera | Formicidae | <i>Plagiolepis alluaudi</i> | Y? | N | Beating |
| -29.04 | 167.99 | 8/10/2014 | Lythraceae | <i>Punica granatum</i> | Hymenoptera | Formicidae | <i>Plagiolepis alluaudi</i> | Y? | N | Hand collection and beating |
| -29.04 | 167.99 | 26/05/2014 | Solanaceae | <i>Solanum mauritianum</i> | Hymenoptera | Formicidae | <i>Plagiolepis alluaudi</i> | Y? | N | Beating |
| -29.06 | 167.97 | 25/05/2014 | Unknown | Unknown | Hymenoptera | Formicidae | <i>Plagiolepis alluaudi</i> | Y? | N | Beating |
| -29.00 | 167.93 | 27/02/2014 | Zingiberaceae | Zingiber Boehm. | Hymenoptera | Formicidae | <i>Plagiolepis alluaudi</i> | Y? | N | Hand collection |
| -29.04 | 167.99 | 23 - 24/03/2014 | Various | | Hymenoptera | Formicidae | <i>Plagiolepis alluaudi</i> | Y? | N | Yellow pan among various vegetables |
| -29.05 | 167.97 | 21/02/2014 | Lamiaceae | <i>Rosmarinus officinalis</i> | Hemiptera | Pseudococcidae | <i>Planococcus citri</i> (Risso, 1813) | Y | Y | Hand collection |
| -29.02 | 167.96 | 26/09/2013 | Solanaceae | <i>Solanum melongena</i> | Hemiptera | Pseudococcidae | <i>Planococcus citri</i> | Y | Y | Hand collection |
| -29.04 | 167.97 | 26/05/2014 | Rosaceae | <i>Fragaria xananassa</i> | Hemiptera | Pseudococcidae | <i>Planococcus citri</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 13/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Histeridae | <i>Platylister sulcisternus</i> (Lewis, 1900) | Y | Y | Hand collection from tree felled 10 months prior |
| -29.03 | 167.9 | 25/09/2013 | NA | NA | Coleoptera | Histeridae | <i>Platylister sulcisternus</i> | Y | Y | Hand collection |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Lepidoptera | Pterophoridae | <i>Platyptilia Hübner, 1825</i> | ? | ? | Light trap |
| -29.02 | 167.94 | 2/12/2014 | NA | NA | Coleoptera | Curculionidae | <i>Platypus norfolkensis</i> Schedl, 1972 | N | N | Light trap among Norfolk Island pines |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Coleoptera | Curculionidae | <i>Platypus norfolkensis</i> | N | N | Light trap #1 |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Hemiptera | Pentatomidae | <i>Plautia brunnipennis</i> (Montouzier, 1861) | N | Y | Light trap |
| -29.057 | 167.94 | 11/10/2014 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Hemiptera | Pentatomidae | <i>Plautia brunnipennis</i> | N | Y | Beating |
| -29.04 | 167.99 | 25/11/2014 | Solanaceae | <i>Solanum tuberosum</i> | Hemiptera | Pentatomidae | <i>Plautia brunnipennis</i> | N | Y | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Rubiaceae | <i>Coprosma baueri</i> | Hemiptera | Pentatomidae | <i>Plautia brunnipennis</i> | N | Y | Beating |
| -29.03 | 167.99 | 22/03/2014 | Meliaceae | <i>Toona ciliata</i> | Thysanoptera | Phlaeothripidae | <i>Plectrohrips australis</i> Okajima, 1981 | Y | Y | Hand collection from dead branch |
| -29.02 | 167.96 | 26/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Plectrohrips australis</i> | Y | Y | Hand collection from dead branch |
| -29.02 | 167.95 | 25/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Plectrohrips australis</i> | Y | Y | Hand collection from dead branch |
| -29.02 | 167.96 | 28/11/2014; 2*/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Plectrohrips australis</i> | Y | Y | Hand collection from leaf litter |
| -29.02 | 167.96 | 29/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Phlaeothripidae | <i>Plectrohrips australis</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 25/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Plectrohrips</i> Hood, 1908 sp. nov. | Y | Y | Hand collection from dead branches |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---|-------------------|---|--------------|----------------|--|-----------------------------------|----------------------------|--|
| -29.00 | 167.93 | 23/03/2014 | Poaceae | <i>Cenchrus clandestinus</i> | Thysanoptera | Thripidae | <i>Plestiothrips perplexus</i> (Beach, 1897) | Y | Y | Hand collection from leaf bases |
| -29.00 | 167.94 | 24/03/2014 | Poaceae, Oleaceae | <i>Olea europaea</i> subsp. <i>caudata</i> | Thysanoptera | Thripidae | <i>Plestiothrips perplexus</i> | Y | Y | Hand collection from grasses, olive litter |
| -29.03 | 167.99 | 22/10/2013 | Poaceae, Fabaceae | <i>Trifolium</i> sp. | Thysanoptera | Thripidae | <i>Plestiothrips perplexus</i> | Y | Y | Hand collection |
| -29.00 | 167.94 | 24/03/2014 | Poaceae | | Thysanoptera | Thripidae | <i>Plestiothrips perplexus</i> | Y | Y | Hand collection from leaf bases |
| -29.01 | 167.94 | 24/12/2012 | Pandanaceae | <i>Freycinetia banksii?</i> | Mesostigmata | Celaenopsidae | <i>Pleuronectoclaeno Vitzthum, 1976</i> | Y | ? | Beating dead leaves |
| -29.03 | 167.95 | 25/02/2014 | NA | NA | Lepidoptera | Pyralidae | <i>Plodia interpunctella</i> (Hübner, 1813) | Y | Y | Hand collection |
| -29.03 | 167.98 | 21/05/2014 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> | Lepidoptera | Plutellidae | <i>Plutella Schrank, 1802</i> | ? | ? | Beating |
| -29.04 | 167.93 | 18/02/2014 | Brassicaceae | <i>Brassica oleracea</i> var. <i>capitata</i> | Lepidoptera | Plutellidae | <i>Plutella xylostella</i> (Linnaeus, 1758) | N | Y | Sweep net |
| -29.00 | 167.93 | 20/02/2014 | Brassicaceae | <i>Brassica oleracea</i> var. <i>capitata</i> | Lepidoptera | Plutellidae | <i>Plutella xylostella</i> | N | Y | Hand collection (larvae) |
| -29.06 | 167.94 | 22/09/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>capitata</i> | Lepidoptera | Plutellidae | <i>Plutella xylostella</i> | N | Y | Observation |
| -29.06 | 167.95 | 2/06/2014 | NA | NA | Diptera | Sphaeroceridae | <i>Poecilosomella Duda, 1925</i> | Y | ? | LuciLure trap |
| -29.06 | 167.96 | 12/06/2014 | NA | NA | Diptera | Sphaeroceridae | <i>Poecilosomella</i> sp. | Y | ? | LuciLure trap |
| -29.03 | 167.93 | 2/07/2014; 24/07/2014; 2/07/2014 | NA | NA | Diptera | Sphaeroceridae | <i>Poecilosomella</i> sp. | Y | ? | LuciLure trap |
| -29.03 | 167.98 | 12/06/2014; 17/07/2014 | NA | NA | Diptera | Sphaeroceridae | <i>Poecilosomella</i> sp. | Y | ? | LuciLure trap |
| -29.02 | 167.97 | 12/06/2014; 17/07/2014; 10/06/2014; 28/05/2014 | NA | NA | Diptera | Sphaeroceridae | <i>Poecilosomella</i> sp. | Y | ? | LuciLure trap |
| -29.01 | 167.92 | 10/06/2014; 24/06/2014 | NA | NA | Diptera | Sphaeroceridae | <i>Poecilosomella</i> sp. | Y | ? | LuciLure trap |
| -29.00 | 167.93 | 24/10/2013; 27/02/2014 | Various | | Hymenoptera | Vespidae | <i>Polistes chinensis</i> (Fabricius, 1793) | N | Y | Yellow pan among various young vegetables |
| -29.00 | 167.93 | 23 - 24/03/2014 | Various | | Hymenoptera | Vespidae | <i>Polistes chinensis</i> | N | Y | Yellow pan among various vegetables |
| -29.04 | 167.93 | 18/02/2014 | Apiaceae | <i>Foeniculum vulgare</i> | Hymenoptera | Vespidae | <i>Polistes chinensis</i> | N | Y | Hand collection |
| -29.01 | 167.93 | 3/12/2014 | NA | NA | Hymenoptera | Vespidae | <i>Polistes chinensis</i> | N | Y | Light trap in eucalypt forest |
| -29.03 | 167.99 | 22 - 23/03/2014 | Various | | Hymenoptera | Vespidae | <i>Polistes chinensis</i> | N | Y | Yellow pan among various vegetables |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|----------------|--|----------------|-----------------|---|-----------------------------------|----------------------------|--|
| -29.00 | 167.93 | 12/06/2013; 24/09/2013 | Solanaceae | <i>Capsicum annuum</i> | Trombidiformes | Tarsonemidae | <i>Polyphagotarsonemus latus</i> (Banks, 1904) | Y | Y | Hand collection |
| -29.04 | 167.95 | 26/11/2014 | Solanaceae | <i>Capsicum annuum</i> | Trombidiformes | Tarsonemidae | <i>Polyphagotarsonemus latus</i> | Y | Y | Ethanol wash |
| -29.04 | 167.99 | 14/06/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Trombidiformes | Tarsonemidae | <i>Polyphagotarsonemus latus</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 27/11/2014 | Moraceae | <i>Ficus carica</i> | Trombidiformes | Tarsonemidae | <i>Polyphagotarsonemus latus</i> | Y | Y | Ethanol wash |
| -29.04 | 167.99 | 27/11/2014 | Rosaceae | <i>Malus pumila</i> | Trombidiformes | Tarsonemidae | <i>Polyphagotarsonemus latus</i> | Y | Y | Ethanol wash |
| -29.03 | 167.93 | 27/11/2014 | Anacardiaceae | <i>Mangifera indica</i> | Trombidiformes | Tarsonemidae | <i>Polyphagotarsonemus latus</i> | Y | Y | Ethanol wash |
| -29.04 | 167.99 | 27/11/2014 | Passifloraceae | <i>Passiflora edulis</i> | Trombidiformes | Tarsonemidae | <i>Polyphagotarsonemus latus</i> | Y | Y | Ethanol wash |
| -29.04 | 167.98 | 27/11/2014 | Lauraceae | <i>Persea americana</i> | Trombidiformes | Tarsonemidae | <i>Polyphagotarsonemus latus</i> | Y | Y | Ethanol wash |
| -29.04 | 167.99 | 27/11/2014 | Rosaceae | <i>Prunus persica</i> var. <i>nuciperica</i> | Trombidiformes | Tarsonemidae | <i>Polyphagotarsonemus latus</i> | Y | Y | Ethanol wash |
| -29.04 | 167.95 | 26/11/2014 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Trombidiformes | Tarsonemidae | <i>Polyphagotarsonemus latus</i> | Y | Y | Ethanol wash |
| -29.04 | 167.99 | 27/11/2014 | Rosaceae | <i>Pyrus communis</i> | Trombidiformes | Tarsonemidae | <i>Polyphagotarsonemus latus</i> | Y | Y | Ethanol wash |
| -29.03 | 167.93 | 27/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Trombidiformes | Tarsonemidae | <i>Polyphagotarsonemus latus</i> | Y | Y | Ethanol wash |
| -29.03 | 167.93 | 26/09/2013 | Solanaceae | <i>Capsicum annuum</i> | Trombidiformes | Tarsonemidae | <i>Polyphagotarsonemus latus</i> | Y | Y | Hand collection |
| -29.06 | 167.96 | 25/05/2014 | Unknown | Unknown | Isopoda | Porcellionidae | <i>Porcellio laevis</i> Latreille, 1804 | N | Y | Hand collection |
| -29.02 | 167.97 | 22/09/2013 | NA | NA | Isopoda | Porcellionidae | <i>Porcellionides pruinosus</i> (Brandt, 1833) | Y | Y | Hand collection from soil |
| -29.04 | 167.94 | 18/05/2014 | NA | NA | Isopoda | Porcellionidae | <i>Porcellionides pruinosus</i> | Y | Y | Hand collection |
| -29.04 | 167.94 | 23/09/2013 | NA | NA | Isopoda | Porcellionidae | <i>Porcellionides sexfasciatus</i> (Brandt, 1833) | Y | Y | Hand collection |
| -29.02 | 167.96 | 26/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Phlaeothimpidae | <i>Priesneria Bagmal, 1926</i> sp. nov. | Y | N | Hand collection from dead branch and moss |
| -29.01 | 167.94 | 30/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothimpidae | <i>Priesneria</i> sp. nov. | Y | N | Hand collection from dead branches |
| -29.04 | 167.99 | 24/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothimpidae | <i>Priesneriana uptoni</i> (Mould, 1974) | N | N | Hand collection from litter |
| -29.03 | 167.99 | 22/03/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothimpidae | <i>Priesneriana uptoni</i> | N | N | Hand collection from leaf litter |
| -29.00 | 167.94 | 24/03/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothimpidae | <i>Priesneriana uptoni</i> | N | N | Hand collection from leaf litter |
| -29.02 | 167.92 | 25/12/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothimpidae | <i>Priesneriana uptoni</i> | N | N | Hand collection, betesate from leaf litter |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---|---------------------------|--|----------------|-----------------|--|-----------------------------------|----------------------------|--|
| -29.01 | 167.94 | 22/12/2013; 22/03/2014; 21/10/2013; 26/10/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Priesneriana uptoni</i> | N | N | Hand collection, betesate |
| -29.02 | 167.96 | 24/10/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Priesneriana uptoni</i> | N | N | Hand collection from leaf litter |
| -29.02 | 167.95 | 24/12/2013 | Celastraceae | <i>Elaeodendron curtispendulum</i> | Thysanoptera | Phlaeothripidae | <i>Priesneriana uptoni</i> | N | N | Hand collection from lichens |
| -29.05 | 167.93 | 25/12/2013 | Araucariaceae, Proteaceae | <i>Grevillea robusta</i> | Thysanoptera | Phlaeothripidae | <i>Priesneriana uptoni</i> | N | N | Hand collection from dead wood |
| -29.02 | 167.95 | 21/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Priesneriana uptoni</i> | N | N | Hand collection, betesate from leaf litter |
| -29.02 | 167.96 | 26/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Priesneriana uptoni</i> | N | N | Hand collection, betesate from leaf litter |
| -29.02 | 167.96 | 23/10/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Priesneriana uptoni</i> | N | N | Hand collection from dead leaves |
| -29.06 | 167.94 | 11/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Stigmaeidae | <i>Primagistemus loadmani</i> (Wood, 1967) | Y | N | Beating |
| -29.03 | 167.99 | 24/12/2012 | Musaceae | <i>Musa</i> sp. | Hymenoptera | Chrysididae | <i>Primeuchroeus biroi</i> (Mossary, 1899) | N | Y | Yellow pan |
| -29.02 | 167.96 | 26/03/2014 | Various | Unknown | Hymenoptera | Chrysididae | <i>Primeuchroeus biroi</i> | N | Y | Yellow pan |
| Unknown | Unknown | 9/06/2013 | Unknown | Unknown | Diptera | Tephritidae | <i>Proceidochares alani</i> Steyskal, 1974 | N | Y | Hand collection |
| -29.03 | 167.96 | 25/05/2014 | NA | NA | Diptera | Tephritidae | <i>Proceidochares alani</i> | N | Y | Light trap |
| -29.00 | 167.94 | 24/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Mesostigmata | Melicharidae | <i>Proctolaelaps Bertese</i> , 1923 | Y | ? | Hand collection |
| -29.04 | 167.98 | 27/11/2014 | Caricaceae | <i>Carica papaya</i> | Trombidiformes | Tydeidae | <i>Pronematus ubiquitus</i> McGregor, 1932 | Y | ? | Ethanol wash |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Triticum</i> sp. | Mesostigmata | Phytoseiidae | <i>Propriosectopsis Muma</i> , 1961 | Y | ? | Hand collection |
| -29.00 | 167.94 | 26/03/2014 | Oleaceae, Poaceae | <i>Olea europaea</i> subsp. <i>causidata</i> | Thysanoptera | Phlaeothripidae | <i>Psaidothrips Priesner</i> , 1932 sp. nov. | Y | ? | Hand collection from grass litter |
| -29.02 | 167.96 | 26/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Psaidothrips</i> sp. nov. | Y | ? | Hand collection |
| -29.00 | 167.94 | 24/03/2014 | Poaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Psaidothrips taylori</i> Mound & Walker, 1986 | Y | Y | Hand collection from leaf litter |
| -29.00 | 167.94 | 24/03/2014 | Poaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Psaidothrips taylori</i> | Y | Y | Hand collection |
| -29.03 | 167.93 | 26/09/2013 | Anacardiaceae | <i>Mangifera indica</i> | Hemiptera | Diaspididae | <i>Pseudanilacaspis pentagona</i> (Targioni, 1886) | N | Y | Hand collection |
| -29.03 | 167.93 | 26/09/2013 | Rosaceae | <i>Prunus persica</i> var. <i>muipersica</i> | Hemiptera | Diaspididae | <i>Pseudanilacaspis pentagona</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 25/09/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Hemiptera | Diaspididae | <i>Pseudanilacaspis pentagona</i> | N | Y | Hand collection |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|-----------------|--------------------------------|---|--------------|----------------|---|-----------------------------------|----------------------------|--------------------------------------|
| -29.04 | 167.99 | 25/09/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Hemiptera | Diaspididae | <i>Pseudaulacaspis pentagona</i> | N | Y | Hand collection |
| -29.01 | 167.94 | 23/09/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Hemiptera | Diaspididae | <i>Pseudaulacaspis pentagona</i> | N | Y | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Solanaceae | <i>Solanum melongena</i> | Hemiptera | Diaspididae | <i>Pseudaulacaspis pentagona</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 14/06/2013 | Vitaceae | <i>Vitis vinifera</i> | Hemiptera | Diaspididae | <i>Pseudaulacaspis pentagona</i> | N | Y | Hand collection |
| -29.04 | 167.94 | 23/09/2013 | Asparagaceae | <i>Cordyline oblecta</i> | Hemiptera | Diaspididae | <i>Pseudaulacaspis pentagona</i> | N | Y | Hand collection |
| -29.02 | 167.97 | 22/09/2013 | Araceae | <i>Colocasia esculenta</i> | Hemiptera | Pseudococcidae | <i>Pseudococcus Westwood, 1840</i> | ? | ? | Hand collection (nymphs) |
| -29.04 | 167.94 | 23/09/2013 | Asparagaceae | <i>Cordyline oblecta</i> | Hemiptera | Pseudococcidae | <i>Pseudococcus longispinus</i> (Targioni Tozzetti, 1867) | N | Y | Hand collection |
| -29.02 | 167.97 | 22/09/2013 | Malvaceae | <i>Lagunaria patersoniana</i> | Hemiptera | Pseudococcidae | <i>Pseudococcus longispinus</i> | N | Y | Hand collection |
| -29.05 | 167.97 | 21/02/2014 | Verbenaceae | <i>Lantana camara</i> | Hemiptera | Pseudococcidae | <i>Pseudococcus longispinus</i> | N | Y | Beating |
| -29.00 | 167.94 | 24/02/2014 | Hemerocallidaceae | <i>Phoridium tenax</i> | Hemiptera | Pseudococcidae | <i>Pseudococcus longispinus</i> | N | Y | Beating |
| -29.03 | 167.98 | 25/09/2013 | Solanaceae | <i>Solanum melongena</i> | Hemiptera | Pseudococcidae | <i>Pseudococcus longispinus</i> | N | Y | Beating |
| -29.03 | 167.98 | 14/06/2013 | Solanaceae | <i>Solanum melongena</i> | Hemiptera | Pseudococcidae | <i>Pseudococcus longispinus</i> | N | Y | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Solanaceae | <i>Solanum melongena</i> | Hemiptera | Pseudococcidae | <i>Pseudococcus longispinus</i> | N | Y | Hand collection |
| -29.02 | 167.96 | 26/09/2013 | Solanaceae | <i>Solanum melongena</i> | Hemiptera | Pseudococcidae | <i>Pseudococcus longispinus</i> | N | Y | Hand collection |
| -29.03 | 167.93 | 26/09/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Hemiptera | Pseudococcidae | <i>Pseudococcus longispinus</i> | N | Y | Hand collection |
| -29.01 | 167.93 | 13/06/2013 | Rubiaceae | <i>Coffea</i> sp. | Hemiptera | Pseudococcidae | <i>Pseudococcus viburni</i> (Signoret, 1875) | Y | Y | Hand collection |
| -29.05 | 167.96 | 9/10/2014 | Cucurbitaceae | <i>Sechium edule</i> (Jacq.) Sw. | Hemiptera | Pseudococcidae | <i>Pseudococcus viburni</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Solanaceae | <i>Solanum melongena</i> | Hemiptera | Pseudococcidae | <i>Pseudococcus viburni</i> | Y | Y | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Asteraceae | <i>Cirsium vulgare</i> (Sav.) Ten. | Hemiptera | Pseudococcidae | <i>Pseudococcus viburni</i> | Y | Y | Hand collection (crawler and nymphs) |
| -29.03 | 167.99 | 22 - 23/05/2014 | Various | | Coleoptera | Anthicidae | <i>Pseudocyclocladus strictus</i> (Frichson, 1842) | N | Y | Yellow pan |
| -29.01 | 167.95 | 25/12/2012 | Araucariaceae | <i>Araucaria heterophylla</i> | Diptera | Sciariidae | <i>Pseudolycorilla Menzel & Mohrig</i> sp. nov. | Y | ? | Yellow pan |
| -29.00 | 167.93 | 26/12/2012 | Various, Apiceae, Brassicaceae | <i>Apium graveolens</i> | Diptera | Agromyzidae | <i>Pseudonapomyza Hendel, 1920</i> | Y | ? | Yellow pan |
| -29.03 | 167.99 | 23 - 24/05/2014 | Various | | Diptera | Agromyzidae | <i>Pseudonapomyza spinosa</i> Spencer, 1973 | Y | Y | Yellow pan among various vegetables |
| -29.00 | 167.93 | 23 - 24/03/2014 | Various | | Diptera | Agromyzidae | <i>Pseudonapomyza spinosa</i> | Y | Y | Yellow pan |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|-----------------|-----------------------------------|---|--------------|---------------|--|-----------------------------------|----------------------------|---|
| -29.03 | 167.99 | 24/12/2012 | Cucurbitaceae | <i>Cucurbita pepo</i> | Diptera | Agromyzidae | <i>Pseudanapomyza spinosa</i> | Y | Y | Yellow pan on bare soil beside cucurbits |
| -29.06 | 167.97 | 24/06/2014 | NA | NA | Diptera | Agromyzidae | <i>Pseudanapomyza spinosa</i> | Y | Y | Bezzilure trap |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Solanum melongena</i> | Diptera | Agromyzidae | <i>Pseudanapomyza spinosa</i> | Y | Y | Yellow pan |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Triticum</i> sp. | Diptera | Agromyzidae | <i>Pseudanapomyza spinosa</i> | Y | Y | Hand collection |
| -29.03 | 167.94 | 19/02/2014 | Poaceae | Unknown | Diptera | Agromyzidae | <i>Pseudanapomyza spinosa</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22 - 23/03/2014 | Various | | Diptera | Agromyzidae | <i>Pseudanapomyza spinosa</i> | Y | Y | Yellow pan among various vegetables |
| -29.03 | 167.94 | 26/05/2014 | NA | NA | Orthoptera | Tetrigoniidae | <i>Pseudorhynchus lessoni</i> Audinet-Serville, 1838 | N | Y | Light trap Set 25.5.2014, collected 26.5.2014 |
| -29.03 | 167.99 | 23/10/2013 | Various | | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> Baly, 1862 | N | Y | Yellow pan among various young vegetables |
| -29.03 | 167.99 | 22 - 23/03/2014 | Various | | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Yellow pan among various vegetables |
| -29.00 | 167.93 | 24/10/2013 | Various | | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Yellow pan among various young vegetables |
| -29.00 | 167.93 | 23 - 24/03/2014 | Various | | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Yellow pan among various young vegetables |
| -29.00 | 167.93 | 27/02/2014 | Various | | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Yellow pan among various young vegetables |
| -29.00 | 167.93 | 23/12/2012 | Various | | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Yellow pan among vegetable seedlings |
| -29.05 | 167.94 | 22/09/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>capitata</i> | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Hand collection |
| -29.02 | 167.96 | 26/09/2013 | Solanaceae | <i>Capsicum annuum</i> | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Hand collection leaf damage |
| -29.00 | 167.93 | 24/09/2013 | Cucurbitaceae | <i>Cucurbita maxima</i> | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Sweep net |
| -29.04 | 167.99 | 21/02/2014 | Fabaceae | <i>Glycine max</i> | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Hand collection |
| -29.00 | 167.93 | 26/12/2012 | Musaceae, Asteraceae | <i>Musa</i> sp., <i>Lactuca sativa</i> | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Yellow pan |
| -29.01 | 167.95 | 25/12/2012 | Lamiaceae | <i>Nephtrolepis</i> sp. | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Yellow pan |
| -29.06 | 167.94 | 11/10/2014 | Solanaceae | <i>Nicandra physalodes</i> | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Beating |
| -29.03 | 167.98 | 22/05/2014 | Solanaceae | <i>Nicandra physalodes</i> | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Beating |
| -29.03 | 167.99 | 20/02/2014 | Solanaceae | <i>Nicandra physalodes</i> | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Sweep net |
| -29.00 | 167.93 | 26/12/2012 | Lamiaceae, Brassicaceae, Musaceae | <i>Ocimum basilicum</i> , <i>Musa</i> sp. | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Yellow pan |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|-----------------|-----------------------|---|--------------|------------------|--|-----------------------------------|----------------------------|--|
| -29.04 | 167.99 | 8/10/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Beating |
| -29.03 | 167.92 | 21/05/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Beating |
| -29.03 | 167.99 | 23/12/2012 | Solanaceae | <i>Solanum lycopersicum</i> | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Yellow pan |
| -29.04 | 167.99 | 26/05/2014 | Solanaceae | <i>Solanum mauritianum</i> | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Beating |
| -29.04 | 167.99 | 25/05/2014 | Solanaceae | <i>Solanum tuberosum</i> | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Beating |
| -29.03 | 167.93 | 12/06/2013 | Solanaceae | <i>Solanum tuberosum</i> | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Hand collection |
| -29.01 | 167.93 | 13/06/2013 | Solanaceae | <i>Solanum tuberosum</i> | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Hand collection |
| -29.03 | 167.99 | 24/12/2012 | Poaceae | <i>Zea mays</i> | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Yellow pan |
| -29.03 | 167.99 | 23/12/2012 | Poaceae, Brassicaceae | <i>Zea mays, Brassica oleracea var. italica</i> | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Yellow pan among old corn and young broccoli |
| -29.04 | 167.99 | 23 - 24/03/2014 | Various | | Coleoptera | Chrysomelidae | <i>Psylliodes bretinghami</i> | N | Y | Yellow pan among various vegetables |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Lepidoptera | Crambidae | <i>Prochostola Meyrick, 1882</i> | Y | ? | Light trap |
| -29.05 | 167.93 | 19/05/2014 | NA | NA | Lepidoptera | Crambidae | <i>Prochostola sp.</i> | Y | ? | Light trap |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Lepidoptera | Crambidae | <i>Prochostola sp.</i> | Y | ? | Light trap |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Lepidoptera | Crambidae | <i>Prochostola sp.</i> | Y | ? | Light trap |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Lepidoptera | Crambidae | <i>Prochostola sp.</i> | Y | ? | Light trap in eucalypt forest |
| -29.00 | 167.93 | 22/02/2014 | NA | NA | Lepidoptera | Crambidae | <i>Prochostola sp.</i> | Y | ? | Bucket light trap in orchard |
| -29.03 | 167.97 | 22/05/2014 | NA | NA | Lepidoptera | Crambidae | <i>Prochostola sp.</i> | Y | ? | Light trap |
| -29.03 | 167.97 | 21/05/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Blattodea | Blaberidae | <i>Pyrosocelus indicus (Fabricius, 1775)</i> | N | N | Hand collection from sawn timber |
| -29.00 | 167.94 | 24/02/2014 | Malvaceae | <i>Leguminaria patersonia</i> | Lepidoptera | Cosmopterigidae | <i>Pyroderes anoista Bradley, 1956</i> | N | N | Beating |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Hemiptera | Rhyparochromidae | <i>Remauidereana inornata (Walker, 1872)</i> | N | Y | Light trap |
| -29.03 | 167.95 | 7/10/2014 | NA | NA | Hemiptera | Rhyparochromidae | <i>Remauidereana inornata</i> | N | Y | Light trap |
| -29.01 | 167.93 | 3/12/2014 | NA | NA | Hemiptera | Rhyparochromidae | <i>Remauidereana inornata</i> | N | Y | Light trap in eucalypt forest |
| -29.02 | 167.94 | 2/12/2014 | NA | NA | Hemiptera | Rhyparochromidae | <i>Remauidereana inornata</i> | N | Y | Light trap in Norfolk Island pines |
| -29.03 | 167.97 | 27/11/2014 | NA | NA | Hemiptera | Rhyparochromidae | <i>Remauidereana inornata</i> | N | Y | Light trap |
| -29.03 | 167.97 | 28/11/2014 | NA | NA | Hemiptera | Rhyparochromidae | <i>Remauidereana inornata</i> | N | Y | Light trap |
| -29.00 | 167.93 | 24/12/2012 | Lamiaceae | <i>Ocimum basilicum</i> | Hemiptera | Rhyparochromidae | <i>Remauidereana inornata</i> | N | Y | Beating flowering plant |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|-----------------------|--|-----------------|-----------------|--|-----------------------------------|----------------------------|--|
| -29.03 | 167.93 | 28/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Rhyarochromidae | <i>Remaudiereana inornata</i> | N | Y | Hand collection |
| -29.06 | 167.94 | 26/11/2014 | NA | NA | Hemiptera | Rhyarochromidae | <i>Remaudiereana inornata</i> | N | Y | Light trap |
| -29.01 | 167.94 | 24/09/2013 | Areaceae | Unknown | Sarcophormes | Acaridae | <i>Rhizoglyphus minutus</i> Mansop, 1972 | Y | N | Berlese funnel from leaf litter under palms |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Triticum</i> sp. | Hemiptera | Aphididae | <i>Rhopalosiphum maidis</i> (Fitch, 1856) | Y | Y | Hand collection |
| -29.03 | 167.93 | 19/02/2014 | Poaceae | <i>Zea mays</i> | Hemiptera | Aphididae | <i>Rhopalosiphum maidis</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 23/12/2012 | Poaceae, Brassicaceae | <i>Zea mays</i> , <i>Brassica oleracea</i> var. <i>italica</i> | Hemiptera | Aphididae | <i>Rhopalosiphum maidis</i> | Y | Y | Yellow pan among old corn and young broccoli |
| -29.03 | 167.93 | 19/02/2014 | Poaceae | <i>Cenchrus purpureus</i> | Hemiptera | Aphididae | <i>Rhopalosiphum maidis</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 26/12/2012 | Musaceae, Asteraceae | <i>Musa</i> sp., <i>Lactuca sativa</i> | Hemiptera | Aphididae | <i>Rhopalosiphum padi</i> (Linnaeus, 1758) | Y | Y | Yellow pan |
| -29.03 | 167.93 | 13/06/2013 | Poaceae | <i>Zea mays</i> | Hemiptera | Aphididae | <i>Rhopalosiphum padi</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 24/12/2012 | Poaceae | <i>Zea mays</i> | Hemiptera | Aphididae | <i>Rhopalosiphum padi</i> | Y | Y | Yellow pan |
| -29.00 | 167.93 | 12/06/2013 | Poaceae | <i>Zea mays</i> | Hemiptera | Aphididae | <i>Rhopalosiphum padi</i> | Y | Y | Hand collection |
| -29.03 | 167.93 | 19/02/2014 | Asteraceae | <i>Lactuca sativa</i> | Hemiptera | Aphididae | <i>Rhopalosiphum padi</i> | Y | Y | Beating |
| -29.00 | 167.93 | 23/12/2012 | Various | | Hemiptera | Aphididae | <i>Rhopalosiphum rufiabdominale</i> (Linnaeus, 1758) | Y | Y | Yellow pan among various young vegetable seedlings |
| -29.04 | 167.99 | 23/05/2014 | Moraceae | <i>Morus</i> sp. | Coleoptera | Coccinellidae | <i>Rhyzobius Stephens</i> , 1829 | ? | ? | Beating |
| -29.03 | 167.94 | 19/02/2014 | Rutaceae | <i>Citrus ×aurantium</i> | Coleoptera | Coccinellidae | <i>Rhyzobius fagus</i> (Broun, 1880) | N | Y | Hand collection |
| -29.00 | 167.93 | 12/06/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Coleoptera | Coccinellidae | <i>Rhyzobius fagus</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 22/05/2014 | Rutaceae | <i>Citrus</i> sp. | Coleoptera | Coccinellidae | <i>Rhyzobius fagus</i> | N | Y | Beating |
| -29.04 | 167.94 | 23/09/2013 | Asparagaceae | <i>Cordyline oblecta</i> | Coleoptera | Coccinellidae | <i>Rhyzobius fagus</i> | N | Y | Hand collection |
| -29.02 | 167.97 | 22/09/2013 | Malvaceae | <i>Lagunaria patersonia</i> | Coleoptera | Coccinellidae | <i>Rhyzobius fagus</i> | N | Y | Hand collection |
| -29.06 | 167.94 | 11/10/2014 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Coleoptera | Coccinellidae | <i>Rhyzobius fagus</i> | N | Y | Beating |
| -29.04 | 167.94 | 23/09/2013 | Anacardiaceae | <i>Schinus terebinthifolius</i> | Coleoptera | Coccinellidae | <i>Rhyzobius fagus</i> | N | Y | Sweep net |
| -29.05 | 167.97 | 24/02/2014 | Rutaceae | <i>Citrus ×aurantium</i> | Coleoptera | Coccinellidae | <i>Rhyzobius fagus</i> | N | Y | Hand collection |
| -29.01 | 167.94 | 24/09/2013 | Areaceae | Unknown | Stylommatophora | Microcystidae | <i>Roybelia platysoma</i> (Sykes, 1900) | N | N | Berlese funnel from leaf litter under palms |
| -29.05 | 167.92 | 25/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Cunaxidae | <i>Rubrocirus Den Heyer</i> , 1979 | Y | ? | Ethanol wash |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|--|---------------|-----------------------------------|----------------|---------------|---|-----------------------------------|----------------------------|--|
| -29.06 | 167.96 | 24/05/2014 | Aspleniaceae | <i>Asplenium</i> L. | Hemiptera | Coccidae | <i>Saissetia coffeae</i> (Walker, 1852) | N | Y | Hand collection |
| -29.06 | 167.94 | 11/10/2014 | Rubiaceae | <i>Coffea</i> sp. | Hemiptera | Coccidae | <i>Saissetia coffeae</i> | N | Y | Hand collection |
| -29.01 | 167.93 | 26/09/2013 | Rubiaceae | <i>Coffea</i> sp. | Hemiptera | Coccidae | <i>Saissetia coffeae</i> | N | Y | Hand collection |
| -29.04 | 167.97 | 26/05/2014 | Rosaceae | <i>Fragaria</i> × <i>ananassa</i> | Hemiptera | Coccidae | <i>Saissetia coffeae</i> | N | Y | Hand collection |
| -29.04 | 167.94 | 23/09/2013 | Araliaceae | <i>Meryta angustifolia</i> | Hemiptera | Coccidae | <i>Saissetia coffeae</i> | N | Y | Hand collection |
| -29.03 | 167.95 | 11/06/2013 | Apocynaceae | <i>Plumeria rubra</i> | Hemiptera | Coccidae | <i>Saissetia coffeae</i> | N | Y | Hand collection |
| -29.02 | 167.96 | 10/06/2013 | Solanaceae | <i>Solanum melongena</i> | Hemiptera | Coccidae | <i>Saissetia coffeae</i> | N | Y | Hand collection |
| -29.02 | 167.93 | 26/05/2014 | Oleaceae? | Unknown | Hemiptera | Coccidae | <i>Saissetia coffeae</i> | N | Y | Hand collection |
| -29.00 | 167.93 | 23/12/2012 | Various | | Diptera | Sarcophagidae | <i>Sarcophaga peregrina</i> (Robineau-Desvoidy, 1830) | N | Y | Yellow pan among various vegetable seedlings |
| -29.06 | 167.96 | 12/06/2014 | NA | NA | Diptera | Sarcophagidae | <i>Sarcophaga peregrina</i> | N | Y | LuciLure trap |
| -29.03 | 167.98 | 12/06/2014; 24/06/2014; 17/07/2014 | NA | NA | Diptera | Sarcophagidae | <i>Sarcophaga peregrina</i> | N | Y | LuciLure trap |
| -29.02 | 167.97 | 2/07/2014 | NA | NA | Diptera | Sarcophagidae | <i>Sarcophaga peregrina</i> | N | Y | Blowfly trap |
| -29.03 | 167.99 | 22 - 23/03/2014 | Various | | Diptera | Sarcophagidae | <i>Sarcophaga peregrina</i> | N | Y | Yellow pan |
| -29.00 | 167.93 | 21/02/2014 | NA | NA | Hemiptera | Delphacidae | <i>Sardia rostrata</i> Melichar, 1903 | Y | Y | Bucket light trap among citrus and avocado trees |
| -29.02 | 167.96 | 25/05/2014 | Areaceae | <i>Howea</i> sp. | Lepidoptera | Geometridae | <i>Sauris curvica</i> Prout, 1928 | N | N | Hand collection |
| -29.04 | 167.97 | 2/12/2014 | NA | NA | Diptera | Ephydriidae | <i>Scatella septempunctata</i> Malloch, 1933 | Y | N | Hand collection and trapping around potting mix |
| -29.05 | 167.93 | 20/06/2013 | Various | Various | Sarcoptiformes | Acaridae | <i>Schwiebia</i> Oudemans, 1916 | Y | ? | Hand collection |
| -29.02 | 167.95 | 21/03/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Thripidae | <i>Scirtothrips araucariae</i> Mound & Wells, 2015 | Y | N | Hand collection from terminal leaves |
| -29.02 | 167.95 | 21/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Thripidae | <i>Scirtothrips araucariae</i> | Y | N | Hand collection from terminal leaves |
| -29.01 | 167.94 | 21/03/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Thripidae | <i>Scirtothrips araucariae</i> | Y | N | Hand collection from terminal leaves |
| -29.01 | 167.95 | 22/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Thripidae | <i>Scirtothrips araucariae</i> | Y | N | Hand collection from terminal leaves |
| -29.03 | 167.92 | 23/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Thripidae | <i>Scirtothrips araucariae</i> | Y | N | Hand collection from terminal leaves |
| -29.01 | 167.94 | 25/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Thripidae | <i>Scirtothrips araucariae</i> | Y | N | Hand collection from terminal branches |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|--|------------------------------|--|--------------|---------------|---|-----------------------------------|----------------------------|--|
| -29.02 | 167.96 | 26/03/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Thripidae | <i>Scirtothrips araucariae</i> | Y | N | Hand collection from young leaves |
| -29.00 | 167.94 | 24/03/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Thripidae | <i>Scirtothrips araucariae</i> | Y | N | Hand collection from young leaves |
| -29.03 | 167.94 | 23/11/2014 | Araucariaceae, Asparagaceae | <i>Araucaria heterophylla</i> , <i>Cordyline</i> sp. | Thysanoptera | Thripidae | <i>Scirtothrips araucariae</i> | Y | N | Hand collection |
| -29.02 | 167.96 | 27/12/2012 | Myrtaceae, Convulvulaceae | <i>Metrosideros</i> sp., <i>Ipomoea</i> sp. | Thysanoptera | Thripidae | <i>Scirtothrips araucariae</i> | Y | N | Hand collection from leaves |
| -29.05 | 167.98 | 24/03/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Thripidae | <i>Scirtothrips araucariae</i> | Y | N | Hand collection from young leaves |
| -29.03 | 167.92 | 21/05/2014 | Caricaceae | <i>Carica papaya</i> | Thysanoptera | Thripidae | <i>Scirtothrips inermis</i> Priestner, 1933 | Y | Y | Beating |
| -29.04 | 167.99 | 24/12/2013; 25/12/2013; 24/03/2014 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Thripidae | <i>Scirtothrips inermis</i> | Y | Y | Hand collection from young leaves |
| -29.04 | 167.99 | 22/05/2014 | Moraceae | <i>Morus</i> sp. | Thysanoptera | Thripidae | <i>Scirtothrips inermis</i> | Y | Y | Beating |
| -29.04 | 167.96 | 26/03/2014 | Fabaceae, Alliaceae, various | <i>Pisum sativum</i> , <i>Allium cepa</i> var. <i>aggregatum</i> | Thysanoptera | Thripidae | <i>Scirtothrips inermis</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 25/12/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Scirtothrips inermis</i> | Y | Y | Hand collection |
| -29.04 | 167.96 | 22/12/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Scirtothrips inermis</i> | Y | Y | Hand collection from leaves |
| -29.02 | 167.95 | 22/11/2014 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Scirtothrips inermis</i> | Y | Y | Hand collection from leaves |
| -29.01 | 167.94 | 23/12/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Scirtothrips inermis</i> | Y | Y | Hand collection from leaves |
| -29.02 | 167.95 | 25/12/2013; 21/03/2014 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Scirtothrips inermis</i> | Y | Y | Hand collection from young leaves |
| -29.03 | 167.92 | 21/05/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Thysanoptera | Thripidae | <i>Scirtothrips inermis</i> | Y | Y | Beating |
| -29.04 | 167.99 | 25/05/2014 | Solanaceae | <i>Solanum tuberosum</i> | Thysanoptera | Thripidae | <i>Scirtothrips inermis</i> | Y | Y | Beating |
| -29.04 | 167.94 | 21/11/2014 | Lamiaceae | <i>Vitex trifolia</i> | Thysanoptera | Thripidae | <i>Scirtothrips inermis</i> | Y | Y | Hand collection |
| -29.04 | 167.96 | 21/12/2013 | Various | | Thysanoptera | Thripidae | <i>Scirtothrips inermis</i> | Y | Y | Hand collection from leaves, flowers and grasses |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Hemiptera | Ricaniidae | <i>Scolypopa australis</i> (Walker, 1851) | N | Y | Light trap #4 |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Lepidoptera | Geometridae | <i>Scopula optivata</i> (Walker, 1861) | N | Y | Light trap |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Lepidoptera | Geometridae | <i>Scopula optivata</i> | N | Y | Light trap in eucalypt forest |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|-----------------|-----------------------------------|--|----------------|---------------|---|-----------------------------------|----------------------------|---|
| -29.00 | 167.93 | 22/02/2014 | NA | NA | Lepidoptera | Geometridae | <i>Scopula oprivata</i> | N | Y | Bucket light trap in orchard |
| -29.03 | 167.97 | 22/05/2014 | NA | NA | Lepidoptera | Geometridae | <i>Scopula oprivata</i> | N | Y | Light trap |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Lepidoptera | Geometridae | <i>Scopula oprivata</i> | N | Y | Light trap |
| -29.06 | 167.94 | 11/10/2014 | Combretaceae | <i>Terminalia catappa</i> | Trombidiformes | Cunaxidae | <i>Scutopatus</i> Den Heyer, 1979 | Y | N | Beating |
| -29.01 | 167.94 | 24/09/2013 | Areaceae | Unknown | Trombidiformes | Cunaxidae | <i>Scutopatus</i> sp. | Y | N | Berlese tunnel from leaf litter under palms |
| -29.00 | 167.93 | 12/06/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Trombidiformes | Cunaxidae | <i>Scutopatus latisetosus</i> Den Heyer, 1979 | Y | Y | Ethanol wash |
| -29.04 | 167.99 | 22/05/2014 | Rutaceae | <i>Citrus</i> sp. | Coleoptera | Coccinellidae | <i>Scymnus</i> Kugelam, 1794 | ? | ? | Beating |
| -29.13 | 167.95 | 14/10/2014 | Rubiaceae | <i>Coprosma baueri</i> | Coleoptera | Coccinellidae | <i>Scymnus</i> sp. | ? | ? | Beating |
| -29.01 | 167.95 | 25/02/2014 | Myrtaceae | <i>Psidium cattleianum</i> var. <i>cattleianum</i> | Coleoptera | Coccinellidae | <i>Scymnus</i> sp. | ? | ? | Hand collection |
| -29.06 | 167.97 | 25/05/2014 | Unknown | Unknown | Coleoptera | Coccinellidae | <i>Scymnus</i> sp. | ? | ? | Beating |
| -29.03 | 167.99 | 22 - 23/03/2014 | Various | Unknown | Coleoptera | Coccinellidae | <i>Scymnus loewii</i> Mulsant, 1850 | Y | N | Yellow pan |
| -29.00 | 167.93 | 26/12/2012 | Lamiaceae, Brassicaceae, Musaceae | <i>Ocimum basilicum</i> , <i>Musa</i> sp. | Diptera | Sepsidae | <i>Sepsis Fallén</i> , 1810 | ? | ? | Yellow pan |
| -29.02 | 167.97 | 24/02/2014 | NA | NA | Diptera | Sepsidae | <i>Sepsis dissimilis</i> Brunetti, 1909 | N | Y | Culicoides trap |
| -29.02 | 167.96 | 26/03/2014 | Various | NA | Diptera | Sepsidae | <i>Sepsis dissimilis</i> | N | Y | Yellow pan in orchard |
| -29.00 | 167.94 | 24/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> Stephens, 1829 | ? | ? | Hand collection |
| -29.03 | 167.98 | 21/05/2014 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Beating |
| -29.04 | 167.96 | 9/10/2014 | Caricaceae | <i>Carica papaya</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Beating |
| -29.00 | 167.93 | 12/06/2013 | Caricaceae | <i>Carica papaya</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Beating leaves |
| -29.03 | 167.98 | 21/05/2014 | Poaceae | <i>Cenchrus purpureus</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Sweep net |
| -29.05 | 167.96 | 9/10/2014 | Rutaceae | <i>Citrus</i> sp. | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Beating |
| -29.03 | 167.94 | 24/05/2014 | Asparagaceae | <i>Cordylone obtecta</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Sweep net |
| -29.04 | 167.97 | 26/05/2014 | Rosaceae | <i>Fragaria ×ananassa</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Hand collection |
| -29.03 | 167.93 | 19/02/2014 | Asteraceae | <i>Lactuca sativa</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Beating |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|----------------|---|--------------|---------------|------------------------|-----------------------------------|----------------------------|---|
| -29.00 | 167.94 | 24/02/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Beating |
| -29.01 | 167.93 | 13/06/2013 | Proteaceae | <i>Macadamia integrifolia</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Beating |
| -29.04 | 167.97 | 9/10/2014 | Anacardiaceae | <i>Mangifera indica</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Sweep net and beating |
| -29.04 | 167.99 | 22/05/2014 | Moraceae | <i>Morus</i> sp. | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Beating |
| -29.03 | 167.95 | 7/10/2014 | NA | NA | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Light trap |
| -29.02 | 167.97 | 24/02/2014 | NA | NA | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Culicoides trap |
| -29.02 | 167.92 | 12/10/2014 | NA | NA | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Culicoides trap |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Light trap #3 |
| -29.00 | 167.94 | 12/10/2014 | NA | NA | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | <i>Culicoides</i> trap Set 12.10.14, collected 16.10.2014 |
| -29.05 | 167.95 | 24/05/2014 | NA | NA | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | <i>Culicoides</i> trap Set 21.5.2014, collected 24.5.2014 |
| -29.02 | 167.97 | 24/05/2014 | NA | NA | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | <i>Culicoides</i> trap Set 21.5.2014, collected 24.5.2014 |
| -29.05 | 167.93 | 24/05/2014 | NA | NA | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | <i>Culicoides</i> trap Set 24.5.2014, collected 27.5.2014 |
| -29.05 | 167.92 | 7/10/2014 | NA | NA | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | <i>Culicoides</i> trap Set 7.10.14, collected 11.10.14 |
| -29.01 | 167.93 | 20/05/2014 | Poaceae | <i>Paspalum</i> sp. | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Sweep net in eucalypt forest |
| -29.03 | 167.9 | 22/05/2014 | Passifloraceae | <i>Passiflora edulis</i> f. <i>flavicarpa</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Beating |
| -29.00 | 167.93 | 20/02/2014 | Lauraceae | <i>Persea americana</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Hand collection |
| -29.03 | 167.92 | 22/05/2014 | Fabaceae | <i>Phaseolus vulgaris</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Beating |
| -29.03 | 167.99 | 14/06/2013; 20/02/2014 | Fabaceae | <i>Phaseolus vulgaris</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Hand collection |
| -29.04 | 167.99 | 23/05/2014 | Myrtaceae | <i>Psidium guajava</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Beating |
| -29.03 | 167.99 | 23/05/2014 | Euphorbiaceae | <i>Ricinus communis</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Beating |
| -29.03 | 167.93 | 19/02/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Beating |
| -29.03 | 167.98 | 21/05/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Beating |
| -29.04 | 167.99 | 26/05/2014 | Solanaceae | <i>Solanum mauritanicum</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Beating |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|-----------------|-----------------------------------|--|--------------|-----------------|--|-----------------------------------|----------------------------|--|
| -29.05 | 167.92 | 24/05/2014 | Poaceae | Unknown | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Sweep net |
| -29.03 | 167.92 | 22/05/2014 | Vitaceae | <i>Vitis vinifera</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Beating grape vine growing over citrus |
| -29.05 | 167.98 | 24/02/2014 | Asparagaceae | <i>Yucca aloifolia</i> | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Beating |
| -29.00 | 167.93 | 23 - 24/03/2014 | Various | | Coleoptera | Corylophidae | <i>Sericoderus</i> sp. | ? | ? | Yellow pan |
| -29.01 | 167.93 | 26/02/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Coleoptera | Cureulionidae | <i>Sericotrogus subaenescens</i> Wollaston, 1873 | N | Y | Hand collection |
| -29.05 | 167.93 | 12/07/2013 | Fabaceae | <i>Medicago sativa</i> | Coleoptera | Cureulionidae | <i>Sericotrogus subaenescens</i> | N | Y | Beating |
| -29.00 | 167.94 | 24/02/2014 | Hemerocallidaceae | <i>Phormium tenax</i> | Coleoptera | Cureulionidae | <i>Sericotrogus subaenescens</i> | N | Y | Beating |
| -29.03 | 167.97 | 7/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Araneae | Thomisidae | <i>Sidymella longipes</i> (L.Koch, 1874) | Y | Y | Hand collection |
| -29.00 | 167.93 | 22/02/2014 | NA | NA | Lepidoptera | Hemimiidae | <i>Simplicia caenaeusalis</i> (Walker, 1852) | N | Y | Bucket light trap in orchard |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Diptera | Simuliidae | <i>Simulium norfolkense</i> (Dumbleton, 1969) | N | N | Light trap in eucalypt forest |
| -29.03 | 167.98 | 25/09/2013 | Solanaceae | <i>Solanum melongena</i> | Hemiptera | Flatidae | <i>Siphanta acuta</i> (Walker, 1851) | N | Y | Beating |
| -29.01 | 167.93 | 20/05/2014 | Poaceae | <i>Paspalum</i> sp. | Hemiptera | Aphididae | <i>Stiobion</i> Mordvilko, 1914 | Y | ? | Sweep net in eucalypt forest |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Triticum</i> sp. | Hemiptera | Aphididae | <i>Stiobion</i> sp. | Y | ? | Hand collection |
| -29.03 | 167.95 | 25/02/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Strophilus oryzae</i> (Linnaeus, 1763) | Y | Y | Hand collection |
| -29.00 | 167.93 | 20/02/2014 | Asteraceae | <i>Lactuca sativa</i> | Hemiptera | Delphacidae | <i>Sogaella kolophon</i> (Kirkaldy, 1907) | Y | Y | Hand collection |
| -29.03 | 167.99 | 24/12/2012 | Musaceae | <i>Musa</i> sp. | Hemiptera | Delphacidae | <i>Sogaella kolophon</i> | Y | Y | Yellow pan |
| -29.00 | 167.93 | 26/12/2012 | Lamiaceae, Brassicaceae, Musaceae | <i>Ocimum basilicum</i> , <i>Musa</i> sp. | Hemiptera | Delphacidae | <i>Sogaella kolophon</i> | Y | Y | Yellow pan |
| -29.03 | 167.99 | 23/12/2012 | Cucurbitaceae, Solanaceae | <i>Solanum melongena</i> | Hemiptera | Delphacidae | <i>Sogaella kolophon</i> | Y | Y | Yellow pan |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Triticum</i> sp. | Hemiptera | Delphacidae | <i>Sogaella kolophon</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 23/12/2012 | Poaceae, Brassicaceae | <i>Zea mays</i> , <i>Brassica oleracea</i> var. <i>italica</i> | Hemiptera | Delphacidae | <i>Sogaella kolophon</i> | Y | Y | Yellow pan among old corn and young broccoli |
| -29.03 | 167.93 | 12/06/2013 | Bromeliaceae | <i>Ananas comosus</i> | Hemiptera | Delphacidae | <i>Sogaella kolophon</i> | Y | Y | Sweep net |
| -29.01 | 167.94 | 30/11/2014 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Phlaeothripidae | <i>Sophiothrips martiniae</i> Mound & Tree, 2014 | Y | N | Hand collection from dead tree |
| -29.05 | 167.92 | 25/12/2013 | Araucariaceae, Proteaceae | <i>Grevillea robusta</i> | Thysanoptera | Phlaeothripidae | <i>Sophiothrips martiniae</i> | Y | N | Hand collection from dead wood |
| -29.02 | 167.96 | 26/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Phlaeothripidae | <i>Sophiothrips martiniae</i> | Y | N | Hand collection from dead branch and moss |
| -29.01 | 167.94 | 22/10/2013 | Scrophulariaceae | <i>Myoporum obscurum</i> | Thysanoptera | Phlaeothripidae | <i>Sophiothrips martiniae</i> | Y | N | Hand collection from dead standing branches |
| -29.01 | 167.95 | 22/11/2014 | Myrtaceae | <i>Psidium cattleianum</i> var. <i>cattleianum</i> | Thysanoptera | Phlaeothripidae | <i>Sophiothrips martiniae</i> | Y | N | Hand collection from dead branch |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|--------------------|---|--------------|-----------------|--|-----------------------------------|----------------------------|---|
| -29.01 | 167.95 | 25/12/2012; 26/12/2012 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Sophiothrips martinae</i> | Y | N | Hand collection |
| -29.03 | 167.93 | 22/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Sophiothrips martinae</i> | Y | N | Hand collection |
| -29.01 | 167.94 | 23/12/2012 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Sophiothrips martinae</i> | Y | N | Hand collection |
| -29.03 | 167.94 | 27/03/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Sophiothrips martinae</i> | Y | N | Hand collection from dead branches |
| -29.01 | 167.95 | 22/11/2014; 30/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Sophiothrips martinae</i> | Y | N | Hand collection from dead branches |
| -29.01 | 167.94 | 30/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Sophiothrips martinae</i> | Y | N | Hand collection from dead branches |
| -29.02 | 167.95 | 22/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Sophiothrips martinae</i> | Y | N | Hand collection |
| -29.02 | 167.95 | 24/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Sophiothrips martinae</i> | Y | N | Hand collection from dead wood |
| -29.01 | 167.94 | 30/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Sophiothrips martinae</i> | Y | N | Hand collection from dead wood |
| -29.01 | 167.95 | 30/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Sophiothrips martinae</i> | Y | N | Hand collection from dead wood |
| -29.01 | 167.94 | 22/10/2013 | Various, Arecaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Sophiothrips martinae</i> | Y | N | Hand collection |
| -29.02 | 167.94 | 22/12/2013 | Rutaceae | <i>Citrus x jambhiri</i> | Thysanoptera | Phlaeothripidae | <i>Sophiothrips martinae</i> | Y | N | Hand collection from dead branches |
| -29.04 | 167.99 | 25/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Diptera | Tephritidae | <i>Spathulina acroleuca</i> (Schiner, 1868) | Y | Y | Hand collection |
| -29.03 | 167.99 | 24/12/2012 | Musaceae | <i>Musa</i> sp. | Diptera | Tephritidae | <i>Spathulina acroleuca</i> | Y | Y | Yellow pan |
| -29.00 | 167.93 | 23 - 24/03/2014 | Various | | Diptera | Tephritidae | <i>Spathulina acroleuca</i> | Y | Y | Yellow pan |
| -29.00 | 167.93 | 24/10/2013 | Various | | Diptera | Syphidae | <i>Sphaerophoria macrogaster</i> (Thomson, 1869) | Y | Y | Yellow pan among various young vegetables |
| -29.00 | 167.93 | 23/12/2012 | Various | | Diptera | Syphidae | <i>Sphaerophoria macrogaster</i> | Y | Y | Yellow pan among various vegetables seedlings |
| -29.05 | 167.94 | 22/09/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>capitata</i> | Diptera | Syphidae | <i>Sphaerophoria macrogaster</i> | Y | Y | Hand collection |
| -29.03 | 167.98 | 25/09/2013 | Apiaceae | <i>Daucus carota</i> | Diptera | Syphidae | <i>Sphaerophoria macrogaster</i> | Y | Y | Sweep net |
| -29.03 | 167.99 | 14/06/2013 | Convolvulaceae | <i>Ipomoea batatas</i> | Diptera | Syphidae | <i>Sphaerophoria macrogaster</i> | Y | Y | Sweep net |
| -29.05 | 167.93 | 13/06/2013 | Fabaceae | <i>Medicago sativa</i> | Diptera | Syphidae | <i>Sphaerophoria macrogaster</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Triticum</i> sp. | Diptera | Syphidae | <i>Sphaerophoria macrogaster</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 23/10/2013 | Various | | Diptera | Syphidae | <i>Sphaerophoria macrogaster</i> | Y | Y | Yellow pan among various young vegetables |
| -29.06 | 167.96 | 17/07/2014 | NA | NA | Diptera | Muscidae | <i>Spilogona Schnabl, 1911</i> | ? | ? | Bezziture trap |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|---------------|--|-----------------|---------------|---|-----------------------------------|----------------------------|--|
| -29.06 | 167.96 | 12/06/2014 | NA | NA | Diptera | Muscidae | <i>Spilogona</i> sp. | ? | ? | LuciLure trap |
| -29.05 | 167.98 | 12/06/2014 | NA | NA | Diptera | Muscidae | <i>Spilogona</i> sp. | ? | ? | Bezzilure trap |
| -29.05 | 167.93 | 10/06/2014; 24/06/2014 | NA | NA | Diptera | Muscidae | <i>Spilogona</i> sp. | ? | ? | Bezzilure trap |
| -29.03 | 167.93 | 10/06/2014 | NA | NA | Diptera | Muscidae | <i>Spilogona</i> sp. | ? | ? | Bezzilure trap |
| -29.02 | 167.97 | 2/07/2014 | NA | NA | Diptera | Muscidae | <i>Spilogona</i> sp. | ? | ? | Blowfly trap |
| -29.02 | 167.92 | 10/06/2014 | NA | NA | Diptera | Muscidae | <i>Spilogona</i> sp. | ? | ? | LuciLure trap |
| -29.01 | 167.56 | 2/07/2014 | NA | NA | Diptera | Muscidae | <i>Spilogona</i> sp. | ? | ? | Blowfly trap |
| -29.00 | 167.93 | 21/02/2014 | NA | NA | Diptera | Muscidae | <i>Spilogona</i> sp. | ? | ? | Bucket light trap |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Diptera | Muscidae | <i>Spilogona</i> sp. | ? | ? | Light trap #4 |
| -29.03 | 167.96 | 20/02/2014 | NA | NA | Diptera | Muscidae | <i>Spilogona</i> sp. | ? | ? | Light trap #3 |
| -29.02 | 167.97 | 22/09/2013 | NA | NA | Trombidiformes | Bdellidae | <i>Spinibdella cronini</i> (Baker & Balock, 1944) | Y | Y | Hand collection from soil |
| -29.05 | 167.96 | 9/10/2014 | Cucurbitaceae | <i>Sechium edule</i> | Trombidiformes | Bdellidae | <i>Spinibdella</i> Thor, 1930 | Y | ? | Hand collection |
| -29.02 | 167.96 | 13/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Stylommatophora | Succineidae | <i>Spiranecina norfolkensis</i> (Suxes, 1900) | N | N | Hand collection from tree felled 10 months prior |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Spodoptera litura</i> (Fabricius, 1775) | N | Y | Light trap |
| -29.05 | 167.92 | 19/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Spodoptera litura</i> | N | Y | Light trap |
| -29.00 | 167.93 | 22/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Spodoptera litura</i> | N | Y | Bucket light trap in orchard |
| -29.03 | 167.98 | 21/05/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Lepidoptera | Noctuidae | <i>Spodoptera litura</i> | N | Y | Beating |
| -29.03 | 167.98 | 14/06/2013 | Solanaceae | <i>Solanum melongena</i> | Lepidoptera | Noctuidae | <i>Spodoptera litura</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 25/05/2014 | Solanaceae | <i>Solanum tuberosum</i> | Lepidoptera | Noctuidae | <i>Spodoptera litura</i> | N | Y | Beating |
| -29.00 | 167.93 | 20/02/2014 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> | Lepidoptera | Noctuidae | <i>Spodoptera litura</i> | N | Y | Hand collection (larva) |
| -29.05 | 167.92 | 19/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Spodoptera mauritia</i> (Boisduval, 1833) | N | Y | Light trap |
| -29.04 | 167.94 | 28/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Spodoptera mauritia</i> | N | Y | Light trap |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Spodoptera mauritia</i> | N | Y | Light trap |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Spodoptera mauritia</i> | N | Y | Light trap |
| -29.01 | 167.94 | 24/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Spodoptera mauritia</i> | N | Y | Light trap |
| -29.03 | 167.95 | 20/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Spodoptera mauritia</i> | N | Y | Hand collection (eggs) |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|--------------------------|--|--------------|---------------|---|-----------------------------------|----------------------------|--|
| -29.01 | 167.93 | 21/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Spodoptera mauritia</i> | N | Y | Light trap in eucalypt forest |
| -29.01 | 167.94 | 27/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Spodoptera mauritia</i> | N | Y | Light trap in eucalypt forest |
| -29.03 | 167.96 | 25/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Spodoptera mauritia</i> | N | Y | Light trap |
| -29.00 | 167.93 | 22/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Spodoptera mauritia</i> | N | Y | Bucket light trap in orchard |
| -29.03 | 167.97 | 22/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Spodoptera mauritia</i> | N | Y | Light trap |
| -29.03 | 167.98 | 21/05/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Lepidoptera | Noctuidae | <i>Spodoptera mauritia</i> | N | Y | Beating |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Spodoptera mauritia</i> | N | Y | Light trap |
| -29.04 | 167.94 | 28/02/2014 | NA | NA | Lepidoptera | Crambidae | <i>Spoladea recurvalis</i> (Fabricius, 1775) | N | Y | Light trap |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Lepidoptera | Crambidae | <i>Spoladea recurvalis</i> | N | Y | Light trap |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Lepidoptera | Crambidae | <i>Spoladea recurvalis</i> | N | Y | Light trap in eucalypt forest |
| -29.00 | 167.93 | 22/02/2014 | NA | NA | Lepidoptera | Crambidae | <i>Spoladea recurvalis</i> | N | Y | Bucket light trap in orchard |
| -29.03 | 167.99 | 20/02/2014 | Polygonaceae, Asteraceae | <i>Rheum rhabarbarum</i> , <i>Bidens pilosa</i> | Lepidoptera | Crambidae | <i>Spoladea recurvalis</i> | N | Y | Sweep net |
| -29.02 | 167.98 | 14/06/2013 | Solanaceae | <i>Solanum melongena</i> | Lepidoptera | Crambidae | <i>Spoladea recurvalis</i> | N | Y | Observation |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Lepidoptera | Crambidae | <i>Spoladea recurvalis</i> | N | Y | Light trap |
| -29.02 | 167.96 | 13/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Araeneae | Theridiidae | <i>Steatoda Sundevall, 1833</i> | Y | ? | Hand collection from tree felled 10 months prior |
| -29.12 | 167.95 | 14/10/2014 | NA | NA | Araeneae | Theridiidae | <i>Steatoda</i> sp. | Y | ? | Hand collection from rock |
| -29.05 | 167.94 | 22/09/2013 | Unknown | Unknown | Araeneae | Theridiidae | <i>Steatoda capensis</i> Hamm, 1990 | Y | Y | Hand collection from timber pile |
| -29.02 | 167.97 | 21/05/2014 | Unknown | Unknown | Araeneae | Theridiidae | <i>Steatoda capensis</i> | Y | Y | Hand collection from under discarded timber |
| -29.05 | 167.92 | 24/05/2014; 21/12/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Araeneae | Theridiidae | <i>Steatoda capensis</i> | Y | Y | Hand collection from fallen log |
| -29.00 | 167.93 | 23 - 24/05/2014 | Various | | Diptera | Lauxaniidae | <i>Steganopsis melanogaster</i> (Thomson, 1869) | Y | Y | Yellow pan |
| -29.02 | 167.96 | 26/03/2014 | Various | | Diptera | Lauxaniidae | <i>Steganopsis melanogaster</i> | Y | Y | Yellow pan in orchard |
| -29.04 | 167.93 | 18/02/2014 | Alliaceae | <i>Allium cepa</i> | Diptera | Lauxaniidae | <i>Steganopsis melanogaster</i> | Y | Y | Hand collection |
| -29.05 | 167.94 | 22/09/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>capitata</i> | Diptera | Lauxaniidae | <i>Steganopsis melanogaster</i> | Y | Y | Hand collection |
| -29.03 | 167.98 | 25/09/2013 | Apiaceae | <i>Daucus carota</i> | Diptera | Lauxaniidae | <i>Steganopsis melanogaster</i> | Y | Y | Sweep net |
| -29.03 | 167.99 | 21/02/2014 | Fabaceae | <i>Glycine max</i> | Diptera | Lauxaniidae | <i>Steganopsis melanogaster</i> | Y | Y | Hand collection |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---|-----------------------------|--------------------------------------|----------------|-----------------|--|-----------------------------------|----------------------------|-----------------------------------|
| -29.03 | 167.99 | 23/12/2012 | Convolvulaceae | <i>Ipomoea batatas</i> | Diptera | Lauxaniidae | <i>Steganopsis melanogaster</i> | Y | Y | Sweep net |
| -29.00 | 167.93 | 20/02/2014 | Convolvulaceae | <i>Ipomoea batatas</i> | Diptera | Lauxaniidae | <i>Steganopsis melanogaster</i> | Y | Y | Hand collection |
| -29.05 | 167.93 | 12/07/2013 | Fabaceae | <i>Medicago sativa</i> | Diptera | Lauxaniidae | <i>Steganopsis melanogaster</i> | Y | Y | Beating |
| -29.04 | 167.99 | 23/05/2014 | Moraceae | <i>Morus</i> sp. | Diptera | Lauxaniidae | <i>Steganopsis melanogaster</i> | Y | Y | Beating |
| -29.05 | 167.97 | 17/07/2014 | NA | NA | Diptera | Lauxaniidae | <i>Steganopsis melanogaster</i> | Y | Y | Bezzihure trap |
| -29.03 | 167.98 | 2/06/2014; 2/07/2014; 17/07/2014; 25/08/2014 | NA | NA | Diptera | Lauxaniidae | <i>Steganopsis melanogaster</i> | Y | Y | LuciLure trap |
| -29.01 | 167.95 | 25/12/2012 | Lamiaceae | <i>Neprolepis</i> sp. | Diptera | Lauxaniidae | <i>Steganopsis melanogaster</i> | Y | Y | Yellow pan |
| -29.04 | 167.96 | 10/10/2014 | Apiaceae | <i>Petroselinum crispum</i> | Diptera | Lauxaniidae | <i>Steganopsis melanogaster</i> | Y | Y | Beating bananas |
| -29.04 | 167.99 | 8/10/2014 | Fabaceae | <i>Phaseolus vulgaris</i> | Diptera | Lauxaniidae | <i>Steganopsis melanogaster</i> | Y | Y | Sweep net among corn |
| -29.02 | 167.97 | 22/12/2012 | Polygonaceae | <i>Rumex brownii</i> | Diptera | Lauxaniidae | <i>Steganopsis melanogaster</i> | Y | Y | Sweep net among dead sees heads |
| -29.04 | 167.94 | 23/09/2013 | Anacardiaceae | <i>Schinus terebinthifolius</i> | Diptera | Lauxaniidae | <i>Steganopsis melanogaster</i> | Y | Y | Sweep net |
| -29.05 | 167.92 | 24/05/2014 | Poaceae | Unknown | Diptera | Lauxaniidae | <i>Steganopsis melanogaster</i> | Y | Y | Sweep net |
| -29.03 | 167.99 | 23/10/2013 | Various | | Diptera | Lauxaniidae | <i>Steganopsis melanogaster</i> | Y | Y | Yellow pan |
| -29.02 | 167.93 | 27/11/2014 | Fabaceae | <i>Trifolium</i> sp. | Trombidiformes | Tarsonemidae | <i>Stenotarsoneurus Beer, 1954</i> | Y | ? | Ethanol wash |
| -29.03 | 167.94 | 27/11/2014 | Bromeliaceae | <i>Ananas comosus</i> | Trombidiformes | Tarsonemidae | <i>Stenotarsoneurus ananas</i> (Tyron, 1898) | Y | Y | Ethanol wash |
| -29.03 | 167.97 | 27/11/2014 | NA | NA | Hemiptera | Reduviidae | <i>Stenolemus fraterculus</i> Wygodzinsky, 1956 | N | Y | Light trap |
| -29.02 | 167.95 | 24/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Stephanothrips barretti</i> Mound, 1972 | Y | Y | Hand collection from dead wood |
| -29.01 | 167.94 | 22/12/2012 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Stephanothrips barretti</i> | Y | Y | Hand collection from ground |
| -29.04 | 167.99 | 24/03/2014 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Phlaeothripidae | <i>Stephanothrips occidentalis</i> Hood & Williams, 1925 | Y | Y | Hand collection from young leaves |
| -29.02 | 167.92 | 23/10/2013 | Myrtaceae | <i>Eucalyptus</i> sp. | Thysanoptera | Phlaeothripidae | <i>Stephanothrips occidentalis</i> | Y | Y | Hand collection from dead twigs |
| -29.04 | 167.99 | 24/12/2013 | Rutaceae, Moraceae, unknown | <i>Murraya</i> sp., <i>Morus</i> sp. | Thysanoptera | Phlaeothripidae | <i>Stephanothrips occidentalis</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 9/07/2013 | Musaceae | <i>Musa</i> sp. | Thysanoptera | Phlaeothripidae | <i>Stephanothrips occidentalis</i> | Y | Y | Hand collection from dead leaves |
| -29.03 | 167.99 | 22/03/2014 | Meliaceae | <i>Toona ciliata</i> | Thysanoptera | Phlaeothripidae | <i>Stephanothrips occidentalis</i> | Y | Y | Hand collection from dead branch |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|--|--------------------------------------|---|--------------|-----------------|---|-----------------------------------|----------------------------|--|
| -29.02 | 167.95 | 22/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Stephanothrips occidentalis</i> | Y | Y | Hand collection |
| -29.03 | 167.93 | 22/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Stephanothrips occidentalis</i> | Y | Y | Hand collection from dead wood |
| -29.02 | 167.96 | 25/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Stephanothrips occidentalis</i> | Y | Y | Hand collection from dead wood |
| -29.01 | 167.94 | 24/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Stephanothrips occidentalis</i> | Y | Y | Hand collection from dead wood |
| -29.04 | 167.99 | 25/11/2014 | Araceae, Fabaceae, Araceae, Fabaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Stephanothrips occidentalis</i> | Y | Y | Hand collection from dead palm leaves, dead pea pods |
| -29.06 | 167.94 | 11/10/2014 | Rutaceae | <i>Citrus</i> sp. | Coleoptera | Coccinellidae | <i>Stethorus obscuripennis</i> (Lea, 1929) | N | N | Beating |
| -29.02 | 167.97 | 22/09/2013 | Araceae | <i>Colocasia esculenta</i> | Coleoptera | Coccinellidae | <i>Stethorus obscuripennis</i> | N | N | Hand collection |
| -29.04 | 167.99 | 22/05/2014 | Moraceae | <i>Morus</i> sp. | Coleoptera | Coccinellidae | <i>Stethorus obscuripennis</i> | N | N | Beating |
| -29.06 | 167.94 | 11/10/2014 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Coleoptera | Coccinellidae | <i>Stethorus obscuripennis</i> | N | N | Beating |
| -29.04 | 167.99 | 25/05/2014 | Amonaceae | <i>Ammonia reticulata</i> | Coleoptera | Coccinellidae | <i>Stethorus obscuripennis</i> | N | N | Beating |
| -29.00 | 167.93 | 24/10/2013 | Various | Unknown | Diptera | Calliphoridae | <i>Stomoxys discolor</i> (Fabricius, 1794) | Y | Y | Yellow pan among various young vegetables |
| -29.02 | 167.96 | 25/12/2012 | Cucurbitaceae | Unknown | Diptera | Calliphoridae | <i>Stomoxys discolor</i> | Y | Y | Beating flowers |
| -29.04 | 167.99 | 23/05/2014 | Rutaceae | <i>Citrus</i> sp. | Diptera | Calliphoridae | <i>Stomoxys discolor</i> | Y | Y | Sweep net |
| -29.06 | 167.96 | 12/06/2014; 28/08/2014; 25/10/2014; | NA | Unknown | Diptera | Calliphoridae | <i>Stomoxys discolor</i> | Y | Y | LuciLure trap |
| -29.05 | 167.97 | 2/07/2014; 12/06/2014; 24/06/2014; 2/07/2014; | NA | Unknown | Diptera | Calliphoridae | <i>Stomoxys discolor</i> | Y | Y | Bezzilure trap |
| -29.03 | 167.98 | 24/06/2014; 17/07/2014; | NA | Unknown | Diptera | Calliphoridae | <i>Stomoxys discolor</i> | Y | Y | LuciLure trap |
| -29.02 | 167.97 | 2/07/2014; 17/07/2014; | NA | Unknown | Diptera | Calliphoridae | <i>Stomoxys discolor</i> | Y | Y | LuciLure trap |
| -29.06 | 167.94 | 22/09/2013 | Various | Unknown | Diptera | Calliphoridae | <i>Stomoxys discolor</i> | Y | Y | Sweep net |
| -29.01 | 167.92 | 24/02/2014 | NA | NA | Diptera | Muscidae | <i>Stomoxys calcitrans</i> (Linnaeus, 1758) | N | Y | <i>Culicoides</i> trap |
| -29.00 | 167.93 | 26/12/2012 | Musaceae, Asteraceae | <i>Musa</i> sp., <i>Lactuca scariola</i> | Diptera | Muscidae | <i>Stomoxys calcitrans</i> | N | Y | Yellow pan |
| -29.06 | 167.94 | 11/10/2014 | Rutaceae | <i>Citrus</i> sp. | Coleoptera | Cureulionidae | <i>Storax</i> Schoenherr, 1843 | Y | ? | Beating |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|---------------------------|--|--------------|-----------------|---|-----------------------------------|----------------------------|---|
| -29.00 | 167.93 | 20/02/2014 | Cucurbitaceae | <i>Cucumis melo</i> | Coleoptera | Curculionidae | <i>Storeus</i> sp. | Y | ? | Sweep net |
| -29.03 | 167.94 | 23/05/2014 | Oleaceae | <i>Nectegis apetalata</i> | Coleoptera | Curculionidae | <i>Storeus</i> sp. | Y | ? | Trapping |
| -29.01 | 167.94 | 25/02/2014 | Unknown | Unknown | Coleoptera | Curculionidae | <i>Storeus</i> sp. | Y | ? | Hand collection |
| -29.02 | 167.96 | 25/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> (Girault, 1929) | Y | Y | Hand collection from dead tree |
| -29.02 | 167.95 | 20/12/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from dead branches |
| -29.05 | 167.92 | 25/12/2013 | Araucariaceae, Proteaceae | <i>Araucaria heterophylla</i> <i>Graecillea robusta</i> | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from dead wood |
| -29.04 | 167.99 | 25/11/2014 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection |
| -29.01 | 167.94 | 30/11/2014 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from dead tree |
| -29.01 | 167.94 | 11/07/2013 | Asparagaceae | <i>Coryline obtecta</i> | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from dead leaves from dead leaves |
| -29.04 | 167.99 | 23/11/2014 | Celastraceae | <i>Elaeodendron curtipendulum</i> | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from dead branches |
| -29.05 | 167.93 | 12/07/2013 | Proteaceae | <i>Grevillea robusta</i> | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 26/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from dead branch and moss |
| -29.05 | 167.93 | 25/12/2013 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from leaves |
| -29.02 | 167.96 | 29/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection |
| -29.01 | 167.95 | 22/11/2014 | Myrtaceae | <i>Psidium cattleianum</i> var. <i>cattleianum</i> | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from dead branch |
| -29.02 | 167.96 | 25/11/2014 | Meliaceae | <i>Toona ciliata</i> | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from dead tree |
| -29.03 | 167.99 | 9/07/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from dead branches |
| -29.03 | 167.93 | 22/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from dead branches |
| -29.01 | 167.94 | 24/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from dead branches |
| -29.01 | 167.95 | 30/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from dead branches |
| -29.01 | 167.95 | 26/10/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection |
| -29.02 | 167.95 | 25/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from dead branches |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|--------------------------|--|--------------|-----------------|---|-----------------------------------|----------------------------|--|
| -29-01 | 167.94 | 30/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from dead branches |
| -29-02 | 167.96 | 27/12/2012 | Areaceae | Unknown | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from dead leaves |
| -29-01 | 167.94 | 30/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection dead mossy branch |
| -29-02 | 167.95 | 22/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from dead twigs |
| -29-02 | 167.95 | 22/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from dead twigs and leaves |
| -29-05 | 167.92 | 26/03/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from dead wood |
| -29-02 | 167.96 | 25/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from dead wood |
| -29-01 | 167.94 | 24/11/2014; 30/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection from dead wood |
| -29-02 | 167.96 | 26/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection, betesate from leaf litter |
| -29-02 | 167.95 | 21/12/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Phlaeothripidae | <i>Streptorhrips tuberculatus</i> | Y | Y | Hand collection |
| -29-02 | 167.94 | 25/05/2014 | NA | NA | Hymenoptera | Formicidae | <i>Strumigenys perplexa</i> (Smith, 1876) | N | Y | Trapping from leaf litter |
| -29-02 | 167.92 | 25/05/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Hymenoptera | Formicidae | <i>Strumigenys perplexa</i> | N | Y | Trapping from eucalypt leaf litter |
| -29-01 | 167.93 | 13/06/2013 | Rubiaceae | <i>Coffea arabica</i> | Diptera | Anisopodidae | <i>Syvicola dibius</i> (Macquart, 1850) | Y | Y | Hand collection |
| -29-03 | 167.97 | 21/05/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Sympiezocetus norfolcensis</i> Lea, 1913 | N | N | Hand collection from sawn timber |
| -29-03 | 167.97 | 18/02/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Sympiezocetus norfolcensis</i> | N | N | Hand collection from timber billets |
| -29-03 | 167.96 | 20/02/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Sympiezocetus norfolcensis</i> | N | Y | Light trap #3 |
| -29-03 | 167.97 | 27/11/2014 | NA | NA | Coleoptera | Cureulionidae | <i>Sympiezocetus norfolcensis</i> | N | Y | Light trap |
| -29-03 | 167.96 | 25/09/2013 | NA | NA | Coleoptera | Cureulionidae | <i>Sympiezocetus norfolcensis</i> | N | Y | Hand collection |
| -29-02 | 167.93 | 25/02/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cureulionidae | <i>Sympiezocetus norfolcensis</i> | N | N | Hand collection from under bark of billets |
| -29-03 | 167.99 | 23/12/2012 | Poaceae, Brassicaceae | <i>Zea mays</i> , <i>Brassica oleracea</i> var. <i>italica</i> | Hemiptera | Delphacidae | <i>Synadelphax disonimos</i> (Kirkaldy, 1907) | Y | Y | Yellow pan among old corn and young broccoli |
| -29-05 | 167.97 | 24/06/2014; 24/06/2014 | NA | NA | Diptera | Muscidae | <i>Synthestomyia nudiseta</i> (Whlp, 1883) | N | Y | Bezzilure trap |
| -29-03 | 167.98 | 24/06/2014; 17/07/2014 | NA | NA | Diptera | Muscidae | <i>Synthestomyia nudiseta</i> | N | Y | LuciLure trap |
| -29-02 | 167.97 | 17/07/2014 | NA | NA | Diptera | Muscidae | <i>Synthestomyia nudiseta</i> | N | Y | LuciLure trap |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|----------------|--|----------------|---------------|--|-----------------------------------|----------------------------|---|
| -29.01 | 167.92 | 10/06/2014; 24/06/2014 | NA | NA | Diptera | Muscidae | <i>Synthesiomya nudiseta</i> | N | Y | LuciLure trap |
| -29.05 | 167.93 | 24/06/2014 | NA | NA | Diptera | Muscidae | <i>Synthesiomya nudiseta</i> | N | Y | Bezzilure trap |
| -29.05 | 167.97 | 24/02/2014 | Asteraceae | <i>Conyza</i> sp. | Hymenoptera | Formicidae | <i>Tapinoma melanocephalum</i> (Fabricius, 1793) | N | Y | Hand collection |
| -29.03 | 167.93 | 19/02/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Hymenoptera | Formicidae | <i>Tapinoma melanocephalum</i> | N | Y | Beating |
| -29.05 | 167.97 | 24/02/2014 | Caricaceae | <i>Carica papaya</i> | Hymenoptera | Formicidae | <i>Tapinoma melanocephalum</i> | N | Y | Hand collection |
| -29.03 | 167.97 | 7/10/2014 | NA | NA | Hymenoptera | Formicidae | <i>Tapinoma?</i> | ? | ? | Light trap Set 6,10,14, collected 7,10,14 |
| -29.03 | 167.94 | 27/11/2014 | Bromeliaceae | <i>Ananas comosus</i> | Trombidiformes | Tarsonemidae | <i>Tarsonemus Caestimi & Fanzago, 1876</i> | Y | ? | Ethanol wash |
| -29.04 | 167.99 | 27/11/2014 | Annonaceae | <i>Annona muricata</i> | Trombidiformes | Tarsonemidae | <i>Tarsonemus</i> sp. | Y | ? | Ethanol wash |
| -29.04 | 167.99 | 27/11/2014 | Anacardiaceae | <i>Mangifera indica</i> | Trombidiformes | Tarsonemidae | <i>Tarsonemus</i> sp. | Y | ? | Ethanol wash |
| -29.04 | 167.95 | 26/11/2014 | Passifloraceae | <i>Passiflora edulis</i> | Trombidiformes | Tarsonemidae | <i>Tarsonemus</i> sp. | Y | ? | Ethanol wash |
| -29.03 | 167.93 | 26/09/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Trombidiformes | Tarsonemidae | <i>Tarsonemus</i> nov. sp. ? | Y | ? | Hand collection |
| -29.00 | 167.93 | 12/06/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Trombidiformes | Tarsonemidae | <i>Tarsonemus</i> nov. sp. ? | Y | ? | Ethanol wash |
| -29.00 | 167.93 | 24/09/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Trombidiformes | Tarsonemidae | <i>Tarsonemus</i> nov. sp. ? | Y | ? | Hand collection |
| -29.03 | 167.92 | 22/05/2014 | Vitaceae | <i>Vitis vinifera</i> | Hemiptera | Miridae | <i>Taylorilygus?</i> | ? | ? | Beating grape vine growing over citrus |
| -29.06 | 167.94 | 11/10/2014 | Caricaceae | <i>Carica papaya</i> | Hymenoptera | Formicidae | <i>Technomyrmex Mayr, 1872</i> | ? | ? | Beating |
| -29.04 | 167.96 | 9/10/2014 | Caricaceae | <i>Carica papaya</i> | Hymenoptera | Formicidae | <i>Technomyrmex</i> sp. | ? | ? | Beating |
| -29.05 | 167.93 | 23/05/2014 | Rubiaceae | <i>Coffea</i> sp. | Hymenoptera | Formicidae | <i>Technomyrmex</i> sp. | ? | ? | Hand collection |
| -29.04 | 167.96 | 10/10/2014 | Apocynaceae | <i>Nerium oleander</i> | Hymenoptera | Formicidae | <i>Technomyrmex</i> sp. | ? | ? | Beating and hand collection |
| -29.04 | 167.94 | 23/09/2013 | Euphorbiaceae | <i>Baloghia inophylla</i> | Hymenoptera | Formicidae | <i>Technomyrmex jocosus</i> Forel, 1910 | N | Y | Observation |
| -29.04 | 167.97 | 25/05/2014 | Iridaceae | <i>Iris domestica</i> (L.) Goldblatt & Mabb. | Hymenoptera | Formicidae | <i>Technomyrmex jocosus</i> | N | Y | Beating |
| -29.03 | 167.95 | 22/05/2014 | Araliaceae | <i>Meryta</i> sp. | Hymenoptera | Formicidae | <i>Technomyrmex jocosus</i> | N | Y | Hand collection |
| -29.03 | 167.94 | 23/09/2013 | NA | NA | Hymenoptera | Formicidae | <i>Technomyrmex jocosus</i> | N | Y | Hand collection |
| -29.06 | 167.94 | 22/09/2013 | Lauraceae | <i>Persea americana</i> | Hymenoptera | Formicidae | <i>Technomyrmex jocosus</i> | N | Y | Hand collection |
| -29.05 | 167.96 | 9/10/2014 | Vitaceae | <i>Vitis vinifera</i> | Hymenoptera | Formicidae | <i>Technomyrmex jocosus</i> | N | Y | Beating |
| -29.03 | 167.95 | 11/06/2013 | Vitaceae | <i>Vitis vinifera</i> | Hymenoptera | Formicidae | <i>Technomyrmex jocosus</i> | N | Y | Hand collection |
| -29.05 | 167.98 | 24/02/2014 | Asparagaceae | <i>Yucca aloifolia</i> | Hymenoptera | Formicidae | <i>Technomyrmex jocosus</i> | N | Y | Beating |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|----------------|--|-----------------|----------------|--|-----------------------------------|----------------------------|---|
| -29.02 | 167.93 | 27/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hymenoptera | Formicidae | <i>Technomyrmex jocosus</i> | N | Y | Hand collection |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Orthoptera | Gryllidae | <i>Teleogryllus oceanicus</i> (Le Guillou, 1841) | N | Y | Light trap in eucalypt forest |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Orthoptera | Gryllidae | <i>Teleogryllus oceanicus</i> | N | Y | Light trap |
| -29.03 | 167.97 | 18/02/2014 | Verbenaceae | <i>Lantana camara</i> | Hemiptera | Tingidae | <i>Teleonemia scrupulosa</i> Stål, 1873 | N | Y | Beating |
| -29.01 | 167.93 | 13/06/2013 | Verbenaceae | <i>Lantana camara</i> | Hemiptera | Tingidae | <i>Teleonemia scrupulosa</i> | N | Y | Hand collection |
| -29.01 | 167.94 | 24/09/2013 | Arecaceae | Unknown | Hypsolestropoda | Assimineidae | <i>Timosena suteri</i> (Sykes, 1900) | N | N | Berlese funnel from leaf litter under palms |
| -29.05 | 167.93 | 24/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Hypsolestropoda | Assimineidae | <i>Timosena suteri</i> | N | N | Hand collection from felled tree |
| -29.01 | 167.94 | 24/09/2013 | Arecaceae | Unknown | Collembola | Sminthuridae | <i>Temeritis Delamare-Deboutville & Massoud, 1963 sp. nov.</i> | Y | ? | Berlese funnel from leaf litter under palms |
| -29.03 | 167.94 | 28/11/2014 | Asteraceae | <i>Hieracium</i> sp. | Thysanoptera | Thripidae | <i>Tenohiprips frici</i> (Uzel, 1895) | Y | Y | Hand collection from flowers |
| -29.02 | 167.96 | 26/11/2014 | Asteraceae | <i>Hieracium</i> sp. | Thysanoptera | Thripidae | <i>Tenohiprips frici</i> | Y | Y | Hand collection from flowers |
| -29.02 | 167.96 | 25/11/2014 | Asteraceae | <i>Hieracium</i> sp., <i>Taraxacum</i> FH. Wigg. | Thysanoptera | Thripidae | <i>Tenohiprips frici</i> | Y | Y | Hand collection from flowers |
| -29.03 | 167.93 | 27/11/2014 | Asteraceae | <i>Taraxacum</i> sp. | Thysanoptera | Thripidae | <i>Tenohiprips frici</i> | Y | Y | Hand collection |
| -29.01 | 167.92 | 25/11/2014 | Asteraceae | Unknown | Thysanoptera | Thripidae | <i>Tenohiprips frici</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/12/2013 | Asteraceae | <i>Hieracium</i> sp. | Thysanoptera | Thripidae | <i>Tenohiprips frici</i> | Y | Y | Hand collection from flowers |
| -29.02 | 167.96 | 10/06/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Tenuipalpidae | <i>Tenuipalpus Domadicu, 1876</i> | ? | ? | Hand collection |
| -29.02 | 167.93 | 27/11/2014 | Rutaceae | <i>Zanthoxylum pinnatum</i> | Trombidiformes | Tenuipalpidae | <i>Tenuipalpus antipodius</i> Collyer, 1964 | Y | N | Ethanol wash |
| -29.02 | 167.93 | 27/11/2014 | Cannabaceae | <i>Celtis paniculata</i> | Trombidiformes | Tenuipalpidae | <i>Tenuipalpus antipodius</i> | Y | N | Ethanol wash |
| -29.04 | 167.96 | 10/10/2014 | Musaceae | <i>Musa</i> sp. | Araneae | Tetragnathidae | <i>Tetragnatha Latreille, 1804</i> | ? | ? | Beating |
| -29.03 | 167.97 | 7/10/2014 | NA | NA | Araneae | Tetragnathidae | <i>Tetragnatha obiusa</i> Koch, 1837 | Y | N | Light trap Set 6, 10, 14, collected 7, 10, 14 |
| -29.02 | 167.93 | 12/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Hymenoptera | Formicidae | <i>Tetramorium bicarinatum</i> (Nylander, 1846) | N | Y | Hand collection from felled tree #7 (workers) |
| -29.06 | 167.94 | 26/02/2014 | Asteraceae | <i>Bidens pilosa</i> | Hymenoptera | Formicidae | <i>Tetramorium bicarinatum</i> | N | Y | Hand collection |
| -29.05 | 167.97 | 24/02/2014 | Rutaceae | <i>Citrus</i> sp. | Hymenoptera | Formicidae | <i>Tetramorium bicarinatum</i> | N | Y | Hand collection |
| -29.00 | 167.93 | 20/02/2014 | Convolvulaceae | <i>Ipomoea batatas</i> | Hymenoptera | Formicidae | <i>Tetramorium bicarinatum</i> | N | Y | Hand collection |
| -29.03 | 167.96 | 19/02/2014 | NA | NA | Hymenoptera | Formicidae | <i>Tetramorium bicarinatum</i> | N | Y | Light trap |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|-------------------|-------------------------------|----------------|---------------|---|-----------------------------------|----------------------------|--|
| -29.02 | 167.97 | 24/02/2014 | NA | NA | Hymenoptera | Formicidae | <i>Tetramorium bicarinatum</i> | N | Y | Culicoides trap |
| -29.02 | 167.97 | 22/09/2013 | NA | NA | Hymenoptera | Formicidae | <i>Tetramorium bicarinatum</i> | N | Y | Hand collection |
| -29.02 | 167.96 | 26/09/2013 | NA | NA | Hymenoptera | Formicidae | <i>Tetramorium bicarinatum</i> | N | Y | Hand collection from soil |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Hymenoptera | Formicidae | <i>Tetramorium bicarinatum</i> | N | Y | Light trap from eucalypt forest |
| -29.03 | 167.97 | 20/02/2014 | NA | NA | Hymenoptera | Formicidae | <i>Tetramorium bicarinatum</i> | N | Y | Light trap #3 |
| -29.04 | 167.94 | 23/09/2013 | Anacardiaceae | <i>Schinus molle</i> | Hymenoptera | Formicidae | <i>Tetramorium bicarinatum</i> | N | Y | Sweep net |
| -29.02 | 167.96 | 26/09/2013 | Solanaceae | <i>Solanum melongena</i> | Hymenoptera | Formicidae | <i>Tetramorium bicarinatum</i> | N | Y | Hand collection |
| -29.05 | 167.98 | 24/02/2014 | Unknown | Unknown | Hymenoptera | Formicidae | <i>Tetramorium bicarinatum</i> | N | Y | Beating |
| -29.03 | 167.93 | 26/09/2013 | Bromeliaceae | <i>Ananas comosus</i> | Hymenoptera | Formicidae | <i>Tetramorium bicarinatum</i> | N | Y | Hand collection |
| -29.04 | 167.94 | 23/09/2013 | NA | NA | Hymenoptera | Formicidae | <i>Tetramorium caldarium</i> (Roger, 1857) | N | N | Hand collection from soil |
| -29.06 | 167.95 | 27/09/2013 | NA | NA | Hymenoptera | Formicidae | <i>Tetramorium caldarium</i> | N | N | Hand collection from soil |
| -29.02 | 167.96 | 13/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Hymenoptera | Formicidae | <i>Tetramorium similimum</i> (Smith, 1851) | N | Y | Hand collection from tree felled 10 months prior |
| -29.03 | 167.97 | 7/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Hymenoptera | Formicidae | <i>Tetramorium similimum</i> | N | Y | Hand collection |
| -29.03 | 167.97 | 18/02/2014 | NA | NA | Hymenoptera | Formicidae | <i>Tetramorium similimum</i> | N | Y | Hand collection from timber |
| -29.02 | 167.96 | 26/03/2014 | Various | NA | Hymenoptera | Formicidae | <i>Tetramorium similimum</i> | N | Y | Yellow pan |
| -29.12 | 167.95 | 14/10/2014 | Asteraceae | <i>Bidens pilosa</i> | Trombidiformes | Tetranychidae | <i>Tetranychus Dufour, 1832</i> | Y | ? | Hand collection |
| -29.04 | 167.99 | 27/11/2014 | Passifloraceae | <i>Passiflora edulis</i> | Trombidiformes | Tetranychidae | <i>Tetranychus</i> sp. | Y | ? | Ethanol wash |
| -29.03 | 167.93 | 27/11/2014 | Fabaceae | <i>Phaseolus vulgaris</i> | Trombidiformes | Tetranychidae | <i>Tetranychus</i> sp. | Y | ? | Ethanol wash |
| -29.03 | 167.95 | 11/06/2013 | Apocynaceae | <i>Plumeria rubra</i> | Trombidiformes | Tetranychidae | <i>Tetranychus</i> sp. | Y | ? | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Cucurbitaceae | <i>Zehneria baneriana</i> | Trombidiformes | Tetranychidae | <i>Tetranychus</i> sp. | Y | ? | Hand collection |
| -29.02 | 167.93 | 27/11/2014 | Fabaceae | <i>Trifolium</i> sp. | Trombidiformes | Tetranychidae | <i>Tetranychus lamhi</i> Pritchard & Baker, 1955 | Y | Y | Ethanol wash |
| -29.04 | 167.94 | 23/11/2014 | Hemerocallidaceae | <i>Hemerocallis</i> sp. | Trombidiformes | Tetranychidae | <i>Tetranychus lamhi</i> | Y | Y | Ethanol wash |
| -29.02 | 167.97 | 22/09/2013 | Araceae | <i>Colocasia esculenta</i> | Trombidiformes | Tetranychidae | <i>Tetranychus lombarinii</i> Baker & Pritchard, 1960 | Y | Y | Hand collection |
| -29.02 | 167.94 | 24/11/2014 | Musaceae | <i>Musa</i> sp. | Trombidiformes | Tetranychidae | <i>Tetranychus neocaledonicus</i> (André, 1933) | Y | Y | Ethanol wash |
| -29.04 | 167.95 | 24/11/2014 | Fabaceae | <i>Phaseolus</i> sp. | Trombidiformes | Tetranychidae | <i>Tetranychus neocaledonicus</i> | Y | Y | Ethanol wash |
| -29.04 | 167.98 | 27/11/2014 | Vitaceae | <i>Vitis vinifera</i> | Trombidiformes | Tetranychidae | <i>Tetranychus neocaledonicus</i> | Y | Y | Ethanol wash |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------------------|-----------------------------|---|----------------|---------------|---|-----------------------------------|----------------------------|--|
| -29.04 | 167.99 | 24/11/2014 | Musaceae | <i>Musa</i> sp. | Trombidiformes | Tetranychidae | <i>Tetranychus neocaledonicus</i> | Y | Y | Ethanol wash |
| -29.04 | 167.96 | 4/12/2014 | Rosaceae | <i>Rosa</i> sp. | Trombidiformes | Tetranychidae | <i>Tetranychus urticae</i> Koch, 1835 | Y | Y | Hand collection |
| -29.04 | 167.96 | 10/10/2014 | Musaceae | <i>Musa</i> sp. | Araneae | Theridiidae | <i>Theridion</i> Waickenaer, 1805 | ? | ? | Beating |
| -29.06 | 167.94 | 11/10/2014 | Rutaceae | <i>Citrus</i> sp. | Araneae | Theridiidae | <i>Theridion</i> sp. | ? | ? | Beating |
| -29.05 | 167.95 | 12/10/2014 | NA | NA | Hymenoptera | Ichneumonidae | c.f. <i>Theronia</i> | Y | ? | Light trap |
| -29.03 | 167.95 | 7/10/2014 | NA | NA | Hymenoptera | Ichneumonidae | c.f. <i>Theronia</i> | Y | ? | Light trap |
| -29.01 | 167.94 | 24/12/2013 | Euphorbiaceae, Oleaceae | <i>Baloghia inophylla</i> , <i>Jasminum</i> sp. | Thysanoptera | Thripidae | <i>Thrips</i> Linnaeus, 1758 sp. nov. | Y | N | Hand collection |
| -29.02 | 167.94 | 26/03/2014 | Sapindaceae | <i>Doonaea viscosa</i> subsp. <i>viscosa</i> | Thysanoptera | Thripidae | <i>Thrips</i> sp. nov. | Y | N | Hand collection from leaves |
| -29.01 | 167.94 | 22/03/2014; 26/03/2014 | Scrophulariaceae | <i>Myoporum obscurum</i> | Thysanoptera | Thripidae | <i>Thrips</i> sp. nov. | Y | N | Hand collection |
| -29.01 | 167.94 | 22/03/2014 | Scrophulariaceae | <i>Myoporum obscurum</i> | Thysanoptera | Thripidae | <i>Thrips</i> sp. nov. | Y | N | Hand collection |
| -29.01 | 167.94 | 24/03/2014 | Scrophulariaceae | <i>Myoporum obscurum</i> | Thysanoptera | Thripidae | <i>Thrips</i> sp. nov. | Y | N | Hand collection |
| -29.01 | 167.94 | 24/11/2014 | Scrophulariaceae | <i>Myoporum obscurum</i> | Thysanoptera | Thripidae | <i>Thrips</i> sp. nov. | Y | N | Hand collection from flowers |
| -29.04 | 167.96 | 24/11/2014 | Scrophulariaceae | <i>Myoporum obscurum</i> | Thysanoptera | Thripidae | <i>Thrips</i> sp. nov. | Y | N | Hand collection |
| -29.01 | 167.94 | 24/10/2013 | Arecaceae, Scrophulariaceae | Unknown, <i>Myoporum</i> sp. | Thysanoptera | Thripidae | <i>Thrips</i> sp. nov. | Y | N | Hand collection from dead palm fronds |
| -29.02 | 167.95 | 22/11/2014 | Asteraceae | <i>Bidens pilosa</i> | Thysanoptera | Thripidae | <i>Thrips australis</i> (Bagnall, 1915) | Y | Y | Hand collection from flowers |
| -29.03 | 167.92 | 23/11/2014 | Poaceae | <i>Cenchrus clandestinus</i> | Thysanoptera | Thripidae | <i>Thrips australis</i> | Y | Y | Hand collection |
| -29.03 | 167.94 | 10/10/2014 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Thripidae | <i>Thrips australis</i> | Y | Y | Hand collection from paddock |
| -29.02 | 167.94 | 27/03/2014 | Rubiaceae | <i>Coprosma baueri</i> | Thysanoptera | Thripidae | <i>Thrips australis</i> | Y | Y | Hand collection from leaves |
| -29.02 | 167.94 | 26/03/2014 | Sapindaceae | <i>Doonaea viscosa</i> subsp. <i>viscosa</i> | Thysanoptera | Thripidae | <i>Thrips australis</i> | Y | Y | Hand collection from leaves |
| -29.01 | 167.93 | 25/11/2014 | Myrtaceae | <i>Eucalyptus</i> sp. | Thysanoptera | Thripidae | <i>Thrips australis</i> | Y | Y | Hand collection from flowers |
| -29.04 | 167.96 | 26/02/2014 | Myrtaceae | <i>Leptospermum</i> sp. | Thysanoptera | Thripidae | <i>Thrips australis</i> | Y | Y | Beating |
| -29.04 | 167.94 | 21/11/2014 | Lamiaceae | <i>Vitex trifolia</i> | Thysanoptera | Thripidae | <i>Thrips australis</i> | Y | Y | Hand collection |
| -29.03 | 167.92 | 23/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Thripidae | <i>Thrips australis</i> | Y | Y | Hand collection from terminal branches |
| -29.12 | 167.95 | 14/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Thripidae | <i>Thrips imaginis</i> Bagnall, 1926 | Y | Y | Beating |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|-----------------------------------|---|--------------|---------------|---|-----------------------------------|----------------------------|---|
| -29.12 | 167.95 | 14/10/2014 | Rubiaceae | <i>Coprosma baueri</i> | Thysanoptera | Thripidae | <i>Thrips imaginis</i> | Y | Y | Beating |
| -29.04 | 167.99 | 24/12/2013 | Rutaceae, Moraceae, unknown | <i>Moraya</i> sp., <i>Morus</i> sp. | Thysanoptera | Thripidae | <i>Thrips nigropilosus</i> Uzel, 1895 | Y | Y | Hand collection |
| -29.00 | 167.93 | 20/02/2014; 24/12/2012 | Asteraceae | <i>Lactuca sativa</i> | Thysanoptera | Thripidae | <i>Thrips nigropilosus</i> | Y | Y | Hand collection |
| -29.04 | 167.96 | 25/10/2013 | Various | | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> (Blanchi, 1945) | Y | N | Hand collection |
| -29.04 | 167.96 | 21/12/2013 | Various | | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from leaves of flowers and grasses |
| -29.06 | 167.94 | 22/09/2013 | Various | | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Sweep net |
| -29.03 | 167.95 | 12/07/2013 | Various | | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Observation on cultivated flowers |
| -29.04 | 167.99 | 25/11/2014 | Arecaceae, Fabaceae, Araceae | <i>Allium cepa</i> var. <i>aggregatum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from dead palm leaves, dead pea pods |
| -29.00 | 167.93 | 10/07/2013 | Alliaceae | | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.03 | 167.99 | 24/12/2012 | Alliaceae | <i>Allium porrum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.04 | 167.99 | 29/11/2014 | Fabaceae | <i>Arachis pintoi</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.03 | 167.92 | 23/11/2014 | Araucariaceae | <i>Arucaria heterophylla</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from terminal branches |
| -29.04 | 167.98 | 24/11/2014 | Poaceae | <i>Avena sativa</i> L. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers (male specimens) |
| -29.01 | 167.94 | 22/12/2013 | Euphorbiaceae | <i>Baloghia inophylla</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.01 | 167.94 | 24/12/2013 | Euphorbiaceae, Oleaceae | <i>Baloghia inophylla</i> , <i>Jasminum</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.03 | 167.99 | 21/12/2013 | Asteraceae | <i>Bidens pilosa</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.03 | 167.99 | 21/12/2013 | Brassicaceae, Solanaceae | <i>Brassica oleracea</i> var. <i>italica</i> , <i>Capsicum annuum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.03 | 167.95 | 12/06/2013 | Scrophulariaceae | <i>Buddleia</i> L. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Beating |
| -29.00 | 167.93 | 24/12/2012 | Brassicaceae | <i>Capsella bursa- pastoris</i> ? | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.03 | 167.99 | 24/12/2012 | Solanaceae | <i>Capsicum annuum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers, leaves |
| -29.04 | 167.99 | 25/11/2014 | Solanaceae | <i>Capsicum annuum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection (male specimens) |
| -29.03 | 167.92 | 21/05/2014 | Caricaceae | <i>Carica papaya</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Beating |
| -29.00 | 167.93 | 12/06/2013 | Caricaceae | <i>Carica papaya</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|-------------------|--------------------------------|--------------|---------------|--------------------------------|-----------------------------------|----------------------------|--|
| -29.03 | 167.99 | 9/07/2013 | Caricaceae | <i>Carica papaya</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.04 | 167.99 | 14/06/2013 | Caricaceae | <i>Carica papaya</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.03 | 167.99 | 22/03/2014 | Poaceae | <i>Cenchrus purpureus</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.03 | 167.99 | 22/03/2014 | Chenopodiaceae | <i>Chenopodium</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.00 | 167.93 | 24/09/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.01 | 167.93 | 26/09/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from rotting fruit, <i>Drosophila</i> observed |
| -29.04 | 167.99 | 25/09/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from leaves and fruit |
| -29.04 | 167.99 | 14/06/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.03 | 167.94 | 10/10/2014 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.04 | 167.99 | 24/12/2013 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from young leaves |
| -29.04 | 167.99 | 24/03/2014 | Rutaceae, Poaceae | <i>Citrus</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from young citrus leaves |
| -29.03 | 167.99 | 21/12/2013; 23/12/2012 | Rubiaceae | <i>Coffea</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.12 | 167.95 | 14/10/2014 | Rubiaceae | <i>Coprosma haueri</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Beating |
| -29.01 | 167.92 | 16/10/2014 | Asparagaceae | <i>Cordyline oblecta</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Beating |
| -29.01 | 167.94 | 21/10/2013 | Asparagaceae | <i>Cordyline oblecta</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.04 | 167.98 | 9/10/2014 | Asparagaceae | <i>Cordyline oblecta</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Sweep net and beating |
| -29.03 | 167.99 | 24/11/2014 | Apiaceae | <i>Coriandrum sativum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers (male specimens) |
| -29.04 | 167.99 | 27/11/2014 | Amaryllidaceae | <i>Crinum</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers (male specimens) |
| -29.02 | 167.95 | 26/12/2012 | Iridaceae | <i>Crocosmia</i> Planch. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.01 | 167.94 | 22/12/2012 | Fabaceae | <i>Crotalaria</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.03 | 167.99 | 22/10/2013 | Cucurbitaceae | <i>Cucurbita pepo</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.01 | 167.94 | 24/05/2014 | Cyatheaceae | <i>Cyathea brownii</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Beating |
| -29.03 | 167.92 | 21/05/2014 | Apiaceae | <i>Daucus carota</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Beating |
| -29.03 | 167.99 | 24/12/2012 | Apiaceae | <i>Daucus carota</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers, leaves |
| -29.04 | 167.96 | 4/12/2014 | Caryophyllaceae | <i>Dianthus carophyllus</i> L. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|----------------------------|---|--------------|---------------|--------------------------------|-----------------------------------|----------------------------|---|
| -29.04 | 167.96 | 25/10/2013 | Caryophyllaceae | <i>Dianthus caryophyllus</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.01 | 167.94 | 21/10/2013 | Iridaceae | <i>Gladiolus ×hortulanus</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.02 | 167.95 | 23/11/2014 | Iridaceae | <i>Gladiolus</i> L.? | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from leaves |
| -29.04 | 167.96 | 10/10/2014 | Proteaceae | <i>Grevillea</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Beating |
| -29.04 | 167.96 | 10/10/2014 | Proteaceae | <i>Grevillea</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Beating |
| -29.03 | 167.95 | 26/12/2012 | Hemerocallidaceae | <i>Hemerocallis</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.02 | 167.95 | 22/11/2014 | Hemerocallidaceae | <i>Hemerocallis</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from leaves |
| -29.02 | 167.93 | 26/09/2013 | Malvaceae | <i>Hibiscus insularis</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.04 | 167.99 | 23/11/2014 | Malvaceae | <i>Hibiscus insularis</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from dead wood, dead seed heads |
| -29.04 | 167.94 | 25/11/2014 | Malvaceae | <i>Hibiscus</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.04 | 167.94 | 10/07/2013 | Malvaceae | <i>Hibiscus</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.04 | 167.94 | 21/12/2012 | Malvaceae | <i>Hibiscus</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.01 | 167.95 | 22/11/2014 | Malvaceae | <i>Hibiscus</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from dead twigs and leaves |
| -29.05 | 167.97 | 27/11/2014 | Malvaceae | <i>Hibiscus</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.04 | 167.97 | 27/11/2014 | Malvaceae | <i>Hibiscus</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.03 | 167.95 | 12/06/2013 | Malvaceae | <i>Hibiscus</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.04 | 167.99 | 29/11/2014 | Malvaceae | <i>Hibiscus</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flower |
| -29.04 | 167.99 | 29/11/2014 | Malvaceae | <i>Hibiscus</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flower |
| -29.02 | 167.96 | 25/11/2014 | Asteraceae | <i>Hieracium</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.03 | 167.95 | 22/11/2014 | Pitosporaceae | <i>Hymenosporium flavum</i> (Hook.) F.Muell. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from male flowers |
| -29.04 | 167.96 | 28/12/2012 | Pitosporaceae | <i>Hymenosporium flavum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.03 | 167.94 | 28/11/2014 | Convolvulaceae | <i>Ipomoea cairica</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.05 | 167.92 | 23/11/2014 | Convolvulaceae, Solanaceae | <i>Ipomoea cairica</i> , <i>Lycium ferocissimum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.02 | 167.96 | 26/11/2014 | Bignoniaceae | <i>Jacaranda</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|---------------------------|---|--------------|---------------|--------------------------------|-----------------------------------|----------------------------|--------------------------------------|
| -29.03 | 167.95 | 25/10/2013 | Bignoniaceae | <i>Jacaranda</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.04 | 167.99 | 23/11/2014 | Bignoniaceae | <i>Jacaranda</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.01 | 167.95 | 26/12/2012 | Oleaceae | <i>Jasminum</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from leaves |
| -29.03 | 167.99 | 25/09/2013 | Asteraceae | <i>Lactuca sativa</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from hydroponics |
| -29.03 | 167.95 | 22/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.02 | 167.94 | 22/12/2013 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.02 | 167.95 | 22/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.04 | 167.99 | 27/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.01 | 167.93 | 16/10/2014 | Verbenaceae | <i>Lantana camara</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.04 | 167.96 | 25/10/2013 | Verbenaceae | <i>Lantana camara</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.04 | 167.94 | 21/12/2012 | Verbenaceae | <i>Lantana</i> L. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.03 | 167.99 | 22/03/2014 | Verbenaceae | <i>Lantana</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.02 | 167.95 | 21/12/2012 | Asteraceae | <i>Leucanthemum vulgare</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.04 | 167.99 | 29/11/2014 | Liliaceae | <i>Lilium formosanum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.03 | 167.95 | 22/11/2014 | Caprifoliaceae | <i>Lonicera japonica</i> Thunb. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.01 | 167.93 | 13/06/2013 | Proteaceae | <i>Macadamia integrifolia</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Beating |
| -29.03 | 167.94 | 10/10/2014 | Proteaceae | <i>Macadamia integrifolia</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Sweep net |
| -29.02 | 167.96 | 23/10/2013 | Anacardiaceae | <i>Mangifera indica</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.05 | 167.93 | 29/11/2014 | Fabaceae | <i>Medicago sativa</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.04 | 167.99 | 23/11/2014 | Fabaceae | <i>Medicago sativa</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.03 | 167.99 | 22/12/2012 | Fabaceae | <i>Medicago</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.03 | 167.99 | 22/10/2013 | Meliaceae | <i>Melia azedarach</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from leaves |
| -29.03 | 167.99 | 23/03/2014 | Meliaceae | <i>Melia azedarach</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers, leaves |
| -29.02 | 167.96 | 27/12/2012 | Myrtaceae, Convolvulaceae | <i>Metrosideros</i> sp., <i>Ipomoea</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.01 | 167.94 | 22/03/2014 | Polygonaceae | <i>Muehlenbeckia australis</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection (male specimens) |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|--|-----------------------------|--|--------------|---------------|--------------------------------|-----------------------------------|----------------------------|--|
| -29.04 | 167.99 | 24/12/2013 | Rutaceae, Moraceae, unknown | <i>Murraya</i> sp., <i>Morus</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.00 | 167.93 | 20/02/2014 | Musaceae | <i>Musa</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Sweep net |
| -29.01 | 167.94 | 22/03/2014 | Scrophulariaceae | <i>Myoporum obscurum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.01 | 167.94 | 26/03/2014; 22/03/2014 | Scrophulariaceae | <i>Myoporum obscurum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.02 | 167.95 | 10/07/2013 | Primulaceae | <i>Myrsine raistoniae</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.03 | 167.98 | 22/05/2014 | Solanaceae | <i>Nicandra physalodes</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Beating |
| -29.00 | 167.93 | 10/07/2013; 23/10/2013; 24/12/2012 | Lamiaceae | <i>Ocimum basilicum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.03 | 167.95 | 22/11/2014 | Oleaceae | <i>Olea europaea</i> subsp. <i>cuspidata</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.03 | 167.95 | 10/07/2013 | Oleaceae | <i>Olea europaea</i> subsp. <i>cuspidata</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.01 | 167.92 | 26/11/2014 | Oleaceae | <i>Olea europaea</i> subsp. <i>cuspidata</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.00 | 167.94 | 24/03/2014 | Oleaceae | <i>Olea europaea</i> subsp. <i>cuspidata</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from grasses, olive litter |
| -29.01 | 167.93 | 20/05/2014 | Poaceae | <i>Paspalum</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Sweep net in eucalypt forest |
| -29.03 | 167.92 | 22/05/2014 | Passifloraceae | <i>Passiflora edulis</i> f. <i>flavicarpa</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Beating |
| -29.02 | 167.95 | 22/11/2014 | Rubiaceae | <i>Pentas lanceolata</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.06 | 167.94 | 22/09/2013 | Lauraceae | <i>Persea americana</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.00 | 167.93 | 20/02/2014 | Lauraceae | <i>Persea americana</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.04 | 167.94 | 21/12/2012 | Apiaceae | <i>Petroselinum crispum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.03 | 167.93 | 26/09/2013 | Apiaceae | <i>Petroselinum crispum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.04 | 167.99 | 24/12/2013 | Apiaceae | <i>Petroselinum crispum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.04 | 167.99 | 23/11/2014 | Apiaceae | <i>Petroselinum crispum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.03 | 167.99 | 23/12/2012 | Fabaceae | <i>Phaseolus</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.03 | 167.99 | 21/12/2013 | Fabaceae, Apiaceae | <i>Phaseolus</i> sp., <i>Apium graveolens</i> , <i>Daucus carota</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|---------------------------------|--|--------------|---------------|--------------------------------|-----------------------------------|----------------------------|---|
| -29.04 | 167.98 | 24/11/2014 | Solanaceae | <i>Physalis peruviana</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection (male specimens) |
| -29.03 | 167.99 | 22/10/2013 | Solanaceae | <i>Physalis peruviana</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.03 | 167.99 | 9/07/2013 | Solanaceae, Asteraceae, various | <i>Physalis</i> sp., <i>Bidens pilosa</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.03 | 167.99 | 25/09/2013 | Fabaceae | <i>Pisum sativum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from hydroponics |
| -29.04 | 167.96 | 26/03/2014 | Fabaceae, Alliaceae, various | <i>Pisum sativum</i> , <i>Allium cepa</i> var. <i>aggregatum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.03 | 167.95 | 22/11/2014; 22/12/2012 | Apocynaceae | <i>Plumeria rubra</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.04 | 167.99 | 27/11/2014 | Apocynaceae | <i>Plumeria rubra</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.05 | 167.94 | 22/09/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.04 | 167.96 | 22/12/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from leaves |
| -29.01 | 167.94 | 23/12/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from leaves |
| -29.02 | 167.96 | 25/12/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.04 | 167.99 | 25/11/2014 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from leaves |
| -29.01 | 167.94 | 22/12/2012 | Myrtaceae | <i>Psidium cattleianum</i> var. <i>cattleianum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.04 | 167.96 | 4/12/2014 | Rosaceae | <i>Rosa</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.01 | 167.95 | 23/09/2013 | Rosaceae | <i>Rosa</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.03 | 167.95 | 12/06/2013 | Lamiaceae | <i>Rosmarinus officinalis</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Beating |
| -29.02 | 167.96 | 9/07/2013 | Poaceae | <i>Saccharum officinarum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from dead sugar cane leaves |
| -29.03 | 167.92 | 21/05/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Beating |
| -29.03 | 167.99 | 22/12/2012 | Solanaceae | <i>Solanum lycopersicum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers, leaves |
| -29.00 | 167.93 | 24/12/2012 | Solanaceae | <i>Solanum mauritianum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.01 | 167.93 | 21/05/2014 | Solanaceae | <i>Solanum mauritianum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Beating in eucalypt forest |
| -29.04 | 167.99 | 26/05/2014 | Solanaceae | <i>Solanum mauritianum</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Beating |
| -29.03 | 167.99 | 21/12/2013 | Solanaceae | <i>Solanum melongena</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |

G. V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|----------------------------|--|--------------|---------------|---------------------------------------|-----------------------------------|----------------------------|--|
| -29.01 | 167.94 | 25/11/2014 | Moraceae | <i>Streblus pendulinus</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from leaves |
| -29.03 | 167.94 | 23/05/2014 | Strelitziaceae | <i>Strelitzia reginae</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Beating |
| -29.04 | 167.94 | 25/11/2014 | Fabaceae | <i>Trifolium</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.02 | 167.93 | 25/05/2014 | Fabaceae | <i>Trifolium</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Beating |
| -29.03 | 167.99 | 22/10/2013 | Poaceae, Fabaceae | <i>Trifolium</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.04 | 167.99 | 23/11/2014 | Fabaceae | <i>Trifolium</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.05 | 167.93 | 23/12/2013 | Unknown | Unknown | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.00 | 167.94 | 24/03/2014 | Poaceae | Unknown | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.01 | 167.94 | 23/12/2012 | Unknown | Unknown | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from dead branch |
| -29.06 | 167.94 | 22/09/2013 | Unknown | Unknown | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Sweep net |
| -29.03 | 167.99 | 22/12/2012 | Poaceae | Unknown | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.04 | 167.99 | 23/11/2014 | Apiaceae | Unknown | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from cultivated flowers |
| -29.04 | 167.99 | 24/12/2013 | Unknown | Unknown | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from woody pot plant |
| -29.01 | 167.94 | 11/07/2013 | Plantaginaceae | <i>Veronica</i> L.? | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.04 | 167.96 | 25/10/2013 | Vitaceae | <i>Vitis vinifera</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from flowers |
| -29.04 | 167.99 | 25/09/2013 | Vitaceae | <i>Vitis vinifera</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from leaves (no thrips damage) |
| -29.05 | 167.98 | 24/02/2014 | Asparagaceae | <i>Yucca aloifolia</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Beating |
| -29.00 | 167.93 | 24/03/2014 | Poaceae | <i>Zea mays</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from male plants |
| -29.00 | 167.93 | 24/12/2012 | Poaceae | <i>Zea mays</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.03 | 167.99 | 24/11/2014; 22/12/2012 | Poaceae | <i>Zea mays</i> | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from corn tassels, leaves |
| -29.03 | 167.99 | 22/10/2013 | Poaceae, Fabaceae | <i>Zea mays</i> , <i>Trifolium</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from male corn flowers |
| -29.00 | 167.93 | 27/02/2014 | Zingiberaceae | <i>Zingiber</i> sp. | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection |
| -29.00 | 167.93 | 26/11/2014 | Various | | Thysanoptera | Thripidae | <i>Thrips novocaledonensis</i> | Y | N | Hand collection from vegetables |
| -29.01 | 167.94 | 22/12/2012 | Iridaceae | <i>Gladiolus</i> × <i>hortulanus</i> | Thysanoptera | Thripidae | <i>Thrips simplex</i> (Morison, 1930) | Y | Y | Hand collection from flowers |
| -29.04 | 167.99 | 25/11/2014 | Araceae, Fabaceae, Araceae | | Thysanoptera | Thripidae | <i>Thrips tabaci</i> Linnaeus, 1888 | Y | Y | Hand collection from dead palm leaves, dead pea pods |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|---|---|--------------|---------------|----------------------|-----------------------------------|----------------------------|--|
| -29.00 | 167.93 | 23/10/2013 | Alliaceae | <i>Allium cepa</i> var. <i>aggregatum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.04 | 167.97 | 25/03/2014 | Alliaceae | <i>Allium cepa</i> var. <i>aggregatum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 25/09/2013 | Alliaceae | <i>Allium cepa</i> var. <i>aggregatum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from hydropoints |
| -29.03 | 167.99 | 22/03/2014; 22/10/2013 | Alliaceae | <i>Allium cepa</i> var. <i>aggregatum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/03/2014 | Alliaceae, Chenopodiaceae, Solanaceae, Lamiaceae | <i>Allium cepa</i> var. <i>aggregatum</i> , <i>Chenopodium</i> sp., <i>Ocimum basilicum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 10/07/2013 | Alliaceae | <i>Allium cepa</i> var. <i>aggregatum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 24/09/2013 | Alliaceae | <i>Allium porrum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 24/12/2012 | Alliaceae | <i>Allium porrum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 25/11/2014 | Alliaceae, Chenopodiaceae, Apiaceae | <i>Allium sativum</i> L., <i>Beta vulgaris</i> , <i>Daucus carota</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 24/12/2012 | Apiaceae | <i>Apium graveolens</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from seedlings |
| -29.03 | 167.94 | 28/11/2014 | Fabaceae | <i>Arachis pintoi</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.04 | 167.99 | 23/11/2014 | Fabaceae | <i>Arachis pintoi</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.92 | 23/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from terminal branches |
| -29.02 | 167.95 | 21/03/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from terminal leaves |
| -29.03 | 167.92 | 23/11/2014 | Araucariaceae, Asparagaceae | <i>Araucaria heterophylla</i> , <i>Coralline</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.04 | 167.97 | 26/11/2014 | Asteraceae | <i>Argyranthemum</i> Webb ex Sch.Bip. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.04 | 167.97 | 26/11/2014 | Asparagaceae | <i>Asparagus officinalis</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.04 | 167.96 | 25/10/2013 | Asparagaceae | <i>Asparagus</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 27/12/2012 | Asparagaceae | <i>Asparagus</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from leaves |
| -29.04 | 167.98 | 24/11/2014 | Poaceae | <i>Avena sativa</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.01 | 167.94 | 24/12/2013 | Euphorbiaceae, Oleaceae | <i>Baloghia inophylla</i> , <i>Jasminum</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |

G. V. MAYNARD, B. J. LEPSCHI AND S. F. MALFROY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|-----------------------------|---|--------------|---------------|----------------------|-----------------------------------|----------------------------|---|
| -29.02 | 167.95 | 21/12/2013 | Asteraceae | <i>Bidens pilosa</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.02 | 167.95 | 22/11/2014 | Asteraceae | <i>Bidens pilosa</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.04 | 167.98 | 24/11/2014 | Asteraceae | <i>Bidens pilosa</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.03 | 167.99 | 22/10/2013 | Asteraceae | <i>Bidens pilosa</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.04 | 167.99 | 25/11/2014 | Asteraceae | <i>Bidens pilosa</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/10/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>capitata</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 24/12/2012 | Brassicaceae | <i>Brassica oleracea</i> var. <i>capitata</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from seedling |
| -29.03 | 167.98 | 21/05/2014 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Beating |
| -29.03 | 167.99 | 23/12/2012 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection, damaged leaves, larvae present |
| -29.03 | 167.99 | 24/11/2014 | Brassicaceae, Alliaceae | <i>Brassica oleracea</i> var. <i>italica</i> , <i>Allium cepa</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 21/12/2013 | Brassicaceae, Solanaceae | <i>Brassica oleracea</i> var. <i>italica</i> , <i>Brassica oleracea</i> var. <i>botrytis</i> , | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.05 | 167.93 | 23/12/2013 | Brassicaceae | <i>Capsicum annuum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 24/12/2012 | Brassicaceae | <i>Capsella bursa-pastoris</i> (L.) Medik.? | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 27/11/2014; 24/09/2013 | Solanaceae | <i>Capsicum annuum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.04 | 167.96 | 25/10/2013 | Solanaceae | <i>Capsicum annuum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 24/12/2012 | Solanaceae | <i>Capsicum annuum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers, leaves |
| -29.04 | 167.99 | 25/11/2014 | Solanaceae | <i>Capsicum annuum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.05 | 167.93 | 23/12/2013 | Poaceae | <i>Cenchrus clandestinus</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.92 | 23/11/2014 | Poaceae | <i>Cenchrus clandestinus</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.02 | 167.95 | 23/12/2012 | Poaceae | <i>Cenchrus clandestinus</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/03/2014 | Poaceae | <i>Cenchrus purpureus</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------------------|---|---|--------------|---------------|----------------------|-----------------------------------|----------------------------|---|
| -29.04 | 167.98 | 24/11/2014 | Chenopodiaceae | <i>Chenopodium</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/12/2012 | Chenopodiaceae | <i>Chenopodium</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/03/2014 | Chenopodiaceae | <i>Chenopodium</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.04 | 167.99 | 24/12/2013 | Rutaceae | <i>Citrus</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from young leaves |
| -29.01 | 167.94 | 25/11/2014 | Commelinaceae | <i>Commelina cyanea</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from leaves |
| -29.04 | 167.96 | 21/12/2013 | Commelinaceae | <i>Commelina</i> L. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 26/09/2013 | Apiaceae | <i>Coriandrum sativum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.04 | 167.99 | 24/11/2014 | Apiaceae | <i>Coriandrum sativum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.02 | 167.96 | 23/10/2013 | Euphorbiaceae | <i>Croton capitatus</i> Michx. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.03 | 167.99 | 9/07/2013 | Cucurbitaceae | <i>Cucumis sativus</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from |
| -29.03 | 167.99 | 9/07/2013 | Cucurbitaceae, various | <i>Cucumis sativus</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | greenhouse |
| -29.03 | 167.99 | 22/05/2014 | Cucurbitaceae | <i>Cucumis sativus</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from green house |
| -29.00 | 167.93 | 24/09/2013 | Cucurbitaceae | <i>Cucurbita pepo</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Beating |
| -29.03 | 167.99 | 22/10/2013 | Cucurbitaceae | <i>Cucurbita pepo</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection, aphids also present |
| -29.00 | 167.93 | 23/03/2014 | Cucurbitaceae, Solanaceae, Alliaceae, Chenopodiaceae, Poaceae | <i>Cucurbita</i> sp., <i>Solanum lycopersicum</i> , <i>Allium porrum</i> , <i>Chenopodium</i> sp., <i>Digitaria</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 10/07/2013; 23/10/2013 | Apiaceae | <i>Daucus carota</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 24/09/2013 | Apiaceae | <i>Daucus carota</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Sweep net |
| -29.03 | 167.99 | 22/03/2014 | Apiaceae | <i>Daucus carota</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 10/07/2013 | Apiaceae | <i>Daucus carota</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 24/12/2012; 24/03/2014 | Apiaceae | <i>Daucus carota</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from leaves, flowers (larvae present) |
| -29.03 | 167.99 | 24/11/2014 | Apiaceae, Alliaceae, Fabaceae | <i>Daucus carota</i> , <i>Allium cepa</i> var. <i>aggregatum</i> , <i>Phaseolus vulgaris</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|--|---|--------------|---------------|----------------------|-----------------------------------|----------------------------|-------------------------------------|
| -29.04 | 167.96 | 4/12/2014 | Caryophyllaceae | <i>Dianthus carvophyllus</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.04 | 167.96 | 25/10/2013 | Caryophyllaceae | <i>Dianthus carvophyllus</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 26/09/2013 | Brassicaceae | <i>Eruca sativa</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection, leaf mining damage |
| -29.04 | 167.94 | 21/12/2012 | Euphorbiaceae | <i>Euphorbia</i> L. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from leaves |
| -29.04 | 167.96 | 25/10/2013 | Euphorbiaceae | <i>Euphorbia</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.04 | 167.96 | 22/12/2013 | Apiaceae | <i>Foeniculum vulgare</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 25/03/2014 | Apiaceae, Rosaceae | <i>Foeniculum vulgare</i> , <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from leaves |
| -29.03 | 167.99 | 22/03/2014 | Asteraceae | <i>Galinoga papillata</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.01 | 167.94 | 22/12/2012 | Iridaceae | <i>Gladiolus xhortulanus</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.05 | 167.97 | 27/11/2014 | Malvaceae | <i>Hibiscus</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.02 | 167.96 | 25/11/2014 | Asteraceae | <i>Hieracium</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.03 | 167.94 | 28/11/2014 | Convolvulaceae | <i>Ipomoea cairica</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.05 | 167.92 | 23/11/2014 | Convolvulaceae, Solanaceae | <i>Ipomoea cairica</i> , <i>Lycium ferocissimum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 26/11/2014 | Bignoniaceae | <i>Jacaranda</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.04 | 167.99 | 23/11/2014 | Bignoniaceae | <i>Jacaranda</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.00 | 167.93 | 24/12/2012 | Asteraceae | <i>Lactuca sativa</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 23/10/2013 | Asteraceae, Chenopodiaceae, Alliaceae, Apiaceae, Lamiaceae | <i>Lactuca sativa</i> , <i>Beta vulgaris</i> , <i>Allium porrum</i> , <i>Allium cepa</i> var. <i>aggregatum</i> , <i>Coriandrum sativum</i> , <i>Ocimum basilicum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|--|---|--------------|---------------|----------------------|-----------------------------------|----------------------------|--------------------------------------|
| -29.03 | 167.99 | 22/10/2013 | Asteraceae, Chenopodiaceae, Apiaceae, Solanaceae, Fabaceae, Cucurbitaceae | <i>Lactuca sativa</i> , <i>Spinacia oleracea</i> , <i>Apium graveolens</i> , <i>Solanum lycopersicum</i> , <i>Phaseolus</i> sp., <i>Cucurbita pepo</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.02 | 167.95 | 22/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.04 | 167.96 | 25/10/2013 | Verbenaceae | <i>Lantana camara</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.02 | 167.95 | 21/12/2012 | Asteraceae | <i>Leucanthemum vulgare</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.12 | 167.95 | 15/10/2014 | Fabaceae | <i>Lupinus</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Beating |
| -29.02 | 167.96 | 23/10/2013 | Anacardiaceae | <i>Mangifera indica</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.05 | 167.93 | 13/06/2013 | Fabaceae | <i>Medicago sativa</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Sweep net |
| -29.05 | 167.93 | 12/07/2013 | Fabaceae | <i>Medicago sativa</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 23/11/2014 | Fabaceae | <i>Medicago sativa</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.05 | 167.93 | 23/12/2013 | Fabaceae | <i>Medicago</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/12/2012 | Fabaceae | <i>Medicago</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.03 | 167.99 | 23/03/2014 | Meliaceae | <i>Melia azedarach</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers, leaves |
| -29.04 | 167.99 | 24/12/2013 | Rutaceae, Moraceae, unknown | <i>Murraya</i> sp., <i>Morus</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.04 | 167.96 | 10/10/2014 | Musaceae | <i>Musa</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Beating |
| -29.01 | 167.94 | 24/11/2014 | Scrophulariaceae | <i>Myoporum obscurum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.02 | 167.95 | 26/12/2013 | Passifloraceae | <i>Passiflora</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from leaves |
| -29.02 | 167.95 | 22/11/2014 | Rubiaceae | <i>Pentas lanceolata</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 22/12/2013 | Apiaceae | <i>Petroselinum crispum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.93 | 26/09/2013 | Apiaceae | <i>Petroselinum crispum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 23/11/2014; 24/12/2013 | Apiaceae | <i>Petroselinum crispum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 23/12/2012 | Fabaceae | <i>Phaseolus</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|------------------------------|--|--------------|---------------|----------------------|-----------------------------------|----------------------------|--------------------------------------|
| -29.03 | 167.99 | 21/12/2013 | Fabaceae, Apiaceae | <i>Phaseolus</i> sp., <i>Apium graveolens</i> , <i>Daucus carota</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.04 | 167.98 | 24/11/2014 | Solanaceae | <i>Physalis peruviana</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 22/10/2013 | Solanaceae | <i>Physalis peruviana</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 25/09/2013 | Fabaceae | <i>Pisum sativum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from hydroponics |
| -29.04 | 167.96 | 26/03/2014 | Fabaceae, Alliaceae, various | <i>Pisum sativum</i> , <i>Allium cepa</i> var. <i>aggregatum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.04 | 167.96 | 22/12/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from leaves |
| -29.01 | 167.94 | 23/12/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from leaves |
| -29.02 | 167.96 | 25/12/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.02 | 167.95 | 22/11/2014 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from leaves |
| -29.02 | 167.95 | 25/12/2013 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from young leaves |
| -29.04 | 167.99 | 25/11/2014 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from leaves |
| -29.03 | 167.92 | 21/05/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Beating |
| -29.00 | 167.93 | 27/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.04 | 167.98 | 24/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers, leaves |
| -29.03 | 167.99 | 22/12/2012 | Solanaceae | <i>Solanum lycopersicum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers, leaves |
| -29.04 | 167.99 | 25/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.02 | 167.96 | 26/09/2013 | Solanaceae | <i>Solanum melongena</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.05 | 167.92 | 28/11/2014 | Asteraceae | <i>Tagetes</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.03 | 167.93 | 27/11/2014 | Asteraceae | <i>Taraxacum</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.04 | 167.94 | 25/11/2014 | Fabaceae | <i>Trifolium</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.03 | 167.99 | 22/10/2013 | Poaceae, Fabaceae | <i>Trifolium</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 23/11/2014 | Fabaceae | <i>Trifolium</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from flowers |
| -29.01 | 167.92 | 25/11/2014 | Asteraceae | Unknown | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|---------------------|--|----------------|----------------|---|-----------------------------------|----------------------------|--|
| -29.00 | 167.93 | 24/12/2012 | Brassicaceae | Unknown | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.00 | 167.94 | 25/11/2014 | Poaceae | Unknown | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.02 | 167.97 | 22/12/2012 | Unknown | Unknown | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.92 | 23/11/2014 | Poaceae, Cyperaceae | Unknown | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.04 | 167.96 | 21/12/2013 | Various | Unknown | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from leaves of flowers and grasses |
| -29.02 | 167.96 | 28/11/2014 | Unknown | Unknown | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from leaf litter |
| -29.023 | 167.949 | 21/12/2012 | Poaceae | Unknown | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from base of grass |
| -29.03 | 167.99 | 22/12/2012 | Poaceae | Unknown | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 23/11/2014 | Apiaceae | Unknown | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection, from cultivated flowers |
| -29.00 | 167.94 | 25/11/2014 | Fabaceae | <i>Vicia hirsuta</i> (L.) Gray | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.04 | 167.94 | 21/11/2014 | Lamiaceae | <i>Vitex trifolia</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.00 | 167.93 | 24/12/2012 | Poaceae | <i>Zea mays</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 24/11/2014 | Poaceae | <i>Zea mays</i> | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from corn tassels, leaves |
| -29.03 | 167.99 | 22/10/2013 | Poaceae, Fabaceae | <i>Zea mays</i> , <i>Trifolium</i> sp. | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection from male corn flowers |
| -29.00 | 167.93 | 26/11/2014 | Various | | Thysanoptera | Thripidae | <i>Thrips tabaci</i> | Y | Y | Hand collection |
| -29.01 | 167.92 | 24/06/2014 | NA | NA | Diptera | Dolichopodidae | <i>Thrypticus australis</i> Bickel, 1986 | N | Y | LuciLure trap |
| -29.03 | 167.93 | 10/06/2014 | NA | NA | Diptera | Dolichopodidae | <i>Thrypticus australis</i> | N | Y | Bezzihure trap |
| -29.03 | 167.99 | 24/12/2012 | Cucurbitaceae | <i>Cucurbita pepo</i> | Diptera | Dolichopodidae | <i>Thrypticus australis</i> | N | Y | Yellow pan on bare soil beside cucurbits |
| -29.05 | 167.95 | 12/10/2014 | NA | NA | Diptera | Dolichopodidae | <i>Thrypticus</i> Garstaecker, 1864 | ? | ? | Light trap |
| -29.00 | 167.93 | 24/09/2013 | Atreaceae | <i>Howea helmoreana</i> , <i>Howea forsteriana</i> | Sarcoptiformes | Acaridae | <i>Thyreophagus gallegoi</i> Portus & Gamez, 1980 | Y | N | Hand collection |
| -29.05 | 167.94 | 22/09/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>capitata</i> | Lepidoptera | Noctuidae | <i>Physanoplusia chinense</i> , 1973 | Y | ? | Hand collection |
| -29.03 | 167.98 | 25/09/2013 | Apiaceae | <i>Daucus carota</i> | Lepidoptera | Noctuidae | <i>Physanoplusia orichalcea</i> (Fabricius, 1775) | Y | Y | Sweep net (larva) |
| -29.03 | 167.92 | 21/05/2014 | Apiaceae | <i>Daucus carota</i> | Lepidoptera | Noctuidae | <i>Physanoplusia orichalcea</i> | Y | Y | Beating |
| -29.03 | 167.96 | 23/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Triccola plagata</i> (Walker, 1857) | N | Y | Light trap |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|----------------|-------------------------------|----------------|----------------|--|-----------------------------------|----------------------------|--|
| -29.01 | 167.95 | 23/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Tiracola plagiata</i> | N | Y | Light trap |
| -29.01 | 167.92 | 10/06/2014 | NA | NA | Diptera | Pipunculidae | <i>Tomosvaryella Aczél, 1939</i> | Y | ? | LuciLure trap |
| -29.02 | 167.96 | 13/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Sylommatoptera | Achatinellidae | <i>Tornatellinops jacksonensis</i> (Cox, 1864) | N | Y | Hand collection from tree felled 10 months prior |
| -29.05 | 167.92 | 27/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Sylommatoptera | Achatinellidae | <i>Tornatellinops jacksonensis</i> | N | Y | Hand collection from felled tree |
| -29.06 | 167.96 | 27/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Sylommatoptera | Achatinellidae | <i>Tornatellinops jacksonensis</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 25/09/2013 | Cariaceae | <i>Carica papaya</i> | Sylommatoptera | Achatinellidae | <i>Tornatellinops jacksonensis</i> | N | Y | Hand collection |
| -29.01 | 167.92 | 16/10/2014 | Asparagaceae | <i>Cordyline oblecta</i> | Sylommatoptera | Achatinellidae | <i>Tornatellinops jacksonensis</i> | N | Y | Beating |
| -29.01 | 167.95 | 25/02/2014 | Asparagaceae | <i>Cordyline</i> sp. | Sylommatoptera | Achatinellidae | <i>Tornatellinops jacksonensis</i> | N | Y | Hand collection |
| -29.03 | 167.98 | 25/09/2013 | Convolvulaceae | <i>Ipomoea batatas</i> | Sylommatoptera | Achatinellidae | <i>Tornatellinops jacksonensis</i> | N | Y | Hand collection |
| -29.12 | 167.96 | 15/10/2014 | Convolvulaceae | <i>Ipomoea cairica</i> | Sylommatoptera | Achatinellidae | <i>Tornatellinops jacksonensis</i> | N | Y | Beating |
| -29.12 | 167.95 | 14/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Sylommatoptera | Achatinellidae | <i>Tornatellinops jacksonensis</i> | N | Y | Hand collection and beating |
| -29.04 | 167.94 | 23/09/2013 | Araliaceae | <i>Meryta angustifolia</i> | Sylommatoptera | Achatinellidae | <i>Tornatellinops jacksonensis</i> | N | Y | Hand collection |
| -29.05 | 167.93 | 20/06/2013 | Unknown | Unknown | Sylommatoptera | Achatinellidae | <i>Tornatellinops jacksonensis</i> | N | Y | Hand collection |
| -29.05 | 167.92 | 18/07/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Sylommatoptera | Achatinellidae | <i>Tornatellinops jacksonensis</i> | N | Y | Hand collection |
| -29.04 | 167.99 | 8/10/2014 | Rutaceae | <i>Citrus × aurantiifolia</i> | Hemiptera | Aphididae | <i>Toxoptera aurantii</i> (Boyer de Fonscolombe, 1841) | Y | Y | Hand collection and sweep net |
| -29.00 | 167.93 | 12/06/2013 | Rutaceae | <i>Citrus × aurantium</i> | Hemiptera | Aphididae | <i>Toxoptera aurantii</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 14/06/2013 | Rutaceae | <i>Citrus × aurantium</i> | Hemiptera | Aphididae | <i>Toxoptera aurantii</i> | Y | Y | Hand collection |
| -29.06 | 167.94 | 22/09/2013 | Rutaceae | <i>Citrus reticulata</i> | Hemiptera | Aphididae | <i>Toxoptera aurantii</i> | Y | Y | Hand collection |
| -29.01 | 167.93 | 13/06/2013 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Aphididae | <i>Toxoptera aurantii</i> | Y | Y | Hand collection |
| -29.03 | 167.94 | 10/10/2014 | Theaceae | <i>Camellia japonica</i> L. | Hemiptera | Aphididae | <i>Toxoptera aurantii</i> | Y | Y | Hand collection |
| -29.03 | 167.93 | 26/09/2013 | Rutaceae | <i>Citrus × aurantium</i> | Hemiptera | Aphididae | <i>Toxoptera?</i> sp. | Y | ? | Hand collection |
| -29.01 | 167.93 | 26/09/2013 | Rutaceae | <i>Citrus</i> sp. | Hemiptera | Aphididae | <i>Toxoptera?</i> sp. | Y | ? | Hand collection |
| -29.01 | 167.94 | 11/06/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Lepidoptera | Tortricidae | <i>Tracholena hebraea</i> (Common, 1982) | N | N | Hand collection |
| -29.04 | 167.94 | 12/06/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Lepidoptera | Tortricidae | <i>Tracholena hebraea</i> | N | N | Hand collection |
| -29.03 | 167.99 | 22/05/2014 | Cucurbitaceae | <i>Cucumis sativus</i> | Hemiptera | Aleyrodidae | <i>Trialeurodes vaporariorum</i> (Westwood, 1856) | Y | Y | Beating |
| -29.06 | 167.96 | 24/05/2014 | Euphorbiaceae | <i>Euphorbia pepus</i> L. | Hemiptera | Aleyrodidae | <i>Trialeurodes vaporariorum</i> | Y | Y | Hand collection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|---------------------------|---------------|---|----------------|---------------|--|-----------------------------------|----------------------------|-------------------------------|
| -29.03 | 167.99 | 14/06/2013 | Fabaceae | <i>Phaseolus vulgaris</i> | Hemiptera | Aleyrodidae | <i>Trialeurodes vaporariorum</i> | Y | Y | Hand collection |
| -29.03 | 167.93 | 12/06/2013 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Aleyrodidae | <i>Trialeurodes vaporariorum</i> | Y | Y | Hand collection |
| -29.03 | 167.99 | 14/06/2013; 25/09/2013 | Solanaceae | <i>Solanum lycopersicum</i> | Hemiptera | Aleyrodidae | <i>Trialeurodes vaporariorum</i> | Y | Y | Hand collection |
| -29.03 | 167.93 | 12/06/2013 | Cucurbitaceae | <i>Cucumis sativus</i> | Hemiptera | Aleyrodidae | <i>Trialeurodes vaporariorum</i> | Y | Y | Hand collection |
| -29.04 | 167.99 | 8/10/2014 | Poaceae | <i>Zea mays</i> | Diptera | Tachinidae | <i>Trichopoda giacomelli</i> (Blanchard, 1966) | Y | Y | Beating |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Orthoptera | Trigonidiidae | <i>Trigonidium vittaticollis</i> (Sjöf., 1861) | N | Y | Light trap |
| -29.01 | 167.93 | 27/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Trigonodes hyppasia</i> (Cramer, 1779) | N | Y | Light trap in eucalypt forest |
| -29.03 | 167.97 | 22/05/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Trigonodes hyppasia</i> | N | Y | Light trap |
| -29.04 | 167.94 | 28/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Trigonodes hyppasia</i> | N | Y | Light trap |
| -29.05 | 167.95 | 20/02/2014 | NA | NA | Lepidoptera | Noctuidae | <i>Trigonodes hyppasia</i> | N | Y | Light trap |
| -29.06 | 167.94 | 26/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Triophyidae | <i>Triophydeus</i> Thor, 1932 | Y | ? | Ethanol wash |
| -29.00 | 167.93 | 12/06/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Trombidiformes | Triophyidae | <i>Triophydeus</i> sp. | Y | ? | Ethanol wash |
| -29.00 | 167.93 | 24/09/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Trombidiformes | Triophyidae | <i>Triophydeus</i> sp. | Y | ? | Hand collection |
| -29.03 | 167.93 | 26/09/2013 | Rutaceae | <i>Citrus ×aurantium</i> | Trombidiformes | Triophyidae | <i>Triophydeus</i> sp. | Y | ? | Hand collection |
| -29.05 | 167.92 | 27/09/2013 | Rutaceae | <i>Citrus</i> sp. | Trombidiformes | Triophyidae | <i>Triophydeus</i> sp. | Y | ? | Hand collection |
| -29.01 | 167.93 | 26/09/2013 | Rutaceae | <i>Citrus</i> sp. | Trombidiformes | Triophyidae | <i>Triophydeus</i> sp. | Y | ? | Hand collection |
| -29.00 | 167.93 | 24/09/2013 | Arecaceae | <i>Howea helmoreana</i> , <i>Howea forsteriana</i> | Trombidiformes | Triophyidae | <i>Triophydeus</i> sp. | Y | ? | Hand collection |
| -29.05 | 167.92 | 26/11/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Trombidiformes | Triophyidae | <i>Triophydeus</i> sp. | Y | ? | Ethanol wash |
| -29.04 | 167.9 | 25/09/2013 | Malvaceae | <i>Lagunaria patersonia</i> | Trombidiformes | Triophyidae | <i>Triophydeus</i> sp. | Y | ? | Hand collection |
| -29.04 | 167.98 | 27/11/2014 | Lauraceae | <i>Persea americana</i> | Trombidiformes | Triophyidae | <i>Triophydeus</i> sp. | Y | ? | Ethanol wash |
| -29.03 | 167.93 | 27/11/2014 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Trombidiformes | Triophyidae | <i>Triophydeus</i> sp. | Y | ? | Ethanol wash |
| -29.04 | 167.95 | 26/11/2014 | Rosaceae | <i>Prunus persica</i> var. <i>persica</i> | Trombidiformes | Triophyidae | <i>Triophydeus</i> sp. | Y | ? | Ethanol wash |
| -29.03 | 167.96 | 25/11/2014 | Unknown | Unknown | Trombidiformes | Triophyidae | <i>Triophydeus</i> sp. | Y | ? | Ethanol wash |
| -29.04 | 167.95 | 24/11/2014 | Unknown | Unknown | Trombidiformes | Triophyidae | <i>Triophydeus</i> sp. | Y | ? | Ethanol wash |
| -29.04 | 167.99 | 27/11/2014 | Annonaceae | <i>Ammonia muricata</i> | Trombidiformes | Triophyidae | <i>Triophydeus</i> sp. | Y | ? | Ethanol wash |
| -29.02 | 167.93 | 28/11/2014 | NA | NA | Hemiptera | Triozidae | <i>Triozia Förster, 1848</i> | Y | ? | Trapping in nursery |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|----------------|---|----------------|----------------|---|-----------------------------------|----------------------------|---|
| -29.01 | 167.95 | 25/02/2014 | Pittosporaceae | <i>Pittosporum</i> sp. | Hemiptera | Trioziidae | <i>Trioza vitreoradiata</i> (Maskell, 1879) | Y | N | Hand collection |
| -29.04 | 167.98 | 9/10/2014 | Anacardiaceae | <i>Mangifera indica</i> | Coleoptera | Dermestidae | <i>Trogoderma Latreille in Dejean, 1821</i> | Y | ? | Sweep net and beating |
| -29.06 | 167.94 | 22/09/2013 | Lauraceae | <i>Persea americana</i> | Coleoptera | Dermestidae | <i>Trogoderma</i> sp. | Y | ? | Hand collection |
| -29.03 | 167.94 | 10/10/2014 | Unknown | Unknown | Coleoptera | Dermestidae | <i>Trogoderma</i> sp. | Y | ? | Hand collection from hardwood logs |
| -29.00 | 167.93 | 24/11/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Trombidiformes | Tydeidae | <i>Tydeus</i> Koch, 1836 | Y | ? | Ethanol wash |
| -29.00 | 167.93 | 24/09/2013 | Rutaceae | <i>Citrus aurantium</i> | Trombidiformes | Tydeidae | <i>Tydeus</i> sp. | Y | ? | Hand collection |
| -29.04 | 167.99 | 14/06/2013 | Rutaceae | <i>Citrus aurantium</i> | Trombidiformes | Tydeidae | <i>Tydeus</i> sp. | Y | ? | Hand collection |
| -29.04 | 167.99 | 27/11/2014 | Rosaceae | <i>Pyrus communis</i> | Trombidiformes | Tydeidae | <i>Tydeus</i> sp. | Y | ? | Ethanol wash |
| -29.03 | 167.96 | 25/11/2014 | Unknown | Unknown | Trombidiformes | Tydeidae | <i>Tydeus</i> sp. | Y | ? | Ethanol wash |
| -29.04 | 167.99 | 27/11/2014 | Rosaceae | <i>Prunus persica</i> var. <i>quapressca</i> | Trombidiformes | Tydeidae | <i>Tydeus californicus</i> (Banks, 1904) | Y | Y | Ethanol wash |
| -29.03 | 167.95 | 25/09/2013 | Fabaceae | <i>Neotoma wightii</i> (Wight & Arn.) J.A. Lackey | Trombidiformes | Tydeidae | <i>Tydeus californicus</i> | Y | Y | Hand collection |
| -29.03 | 167.97 | 18/02/2014 | NA | NA | Coleoptera | Mycetophagidae | <i>Typhaea stercorea</i> (Linnæus, 1758) | Y | Y | Hand collection from timber billets |
| -29.03 | 167.95 | 25/02/2014 | NA | NA | Coleoptera | Mycetophagidae | <i>Typhaea stercorea</i> | Y | Y | Hand collection |
| -29.02 | 167.97 | 24/02/2014 | NA | NA | Coleoptera | Mycetophagidae | <i>Typhaea stercorea</i> | Y | Y | <i>Culicoides</i> trap |
| -29.04 | 167.99 | 24/11/2014 | Rutaceae | <i>Citrus aurantium</i> | Sarcoptiformes | Acaridae | <i>Tyrophagus Oudemans, 1924</i> | Y | ? | Ethanol wash |
| -29.06 | 167.97 | 25/05/2014 | Malvaceae | <i>Hibiscus rosa-sinensis</i> | Sarcoptiformes | Acaridae | <i>Tyrophagus</i> sp. | Y | ? | Beating |
| -29.03 | 167.99 | 24/12/2012 | Solanaceae | <i>Capsicum annuum</i> | Sarcoptiformes | Acaridae | <i>Tyrophagus curvipennis</i> Fain & Fauvel, 1993 | Y | Y | Beating flowers, leaves |
| -29.03 | 167.94 | 27/11/2014 | Bromeliaceae | <i>Ananas comosus</i> | Sarcoptiformes | Acaridae | <i>Tyrophagus curvipennis</i> | Y | Y | Ethanol wash |
| -29.01 | 167.93 | 21/05/2014 | Solanaceae | <i>Solanum mauritianum</i> | Sarcoptiformes | Acaridae | <i>Tyrophagus putrescentiae</i> (Schrank, 1781) | Y | Y | Beating in eucalypt forest |
| -29.05 | 167.95 | 24/05/2014 | NA | NA | Sarcoptiformes | Acaridae | <i>Tyrophagus putrescentiae</i> | Y | Y | <i>Culicoides</i> trap Set 21.5.2014, collected 24.5.2014 |
| -29.05 | 167.98 | 24/02/2014 | Asparagaceae | <i>Yucca aloifolia</i> | Sarcoptiformes | Acaridae | <i>Tyrophagus putrescentiae?</i> | Y | Y? | Beating |
| -29.12 | 167.95 | 14/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Hemiptera | Delphacidae | <i>Ugopsis Guerin-Mèneville, 1834</i> | ? | ? | Hand collection and beating |
| -29.12 | 167.95 | 14/10/2014 | Cucurbitaceae | <i>Zehneria baneriana</i> | Hemiptera | Delphacidae | <i>Ugopsis</i> sp. | ? | ? | Hand collection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------------------|---------------------|---|-----------------|-----------------|---|-----------------------------------|----------------------------|---|
| -29.05 | 167.97 | 24/02/2014 | Asteraceae | <i>Conyza</i> sp. | Hemiptera | Aphididae | <i>Urolecon erigeronense</i> (Thomas, 1878) | Y | Y | Hand collection |
| -29.01 | 167.92 | 16/10/2014 | Asteraceae | <i>Sonchus oleraceus</i> | Hemiptera | Aphididae | <i>Urolecon sonchi</i> (Linnaeus, 1767) | Y | Y | Hand collection |
| -29.05 | 167.93 | 13/06/2013 | Asteraceae | <i>Sonchus oleraceus</i> | Hemiptera | Aphididae | <i>Urolecon sonchi</i> | Y | Y | Hand collection |
| -29.01 | 167.94 | 24/09/2013 | Arecaceae | Unknown | Mesostigmata | Urodynychidae | <i>Uroobovella Bertese</i> , 1903 | Y | ? | Berlese funnel from leaf litter under palms |
| -29.04 | 167.96 | 10/10/2014 | Verbenaceae | <i>Lantana camara</i> | Coleoptera | Chrysomelidae | <i>Uroplata girardi</i> Pic, 1934 | N | Y | Beating |
| -29.05 | 167.94 | 22/09/2013 | Verbenaceae | <i>Lantana camara</i> | Coleoptera | Chrysomelidae | <i>Uroplata girardi</i> | N | Y | Hand collection |
| -29.02 | 167.97 | 24/02/2014 | NA | NA | Coleoptera | Curculionidae | <i>Xyleborus norfolkensis</i> Schedl, 1972 | N | N | <i>Culicoides</i> trap |
| -29.02 | 167.97 | 22/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Curculionidae | <i>Xyleborus norfolkensis</i> | N | N | Hand collection |
| -29.06 | 167.96 | 27/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cerambycidae | <i>Xyloteles selwyni</i> Oliff, 1888 | N | N | Hand collection |
| -29.06 | 167.96 | 27/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cerambycidae | <i>Xyloteles selwyni</i> | N | N | Hand collection |
| -29.05 | 167.92 | 14/06/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Coleoptera | Cerambycidae | <i>Xyloteles selwyni</i> | N | N | Hand collection |
| -29.02 | 167.94 | 22/12/2013 | Rutaceae | <i>Citrus × jambhiri</i> | Thysanoptera | Phlaeothripidae | <i>Yarnkothrips kolourus</i> Mound & Walker, 1986 | Y | Y | Hand collection from dead branches |
| -29.02 | 167.95 | 24/12/2013 | Rosaceae, Meliaceae | <i>Prunus persica</i> var. <i>persica</i> , <i>Azadirachta indica</i> A.Juss. | Thysanoptera | Phlaeothripidae | <i>Yarnkothrips kolourus</i> | Y | Y | Hand collection from dead plants |
| -29.02 | 167.95 | 21/12/2012; 25/12/2013 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Yarnkothrips kolourus</i> | Y | Y | Hand collection from dead twigs and leaves |
| -29.01 | 167.95 | 30/11/2014 | Unknown | Unknown | Thysanoptera | Phlaeothripidae | <i>Yarnkothrips kolourus</i> | Y | Y | Hand collection from dead wood |
| -29.05 | 167.92 | 19/05/2014 | NA | NA | Coleoptera | Leiodidae | <i>Zealolopus Broun</i> , 1903 | Y | ? | Light trap |
| -29.04 | 167.99 | 27/11/2014 | Rosaceae | <i>Malus pumila</i> | Trombidiformes | Stigmaeidae | <i>Zetzellia maori</i> González-Rodríguez, 1965 | Y | Y | Ethanol wash |
| -29.00 | 167.93 | 26/11/2014 | Rutaceae | <i>Citrus × aurantium</i> | Trombidiformes | Stigmaeidae | <i>Zetzellia maori</i> | Y | Y | Ethanol wash |
| -29.05 | 167.92 | 26/11/2014 | Urticaceae | <i>Boehmeria australis</i> | Trombidiformes | Stigmaeidae | <i>Zetzellia oudemansi</i> Wood, 1967 | Y | N | Ethanol wash |
| -29.02 | 167.93 | 28/11/2014 | Poaceae | Unknown | Lepidoptera | Lycenidae | <i>Zizina labradus</i> Waterhouse & Lyell, 1914 | N | Y | Sweep net |
| -29.03 | 167.97 | 22/05/2014; 25/09/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Stylommatophora | Gastrodonitidae | <i>Zonitoides arboreus</i> (Say, 1817) | N | Y | Hand collection from sawn timber |
| -29.02 | 167.97 | 22/09/2013 | NA | NA | Stylommatophora | Gastrodonitidae | <i>Zonitoides arboreus</i> | N | Y | Hand collection from rocks |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Norfolk Island new record (Y/N/?) | Mainland Australia (Y/N/?) | Collection method |
|----------|-----------|------------|---------------|-------------------------------|----------------|-----------------|---|-----------------------------------|----------------------------|-------------------|
| -29.01 | 167.92 | 16/10/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Sylommatophora | Gastrodonitidae | <i>Zonitoides arboreus</i> | N | Y | Hand collection |
| -29.05 | 167.92 | 7/10/2014 | Oleaceae | <i>Nestegis apetala</i> | Araneae | Araneidae | <i>Zygiella Plekart-Cambridge, 1902</i> | Y | N | Beating |

NORFOLK ISLAND QUARANTINE SURVEY

Table 4. Norfolk Island Quarantine Survey - pest and pathogen testing of *Apis mellifera* (European honey bees)

| Latitude | Longitude | Date | Test target common name | Test target Family | Test target organism | Testing results | Collection method |
|----------|-----------|------------|-------------------------------|--------------------|--|-----------------|-------------------|
| -29.04 | 167.99 | 16/10/2013 | Acute bee paralysis virus | Dicistroviridae | Acute bee paralysis virus | Absent | Bee sample PCR |
| -29.06 | 167.94 | 26/09/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> Murray, 1867 | Absent | Visual Inspection |
| -29.06 | 167.94 | 26/09/2013 | Chalkbrood | Ascospaeraceae | <i>Ascospaera apis</i> (Maasen ex Claussen) L.S.Olive & Spiltoir | Absent | Visual Inspection |
| -29.04 | 167.97 | 16/10/2013 | Black queen cell virus | Dicistroviridae | Black queen cell virus | Absent | Bee sample PCR |
| -29.04 | 167.94 | 16/10/2013 | Black queen cell virus | Dicistroviridae | Black queen cell virus | Absent | Bee sample PCR |
| -29.04 | 167.97 | 25/09/2013 | Black queen cell virus | Dicistroviridae | Black queen cell virus | Absent | Bee sample PCR |
| -29.06 | 167.94 | 26/09/2013 | Braula fly | Braulidae | <i>Braula coeca</i> Nitsch, 1818 | Absent | Visual Inspection |
| -29.00 | 167.92 | 25/09/2013 | Chronic bee paralysis virus | Unassigned | Chronic bee paralysis virus | Absent | Bee sample PCR |
| -29.00 | 167.92 | 25/09/2013 | Chronic bee paralysis virus | Unassigned | Chronic bee paralysis virus | Absent | Bee sample PCR |
| -29.02 | 167.96 | 25/09/2013 | Deformed wing virus | Iflaviridae | Deformed wing virus | Absent | Bee sample PCR |
| -29.04 | 167.99 | 26/09/2013 | Deformed wing virus | Iflaviridae | Deformed wing virus | Absent | Bee sample PCR |
| -29.04 | 167.99 | 24/09/2013 | Deformed wing virus | Iflaviridae | Deformed wing virus | Absent | Bee sample PCR |
| -29.06 | 167.94 | 26/09/2013 | Greater wax moth | Pyralidae | <i>Galleria mellonella</i> (Linnaeus, 1758) | Absent | Visual Inspection |
| -29.06 | 167.94 | 26/09/2013 | Israeli acute paralysis virus | Dicistroviridae | Israeli acute paralysis virus | Absent | Bee sample PCR |
| -29.06 | 167.94 | 26/09/2013 | Kashmir bee virus | Dicistroviridae | Kashmir bee virus | Absent | Bee sample PCR |
| -29.04 | 167.99 | 26/09/2013 | Lake sinai virus 1 | Unassigned | Lake sinai virus 1 | Absent | Bee sample PCR |
| -29.00 | 167.92 | 25/09/2013 | Lake sinai virus 2 | Unassigned | Lake Sinai virus 2 | Absent | Bee sample PCR |
| -29.06 | 167.94 | 26/09/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> (ex White 1912) Bailey and Collins 1983 | Absent | Visual Inspection |
| -29.06 | 167.94 | 26/09/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> (White 1906) Ash <i>et al.</i> 1994 | Absent | Visual Inspection |
| -29.06 | 167.94 | 26/09/2013 | Sacbrood virus | Iflaviridae | Sacbrood virus | Absent | Visual Inspection |
| -29.02 | 167.96 | 25/09/2013 | Sacbrood virus | Iflaviridae | Sacbrood virus | Absent | Bee sample PCR |
| -29.00 | 167.92 | 24/09/2013 | Slow paralysis virus | Iflaviridae | Slow bee paralysis virus | Absent | Bee sample PCR |
| -29.06 | 167.94 | 26/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> Delfinado & Baker, 1962 | Absent | Visual Inspection |
| -29.06 | 167.94 | 26/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> Anderson & Morgan, 2007 | Absent | Visual Inspection |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Date | Test target common name | Test target Family | Test target organism | Testing results | Collection method |
|----------|-----------|------------|-------------------------|--------------------|--|-----------------|--|
| -29.06 | 167.94 | 26/09/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> Truman & Anderson, 2000 | Absent | Visual Inspection |
| -29.06 | 167.94 | 26/09/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> Oudemans, 1904 | Absent | Visual Inspection |
| -29.01 | 167.92 | 9/10/2013 | Tracheal mite | Tarsonemidae | <i>Acarapis woodi</i> (Rennie, 1921) | Absent | Live bee sampling |
| -29.01 | 167.92 | 25/09/2013 | Lesser wax moth | Pyrilidae | <i>Achroia grisella</i> (Fabricius, 1794) | Present | Visual Inspection |
| -29.01 | 167.92 | 9/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 25/09/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 9/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 9/10/2013 | Chalkbrood | Ascospaeraceae | <i>Ascospaera apis</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 25/09/2013 | Chalkbrood | Ascospaeraceae | <i>Ascospaera apis</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 9/10/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 25/09/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 25/09/2013 | Greater wax moth | Pyrilidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 9/10/2013 | Greater wax moth | Pyrilidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 9/10/2013 | Amoeba disease | Malpighamoebidae | <i>Malpighamoeba mellificae</i> Prell, 1926 | Absent | Live bee sampling |
| -29.01 | 167.92 | 9/10/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 25/09/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 25/09/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> (White 1906) Ash <i>et al.</i> 1994 | Absent | Visual Inspection |
| -29.01 | 167.92 | 9/10/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 9/10/2013 | Sacbrood virus | <i>Iflaviridae</i> | Sacbrood virus | Absent | Visual Inspection |
| -29.01 | 167.92 | 25/09/2013 | Sacbrood virus | <i>Iflaviridae</i> | Sacbrood virus | Absent | Visual Inspection |
| -29.01 | 167.92 | 9/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 25/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 9/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 25/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 9/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 25/09/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 9/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 9/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 25/09/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 24/09/2013 | Lake sinai virus 1 | Unassigned | Lake Sinai virus 1 | Present | Bee sample PCR |
| -29.01 | 167.92 | 8/10/2013 | Tracheal mite | Tarsonemidae | <i>Acarapis woodi</i> | Absent | Live bee sampling |
| -29.01 | 167.92 | 10/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Apithor traps left in for 2-weeks, for two weeks, then removed and inspected |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Test target common name | Test target Family | Test target organism | Testing results | Collection method |
|----------|-----------|------------|-------------------------------|--------------------|--------------------------------|-----------------|----------------------------------|
| -29.01 | 167.92 | 26/09/2013 | Black queen cell virus | Dicistroviridae | Black queen cell virus | Absent | Bee sample PCR |
| -29.01 | 167.92 | 27/09/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Sticky mat + acaricide strip |
| -29.01 | 167.92 | 26/09/2013 | Chronic bee paralysis virus | Unassigned | Chronic bee paralysis virus | Absent | Bee sample PCR |
| -29.01 | 167.92 | 25/09/2013 | Deformed wing virus | Iflaviridae | Deformed wing virus | Absent | Bee sample PCR |
| -29.01 | 167.92 | 25/09/2013 | Israeli acute paralysis virus | Dicistroviridae | Israeli acute paralysis virus | Absent | Bee sample PCR |
| -29.01 | 167.92 | 25/09/2013 | Kashmir bee virus | Dicistroviridae | Kashmir bee virus | Absent | Bee sample PCR |
| -29.01 | 167.92 | 24/09/2013 | Lake Sinai virus 2 | Unassigned | Lake Sinai virus 2 | Absent | Bee sample PCR |
| -29.01 | 167.92 | 8/10/2013 | Amoeba disease | Malpighamoebidae | <i>Malpighamoeba mellifica</i> | Absent | Live bee sampling |
| -29.01 | 167.92 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema apis</i> | Absent | Live bee sampling + PCR analysis |
| -29.01 | 167.92 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema ceranae</i> | Present | Live bee sampling + PCR analysis |
| -29.01 | 167.92 | 25/09/2013 | Sacbrood virus | Iflaviridae | Sacbrood virus | Absent | Bee sample PCR |
| -29.01 | 167.92 | 26/09/2013 | Slow paralysis virus | Iflaviridae | Slow bee paralysis virus | Absent | Bee sample PCR |
| -29.01 | 167.92 | 27/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Sticky mat + acaricide |
| -29.01 | 167.92 | 27/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Sticky mat + acaricide |
| -29.01 | 167.92 | 27/09/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Sticky mat + acaricide strip |
| -29.01 | 167.92 | 27/09/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Sticky mat + acaricide strip |
| -29.03 | 167.95 | 25/09/2013 | Lesser wax moth | Pyralidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.03 | 167.95 | 25/09/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.03 | 167.95 | 25/09/2013 | Chalkbrood | Ascospaeraceae | <i>Ascospaera apis</i> | Absent | Visual Inspection |
| -29.03 | 167.95 | 25/09/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.03 | 167.95 | 27/09/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Sticky mat + acaricide strip |
| -29.03 | 167.95 | 25/09/2013 | Greater wax moth | Pyralidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.03 | 167.95 | 25/09/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.03 | 167.95 | 25/09/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.03 | 167.95 | 25/09/2013 | Sacbrood virus | Iflaviridae | Sacbrood virus | Absent | Visual Inspection |
| -29.03 | 167.95 | 25/09/2013 | Sacbrood virus | Iflaviridae | Sacbrood virus | Absent | Visual Inspection |
| -29.03 | 167.95 | 25/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.03 | 167.95 | 27/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Sticky mat + acaricide |
| -29.03 | 167.95 | 25/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.03 | 167.95 | 27/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Sticky mat + acaricide |
| -29.03 | 167.95 | 25/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.03 | 167.95 | 25/09/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.03 | 167.95 | 27/09/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Sticky mat + acaricide strip |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Date | Test target common name | Test target Family | Test target organism | Testing results | Collection method |
|----------|-----------|------------|-------------------------|--------------------|---|-----------------|---|
| -29.03 | 167.95 | 25/09/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.03 | 167.95 | 27/09/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Sticky mat + acaricide strip |
| -29.03 | 167.95 | 25/09/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.04 | 167.93 | 9/10/2013 | Tracheal mite | Tarsonemidae | <i>Acarapis woodi</i> | Absent | Live bee sampling |
| -29.04 | 167.93 | 9/10/2013 | Lesser wax moth | Pyralidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.04 | 167.93 | 9/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.04 | 167.93 | 10/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Apithor traps left in for 2-two weeks, then removed and inspected |
| -29.04 | 167.93 | 9/10/2013 | Chalkbrood | Ascosphaeraceae | <i>Ascosphaera apis</i> | Absent | Visual Inspection |
| -29.04 | 167.93 | 9/10/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.04 | 167.93 | 9/10/2013 | Greater wax moth | Pyralidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.04 | 167.93 | 9/10/2013 | Amoeba disease | Malpighamoebidae | <i>Malpighamoeba mellificae</i> | Absent | Live bee sampling |
| -29.04 | 167.93 | 9/10/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.04 | 167.93 | 9/10/2013 | Nosema | Nosematidae | <i>Nosema apis</i> E.Zander | Absent | Live bee sampling + PCR analysis |
| -29.04 | 167.93 | 9/10/2013 | Nosema | Nosematidae | <i>Nosema ceranae</i> I.Fr., F.Feng, J.A.da Silva, S.B.Slemenda Y.N.J.Pieniazek | Present | Live bee sampling + PCR analysis |
| -29.04 | 167.93 | 9/10/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.04 | 167.93 | 9/10/2013 | Sacbrood virus | <i>Iflaviridae</i> | Sacbrood virus | Absent | Visual Inspection |
| -29.04 | 167.93 | 9/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clareae</i> | Absent | Visual Inspection |
| -29.04 | 167.93 | 9/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.04 | 167.93 | 9/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.04 | 167.93 | 9/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.03 | 167.97 | 8/10/2013 | Tracheal mite | Tarsonemidae | <i>Acarapis woodi</i> | Absent | Live bee sampling |
| -29.03 | 167.97 | 9/10/2013 | Tracheal mite | Tarsonemidae | <i>Acarapis woodi</i> | Absent | Live bee sampling |
| -29.03 | 167.97 | 8/10/2013 | Lesser wax moth | Pyralidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.03 | 167.97 | 9/10/2013 | Lesser wax moth | Pyralidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.03 | 167.97 | 8/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.03 | 167.97 | 9/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.03 | 167.97 | 8/10/2013 | Chalkbrood | Ascosphaeraceae | <i>Ascosphaera apis</i> | Absent | Visual Inspection |
| -29.03 | 167.97 | 9/10/2013 | Chalkbrood | Ascosphaeraceae | <i>Ascosphaera apis</i> | Absent | Visual Inspection |
| -29.03 | 167.97 | 9/10/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.03 | 167.97 | 8/10/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.03 | 167.97 | 8/10/2013 | Greater wax moth | Pyralidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.03 | 167.97 | 9/10/2013 | Amoeba disease | Malpighamoebidae | <i>Malpighamoeba mellificae</i> | Absent | Live bee sampling |
| -29.03 | 167.97 | 8/10/2013 | Amoeba disease | Malpighamoebidae | <i>Malpighamoeba mellificae</i> | Absent | Live bee sampling |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Test target common name | Test target Family | Test target organism | Testing results | Collection method |
|----------|-----------|------------|-------------------------|--------------------|--------------------------------|-----------------|----------------------------------|
| -29.03 | 167.97 | 8/10/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.03 | 167.97 | 9/10/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.03 | 167.97 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema apis</i> | Absent | Live bee sampling + PCR analysis |
| -29.03 | 167.97 | 9/10/2013 | Nosema | Nosematidae | <i>Nosema apis</i> | Absent | Live bee sampling + PCR analysis |
| -29.03 | 167.97 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema ceranae</i> | Present | Live bee sampling + PCR analysis |
| -29.03 | 167.97 | 9/10/2013 | Nosema | Nosematidae | <i>Nosema ceranae</i> | Present | Live bee sampling + PCR analysis |
| -29.03 | 167.97 | 8/10/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.03 | 167.97 | 8/10/2013 | Sacbrood virus | <i>Iflaviridae</i> | Sacbrood virus | Absent | Visual Inspection |
| -29.03 | 167.97 | 9/10/2013 | Sacbrood virus | <i>Iflaviridae</i> | Sacbrood virus | Absent | Visual Inspection |
| -29.03 | 167.97 | 8/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.03 | 167.97 | 9/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.03 | 167.97 | 8/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.03 | 167.97 | 9/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.03 | 167.97 | 8/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.03 | 167.97 | 9/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.03 | 167.97 | 8/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.03 | 167.97 | 9/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.04 | 167.97 | 8/10/2013 | Lesser wax moth | Pyrilidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.04 | 167.97 | 8/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.04 | 167.97 | 8/10/2013 | Chalkbrood | Ascospaeraceae | <i>Ascospaera apis</i> | Absent | Visual Inspection |
| -29.04 | 167.97 | 8/10/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.04 | 167.97 | 8/10/2013 | Greater wax moth | Pyrilidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.04 | 167.97 | 8/10/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.04 | 167.97 | 8/10/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.04 | 167.97 | 8/10/2013 | Sacbrood virus | <i>Iflaviridae</i> | Sacbrood virus | Absent | Visual Inspection |
| -29.04 | 167.97 | 8/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.04 | 167.97 | 8/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.04 | 167.97 | 8/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.04 | 167.97 | 8/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.03 | 167.94 | 8/10/2013 | Tracheal mite | Tarsonemidae | <i>Acarapis woodi</i> | Absent | Live bee sampling |
| -29.03 | 167.94 | 8/10/2013 | Lesser wax moth | Pyrilidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.03 | 167.94 | 8/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.03 | 167.94 | 8/10/2013 | Chalkbrood | Ascospaeraceae | <i>Ascospaera apis</i> | Absent | Visual Inspection |
| -29.03 | 167.94 | 8/10/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.03 | 167.94 | 10/10/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Sticky mat + acaricide strip |

G. V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Date | Test target common name | Test target Family | Test target organism | Testing results | Collection method |
|----------|-----------|------------|-------------------------|--------------------|---------------------------------|-----------------|----------------------------------|
| -29.03 | 167.94 | 8/10/2013 | Greater wax moth | Pyralidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.03 | 167.94 | 8/10/2013 | Amoeba disease | Malpighamoebidae | <i>Malpighamoeba mellificae</i> | Absent | Live bee sampling |
| -29.03 | 167.94 | 8/10/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.03 | 167.94 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema apis</i> | Absent | Live bee sampling + PCR analysis |
| -29.03 | 167.94 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema ceranae</i> | Absent | Live bee sampling + PCR analysis |
| -29.03 | 167.94 | 8/10/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.03 | 167.94 | 8/10/2013 | Sacbrood virus | <i>Iflaviridae</i> | Sacbrood virus | Absent | Visual Inspection |
| -29.03 | 167.94 | 8/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.03 | 167.94 | 10/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Sticky mat + acaricide |
| -29.03 | 167.94 | 8/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.03 | 167.94 | 10/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Sticky mat + acaricide |
| -29.03 | 167.94 | 8/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.03 | 167.94 | 10/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Sticky mat + acaricide strip |
| -29.03 | 167.94 | 8/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.03 | 167.94 | 10/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Sticky mat + acaricide strip |
| -29.03 | 167.94 | 8/10/2013 | Tracheal mite | Tarsonemidae | <i>Acarapis woodi</i> | Absent | Live bee sampling |
| -29.04 | 167.94 | 9/10/2013 | Tracheal mite | Tarsonemidae | <i>Acarapis woodi</i> | Absent | Live bee sampling |
| -29.04 | 167.94 | 9/10/2013 | Lesser wax moth | Pyralidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.04 | 167.94 | 9/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.04 | 167.94 | 9/10/2013 | Chalkbrood | Ascospaeraceae | <i>Ascospaera apis</i> | Absent | Visual Inspection |
| -29.04 | 167.94 | 9/10/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.04 | 167.94 | 9/10/2013 | Greater wax moth | Pyralidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.04 | 167.94 | 8/10/2013 | Amoeba disease | Malpighamoebidae | <i>Malpighamoeba mellificae</i> | Absent | Live bee sampling |
| -29.04 | 167.94 | 9/10/2013 | Amoeba disease | Malpighamoebidae | <i>Malpighamoeba mellificae</i> | Absent | Live bee sampling |
| -29.04 | 167.94 | 9/10/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.04 | 167.94 | 9/10/2013 | Nosema | Nosematidae | <i>Nosema apis</i> | Absent | Live bee sampling + PCR analysis |
| -29.04 | 167.94 | 9/10/2013 | Nosema | Nosematidae | <i>Nosema ceranae</i> | Present | Live bee sampling + PCR analysis |
| -29.04 | 167.94 | 9/10/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.04 | 167.94 | 9/10/2013 | Sacbrood virus | <i>Iflaviridae</i> | Sacbrood virus | Absent | Visual Inspection |
| -29.04 | 167.94 | 9/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.04 | 167.94 | 9/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.04 | 167.94 | 9/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.04 | 167.94 | 9/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Test target common name | Test target Family | Test target organism | Testing results | Collection method |
|----------|-----------|------------|-------------------------------|--------------------|--------------------------------------|-----------------|--|
| -29.03 | 167.94 | 10/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Apithor traps left in for 2-weeks, for two weeks, then removed and inspected |
| -29.01 | 167.92 | 9/10/2013 | Tracheal mite | Tarsonemidae | <i>Acarapis woodi</i> | Absent | Live bee sampling |
| -29.01 | 167.92 | 25/09/2013 | Lesser wax moth | Pyralidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.01 | 167.92 | 25/09/2013 | Acute bee paralysis virus | Dicistroviridae | <i>Acute bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.01 | 167.92 | 25/09/2013 | Acute bee paralysis virus | Dicistroviridae | <i>Acute bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.01 | 167.92 | 16/10/2013 | Acute bee paralysis virus | Dicistroviridae | <i>Acute bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.01 | 167.92 | 25/09/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 10/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Apithor traps left in for 2-weeks, for two weeks, then removed and inspected |
| -29.01 | 167.92 | 25/09/2013 | Chalkbrood | Ascospaeraceae | <i>Ascospaera apis</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 26/09/2013 | Black queen cell virus | Dicistroviridae | <i>Black queen cell virus</i> | Absent | Bee sample PCR |
| -29.01 | 167.92 | 25/09/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 27/09/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Sticky mat + acaricide strip |
| -29.01 | 167.92 | 26/09/2013 | Chronic bee paralysis virus | Unassigned | Chronic bee paralysis virus | Absent | Bee sample PCR |
| -29.01 | 167.92 | 24/09/2013 | Chronic bee paralysis virus | Unassigned | Chronic bee paralysis virus | Absent | Bee sample PCR |
| -29.01 | 167.92 | 26/09/2013 | Deformed wing virus | Iflaviridae | <i>Deformed wing virus</i> | Absent | Bee sample PCR |
| -29.01 | 167.92 | 25/09/2013 | Deformed wing virus | Iflaviridae | <i>Deformed wing virus</i> | Absent | Bee sample PCR |
| -29.01 | 167.92 | 25/09/2013 | Greater wax moth | Pyralidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 26/09/2013 | Israeli acute paralysis virus | Dicistroviridae | <i>Israeli acute paralysis virus</i> | Absent | Bee sample PCR |
| -29.01 | 167.92 | 25/09/2013 | Israeli acute paralysis virus | Dicistroviridae | <i>Israeli acute paralysis virus</i> | Absent | Bee sample PCR |
| -29.01 | 167.92 | 25/09/2013 | Kashmir bee virus | Dicistroviridae | <i>Kashmir bee virus</i> | Absent | Bee sample PCR |
| -29.01 | 167.92 | 25/09/2013 | Lake sinai virus 1 | Unassigned | Lake Sinai virus 1 | Absent | Bee sample PCR |
| -29.01 | 167.92 | 25/09/2013 | Lake sinai virus 1 | Unassigned | Lake Sinai virus 1 | Present | Bee sample PCR |
| -29.01 | 167.92 | 26/09/2013 | Lake sinai virus 2 | Unassigned | Lake Sinai virus 2 | Absent | Bee sample PCR |
| -29.01 | 167.92 | 9/10/2013 | Amoeba disease | Malpighamoebidae | <i>Malpighamoeba mellificae</i> | Absent | Live bee sampling |
| -29.01 | 167.92 | 25/09/2013 | European foulbrood | Enterococcaceae | <i>Melissooccus plutonius</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 9/10/2013 | Nosema | Nosematidae | <i>Nosema apis</i> | Absent | Live bee sampling + PCR analysis |
| -29.01 | 167.92 | 9/10/2013 | Nosema | Nosematidae | <i>Nosema ceranae</i> | Absent | Live bee sampling + PCR analysis |
| -29.01 | 167.92 | 25/09/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.01 | 167.92 | 26/09/2013 | Sacbrood virus | Iflaviridae | Sacbrood virus | Absent | Bee sample PCR |
| -29.01 | 167.92 | 25/09/2013 | Sacbrood virus | Iflaviridae | Sacbrood virus | Absent | Visual Inspection |

G. V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Date | Test target common name | Test target Family | Test target organism | Testing results | Collection method |
|----------|-----------|------------|-------------------------------|--------------------|-------------------------------|-----------------|------------------------------|
| -29.01 | 167.92 | 25/09/2013 | Slow paralysis virus | Iflaviridae | Slow bee paralysis virus | Absent | Bee sample PCR |
| -29.01 | 167.92 | 25/09/2013 | Tropilaelaps mite | Laelapidae | Tropilaelaps clarae | Absent | Visual Inspection |
| -29.01 | 167.92 | 27/09/2013 | Tropilaelaps mite | Laelapidae | Tropilaelaps clarae | Absent | Sticky mat + acaricide |
| -29.01 | 167.92 | 25/09/2013 | Tropilaelaps mite | Laelapidae | Tropilaelaps mercedesae | Absent | Visual Inspection |
| -29.01 | 167.92 | 27/09/2013 | Tropilaelaps mite | Laelapidae | Tropilaelaps mercedesae | Absent | Sticky mat + acaricide |
| -29.01 | 167.92 | 25/09/2013 | Varroa mite | Varroidae | Varroa destructor | Absent | Visual Inspection |
| -29.01 | 167.92 | 27/09/2013 | Varroa mite | Varroidae | Varroa destructor | Absent | Sticky mat + acaricide strip |
| -29.01 | 167.92 | 25/09/2013 | Varroa mite | Varroidae | Varroa jacobsoni | Absent | Visual Inspection |
| -29.01 | 167.92 | 27/09/2013 | Varroa mite | Varroidae | Varroa jacobsoni | Absent | Sticky mat + acaricide strip |
| -29.01 | 167.92 | 26/09/2013 | Slow paralysis virus | Iflaviridae | Slow bee paralysis virus | Absent | Bee sample PCR |
| -29.05 | 167.96 | 24/09/2013 | Braula fly | Braulidae | Braula coeca | Absent | Visual Inspection |
| -29.05 | 167.96 | 8/10/2013 | Tracheal mite | Tarsonemidae | Acarapis woodi | Absent | Live bee sampling |
| -29.05 | 167.96 | 24/09/2013 | Lesser wax moth | Pyralidae | Achroia grisella | Present | Visual Inspection |
| -29.05 | 167.96 | 24/09/2013 | Acute bee paralysis virus | Dicistroviridae | Acute bee paralysis virus | Absent | Bee sample PCR |
| -29.05 | 167.96 | 24/09/2013 | Acute bee paralysis virus | Dicistroviridae | Acute bee paralysis virus | Absent | Bee sample PCR |
| -29.05 | 167.96 | 16/10/2013 | Acute bee paralysis virus | Dicistroviridae | Acute bee paralysis virus | Absent | Bee sample PCR |
| -29.05 | 167.96 | 16/10/2013 | Acute bee paralysis virus | Dicistroviridae | Acute bee paralysis virus | Absent | Bee sample PCR |
| -29.05 | 167.96 | 24/09/2013 | Acute bee paralysis virus | Dicistroviridae | Acute bee paralysis virus | Absent | Bee sample PCR |
| -29.05 | 167.96 | 24/09/2013 | Small hive beetle | Nitidulidae | Aethina tumida | Absent | Visual Inspection |
| -29.05 | 167.96 | 24/09/2013 | Chalkbrood | Ascospaeraceae | Ascospaera apis | Absent | Visual Inspection |
| -29.05 | 167.96 | 26/09/2013 | Black queen cell virus | Dicistroviridae | Black queen cell virus | Absent | Bee sample PCR |
| -29.05 | 167.96 | 25/09/2013 | Black queen cell virus | Dicistroviridae | Black queen cell virus | Absent | Bee sample PCR |
| -29.05 | 167.96 | 16/09/2013 | Black queen cell virus | Dicistroviridae | Black queen cell virus | Absent | Bee sample PCR |
| -29.05 | 167.96 | 10/10/2013 | Braula fly | Braulidae | Braula coeca | Absent | Sticky mat + acaricide strip |
| -29.05 | 167.96 | 24/09/2013 | Chronic bee paralysis virus | Unassigned | Chronic bee paralysis virus | Absent | Bee sample PCR |
| -29.05 | 167.96 | 26/09/2013 | Chronic bee paralysis virus | Unassigned | Chronic bee paralysis virus | Absent | Bee sample PCR |
| -29.05 | 167.96 | 25/09/2013 | Deformed wing virus | Iflaviridae | Deformed wing virus | Absent | Bee sample PCR |
| -29.05 | 167.96 | 26/09/2013 | Deformed wing virus | Iflaviridae | Deformed wing virus | Absent | Bee sample PCR |
| -29.05 | 167.96 | 24/09/2013 | Greater wax moth | Pyralidae | Galleria mellonella | Absent | Visual Inspection |
| -29.05 | 167.96 | 24/09/2013 | Israeli acute paralysis virus | Dicistroviridae | Israeli acute paralysis virus | Absent | Bee sample PCR |
| -29.05 | 167.96 | 24/09/2013 | Kashmir bee virus | Dicistroviridae | Kashmir bee virus | Absent | Bee sample PCR |
| -29.05 | 167.96 | 25/09/2013 | Lake Sinai virus 1 | Unassigned | Lake Sinai virus 1 | Present | Bee sample PCR |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Test target common name | Test target Family | Test target organism | Testing results | Collection method |
|----------|-----------|------------|-------------------------|--------------------|---------------------------------|-----------------|----------------------------------|
| -29.05 | 167.96 | 26/09/2013 | Lake sinai virus 1 | Unassigned | Lake Sinai virus 1 | Present | Bee sample PCR |
| -29.05 | 167.96 | 26/09/2013 | Lake sinai virus 1 | Unassigned | Lake Sinai virus 1 | Absent | Bee sample PCR |
| -29.05 | 167.96 | 26/09/2013 | Lake sinai virus 2 | Unassigned | Lake Sinai virus 2 | Absent | Bee sample PCR |
| -29.05 | 167.96 | 8/10/2013 | Amoeba disease | Malpighamoebidae | <i>Malpighamoeba mellifica</i> | Absent | Live bee sampling |
| -29.05 | 167.96 | 24/09/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.05 | 167.96 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema apis</i> | Absent | Live bee sampling + PCR analysis |
| -29.05 | 167.96 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema ceranae</i> | Present | Live bee sampling + PCR analysis |
| -29.05 | 167.96 | 24/09/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.05 | 167.96 | 24/09/2013 | Sacbrood virus | <i>Iflaviridae</i> | Sacbrood virus | Absent | Visual Inspection |
| -29.05 | 167.96 | 24/09/2013 | Sacbrood virus | <i>Iflaviridae</i> | Sacbrood virus | Absent | Bee sample PCR |
| -29.05 | 167.96 | 26/09/2013 | Slow paralysis virus | <i>Iflaviridae</i> | <i>Slow bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.05 | 167.96 | 24/09/2013 | Slow paralysis virus | <i>Iflaviridae</i> | <i>Slow bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.05 | 167.96 | 24/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.05 | 167.96 | 10/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Sticky mat + acaricide |
| -29.05 | 167.96 | 24/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.05 | 167.96 | 10/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Sticky mat + acaricide |
| -29.05 | 167.96 | 24/09/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.05 | 167.96 | 10/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Sticky mat + acaricide strip |
| -29.05 | 167.96 | 24/09/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.05 | 167.96 | 10/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Sticky mat + acaricide strip |
| -29.03 | 167.97 | 8/10/2013 | Tracheal mite | Tarsonemidae | <i>Acarapis woodi</i> | Absent | Live bee sampling |
| -29.03 | 167.93 | 9/10/2013 | Tracheal mite | Tarsonemidae | <i>Acarapis woodi</i> | Absent | Live bee sampling |
| -29.03 | 167.93 | 26/09/2013 | Lesser wax moth | Pyrulidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.03 | 167.93 | 26/09/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.03 | 167.93 | 26/09/2013 | Chalkbrood | Ascospaeraceae | <i>Ascospaera apis</i> | Absent | Visual Inspection |
| -29.03 | 167.93 | 26/09/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.03 | 167.93 | 26/09/2013 | Greater wax moth | Pyrulidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.03 | 167.93 | 9/10/2013 | Amoeba disease | Malpighamoebidae | <i>Malpighamoeba mellifica</i> | Absent | Live bee sampling |
| -29.03 | 167.93 | 26/09/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.03 | 167.93 | 26/09/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.03 | 167.93 | 26/09/2013 | Sacbrood virus | <i>Iflaviridae</i> | Sacbrood virus | Absent | Visual Inspection |
| -29.03 | 167.93 | 26/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.03 | 167.93 | 26/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.03 | 167.93 | 26/09/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Date | Test target common name | Test target Family | Test target organism | Testing results | Collection method |
|----------|-----------|------------|---------------------------|--------------------|----------------------------------|-----------------|--|
| -29.03 | 167.93 | 26/09/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.03 | 167.93 | 10/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Apithor traps left in for 2-weeks, for two weeks, then removed and inspected |
| -29.03 | 167.93 | 9/10/2013 | Nosema | Nosematidae | <i>Nosema apis</i> | Absent | Live bee sampling + PCR analysis |
| -29.03 | 167.93 | 9/10/2013 | Nosema | Nosematidae | <i>Nosema ceranae</i> | Present | Live bee sampling + PCR analysis |
| -29.02 | 167.94 | 8/10/2013 | Greater wax moth | Pyralidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.02 | 167.94 | 8/10/2013 | Tracheal mite | Tarsonemidae | <i>Acarapis woodi</i> | Absent | Live bee sampling |
| -29.02 | 167.94 | 8/10/2013 | Lesser wax moth | Pyralidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.02 | 167.94 | 8/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.02 | 167.94 | 8/10/2013 | Chalkbrood | Ascospaeraceae | <i>Ascospaera apis</i> | Absent | Visual Inspection |
| -29.02 | 167.94 | 8/10/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.02 | 167.94 | 8/10/2013 | Amoeba disease | Malpighamoebidae | <i>Malpighamoeba mellificae</i> | Absent | Live bee sampling |
| -29.02 | 167.94 | 8/10/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.02 | 167.94 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema apis</i> | Absent | Live bee sampling + PCR analysis |
| -29.02 | 167.94 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema ceranae</i> | Present | Live bee sampling + PCR analysis |
| -29.02 | 167.94 | 8/10/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.02 | 167.94 | 8/10/2013 | Sacbrood virus | Iflaviridae | Sacbrood virus | Absent | Visual Inspection |
| -29.02 | 167.94 | 8/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.02 | 167.94 | 8/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.02 | 167.94 | 8/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.02 | 167.94 | 8/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 8/10/2013 | Tracheal mite | Tarsonemidae | <i>Acarapis woodi</i> | Absent | Live bee sampling |
| -29.03 | 167.96 | 26/09/2013 | Lesser wax moth | Pyralidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.03 | 167.96 | 24/09/2013 | Lesser wax moth | Pyralidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.03 | 167.96 | 24/09/2013 | Acute bee paralysis virus | Dicistroviridae | <i>Acute bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.03 | 167.96 | 24/09/2013 | Acute bee paralysis virus | Dicistroviridae | <i>Acute bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.03 | 167.96 | 16/10/2013 | Acute bee paralysis virus | Dicistroviridae | <i>Acute bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.03 | 167.96 | 26/09/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 24/09/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 8/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 10/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Apithor traps left in for 2-weeks, then removed and inspected |
| -29.03 | 167.96 | 26/09/2013 | Chalkbrood | Ascospaeraceae | <i>Ascospaera apis</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 8/10/2013 | Chalkbrood | Ascospaeraceae | <i>Ascospaera apis</i> | Absent | Visual Inspection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Test target common name | Test target Family | Test target organism | Testing results | Collection method |
|----------|-----------|------------|-------------------------------|--------------------|---------------------------------|-----------------|----------------------------------|
| -29.03 | 167.96 | 16/09/2013 | Black queen cell virus | Dicistroviridae | Black queen cell virus | Absent | Bee sample PCR |
| -29.03 | 167.96 | 26/09/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 24/09/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 8/10/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 25/09/2013 | Chronic bee paralysis virus | Unassigned | Chronic bee paralysis virus | Absent | Bee sample PCR |
| -29.03 | 167.96 | 24/09/2013 | Deformed wing virus | Iflaviridae | Deformed wing virus | Absent | Bee sample PCR |
| -29.03 | 167.96 | 26/09/2013 | Greater wax moth | Pyralidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 24/09/2013 | Greater wax moth | Pyralidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 8/10/2013 | Greater wax moth | Pyralidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 26/09/2013 | Israeli acute paralysis virus | Dicistroviridae | Israeli acute paralysis virus | Absent | Bee sample PCR |
| -29.03 | 167.96 | 24/09/2013 | Israeli acute paralysis virus | Dicistroviridae | Israeli acute paralysis virus | Absent | Bee sample PCR |
| -29.03 | 167.96 | 26/09/2013 | Kashmir bee virus | Dicistroviridae | Kashmir bee virus | Absent | Bee sample PCR |
| -29.03 | 167.96 | 24/09/2013 | Kashmir bee virus | Dicistroviridae | Kashmir bee virus | Absent | Bee sample PCR |
| -29.03 | 167.96 | 24/09/2013 | Lake sinai virus 1 | Unassigned | Lake Sinai virus 1 | Present | Bee sample PCR |
| -29.03 | 167.96 | 24/09/2013 | Lake sinai virus 1 | Unassigned | Lake Sinai virus 1 | Absent | Bee sample PCR |
| -29.03 | 167.96 | 25/09/2013 | Lake sinai virus 2 | Unassigned | Lake Sinai virus 2 | Absent | Bee sample PCR |
| -29.03 | 167.96 | 8/10/2013 | Amoeba disease | Malpighamoebidae | <i>Malpighamoeba mellificae</i> | Absent | Live bee sampling |
| -29.03 | 167.96 | 9/10/2013 | Amoeba disease | Malpighamoebidae | <i>Malpighamoeba mellificae</i> | Absent | Live bee sampling |
| -29.03 | 167.96 | 26/09/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 24/09/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 8/10/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema apis</i> | Absent | Live bee sampling + PCR analysis |
| -29.03 | 167.96 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema ceranae</i> | Present | Live bee sampling + PCR analysis |
| -29.03 | 167.96 | 26/09/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 24/09/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 8/10/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 26/09/2013 | Sacbrood virus | Iflaviridae | Sacbrood virus | Absent | Bee sample PCR |
| -29.03 | 167.96 | 26/09/2013 | Sacbrood virus | Iflaviridae | Sacbrood virus | Absent | Visual Inspection |
| -29.03 | 167.96 | 24/09/2013 | Sacbrood virus | Iflaviridae | Sacbrood virus | Absent | Visual Inspection |
| -29.03 | 167.96 | 8/10/2013 | Sacbrood virus | Iflaviridae | Sacbrood virus | Absent | Visual Inspection |
| -29.03 | 167.96 | 25/09/2013 | Slow paralysis virus | Iflaviridae | Slow bee paralysis virus | Absent | Bee sample PCR |
| -29.03 | 167.96 | 24/09/2013 | Slow paralysis virus | Iflaviridae | Slow bee paralysis virus | Absent | Bee sample PCR |
| -29.03 | 167.96 | 26/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Date | Test target common name | Test target Family | Test target organism | Testing results | Collection method |
|----------|-----------|------------|---------------------------|--------------------|---------------------------------|-----------------|----------------------------------|
| -29.03 | 167.96 | 24/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 8/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 26/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 24/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 8/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 26/09/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 24/09/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 8/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 26/09/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 26/09/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 24/09/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.03 | 167.96 | 8/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.05 | 167.94 | 8/10/2013 | Tracheal mite | Tarsonemidae | <i>Acarapis woodi</i> | Absent | Live bee sampling |
| -29.05 | 167.94 | 8/10/2013 | Lesser wax moth | Pyralidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.05 | 167.94 | 26/09/2013 | Acute bee paralysis virus | Dicistroviridae | <i>Dicistroviridae</i> | Absent | Bee sample PCR |
| -29.05 | 167.94 | 8/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.05 | 167.94 | 8/10/2013 | Chalkbrood | Ascosphaeraceae | <i>Ascosphaera apis</i> | Absent | Visual Inspection |
| -29.05 | 167.94 | 8/10/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.05 | 167.94 | 10/10/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Sticky mat + acaricide strip |
| -29.05 | 167.94 | 8/10/2013 | Greater wax moth | Pyralidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.05 | 167.94 | 8/10/2013 | Amoeba disease | Malpighamoebidae | <i>Malpighamoeba mellificae</i> | Absent | Live bee sampling |
| -29.05 | 167.94 | 8/10/2013 | European foulbrood | Enterococcaceae | <i>Melissooccus plutonius</i> | Absent | Visual Inspection |
| -29.05 | 167.94 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema apis</i> | Absent | Live bee sampling + PCR analysis |
| -29.05 | 167.94 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema ceranae</i> | Present | Live bee sampling + PCR analysis |
| -29.05 | 167.94 | 8/10/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.05 | 167.94 | 8/10/2013 | Sacbrood virus | Iflaviridae | <i>Sacbrood virus</i> | Absent | Visual Inspection |
| -29.05 | 167.94 | 25/09/2013 | Slow paralysis virus | Iflaviridae | <i>Slow bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.05 | 167.94 | 8/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.05 | 167.94 | 10/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Sticky mat + acaricide |
| -29.05 | 167.94 | 8/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.05 | 167.94 | 10/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Sticky mat + acaricide |
| -29.05 | 167.94 | 8/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.05 | 167.94 | 10/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Sticky mat + acaricide strip |
| -29.05 | 167.94 | 8/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Test target common name | Test target Family | Test target organism | Testing results | Collection method |
|----------|-----------|-------------|-------------------------------|--------------------|--------------------------------------|-----------------|---|
| -29.05 | 167.94 | 10/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Sticky mat + acaricide strip |
| -29.02 | 167.96 | 9/10/2013 | Tracheal mite | Tarsonemidae | <i>Acarapis woodi</i> | Absent | Live bee sampling |
| -29.02 | 167.96 | 25/09/2013 | Lesser wax moth | Pyralidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.02 | 167.96 | 25/09/2013 | Acute bee paralysis virus | Dicistroviridae | <i>Acute bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.02 | 167.96 | 25/09/2013 | Acute bee paralysis virus | Dicistroviridae | <i>Acute bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.02 | 167.96 | 16/10//2013 | Acute bee paralysis virus | Dicistroviridae | <i>Acute bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.02 | 167.96 | 25/09/2013 | Acute bee paralysis virus | Dicistroviridae | <i>Acute bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.02 | 167.96 | 25/09/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.02 | 167.96 | 10/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Apithor traps left in for 2-weeks, then removed and inspected |
| -29.02 | 167.96 | 25/09/2013 | Chalkbrood | Ascospaeraceae | <i>Ascospaera apis</i> | Absent | Visual Inspection |
| -29.02 | 167.96 | 24/09/2013 | Black queen cell virus | Dicistroviridae | <i>Black queen cell virus</i> | Absent | Bee sample PCR |
| -29.02 | 167.96 | 25/09/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.02 | 167.96 | 27/09/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Sticky mat + acaricide strip |
| -29.02 | 167.96 | 24/09/2013 | Chronic bee paralysis virus | Unassigned | Chronic bee paralysis virus | Absent | Bee sample PCR |
| -29.02 | 167.96 | 25/09/2013 | Chronic bee paralysis virus | Unassigned | Chronic bee paralysis virus | Absent | Bee sample PCR |
| -29.02 | 167.96 | 16/10//2013 | Deformed wing virus | Iflaviridae | <i>Deformed wing virus</i> | Absent | Bee sample PCR |
| -29.02 | 167.96 | 25/09/2013 | Greater wax moth | Pyralidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.02 | 167.96 | 25/09/2013 | Israeli acute paralysis virus | Dicistroviridae | <i>Israeli acute paralysis virus</i> | Absent | Bee sample PCR |
| -29.02 | 167.96 | 25/09/2013 | Kashmir bee virus | Dicistroviridae | <i>Kashmir bee virus</i> | Absent | Bee sample PCR |
| -29.02 | 167.96 | 16/10//2013 | Lake sinai virus 1 | Unassigned | Lake Sinai virus 1 | Present | Bee sample PCR |
| -29.02 | 167.96 | 26/09/2013 | Lake sinai virus 2 | Unassigned | Lake Sinai virus 2 | Absent | Bee sample PCR |
| -29.02 | 167.96 | 25/09/2013 | Lake sinai virus 2 | Unassigned | Lake Sinai virus 2 | Absent | Bee sample PCR |
| -29.02 | 167.96 | 9/10/2013 | Amoeba disease | Malpighamoebidae | <i>Malpighamoeba mellificae</i> | Absent | Live bee sampling |
| -29.02 | 167.96 | 25/09/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.02 | 167.96 | 9/10/2013 | Nosema | Nosematidae | <i>Nosema apis</i> | Absent | Live bee sampling + PCR analysis |
| -29.02 | 167.96 | 9/10/2013 | Nosema | Nosematidae | <i>Nosema ceranae</i> | Present | Live bee sampling + PCR analysis |
| -29.02 | 167.96 | 25/09/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.02 | 167.96 | 25/09/2013 | Sacbrood virus | Iflaviridae | <i>Sacbrood virus</i> | Absent | Visual Inspection |
| -29.02 | 167.96 | 24/09/2013 | Sacbrood virus | Iflaviridae | <i>Sacbrood virus</i> | Absent | Bee sample PCR |
| -29.02 | 167.96 | 25/09/2013 | Sacbrood virus | Iflaviridae | <i>Sacbrood virus</i> | Absent | Bee sample PCR |
| -29.02 | 167.96 | 16/10/2013 | Slow paralysis virus | Iflaviridae | <i>Slow bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.02 | 167.96 | 25/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Date | Test target common name | Test target Family | Test target organism | Testing results | Collection method |
|----------|-----------|------------|-------------------------------|--------------------|--------------------------------------|-----------------|---|
| -29.02 | 167.96 | 27/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Sticky mat + acaricide |
| -29.02 | 167.96 | 27/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Sticky mat + acaricide |
| -29.02 | 167.96 | 25/09/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.02 | 167.96 | 27/09/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Sticky mat + acaricide strip |
| -29.02 | 167.96 | 25/09/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.02 | 167.96 | 27/09/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Sticky mat + acaricide strip |
| -29.06 | 167.94 | 26/09/2013 | Lesser wax moth | Pyralidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.06 | 167.94 | 26/09/2013 | Acute bee paralysis virus | Dicistroviridae | <i>Acute bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.06 | 167.94 | 26/09/2013 | Acute bee paralysis virus | Dicistroviridae | <i>Acute bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.06 | 167.94 | 26/09/2013 | Acute bee paralysis virus | Dicistroviridae | <i>Acute bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.06 | 167.94 | 26/09/2013 | Acute bee paralysis virus | Dicistroviridae | <i>Acute bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.06 | 167.94 | 26/09/2013 | Acute bee paralysis virus | Dicistroviridae | <i>Acute bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.06 | 167.94 | 26/09/2013 | Acute bee paralysis virus | Dicistroviridae | <i>Acute bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.06 | 167.94 | 26/09/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.06 | 167.94 | 10/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Apithor traps left in for two weeks, then removed and inspected |
| -29.06 | 167.94 | 24/09/2013 | Black queen cell virus | Dicistroviridae | <i>Black queen cell virus</i> | Absent | Bee sample PCR |
| -29.06 | 167.94 | 25/09/2013 | Black queen cell virus | Dicistroviridae | <i>Black queen cell virus</i> | Absent | Bee sample PCR |
| -29.06 | 167.94 | 16/10/2013 | Black queen cell virus | Dicistroviridae | <i>Black queen cell virus</i> | Absent | Bee sample PCR |
| -29.06 | 167.94 | 10/10/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Sticky mat + acaricide strip |
| -29.06 | 167.96 | 26/09/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.06 | 167.94 | 24/09/2013 | Chronic bee paralysis virus | Unassigned | Chronic bee paralysis virus | Absent | Bee sample PCR |
| -29.06 | 167.94 | 26/09/2013 | Chronic bee paralysis virus | Unassigned | Chronic bee paralysis virus | Absent | Bee sample PCR |
| -29.06 | 167.94 | 26/09/2013 | Deformed wing virus | Iflaviridae | <i>Deformed wing virus</i> | Absent | Bee sample PCR |
| -29.06 | 167.94 | 16/10/2013 | Deformed wing virus | Iflaviridae | <i>Deformed wing virus</i> | Absent | Bee sample PCR |
| -29.06 | 167.94 | 25/09/2013 | Deformed wing virus | Iflaviridae | <i>Deformed wing virus</i> | Absent | Bee sample PCR |
| -29.06 | 167.94 | 26/09/2013 | Greater wax moth | Pyralidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.06 | 167.94 | 26/09/2013 | Israeli acute paralysis virus | Dicistroviridae | <i>Israeli acute paralysis virus</i> | Absent | Bee sample PCR |
| -29.06 | 167.94 | 26/09/2013 | Kashmir bee virus | Dicistroviridae | Kashmir bee virus | Absent | Bee sample PCR |
| -29.06 | 167.94 | 16/10/2013 | Lake Sinai virus 1 | Unassigned | Lake Sinai virus 1 | Present | Bee sample PCR |
| -29.06 | 167.94 | 16/10/2013 | Lake Sinai virus 1 | Unassigned | Lake Sinai virus 1 | Present | Bee sample PCR |
| -29.06 | 167.94 | 24/09/2013 | Lake Sinai virus 2 | Unassigned | Lake Sinai virus 2 | Absent | Bee sample PCR |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Test target common name | Test target Family | Test target organism | Testing results | Collection method |
|----------|-----------|------------|-------------------------|--------------------|---------------------------------|-----------------|----------------------------------|
| -29.06 | 167.94 | 26/09/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.06 | 167.94 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema apis</i> | Absent | Live bee sampling + PCR analysis |
| -29.06 | 167.94 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema ceranae</i> | Present | Live bee sampling + PCR analysis |
| -29.06 | 167.94 | 26/09/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.06 | 167.94 | 26/09/2013 | Sacbrood virus | <i>Iflaviridae</i> | <i>Sacbrood virus</i> | Absent | Visual Inspection |
| -29.06 | 167.94 | 26/09/2013 | Sacbrood virus | <i>Iflaviridae</i> | <i>Sacbrood virus</i> | Absent | Bee sample PCR |
| -29.06 | 167.94 | 24/09/2013 | Sacbrood virus | <i>Iflaviridae</i> | <i>Sacbrood virus</i> | Absent | Bee sample PCR |
| -29.06 | 167.94 | 25/09/2013 | Sacbrood virus | <i>Iflaviridae</i> | <i>Sacbrood virus</i> | Absent | Bee sample PCR |
| -29.06 | 167.94 | 16/10/2013 | Slow paralysis virus | <i>Iflaviridae</i> | <i>Slow bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.06 | 167.94 | 24/09/2013 | Slow paralysis virus | <i>Iflaviridae</i> | <i>Slow bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.06 | 167.94 | 25/09/2013 | Slow paralysis virus | <i>Iflaviridae</i> | <i>Slow bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.06 | 167.94 | 26/09/2013 | Slow paralysis virus | <i>Iflaviridae</i> | <i>Slow bee paralysis virus</i> | Absent | Bee sample PCR |
| -29.06 | 167.94 | 26/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.06 | 167.94 | 10/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Sticky mat + acaricide |
| -29.06 | 167.94 | 26/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.06 | 167.94 | 10/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Sticky mat + acaricide |
| -29.06 | 167.94 | 26/09/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.06 | 167.94 | 10/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Sticky mat + acaricide strip |
| -29.06 | 167.94 | 10/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Sticky mat + acaricide strip |
| -29.05 | 167.97 | 8/10/2013 | Tracheal mite | Tarsonemidae | <i>Acarapis woodi</i> | Absent | Live bee sampling |
| -29.05 | 167.97 | 8/10/2013 | Lesser wax moth | Pyralidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.05 | 167.97 | 8/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.05 | 167.97 | 8/10/2013 | Chalkbrood | Ascospaeraceae | <i>Ascospaera apis</i> | Absent | Visual Inspection |
| -29.05 | 167.97 | 8/10/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.05 | 167.97 | 10/10/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Sticky mat + acaricide strip |
| -29.05 | 167.97 | 8/10/2013 | Greater wax moth | Pyralidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.05 | 167.97 | 8/10/2013 | Amoeba disease | Malpighamoebidae | <i>Malpighamoeba mellificae</i> | Absent | Live bee sampling |
| -29.05 | 167.97 | 8/10/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.05 | 167.97 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema apis</i> | Absent | Live bee sampling + PCR analysis |
| -29.05 | 167.97 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema ceranae</i> | Present | Live bee sampling + PCR analysis |
| -29.05 | 167.97 | 8/10/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.05 | 167.97 | 8/10/2013 | Sacbrood virus | <i>Iflaviridae</i> | <i>Sacbrood virus</i> | Absent | Visual Inspection |
| -29.05 | 167.97 | 8/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.05 | 167.97 | 10/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Sticky mat + acaricide |

G. V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Date | Test target common name | Test target Family | Test target organism | Testing results | Collection method |
|----------|-----------|------------|-------------------------|--------------------|---------------------------------|-----------------|----------------------------------|
| -29.05 | 167.97 | 8/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.05 | 167.97 | 10/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Sticky mat + acaricide |
| -29.05 | 167.97 | 8/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.05 | 167.97 | 10/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Sticky mat + acaricide strip |
| -29.05 | 167.97 | 8/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.05 | 167.97 | 10/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Sticky mat + acaricide strip |
| -29.02 | 167.95 | 9/10/2013 | Tracheal mite | Tarsonemidae | <i>Acarapis woodi</i> | Absent | Live bee sampling |
| -29.02 | 167.95 | 9/10/2013 | Lesser wax moth | Pyralidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.02 | 167.95 | 9/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.02 | 167.95 | 9/10/2013 | Chalkbrood | Ascospaeraceae | <i>Ascospaera apis</i> | Absent | Visual Inspection |
| -29.02 | 167.95 | 9/10/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.02 | 167.95 | 9/10/2013 | Greater wax moth | Pyralidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.02 | 167.95 | 9/10/2013 | Amoeba disease | Malpighamoebidae | <i>Malpighamoeba mellificae</i> | Absent | Live bee sampling |
| -29.02 | 167.95 | 9/10/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.02 | 167.95 | 9/10/2013 | Nosema | Nosematidae | <i>Nosema apis</i> | Absent | Live bee sampling + PCR analysis |
| -29.02 | 167.95 | 9/10/2013 | Nosema | Nosematidae | <i>Nosema ceranae</i> | Present | Live bee sampling + PCR analysis |
| -29.02 | 167.95 | 9/10/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.02 | 167.95 | 9/10/2013 | Sacbrood virus | Iflaviridae | <i>Sacbrood virus</i> | Absent | Visual Inspection |
| -29.02 | 167.95 | 9/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.02 | 167.95 | 9/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.02 | 167.95 | 9/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.02 | 167.95 | 9/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.03 | 167.98 | 8/10/2013 | Tracheal mite | Tarsonemidae | <i>Acarapis woodi</i> | Absent | Live bee sampling |
| -29.03 | 167.98 | 8/10/2013 | Lesser wax moth | Pyralidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.03 | 167.98 | 8/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.03 | 167.98 | 8/10/2013 | Chalkbrood | Ascospaeraceae | <i>Ascospaera apis</i> | Absent | Visual Inspection |
| -29.03 | 167.98 | 10/10/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Sticky mat + acaricide strip |
| -29.03 | 167.98 | 8/10/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.03 | 167.98 | 8/10/2013 | Greater wax moth | Pyralidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.03 | 167.98 | 8/10/2013 | Amoeba disease | Malpighamoebidae | <i>Malpighamoeba mellificae</i> | Absent | Live bee sampling |
| -29.03 | 167.98 | 8/10/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.03 | 167.98 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema apis</i> | Absent | Live bee sampling + PCR analysis |
| -29.03 | 167.98 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema ceranae</i> | Absent | Live bee sampling + PCR analysis |
| -29.03 | 167.98 | 8/10/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Test target common name | Test target Family | Test target organism | Testing results | Collection method |
|----------|-----------|------------|-------------------------|--------------------|--------------------------------|-----------------|---|
| -29.03 | 167.98 | 8/10/2013 | Sacbrood virus | <i>Iflaviridae</i> | <i>Sacbrood virus</i> | Absent | Visual Inspection |
| -29.03 | 167.98 | 10/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Sticky mat + acaricide |
| -29.03 | 167.98 | 8/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.03 | 167.98 | 10/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Sticky mat + acaricide |
| -29.03 | 167.98 | 8/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.03 | 167.98 | 10/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Sticky mat + acaricide strip |
| -29.03 | 167.98 | 8/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.03 | 167.98 | 10/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Sticky mat + acaricide strip |
| -29.03 | 167.98 | 8/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.03 | 167.99 | 26/09/2013 | Lesser wax moth | Pyralidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.03 | 167.99 | 26/09/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.03 | 167.99 | 26/09/2013 | Chalkbrood | Ascospaeraceae | <i>Ascospaera apis</i> | Absent | Visual Inspection |
| -29.03 | 167.99 | 26/09/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.03 | 167.99 | 26/09/2013 | Greater wax moth | Pyralidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.03 | 167.99 | 26/09/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.03 | 167.99 | 26/09/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.03 | 167.99 | 26/09/2013 | Sacbrood virus | <i>Iflaviridae</i> | <i>Sacbrood virus</i> | Absent | Visual Inspection |
| -29.03 | 167.99 | 26/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.03 | 167.99 | 26/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.03 | 167.99 | 26/09/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.03 | 167.99 | 26/09/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 8/10/2013 | Tracheal mite | Tarsonemidae | <i>Acarapis woodi</i> | Absent | Live bee sampling |
| -29.04 | 167.99 | 25/09/2013 | Lesser wax moth | Pyralidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.04 | 167.99 | 8/10/2013 | Lesser wax moth | Pyralidae | <i>Achroia grisella</i> | Present | Visual Inspection |
| -29.04 | 167.99 | 25/09/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 8/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 10/10/2013 | Small hive beetle | Nitidulidae | <i>Aethina tumida</i> | Absent | Apithor traps left in for two weeks, then removed and inspected |
| -29.04 | 167.99 | 25/09/2013 | Chalkbrood | Ascospaeraceae | <i>Ascospaera apis</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 8/10/2013 | Chalkbrood | Ascospaeraceae | <i>Ascospaera apis</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 8/10/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 25/09/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 27/09/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Sticky mat + acaricide strip |
| -29.04 | 167.99 | 10/10/2013 | Braula fly | Braulidae | <i>Braula coeca</i> | Absent | Sticky mat + acaricide strip |
| -29.04 | 167.99 | 25/09/2013 | Greater wax moth | Pyralidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |

G.V. MAYNARD, B.J. LEPSCHI AND S.F. MALFROY

| Latitude | Longitude | Date | Test target common name | Test target Family | Test target organism | Testing results | Collection method |
|----------|-----------|------------|-------------------------|--------------------|---------------------------------|-----------------|----------------------------------|
| -29.04 | 167.99 | 8/10/2013 | Greater wax moth | Pyralidae | <i>Galleria mellonella</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 8/10/2013 | Amoeba disease | Malpighamoebidae | <i>Malpighamoeba mellificae</i> | Absent | Live bee sampling |
| -29.04 | 167.99 | 25/09/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 8/10/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema apis</i> | Absent | Live bee sampling + PCR analysis |
| -29.04 | 167.99 | 8/10/2013 | Nosema | Nosematidae | <i>Nosema ceranae</i> | Present | Live bee sampling + PCR analysis |
| -29.04 | 167.99 | 25/09/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 8/10/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 25/09/2013 | Sacbrood virus | Iflaviridae | <i>Sacbrood virus</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 8/10/2013 | Sacbrood virus | Iflaviridae | <i>Sacbrood virus</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 25/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 8/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 10/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps clarae</i> | Absent | Sticky mat + acaricide |
| -29.04 | 167.99 | 25/09/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 8/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 10/10/2013 | Tropilaelaps mite | Laelapidae | <i>Tropilaelaps mercedesae</i> | Absent | Sticky mat + acaricide |
| -29.04 | 167.99 | 25/09/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 8/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 10/10/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Sticky mat + acaricide strip |
| -29.04 | 167.99 | 27/09/2013 | Varroa mite | Varroidae | <i>Varroa destructor</i> | Absent | Sticky mat + acaricide strip |
| -29.04 | 167.99 | 25/09/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 8/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Visual Inspection |
| -29.04 | 167.99 | 10/10/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Sticky mat + acaricide strip |
| -29.04 | 167.99 | 27/09/2013 | Varroa mite | Varroidae | <i>Varroa jacobsoni</i> | Absent | Sticky mat + acaricide strip |
| -29.04 | 167.94 | 1/02/2010 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/04/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/09/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/10/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/12/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/04/2014 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/02/2010 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/04/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/09/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Composite honey sample |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Test target common name | Test target Family | Test target organism | Testing results | Collection method |
|----------|-----------|-----------|-------------------------|--------------------|--------------------------------|-----------------|------------------------|
| -29.04 | 167.94 | 1/10/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/12/2013 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/04/2014 | European foulbrood | Enterococcaceae | <i>Melissococcus plutonius</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/02/2010 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/12/2012 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/04/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/09/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/10/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/12/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/04/2014 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/02/2010 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/12/2012 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/04/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/09/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/10/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/12/2013 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Composite honey sample |
| -29.04 | 167.94 | 1/04/2014 | American foulbrood | Paenibacillaceae | <i>Paenibacillus larvae</i> | Absent | Composite honey sample |

Table 5. Norfolk Island Quarantine Survey - non-fungal plant pathogens

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Collection method | Notes |
|----------|-----------|------------|-------------|---|--------------|---------------|---|-------------------|--|
| -29.04 | 167.96 | 10/10/2013 | Solanaceae | <i>Capsicum annuum</i> L. | Rhizobiales | Rhizobiaceae | <i>Candidatus</i> Liberbacter solanacearum', Lieling | Hand collection | JT-123; ringspots; identified by PCR |
| -29.04 | 167.96 | 13/11/2014 | Solanaceae | <i>Capsicum annuum</i> | Rhizobiales | Rhizobiaceae | <i>Candidatus</i> Liberbacter solanacearum' | Hand collection | JT513; identified by PCR |
| -29.00 | 167.93 | 16/11/2014 | Solanaceae | <i>Capsicum annuum</i> | Rhizobiales | Rhizobiaceae | <i>Candidatus</i> Liberbacter solanacearum' | Hand collection | JT535; identified by PCR |
| -29.00 | 167.93 | 16/11/2015 | Solanaceae | <i>Datura stramonium</i> L. | Rhizobiales | Rhizobiaceae | <i>Candidatus</i> Liberbacter solanacearum' | Hand collection | AGNov14-38; identified by PCR |
| -29.01 | 167.93 | 13/11/2014 | Solanaceae | <i>Nicandra physalodes</i> (L.) Gaertn. | Rhizobiales | Rhizobiaceae | <i>Candidatus</i> Liberbacter solanacearum' | Hand collection | JT521B; identified by PCR |
| -29.00 | 167.93 | 16/11/2015 | Solanaceae | <i>Nicandra physalodes</i> | Rhizobiales | Rhizobiaceae | <i>Candidatus</i> Liberbacter solanacearum' | Hand collection | AGNov14-36; identified by PCR |
| -29.01 | 167.93 | 16/11/2015 | Solanaceae | <i>Solanum inaequanum</i> Hepper & P.-M.L. Jaeger | Rhizobiales | Rhizobiaceae | <i>Candidatus</i> Liberbacter solanacearum' | Hand collection | AGNov14-37; identified by PCR |
| -29.03 | 167.99 | 20/02/2014 | Solanaceae | <i>Solanum lycopersicum</i> L. | Rhizobiales | Rhizobiaceae | <i>Candidatus</i> Liberbacter solanacearum' | Hand collection | JT-218; interveinal chlorosis, cupping; identified by PCR and sequencing |
| -29.03 | 167.99 | 20/02/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Rhizobiales | Rhizobiaceae | <i>Candidatus</i> Liberbacter solanacearum' | Hand collection | FebAG-9; upward leaf curling; identified by PCR and sequencing |
| -29.04 | 167.96 | 13/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Rhizobiales | Rhizobiaceae | <i>Candidatus</i> Liberbacter solanacearum' | Hand collection | JT511; identified by PCR |
| -29.00 | 167.93 | 16/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Rhizobiales | Rhizobiaceae | <i>Candidatus</i> Liberbacter solanacearum' | Hand collection | JT534; identified by PCR |
| -29.05 | 167.93 | 18/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Rhizobiales | Rhizobiaceae | <i>Candidatus</i> Liberbacter solanacearum' | Hand collection | JT547; identified by PCR |
| -29.04 | 167.99 | 18/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Rhizobiales | Rhizobiaceae | <i>Candidatus</i> Liberbacter solanacearum' | Hand collection | JT566; volunteer cherry tomato; identified by PCR |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Collection method | Notes |
|----------|-----------|------------|----------------|---|--------------|---------------|---|-------------------|---|
| -29.00 | 167.93 | 13/11/2014 | Solanaceae | <i>Solanum melongena</i> L. | Rhizobiales | Rhizobiaceae | <i>Candidatus</i> Liberibacter solanacearum | Hand collection | AGNov14-14; identified by PCR |
| -29.04 | 167.99 | 18/11/2014 | Solanaceae | <i>Solanum nodiflorum</i> Jacq. | Rhizobiales | Rhizobiaceae | <i>Candidatus</i> Liberibacter solanacearum | Hand collection | JT568; identified by PCR |
| -29.01 | 167.93 | 16/11/2015 | Solanaceae | <i>Solanum nodiflorum</i> | Rhizobiales | Rhizobiaceae | <i>Candidatus</i> Liberibacter solanacearum | Hand collection | AGNov14-39; 6 samples; identified by PCR |
| -29.04 | 167.99 | 18/11/2014 | Solanaceae | <i>Solanum tuberosum</i> L. | Rhizobiales | Rhizobiaceae | <i>Candidatus</i> Liberibacter solanacearum | Hand collection | Tuber with internal necrosis; identified by PCR |
| -29.03 | 167.99 | 20/02/2014 | Solanaceae | <i>Capsicum annuum</i> | Unassigned | Bromoviridae | <i>Alfalfa mosaic virus</i> | Hand collection | JT-219; bright yellow blotches; identified by ELISA |
| -29.04 | 167.96 | 13/11/2014 | Solanaceae | <i>Capsicum annuum</i> | Unassigned | Bromoviridae | <i>Alfalfa mosaic virus</i> | Hand collection | JT512; identified by ELISA |
| -29.00 | 167.93 | 13/11/2014 | Solanaceae | <i>Capsicum annuum</i> | Unassigned | Bromoviridae | <i>Alfalfa mosaic virus</i> | Hand collection | JT521A; identified by ELISA |
| -29.03 | 167.99 | 30/05/2014 | Solanaceae | <i>Capsicum annuum</i> | Unassigned | Bromoviridae | <i>Alfalfa mosaic virus</i> | Hand collection | JT336; white blotches, rings; identified by ELISA |
| -29.03 | 167.99 | 30/05/2014 | Solanaceae | <i>Capsicum annuum</i> | Unassigned | Bromoviridae | <i>Alfalfa mosaic virus</i> | Hand collection | JT337; white blotches, rings. Identified by ELISA |
| -29.03 | 167.99 | 30/05/2014 | Solanaceae | <i>Capsicum annuum</i> | Unassigned | Bromoviridae | <i>Alfalfa mosaic virus</i> | Hand collection | JT338; white blotches, rings. Identified by ELISA |
| -29.05 | 167.93 | 15/11/2014 | Asteraceae | <i>Cichorium intybus</i> L. | Unassigned | Bromoviridae | <i>Alfalfa mosaic virus</i> | Hand collection | AGNov14-29; identified by ELISA |
| -29.05 | 167.93 | 18/11/2014 | Apiaceae | <i>Coriandrum sativum</i> L. | Unassigned | Bromoviridae | <i>Alfalfa mosaic virus</i> | Hand collection | JT544; mosaic; AMV; identified by ELISA |
| -29.06 | 167.96 | 19/02/2014 | Solanaceae | <i>Datura stramonium</i> | Unassigned | Bromoviridae | <i>Alfalfa mosaic virus</i> | Hand collection | FebAG-6; strong mosaic; identified by ELISA |
| -29.04 | 167.96 | 19/02/2014 | Plumbaginaceae | <i>Limonium latifolium</i> (Sm.) Kuntze | Unassigned | Bromoviridae | <i>Alfalfa mosaic virus</i> | Hand collection | JT-203; strong chlorotic spots and rings; identified by ELISA |
| -29.05 | 167.93 | 13/06/2013 | Fabaceae | <i>Medicago sativa</i> L. | Unassigned | Bromoviridae | <i>Alfalfa mosaic virus</i> | Hand collection | ELISA NIBS-116; identified by ELISA |
| -29.04 | 167.93 | 13/06/2013 | Fabaceae | <i>Medicago sativa</i> | Unassigned | Bromoviridae | <i>Alfalfa mosaic virus</i> | Hand collection | NIBS-117; leaf mottle; identified by ELISA |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Collection method | Notes |
|----------|-----------|------------|-------------|---|--------------|---------------------|-----------------------------|-------------------|--|
| -29.05 | 167.93 | 13/06/2013 | Fabaceae | <i>Medicago sativa</i> | Unassigned | <i>Bromoviridae</i> | <i>Alfalfa mosaic virus</i> | Hand collection | NIBS-118; leaf mottle; identified by ELISA |
| -29.05 | 167.93 | 13/06/2013 | Fabaceae | <i>Medicago sativa</i> | Unassigned | <i>Bromoviridae</i> | <i>Alfalfa mosaic virus</i> | Hand collection | NIBS-119; prominent mosaic and interveinal yellowing; identified by ELISA |
| -29.05 | 167.93 | 13/06/2013 | Fabaceae | <i>Medicago sativa</i> | Unassigned | <i>Bromoviridae</i> | <i>Alfalfa mosaic virus</i> | Hand collection | NIBS-120; prominent yellow mosaic; identified by ELISA |
| -29.05 | 167.93 | 13/06/2013 | Fabaceae | <i>Medicago sativa</i> | Unassigned | <i>Bromoviridae</i> | <i>Alfalfa mosaic virus</i> | Hand collection | NIBS-121; prominent yellow mosaic; identified by ELISA |
| -29.05 | 167.93 | 13/06/2013 | Fabaceae | <i>Medicago sativa</i> | Unassigned | <i>Bromoviridae</i> | <i>Alfalfa mosaic virus</i> | Hand collection | NIBS-122; samples mostly asymptomatic or with mild mottle; identified by ELISA |
| -29.03 | 167.93 | 14/10/2013 | Fabaceae | <i>Medicago sativa</i> | Unassigned | <i>Bromoviridae</i> | <i>Alfalfa mosaic virus</i> | Hand collection | OctAG-23; weedy plant, mosaic; identified by PCR and sequencing |
| -29.04 | 167.96 | 13/11/2014 | Solanaceae | <i>Nicanhra physalodes</i> | Unassigned | <i>Bromoviridae</i> | <i>Alfalfa mosaic virus</i> | Hand collection | AGNov14-8; strong yellow mosaic; photo 2903; identified by ELISA |
| -29.05 | 167.94 | 14/11/2014 | Solanaceae | <i>Nicanhra physalodes</i> | Unassigned | <i>Bromoviridae</i> | <i>Alfalfa mosaic virus</i> | Hand collection | AGNov14-24; vein clearing; photo 4518; AMV; identified by ELISA |
| -29.04 | 167.96 | 18/11/2014 | Solanaceae | <i>Petunia × atkinsiana</i> (Sweet) D. Don ex W.H. Baxter | Unassigned | <i>Bromoviridae</i> | <i>Alfalfa mosaic virus</i> | Hand collection | J1559; flower break, oak leaf; identified by ELISA |
| -29.04 | 167.96 | 13/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Unassigned | <i>Bromoviridae</i> | <i>Alfalfa mosaic virus</i> | Hand collection | J1507; BPV; identified by ELISA |
| -29.05 | 167.94 | 15/11/2014 | Solanaceae | <i>Solanum nodiflorum</i> | Unassigned | <i>Bromoviridae</i> | <i>Alfalfa mosaic virus</i> | Hand collection | J1526; identified by ELISA |
| -29.05 | 167.93 | 15/11/2014 | Asteraceae | <i>Sonchus oleraceus</i> L. | Unassigned | <i>Bromoviridae</i> | <i>Alfalfa mosaic virus</i> | Hand collection | AGNov14-32; identified by ELISA |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Collection method | Notes |
|----------|-----------|------------|-----------------|---|--------------|-----------------------|---------------------------------|-------------------|--|
| -29.04 | 167.96 | 10/10/2013 | Lamiaceae | <i>Stachys arvensis</i> (L.) L. | Unassigned | <i>Bromoviridae</i> | <i>Alfalfa mosaic virus</i> | Hand collection | OctAG-12; bright yellow mosaic; identified by ELISA AG Nov 14-25, |
| -29.05 | 167.94 | 14/11/2014 | Lamiaceae | <i>Stachys arvensis</i> | Unassigned | <i>Bromoviridae</i> | <i>Alfalfa mosaic virus</i> | Hand collection | photo 4519, AMV, yellow mosaic; identified by ELISA JF-172; yellow mosaic; identified by ELISA |
| -29.05 | 167.95 | 14/10/2013 | Fabaceae | <i>Trifolium repens</i> L. var. <i>repens</i> | Unassigned | <i>Bromoviridae</i> | <i>Alfalfa mosaic virus</i> | Hand collection | AG Nov 14-31; identified by ELISA JF175; yellow mosaic; identified by ELISA |
| -29.05 | 167.93 | 15/11/2014 | Fabaceae | <i>Trifolium repens</i> var. <i>repens</i> | Unassigned | <i>Bromoviridae</i> | <i>Alfalfa mosaic virus</i> | Hand collection | JF177; vein mosaic. Identified by ELISA |
| -29.03 | 167.93 | 14/10/2013 | Fabaceae | Unknown | Unassigned | <i>Bromoviridae</i> | <i>Alfalfa mosaic virus</i> | Hand collection | AG Oct 14-7; about 10% infection; strong mosaic, inward rolling of leaves; identified by ELISA |
| -29.03 | 167.93 | 14/10/2013 | Unknown | Unknown | Unassigned | <i>Bromoviridae</i> | <i>Alfalfa mosaic virus</i> | Hand collection | JF-116; mosaic; identified by PCR and sequencing |
| -29.04 | 167.96 | 13/10/2014 | Fabaceae | <i>Vicia faba</i> L. | Unassigned | <i>Bromoviridae</i> | <i>Alfalfa mosaic virus</i> | Hand collection | JF-121; mosaic; seedling Granny Smith, green fruit with red blush; identified by PCR and sequencing |
| -29.04 | 167.96 | 10/10/2013 | Astroemeriaceae | <i>Astroemeria</i> L. | Unassigned | <i>Potyviridae</i> | <i>Astroemeria mosaic virus</i> | Hand collection | JF-63; some yellow blotches, identified by PCR and sequencing |
| -29.04 | 167.96 | 10/10/2013 | Rosaceae | <i>Malus pumila</i> Mill. | Unassigned | <i>Bromoviridae</i> | <i>Apple mosaic virus</i> | Hand collection | NIBS-211; all followers in a clump with BSV symptoms; 12 yr old planting; identified by PCR and sequencing |
| -29.02 | 167.96 | 17/06/2013 | Musaceae | <i>Musa</i> L. AAB Group | Unassigned | <i>Caulimoviridae</i> | <i>Banana streak IM virus</i> | Hand collection | |
| -29.03 | 167.99 | 14/06/2013 | Musaceae | <i>Musa</i> L. AAAA Group, cv. Williams | Unassigned | <i>Caulimoviridae</i> | <i>Banana streak OL virus</i> | Hand collection | |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Collection method | Notes |
|----------|-----------|-----------------|---------------|--|--------------|--------------------|------------------------------------|-------------------|--|
| -29.05 | 167.93 | 18/11/2014 | Fabaceae | <i>Phaseolus vulgaris</i> L. | Unassigned | <i>Potyviridae</i> | Bean yellow mosaic virus | Hand collection | JT555; mosaic, leaf down curling; identified by PCR and sequencing |
| -29.00 | 167.93 | 12/06/2013 0:00 | Apiaceae | <i>Coriandrum sativum</i> | Unassigned | <i>Potyviridae</i> | Carrot virus Y | Hand collection | Mosaic |
| -29.06 | 167.96 | 12/10/2013 | Araceae | <i>Colocasia esculenta</i> (L.) Schott | Unassigned | <i>Potyviridae</i> | <i>Commelina mild mosaic virus</i> | Hand collection | JT-16; mosaic; identified by PCR |
| -29.12 | 167.95 | 12/11/2014 | Commelinaceae | <i>Commelina cyanea</i> R. Br. | Unassigned | <i>Potyviridae</i> | <i>Commelina mild mosaic virus</i> | Hand collection | JT501; Philip Island; identified by PCR and sequencing |
| -29.12 | 167.95 | 12/11/2014 | Commelinaceae | <i>Commelina cyanea</i> | Unassigned | <i>Potyviridae</i> | <i>Commelina mild mosaic virus</i> | Hand collection | JT503; identified by PCR and sequencing |
| -29.01 | 167.93 | 13/06/2013 | Commelinaceae | <i>Commelina cyanea</i> | Unassigned | <i>Potyviridae</i> | <i>Commelina mild mosaic virus</i> | Hand collection | JT-12; mosaic; identified by PCR and sequencing |
| -29.01 | 167.93 | 13/06/2013 | Commelinaceae | <i>Commelina cyanea</i> | Unassigned | <i>Potyviridae</i> | <i>Commelina mild mosaic virus</i> | Hand collection | JT-17; mosaic; identified by PCR and sequencing |
| -29.03 | 167.99 | 14/06/2013 | Commelinaceae | <i>Commelina cyanea</i> | Unassigned | <i>Potyviridae</i> | <i>Commelina mild mosaic virus</i> | Hand collection | JT-29; identified by PCR and sequencing |
| -29.03 | 167.94 | 16/06/2013 | Commelinaceae | <i>Commelina cyanea</i> | Unassigned | <i>Potyviridae</i> | <i>Commelina mild mosaic virus</i> | Hand collection | JT-4; identified by PCR and sequencing |
| -29.03 | 167.94 | 16/06/2013 | Commelinaceae | <i>Commelina cyanea</i> | Unassigned | <i>Potyviridae</i> | <i>Commelina mild mosaic virus</i> | Hand collection | JT-51; mosaic; identified by PCR and sequencing |
| -29.06 | 167.97 | 17/06/2013 | Commelinaceae | <i>Commelina cyanea</i> | Unassigned | <i>Potyviridae</i> | <i>Commelina mild mosaic virus</i> | Hand collection | JT-65; identified by PCR and sequencing |
| -29.03 | 167.99 | 14/06/2013 | Commelinaceae | <i>Commelina cyanea</i> | Unassigned | <i>Potyviridae</i> | <i>Commelina mild mosaic virus</i> | Hand collection | NIBS-212; identified by PCR and sequencing |
| -29.00 | 167.93 | 9/10/2013 | Commelinaceae | <i>Commelina cyanea</i> | Unassigned | <i>Potyviridae</i> | <i>Commelina mild mosaic virus</i> | Hand collection | JT-112; mosaic; identified by PCR and sequencing |
| -29.00 | 167.93 | 22/02/2014 | Commelinaceae | <i>Commelina cyanea</i> | Unassigned | <i>Potyviridae</i> | <i>Commelina mild mosaic virus</i> | Hand collection | JT-245; mosaic; identified by PCR and sequencing |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Collection method | Notes |
|----------|-----------|------------|---------------|--|------------------------|--------------------------|------------------------------------|-------------------|---|
| -29.06 | 167.97 | 17/06/2013 | Commelinaceae | <i>Commelina cyanea</i> | Unassigned | <i>Potyviridae</i> | <i>Commelina mild mosaic virus</i> | Hand collection | J167; mosaic; identified by PCR and sequencing |
| -29.05 | 167.93 | 18/11/2014 | Fabaceae | <i>Pisum sativum</i> L. | Unassigned | <i>Potyviridae</i> | <i>Commelina mild mosaic virus</i> | Hand collection | Stunting, chlorotic vein flecks, chlorosis |
| -29.00 | 167.93 | 9/10/2013 | Cucurbitaceae | <i>Cucurbita pepo</i> L. | Unassigned | <i>Bromoviridae</i> | <i>Cucumber mosaic virus</i> | Hand collection | OctAG-2; 1 symptomatic plant in 2 x 60 m rows; chlorotic spots and vein yellowing on leaves; chlorotic rings and bumpsiness on fruit; identified by PCR |
| -29.00 | 167.93 | 9/10/2013 | Cucurbitaceae | <i>Cucurbita pepo</i> | Unassigned | <i>Bromoviridae</i> | <i>Cucumber mosaic virus</i> | Hand collection | OctAG-5; vernal yellowing, chlorotic spotting; identified by PCR |
| -29.04 | 167.96 | 10/10/2013 | Orchidaceae | <i>Cattleya</i> Lindl. | <i>Tymovirales</i> | <i>Alphaflexiviridae</i> | <i>Cymbidium mosaic virus</i> | Hand collection | J1-113; necrotic rings, flower break; identified by serology |
| -29.04 | 167.96 | 10/10/2013 | Orchidaceae | <i>Cattleya</i> sp. | <i>Tymovirales</i> | <i>Alphaflexiviridae</i> | <i>Cymbidium mosaic virus</i> | Hand collection | J1-148; necrotic spots, yellow small; identified by serology |
| -29.04 | 167.96 | 10/10/2013 | Orchidaceae | <i>Dendrobium</i> Sw. | <i>Tymovirales</i> | <i>Alphaflexiviridae</i> | <i>Cymbidium mosaic virus</i> | Hand collection | J1; identified by serology |
| -29.04 | 167.99 | 14/06/2013 | Orchidaceae | <i>Epidendrum</i> L. hybrid | <i>Tymovirales</i> | <i>Alphaflexiviridae</i> | <i>Cymbidium mosaic virus</i> | Hand collection | (immunostrip) NIBS206; identified by serology |
| -29.04 | 167.96 | 10/10/2013 | Orchidaceae | <i>Phalaenopsis</i> Blume | <i>Tymovirales</i> | <i>Alphaflexiviridae</i> | <i>Cymbidium mosaic virus</i> | Hand collection | (immunostrip) OctAG-7; black necrotic spots on flowers; identified by serology |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Digitaria ciliaris</i> (Retz.) Koeler | <i>Mononegavirales</i> | <i>Rhabdoviridae</i> | <i>Digitaria striate virus</i> | Hand collection | J1-240; chlorosis stripes; identified by electron microscopy |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Collection method | Notes |
|----------|-----------|------------|----------------|--|-----------------|-------------------|--|-------------------|--|
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Digitaria ciliaris</i> | Mononegavirales | Rhabdoviridae | <i>Digitaria striate virus</i> | Hand collection | J1-241; chlorosis stripes; identified by electron microscopy |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Digitaria ciliaris</i> | Mononegavirales | Rhabdoviridae | <i>Digitaria striate virus</i> | Hand collection | J1-242; chlorosis stripes; identified by electron microscopy |
| -29.02 | 167.96 | 19/02/2014 | Aliaceae | <i>Allium ampeloprasum</i> L. var. <i>ampeloprasum</i> | Tymovirales | Alphaflexiviridae | <i>Garlic virus B</i> | Hand collection | FebAG-4; Chlorotic. Identified by PCR |
| -29.03 | 167.93 | 12/06/2013 | Malvaceae | <i>Hibiscus</i> L. | Unassigned | Tombusviridae | <i>Hibiscus chlorotic ringspot virus</i> | Hand collection | J1-6; identified by PCR and sequencing |
| -29.03 | 167.93 | 11/10/2013 | Aliaceae | <i>Allium ampeloprasum</i> var. <i>ampeloprasum</i> | Unassigned | Potyviridae | <i>Leek yellow stripe virus</i> | Hand collection | J1-151; identified by PCR and sequencing |
| -29.04 | 167.99 | 14/06/2013 | Amaryllidaceae | <i>Hippeastrum</i> Herb. | Unassigned | Potyviridae | <i>Narcissus degeneration virus</i> | Hand collection | NIBS-130; identified by PCR and sequencing |
| -29.03 | 167.96 | 12/06/2013 | Amaryllidaceae | <i>Narcissus jonquilla</i> L. | Unassigned | Potyviridae | <i>Narcissus degeneration virus</i> | Hand collection | Mosaic; identified by PCR and sequencing |
| -29.04 | 167.96 | 10/10/2013 | Orchidaceae | <i>Cattleya</i> 'Dancing Lady' | Unassigned | Virgaviridae | <i>Odontoglossum ringspot virus</i> | Hand collection | J1-114; necrotic rings; identified by serology (immunostrip) |
| -29.04 | 167.96 | 10/10/2013 | Orchidaceae | <i>Phalaenopsis</i> sp. | Unassigned | Virgaviridae | <i>Odontoglossum ringspot virus</i> | Hand collection | OctAG-7; black necrotic spots on flowers; identified by serology (immunostrip) |
| -29.05 | 167.93 | 18/11/2014 | Fabaceae | <i>Pisum sativum</i> var. <i>macrocarpum</i> Ser. | Unassigned | Potyviridae | <i>Pea seed-borne mosaic virus</i> | Hand collection | J1-546; mottle; identified by PCR and sequencing |
| -29.03 | 167.93 | 12/06/2013 | Solanaceae | <i>Solanum tuberosum</i> | Unassigned | Luteoviridae | <i>Potato leaf roll virus</i> | Hand collection | J1-52; identified by PCR and sequencing |
| -29.03 | 167.93 | 12/06/2013 | Solanaceae | <i>Solanum tuberosum</i> | Unassigned | Luteoviridae | <i>Potato leaf roll virus</i> | Hand collection | J1-5; identified by PCR and sequencing |
| -29.04 | 167.96 | 13/11/2014 | Solanaceae | <i>Capsicum annuum</i> | Unassigned | Potyviridae | <i>Potato virus Y</i> | Hand collection | J1-514; chlorotic mosaic; identified by PCR and sequencing |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Collection method | Notes |
|----------|-----------|------------|--------------|---|--------------|--------------------|-----------------------|-------------------|--|
| -29.04 | 167.96 | 13/11/2014 | Solanaceae | <i>Capsicum annuum</i> | Unassigned | <i>Potyviridae</i> | <i>Potato virus Y</i> | Hand collection | JT515; green vein banding; identified by PCR and sequencing |
| -29.03 | 167.95 | 17/06/2013 | Fabaceae | <i>Desmodium tortuosum</i> (Sw.) DC. | Unassigned | <i>Potyviridae</i> | <i>Potato virus Y</i> | Hand collection | JT-55; vein chlorosis; identified by PCR and sequencing |
| -29.03 | 167.99 | 17/06/2013 | Solanaceae | <i>Nicandra physalodes</i> | Unassigned | <i>Potyviridae</i> | <i>Potato virus Y</i> | Hand collection | JT-55; yellow mosaic; identified by PCR and sequencing |
| -29.00 | 167.93 | 14/10/2013 | Solanaceae | <i>Nicotiana tabacum</i> | Unassigned | <i>Potyviridae</i> | <i>Potato virus Y</i> | Hand collection | JT-181; mosaic; identified by PCR and sequencing |
| -29.01 | 167.93 | 13/06/2013 | Solanaceae | <i>Solanum lycopersicum</i> | Unassigned | <i>Potyviridae</i> | <i>Potato virus Y</i> | Hand collection | NIBS-106; identified by PCR and sequencing |
| -29.05 | 167.93 | 13/06/2013 | Solanaceae | <i>Solanum tuberosum</i> | Unassigned | <i>Potyviridae</i> | <i>Potato virus Y</i> | Hand collection | JT-27; interveinal chlorosis; identified by PCR and sequencing |
| -29.03 | 167.93 | 12/06/2013 | Solanaceae | <i>Solanum tuberosum</i> | Unassigned | <i>Potyviridae</i> | <i>Potato virus Y</i> | Hand collection | JT-3; PLK; identified by PCR and sequencing |
| -29.03 | 167.99 | 17/06/2013 | Solanaceae | <i>Solanum tuberosum</i> | Unassigned | <i>Potyviridae</i> | <i>Potato virus Y</i> | Hand collection | JT-56; Mottle; identified by PCR and sequencing |
| -29.02 | 167.96 | 19/02/2014 | Alliaceae | <i>Allium ampeloprasum</i> var. <i>ampeloprasum</i> | Unassigned | <i>Potyviridae</i> | <i>Potyvirus</i> | Hand collection | FebAG-4; chlorotic; identified by PCR |
| -29.03 | 167.95 | 17/06/2013 | Apocynaceae | <i>Catharanthus roseus</i> (L.) G. Don | Unassigned | <i>Potyviridae</i> | <i>Potyvirus</i> | Hand collection | JT-58; mosaic; identified by PCR |
| -29.00 | 167.93 | 12/06/2013 | Apiaceae | <i>Coriandrum sativum</i> | Unassigned | <i>Potyviridae</i> | <i>Potyvirus</i> | Hand collection | JT11; mosaic; identified by PCR |
| -29.05 | 167.94 | 14/11/2014 | Fabaceae | <i>Pisum sativum</i> var. <i>macrocarpum</i> Ser. | Unassigned | <i>Potyviridae</i> | <i>Potyvirus</i> | Hand collection | AGNov14-23; vein clearing; photo 4515; identified by PCR |
| -29.03 | 167.99 | 14/06/2013 | Polygonaceae | <i>Rheum x rhubarbarum</i> L. | Unassigned | <i>Potyviridae</i> | <i>Potyvirus</i> | Hand collection | JT40; identified by EM, PCR and sequencing |

| Latitude | Longitude | Date | Host family | Host species | Target order | Target family | Target species | Collection method | Notes |
|----------|-----------|------------|--------------|---|-----------------|-------------------|----------------------------|-------------------|--|
| -29.05 | 167.93 | 13/06/2013 | Solanaceae | <i>Datura stramonium</i> | Unassigned | Geminiviridae | Tobacco yellow dwarf virus | Hand collection | JT-21; mosaic; identified by PCR and sequencing |
| -29.05 | 167.93 | 13/06/2013 | Solanaceae | <i>Datura stramonium</i> | Unassigned | Geminiviridae | Tobacco yellow dwarf virus | Hand collection | JT-25; interveinal chlorosis; identified by PCR and sequencing |
| -29.05 | 167.93 | 13/06/2013 | Solanaceae | <i>Datura stramonium</i> | Unassigned | Geminiviridae | Tobacco yellow dwarf virus | Hand collection | JT-26; interveinal chlorosis; identified by PCR and sequencing |
| -29.03 | 167.99 | 14/06/2013 | Fabaceae | <i>Phaseolus vulgaris</i> | Unassigned | Geminiviridae | Tobacco yellow dwarf virus | Hand collection | JT-30; mosaic; identified by PCR and sequencing |
| -29.05 | 167.93 | 13/06/2013 | Solanaceae | <i>Solanum mauritianum</i> Scop. | Unassigned | Geminiviridae | Tobacco yellow dwarf virus | Hand collection | JT-28; identified by PCR and sequencing |
| -29.00 | 167.93 | 16/11/2015 | Solanaceae | <i>Solanum nodiflorum</i> | Unassigned | Virgoviridae | Tomato mosaic virus | Hand collection | AGNov1441; mottle; identified by PCR, serology (immunosstrip); isolate Q6376 |
| -29.02 | 167.96 | 19/02/2014 | Alliaceae | <i>Allium ampeloprasum</i> var. <i>ampeloprasum</i> | Tymovirales | Betaflexiviridae | Unknown | Hand collection | FebAG-4; chlorotic; identified by PCR |
| -29.03 | 167.93 | 19/11/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Unassigned | Closteroviridae | Unknown | Hand collection | Identified by PCR |
| -29.04 | 167.96 | 12/10/2013 | Asparagaceae | <i>Ornithogalum thyrsoides</i> Jacq. | Unassigned | Polyviridae | Velthemia mosaic virus | Hand collection | JT-164; mosaic; identified by PCR and sequencing |
| -29.04 | 167.94 | 12/06/2013 | Fabaceae | <i>Trifolium repens</i> var. <i>repens</i> | Tymovirales | Alphaflexiviridae | White clover mosaic virus | Hand collection | Identified by PCR and sequencing |
| -29.02 | 167.94 | 13/10/2013 | Fabaceae | <i>Trifolium repens</i> var. <i>repens</i> | Tymovirales | Alphaflexiviridae | White clover mosaic virus | Hand collection | OctAG-18; symptomless; identified by PCR and sequencing |
| -29.00 | 167.93 | 12/06/2013 | Brassicaceae | <i>Brassica oleracea</i> L. | Xanthomonadales | Xanthomonadaceae | <i>Xanthomonas</i> Dowson | Hand collection | NIQS-DRB-16; dried specimen |
| -29.03 | 167.98 | 27/05/2014 | Brassicaceae | <i>Brassica oleracea</i> | Xanthomonadales | Xanthomonadaceae | <i>Xanthomonas</i> sp. | Hand collection | NIQS-RGS-4-42; dried specimen |
| -29.03 | 167.98 | 27/05/2014 | Brassicaceae | <i>Brassica oleracea</i> | Xanthomonadales | Xanthomonadaceae | <i>Xanthomonas</i> sp. | Hand collection | NIQS-RGS-4-42; dried specimen |
| -29.03 | 167.98 | 14/06/2013 | Solanaceae | <i>Solanum lycopersicum</i> | Xanthomonadales | Xanthomonadaceae | <i>Xanthomonas</i> sp. | Hand collection | NIQS-DRB-54; dried specimen |

NORFOLK ISLAND QUARANTINE SURVEY

Table 6. Norfolk Island Quarantine Survey - fungal plant pathogens

| Lat. tude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|-----------|-----------|------------|---------------|--|----------------------|------------------------------------|-------------------|--------------|
| -29.03 | 167.94 | 28/05/2014 | Malvaceae | <i>Abutilon grandifolium</i> (Willd.) Sweet | Glomerellaceae | <i>Colletotrichum forniae</i> | Hand collection | BRIP 61255 a |
| -29.00 | 167.93 | 30/09/2013 | Malvaceae | <i>Abutilon grandifolium</i> | Diaporthaceae | <i>Diaporthe leucospermi</i> | Hand collection | BRIP 60162 a |
| -29.02 | 167.96 | 2/10/2013 | Fabaceae | <i>Acacia podalyrifolia</i> A.Cumm. ex G.Don | Raveneliaceae | <i>Endoaecium</i> sp. | Hand collection | BRIP 59999 a |
| -29.04 | 167.94 | 4/10/2013 | Euphorbiaceae | <i>Acalypha wilkesiana</i> Müll. Arg. | Erysiphaceae | <i>Erysiphe acalyphae</i> | Hand collection | BRIP 60226 a |
| -29.03 | 167.93 | 19/02/2014 | Myrtaceae | <i>Acacia sellowiana</i> (O.Berg.) Burret | Amphisphaeriaceae | <i>Pestalotiopsis</i> sp. | Hand collection | BRIP 60359 a |
| -29.12 | 167.96 | 15/10/2014 | Amaranthaceae | <i>Achyranthes aspera</i> L. | Mycosphaerellaceae | <i>Cercospora</i> sp. | Hand collection | BRIP 61703 a |
| -29.03 | 167.93 | 16/02/2014 | Actinidiaceae | <i>Actinidia chinensis</i> Planch. | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 60295 a |
| -29.03 | 167.93 | 16/02/2014 | Actinidiaceae | <i>Actinidia chinensis</i> | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 60295 b |
| -29.04 | 167.96 | 17/06/2013 | Agapanthaceae | <i>Agapanthus praecox</i> Willd. | Glomerellaceae | <i>Colletotrichum cordylincola</i> | Hand collection | BRIP 59362 c |
| -29.04 | 167.96 | 17/06/2013 | Agapanthaceae | <i>Agapanthus praecox</i> | Amphisphaeriaceae | <i>Pestalotiopsis</i> sp. | Hand collection | BRIP 59362 a |
| -29.04 | 167.96 | 17/06/2013 | Agapanthaceae | <i>Agapanthus praecox</i> | Incertae sedis | <i>Phoma pedatae</i> | Hand collection | BRIP 59362 b |
| -29.00 | 167.93 | 30/09/2013 | Agavaceae | <i>Agave</i> L. | Diaporthaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 59697 a |
| -29.04 | 167.96 | 4/10/2013 | Asteraceae | <i>Ageratina riparia</i> (Regel) R.M.King & H.Rob. | Mycosphaerellaceae | <i>Mycosphaerella</i> sp. | Hand collection | BRIP 60165 a |
| -29.03 | 167.93 | 19/02/2014 | Alliaceae | <i>Allium ampeloprasum</i> L. | Erysiphaceae | <i>Leveillula allii</i> | Hand collection | BRIP 61046 a |
| -29.01 | 167.93 | 12/10/2014 | Alliaceae | <i>Allium cepa</i> L. | Pleosporaceae | <i>Stemphylium</i> sp. | Hand collection | BRIP 61713 a |
| -29.04 | 167.92 | 18/02/2014 | Alliaceae | <i>Allium fistulosum</i> L. | Pleosporaceae | <i>Alternaria alternata</i> | Hand collection | BRIP 60315 a |
| -29.03 | 167.93 | 2/10/2013 | Amaranthaceae | <i>Amaranthus blitum</i> L. | Diaporthaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 60163 a |
| -29.03 | 167.93 | 2/10/2013 | Amaranthaceae | <i>Amaranthus blitum</i> | Diaporthaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 60163 d |
| -29.03 | 167.93 | 2/10/2013 | Amaranthaceae | <i>Amaranthus blitum</i> | Nectriaceae | <i>Fusarium incarnatum</i> | Hand collection | BRIP 60163 c |
| -29.03 | 167.93 | 2/10/2013 | Amaranthaceae | <i>Amaranthus blitum</i> | Plectosphaerellaceae | <i>Verticillium dahliae</i> | Hand collection | BRIP 60163 b |

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|---------------|---|----------------------|--------------------------------------|-------------------|--------------|
| -29.04 | 167.99 | 18/02/2014 | Apiaceae | <i>Anethum graveolens</i> L. | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 60308 a |
| -29.04 | 167.96 | 19/02/2014 | Haemodaceae | <i>Amgocanthos</i> Labill. | Pleosporaceae | <i>Alternaria</i> sp. | Hand collection | BRIP 60312 a |
| -29.04 | 167.96 | 19/02/2014 | Haemodaceae | <i>Amgocanthos</i> sp. | Glomerellaceae | <i>Colletotrichum queenslandicum</i> | Hand collection | BRIP 60312 b |
| -29.04 | 167.96 | 18/02/2014 | Poaceae | <i>Amhosachne</i> Steud. | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60337 a |
| -29.03 | 167.93 | 12/06/2013 | Apiaceae | <i>Apium graveolens</i> var. <i>dulce</i> (Mill.) DC. | Mycosphaerellaceae | <i>Septoria apicola</i> | Hand collection | BRIP 59661 a |
| -29.00 | 167.93 | 12/06/2013 | Apiaceae | <i>Apium graveolens</i> var. <i>dulce</i> | Mycosphaerellaceae | <i>Septoria apicola</i> | Hand collection | BRIP 59662 a |
| -29.06 | 167.94 | 4/10/2013 | Araucariaceae | <i>Araucaria heterophylla</i> (Salisb.) Franco | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 59713 a |
| -29.02 | 167.96 | 30/05/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Hymenochaetaeae | <i>Phellinus noxius</i> | Hand collection | BRIP 61423 a |
| -29.02 | 167.96 | 30/05/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Hymenochaetaeae | <i>Phellinus noxius</i> | Hand collection | BRIP 61424 a |
| -29.02 | 167.96 | 30/05/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Hymenochaetaeae | <i>Phellinus noxius</i> | Hand collection | BRIP 61424 b |
| -29.02 | 167.96 | 30/05/2014 | Araucariaceae | <i>Araucaria heterophylla</i> | Polyporaceae | <i>Pycnoporus</i> sp. | Hand collection | BRIP 61262 a |
| -29.01 | 167.95 | 16/06/2013 | Araucariaceae | <i>Araucaria heterophylla</i> | Plectosphaerellaceae | <i>Verticillium</i> sp. | Hand collection | BRIP 59383 a |
| -29.04 | 167.98 | 18/02/2014 | Asteraceae | <i>Argyranthemum</i> Webb ex Sch. Bip. | Erysiphaceae | <i>Golovinomyces macrocarpus</i> | Hand collection | BRIP 61031 a |
| -29.02 | 167.96 | 2/10/2013 | Moraceae | <i>Artocarpus heterophyllus</i> Lam. | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 59708 a |
| -29.04 | 167.99 | 1/10/2013 | Asparagaceae | <i>Asparagus officinalis</i> L. | Diaporthaceae | <i>Diaporthe leucospermi</i> | Hand collection | BRIP 59695 a |
| -29.05 | 167.97 | 13/06/2013 | Aspleniaceae | <i>Asplenium australasicum</i> (J.Sm.) Hook. | Amphisphaeriaceae | <i>Pestalotiopsis</i> sp. | Hand collection | BRIP 59360 a |
| -29.05 | 167.97 | 13/06/2013 | Aspleniaceae | <i>Asplenium dimorphum</i> Kunze | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 59377 a |
| -29.01 | 167.94 | 25/05/2014 | Euphorbiaceae | <i>Baloghia inophylla</i> (G.Forst.) P.S.Green | Glomerellaceae | <i>Colletotrichum boninense</i> | Hand collection | BRIP 61248 a |
| -29.03 | 167.94 | 28/05/2014 | Euphorbiaceae | <i>Baloghia inophylla</i> | Hymenochaetaeae | <i>Phellinus noxius</i> | Hand collection | BRIP 61419 a |
| -29.03 | 167.94 | 16/06/2013 | Euphorbiaceae | <i>Baloghia inophylla</i> | Incertae sedis | <i>Phoma</i> sp. | Hand collection | BRIP 59385 a |
| -29.01 | 167.92 | 12/10/2014 | Poaceae | Bamboo (unidentified) | Apiosporaceae | <i>Arthrinium</i> sp. | Hand collection | BRIP 61694 b |

NORFOLK ISLAND QUARANTINE SURVEY

| Lat.tude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|----------------|---|--------------------|---------------------------------------|-------------------|--------------|
| -29.01 | 167.92 | 12/10/2014 | Poaceae | Bamboo (unidentified) | Incertae sedis | <i>Microdochium</i> sp. | Hand collection | BRIP 61694 a |
| -29.04 | 167.99 | 1/10/2013 | Begoniaceae | <i>Begonia</i> L. | Glomerellaceae | <i>Colletotrichum novae-zelandiae</i> | Hand collection | BRIP 59717 a |
| -29.05 | 167.97 | 21/02/2014 | Chenopodiaceae | <i>Beta vulgaris</i> var. <i>cicla</i> L. | Mycosphaerellaceae | <i>Cercospora beticola</i> | Hand collection | BRIP 60347 a |
| -29.02 | 167.96 | 19/02/2014 | Chenopodiaceae | <i>Beta vulgaris</i> var. <i>cicla</i> | Mycosphaerellaceae | <i>Cercospora beticola</i> | Hand collection | BRIP 60343 a |
| -29.02 | 167.96 | 17/12/2014 | Chenopodiaceae | <i>Beta vulgaris</i> var. <i>cicla</i> | Mycosphaerellaceae | <i>Cercospora beticola</i> | Hand collection | BRIP 61925 a |
| -29.00 | 167.93 | 30/09/2013 | Chenopodiaceae | <i>Beta vulgaris</i> var. <i>cicla</i> | Pleosporaceae | <i>Stemphylium</i> sp. | Hand collection | BRIP 59694 a |
| -29.00 | 167.93 | 15/12/2014 | Chenopodiaceae | <i>Beta vulgaris</i> L. var. <i>vulgaris</i> | Mycosphaerellaceae | <i>Cercospora beticola</i> | Hand collection | BRIP 61917 a |
| -29.06 | 167.94 | 29/09/2013 | Asteraceae | <i>Bidens pilosa</i> L. | Diaporthaceae | <i>Diaporthe endophytica</i> | Hand collection | BRIP 60079 a |
| -29.06 | 167.94 | 29/09/2013 | Asteraceae | <i>Bidens pilosa</i> | Diaporthaceae | <i>Diaporthe endophytica</i> | Hand collection | BRIP 60079 b |
| -29.03 | 167.93 | 2/10/2013 | Asteraceae | <i>Bidens pilosa</i> | Entylomataceae | <i>Entyloma bidentis</i> | Hand collection | BRIP 60217 a |
| -29.02 | 167.94 | 25/05/2014 | Asteraceae | <i>Bidens pilosa</i> | Entylomataceae | <i>Entyloma bidentis</i> | Hand collection | BRIP 61218 a |
| -29.12 | 167.95 | 14/10/2014 | Asteraceae | <i>Bidens pilosa</i> | Pucciniaceae | <i>Uromyces bidenticola</i> | Hand collection | BRIP 61743 a |
| -29.03 | 167.93 | 12/06/2013 | Asteraceae | <i>Bidens pilosa</i> | Pucciniaceae | <i>Uromyces bidenticola</i> | Hand collection | BRIP 59560 a |
| -29.03 | 167.98 | 14/06/2013 | Asteraceae | <i>Bidens pilosa</i> | Pucciniaceae | <i>Uromyces bidenticola</i> | Hand collection | BRIP 59579 a |
| -29.03 | 167.93 | 2/10/2013 | Asteraceae | <i>Bidens pilosa</i> | Pucciniaceae | <i>Uromyces bidenticola</i> | Hand collection | BRIP 60217 b |
| -29.12 | 167.95 | 14/10/2014 | Poaceae | <i>Bothriochloa macra</i> (Steud.) S.T.Blake | Incertae sedis | <i>Peyronellaea</i> sp. | Hand collection | BRIP 61699 a |
| -29.12 | 167.95 | 14/10/2014 | Poaceae | <i>Bothriochloa macra</i> | Pucciniaceae | <i>Puccinia kemmomensis</i> | Hand collection | BRIP 61718 b |
| -29.01 | 167.95 | 19/02/2014 | Poaceae | <i>Bothriochloa macra</i> | Pucciniaceae | <i>Puccinia kemmomensis</i> | Hand collection | BRIP 61048 a |
| -29.00 | 167.95 | 4/10/2013 | Poaceae | <i>Bothriochloa macra</i> | Pucciniaceae | <i>Puccinia kemmomensis</i> | Hand collection | BRIP 60011 a |
| -29.02 | 167.96 | 19/02/2014 | Brassicaceae | <i>Brassica oleracea</i> L. | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60342 a |
| -29.04 | 167.93 | 18/02/2014 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> Plenck | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60339 a |

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|--------------|--|--------------------|-------------------------------------|-------------------|--------------|
| -29.03 | 167.99 | 1/10/2013 | Brassicaceae | <i>Brassica oleracea</i> var. <i>italica</i> | Sclerotiniaceae | <i>Sclerotinia sclerotiorum</i> | Hand collection | BRIP 59701 a |
| -29.00 | 167.93 | 29/05/2014 | Brassicaceae | <i>Brassica rapa</i> L. var. <i>rapa</i> | Erysiphaceae | <i>Erysiphe cruciferarum</i> | Hand collection | BRIP 61244 a |
| -29.05 | 167.92 | 12/10/2014 | Poaceae | <i>Bromus catharticus</i> Vahl | Pleosporaceae | <i>Bipolaris sorokiniana</i> | Hand collection | BRIP 61715 a |
| -29.00 | 167.94 | 30/09/2013 | Fabaceae | <i>Canavalia rosea</i> (Sw.) DC. | Diaporthaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 59700 a |
| -29.06 | 167.96 | 16/12/2014 | Camaceae | <i>Canna</i> L. | Pucciniaceae | <i>Puccinia thaliae</i> | Hand collection | BRIP 61943 a |
| -29.06 | 167.96 | 18/12/2014 | Camaceae | <i>Canna</i> sp. | Pucciniaceae | <i>Puccinia thaliae</i> | Hand collection | BRIP 61948 a |
| -29.03 | 167.93 | 28/05/2014 | Camaceae | <i>Canna</i> sp. | Pucciniaceae | <i>Puccinia thaliae</i> | Hand collection | BRIP 61236 a |
| -29.00 | 167.93 | 12/06/2013 | Camaceae | <i>Canna</i> sp. | Pucciniaceae | <i>Puccinia thaliae</i> | Hand collection | BRIP 59567 a |
| -29.03 | 167.98 | 14/06/2013 | Solanaceae | <i>Capsicum annuum</i> L. | Glomerellaceae | <i>Colletotrichum theobromicola</i> | Hand collection | BRIP 59327 a |
| -29.03 | 167.98 | 14/06/2013 | Solanaceae | <i>Capsicum annuum</i> | Erysiphaceae | <i>Leveillula taurica</i> | Hand collection | BRIP 59327 b |
| -29.05 | 167.98 | 3/10/2013 | Asteraceae | <i>Carduus tenuiflorus</i> Curtis | Pucciniaceae | <i>Puccinia cnici</i> | Hand collection | BRIP 60030 a |
| -29.05 | 167.92 | 1/10/2013 | Cyperaceae | <i>Carex neesiana</i> Endl. | Pucciniaceae | <i>Puccinia</i> sp. | Hand collection | BRIP 60024 a |
| -29.02 | 167.96 | 30/05/2014 | Caricaceae | <i>Carica papaya</i> L. | Pleosporaceae | <i>Alternaria</i> sp. | Hand collection | BRIP 61263 b |
| -29.01 | 167.93 | 16/10/2014 | Caricaceae | <i>Carica papaya</i> | Pleosporaceae | <i>Alternaria</i> sp. | Hand collection | BRIP 61722 a |
| -29.04 | 167.96 | 16/12/2014 | Caricaceae | <i>Carica papaya</i> | Mycosphaerellaceae | <i>Aspersorium caricae</i> | Hand collection | BRIP 61922 a |
| -29.03 | 167.96 | 12/06/2013 | Caricaceae | <i>Carica papaya</i> | Mycosphaerellaceae | <i>Aspersorium caricae</i> | Hand collection | BRIP 59367 a |
| -29.01 | 167.93 | 13/06/2013 | Caricaceae | <i>Carica papaya</i> | Mycosphaerellaceae | <i>Aspersorium caricae</i> | Hand collection | BRIP 59369 a |
| -29.02 | 167.96 | 30/05/2014 | Caricaceae | <i>Carica papaya</i> | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 61263 a |
| -29.02 | 167.96 | 30/05/2014 | Caricaceae | <i>Carica papaya</i> | Nectriaceae | <i>Cylindrocodium</i> sp. | Hand collection | BRIP 61263 d |
| -29.02 | 167.96 | 30/05/2014 | Caricaceae | <i>Carica papaya</i> | Nectriaceae | <i>Cylindrocodium</i> sp. | Hand collection | BRIP 61263 e |
| -29.02 | 167.96 | 30/05/2014 | Caricaceae | <i>Carica papaya</i> | Nectriaceae | <i>Cylindrocodium</i> sp. | Hand collection | BRIP 61263 f |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|--------------|--|-----------------|---|-------------------|--------------|
| -29.02 | 167.96 | 30/05/2014 | Caricaceae | <i>Carica papaya</i> | Nectriaceae | <i>Cylindrocladium</i> sp. | Hand collection | BRIP 61263 g |
| -29.02 | 167.96 | 30/05/2014 | Caricaceae | <i>Carica papaya</i> | Nectriaceae | <i>Cylindrocladium</i> sp. | Hand collection | BRIP 61263 h |
| -29.02 | 167.96 | 30/05/2014 | Caricaceae | <i>Carica papaya</i> | Nectriaceae | <i>Cylindrocladium</i> sp. | Hand collection | BRIP 61263 i |
| -29.02 | 167.96 | 30/05/2014 | Caricaceae | <i>Carica papaya</i> | Nectriaceae | <i>Fusarium</i> sp. | Hand collection | BRIP 61263 c |
| -29.00 | 167.93 | 30/09/2013 | Caricaceae | <i>Carica papaya</i> | Erysiphaceae | <i>Podosphaera xantini</i> | Hand collection | BRIP 60203 a |
| -29.04 | 167.96 | 16/12/2014 | Caricaceae | <i>Carica papaya</i> | Incertae sedis | <i>Stagonosporopsis cucurbitacearum</i> | Hand collection | BRIP 61922 b |
| -29.05 | 167.92 | 1/10/2013 | Aizoaceae | <i>Carpobrotus glaucescens</i> (Haw.) Schwantes | Albuginaceae | <i>Albugo trianthemae</i> | Hand collection | BRIP 59998 a |
| -29.04 | 167.99 | 14/06/2013 | Juglandaceae | <i>Carya illinoensis</i> (Wangenh.) K.Koch | Trichocomaceae | <i>Penicillium</i> sp. | Hand collection | BRIP 59365 a |
| -29.05 | 167.92 | 12/10/2014 | Ulmaceae | <i>Celtis paniculata</i> (Endl.) Planch. | Erysiphaceae | <i>Erysiphe</i> sp. | Hand collection | BRIP 61734 a |
| -29.05 | 167.95 | 19/12/2014 | Poaceae | <i>Cenchrus clandestinus</i> (Hochst. ex Chiov.) Morrone | Pleosporaceae | <i>Bipolaris zaeae</i> | Hand collection | BRIP 61927 b |
| -29.05 | 167.95 | 19/12/2014 | Poaceae | <i>Cenchrus clandestinus</i> | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 61927 c |
| -29.05 | 167.95 | 19/12/2014 | Poaceae | <i>Cenchrus clandestinus</i> | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 61927 d |
| -29.03 | 167.99 | 14/06/2013 | Poaceae | <i>Cenchrus clandestinus</i> | Phakopsoraceae | <i>Phakopsora apoda</i> | Hand collection | BRIP 59575 a |
| -29.03 | 167.99 | 17/06/2013 | Poaceae | <i>Cenchrus clandestinus</i> | Phakopsoraceae | <i>Phakopsora apoda</i> | Hand collection | BRIP 59583 a |
| -29.05 | 167.95 | 19/12/2014 | Poaceae | <i>Cenchrus clandestinus</i> | Incertae sedis | <i>Phoma</i> sp. | Hand collection | BRIP 61927 a |
| -29.06 | 167.94 | 29/09/2013 | Poaceae | <i>Cenchrus clandestinus</i> | Pucciniaceae | <i>Puccinia odumensis</i> | Hand collection | BRIP 60227 a |
| -29.00 | 167.93 | 25/05/2014 | Poaceae | <i>Cenchrus clandestinus</i> | Pucciniaceae | <i>Puccinia odumensis</i> | Hand collection | BRIP 61222 a |
| -29.01 | 167.93 | 17/02/2014 | Poaceae | <i>Cenchrus purpurascens</i> Thunb. | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60336 b |
| -29.01 | 167.93 | 29/09/2013 | Poaceae | <i>Cenchrus purpurascens</i> | Nectriaceae | <i>Fusarium</i> sp. | Hand collection | BRIP 59691 a |
| -29.03 | 167.93 | 12/06/2013 | Poaceae | <i>Cenchrus purpurascens</i> | Pucciniaceae | <i>Puccinia substriata</i> | Hand collection | BRIP 59561 a |
| -29.05 | 167.97 | 13/06/2013 | Poaceae | <i>Cenchrus purpurascens</i> | Magnaporthaceae | <i>Pyricularia</i> sp. | Hand collection | BRIP 59379 a |

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|----------------|--|--------------------|---------------------------------------|-------------------|--------------|
| -29.03 | 167.93 | 28/05/2014 | Poaceae | <i>Cenchrus purpurascens</i> | Magnaporthaceae | <i>Pyricularia</i> sp. | Hand collection | BRIP 61254 a |
| -29.01 | 167.93 | 17/02/2014 | Poaceae | <i>Cenchrus purpurascens</i> | Incertae sedis | <i>Stagonosporopsis</i> sp. | Hand collection | BRIP 60336 a |
| -29.04 | 167.96 | 19/02/2014 | Myrtaceae | <i>Chamelancium uncinatum</i> Schauer | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 60303 b |
| -29.04 | 167.96 | 19/02/2014 | Myrtaceae | <i>Chamelancium uncinatum</i> | Botryosphaeriaceae | <i>Neofusicoccum parvum</i> | Hand collection | BRIP 60303 a |
| -29.03 | 167.98 | 14/06/2013 | Chenopodiaceae | <i>Chenopodium album</i> L. | Mycosphaerellaceae | <i>Cercospora pseudochenopodii</i> | Hand collection | BRIP 59580 a |
| -29.03 | 167.98 | 27/05/2014 | Chenopodiaceae | <i>Chenopodium album</i> | Mycosphaerellaceae | <i>Cercospora pseudochenopodii</i> | Hand collection | BRIP 61350 a |
| -29.00 | 167.93 | 15/12/2014 | Chenopodiaceae | <i>Chenopodium album</i> | Mycosphaerellaceae | <i>Cercospora pseudochenopodii</i> | Hand collection | BRIP 61916 a |
| -29.04 | 167.96 | 19/02/2014 | Poaceae | <i>Chloris gayana</i> Kunth | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60344 a |
| -29.04 | 167.96 | 14/10/2013 | Asteraceae | <i>Chrysanthemum ×morifolium</i> Ramat. | Pucciniaceae | <i>Puccinia chrysanthemii</i> | Hand collection | BRIP 60235 a |
| -29.04 | 167.96 | 19/02/2014 | Asteraceae | <i>Chrysanthemum ×morifolium</i> Ramat. | Pucciniaceae | <i>Puccinia chrysanthemii</i> | Hand collection | BRIP 61034 a |
| -29.03 | 167.96 | 4/10/2013 | Asteraceae | <i>Cirsium vulgare</i> (Savi) Ten. | Diaporthaceae | <i>Diaporthe endophytica</i> | Hand collection | BRIP 60087 a |
| -29.03 | 167.96 | 4/10/2013 | Asteraceae | <i>Cirsium vulgare</i> | Diaporthaceae | <i>Diaporthe endophytica</i> | Hand collection | BRIP 60087 c |
| -29.03 | 167.96 | 4/10/2013 | Asteraceae | <i>Cirsium vulgare</i> | Diaporthaceae | <i>Diaporthe endophytica</i> | Hand collection | BRIP 60087 d |
| -29.03 | 167.96 | 4/10/2013 | Asteraceae | <i>Cirsium vulgare</i> | Diaporthaceae | <i>Diaporthe leucospermi</i> | Hand collection | BRIP 60087 b |
| -29.02 | 167.93 | 26/05/2014 | Rutaceae | <i>Citrus ×jambhiri</i> Lush. | Pleosporaceae | <i>Alternaria</i> sp. | Hand collection | BRIP 61251 a |
| -29.03 | 167.94 | 27/05/2014 | Rutaceae | <i>Citrus ×jambhiri</i> | Elsinoaceae | <i>Elsinoë fawcettii</i> | Hand collection | BRIP 61461 a |
| -29.02 | 167.93 | 26/05/2014 | Rutaceae | <i>Citrus ×jambhiri</i> | Elsinoaceae | <i>Elsinoë fawcettii</i> | Hand collection | BRIP 61251 b |
| -29.01 | 167.94 | 25/05/2014 | Rutaceae | <i>Citrus ×jambhiri</i> | Elsinoaceae | <i>Elsinoë fawcettii</i> | Hand collection | BRIP 61460 a |
| -29.06 | 167.94 | 29/09/2013 | Rutaceae | <i>Citrus ×limon</i> (L.) Osbeck | Pleosporaceae | <i>Alternaria daucifolia</i> | Hand collection | BRIP 59802 a |
| -29.03 | 167.94 | 16/06/2013 | Rutaceae | <i>Citrus ×limon</i> | Glomerellaceae | <i>Colletotrichum gloeosporioides</i> | Hand collection | BRIP 59380 a |
| -29.00 | 167.93 | 29/05/2014 | Rutaceae | <i>Citrus ×sinensis</i> (L.) Osbeck | Incertae sedis | <i>Monosporascus</i> sp. | Hand collection | BRIP 61414 a |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|-------------|--------------------------|--------------------|-------------------------------------|-------------------|--------------|
| -29.00 | 167.93 | 12/06/2013 | Rutaceae | <i>Citrus × sinensis</i> | Trichomaceae | <i>Penicillium digitatum</i> | Hand collection | BRIP 59364 a |
| -29.04 | 167.93 | 18/02/2014 | Rutaceae | <i>Citrus L.</i> | Pleosporaceae | <i>Alternaria sp.</i> | Hand collection | BRIP 60316 a |
| -29.02 | 167.96 | 2/10/2013 | Rutaceae | <i>Citrus sp.</i> | Diaportheaceae | <i>Diaporthe citri</i> | Hand collection | BRIP 60085 a |
| -29.03 | 167.98 | 16/10/2014 | Rutaceae | <i>Citrus sp.</i> | Elsinoaceae | <i>Elsinoë fawcettii</i> | Hand collection | BRIP 61750 a |
| -29.01 | 167.93 | 12/10/2014 | Rutaceae | <i>Citrus sp.</i> | Elsinoaceae | <i>Elsinoë fawcettii</i> | Hand collection | BRIP 61754 a |
| -29.01 | 167.93 | 13/06/2013 | Rubiaceae | <i>Coffea arabica L.</i> | Mycosphaerellaceae | <i>Cercospora coffeicola</i> | Hand collection | BRIP 59568 a |
| -29.01 | 167.93 | 29/09/2013 | Rubiaceae | <i>Coffea arabica</i> | Mycosphaerellaceae | <i>Cercospora coffeicola</i> | Hand collection | BRIP 59690 a |
| -29.01 | 167.93 | 29/09/2013 | Rubiaceae | <i>Coffea arabica</i> | Mycosphaerellaceae | <i>Cercospora coffeicola</i> | Hand collection | BRIP 59795 c |
| -29.01 | 167.93 | 29/05/2014 | Rubiaceae | <i>Coffea arabica</i> | Mycosphaerellaceae | <i>Cercospora coffeicola</i> | Hand collection | BRIP 61256 a |
| -29.01 | 167.93 | 16/10/2014 | Rubiaceae | <i>Coffea arabica</i> | Mycosphaerellaceae | <i>Cercospora coffeicola</i> | Hand collection | BRIP 61721 a |
| -29.01 | 167.93 | 16/10/2014 | Rubiaceae | <i>Coffea arabica</i> | Mycosphaerellaceae | <i>Cercospora coffeicola</i> | Hand collection | BRIP 61721 f |
| -29.01 | 167.93 | 29/05/2014 | Rubiaceae | <i>Coffea arabica</i> | Glomerellaceae | <i>Colletotrichum aotearoa</i> | Hand collection | BRIP 61256 b |
| -29.01 | 167.93 | 17/02/2014 | Rubiaceae | <i>Coffea arabica</i> | Glomerellaceae | <i>Colletotrichum sp.</i> | Hand collection | BRIP 60307 a |
| -29.01 | 167.93 | 29/09/2013 | Rubiaceae | <i>Coffea arabica</i> | Glomerellaceae | <i>Colletotrichum theobromicola</i> | Hand collection | BRIP 59795 b |
| -29.01 | 167.93 | 29/05/2014 | Rubiaceae | <i>Coffea arabica</i> | Glomerellaceae | <i>Colletotrichum theobromicola</i> | Hand collection | BRIP 61256 c |
| -29.01 | 167.93 | 29/05/2014 | Rubiaceae | <i>Coffea arabica</i> | Glomerellaceae | <i>Colletotrichum theobromicola</i> | Hand collection | BRIP 61256 d |
| -29.01 | 167.93 | 16/10/2014 | Rubiaceae | <i>Coffea arabica</i> | Glomerellaceae | <i>Colletotrichum theobromicola</i> | Hand collection | BRIP 61721 b |
| -29.01 | 167.93 | 16/10/2014 | Rubiaceae | <i>Coffea arabica</i> | Glomerellaceae | <i>Colletotrichum theobromicola</i> | Hand collection | BRIP 61721 e |
| -29.01 | 167.93 | 29/09/2013 | Rubiaceae | <i>Coffea arabica</i> | Incertae sedis | <i>Nigrospora sp.</i> | Hand collection | BRIP 59795 a |
| -29.01 | 167.93 | 16/10/2014 | Rubiaceae | <i>Coffea arabica</i> | Incertae sedis | <i>Phoma sp.</i> | Hand collection | BRIP 61721 c |
| -29.01 | 167.93 | 16/10/2014 | Rubiaceae | <i>Coffea arabica</i> | Incertae sedis | <i>Phoma sp.</i> | Hand collection | BRIP 61721 d |

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|---------------|---|--------------------|-------------------------------------|-------------------|--------------|
| -29.03 | 167.97 | 16/10/2014 | Rubiaceae | <i>Coffea canephora</i> Pierre ex A. Froelner | Glomerellaceae | <i>Colletotrichum karsti</i> | Hand collection | BRIP 61707 a |
| -29.03 | 167.97 | 16/10/2014 | Rubiaceae | <i>Coffea canephora</i> | Glomerellaceae | <i>Colletotrichum simmonsii</i> | Hand collection | BRIP 61707 b |
| -29.04 | 167.94 | 26/05/2014 | Rubiaceae | <i>Coffea canephora</i> | Incertae sedis | <i>Hemileia vastatrix</i> | Hand collection | BRIP 61233 a |
| -29.03 | 167.93 | 28/05/2014 | Rubiaceae | <i>Coffea canephora</i> | Incertae sedis | <i>Hemileia vastatrix</i> | Hand collection | BRIP 61235 a |
| -29.12 | 167.95 | 14/10/2014 | Commelinaceae | <i>Commelina cyanea</i> R.Br. | Phakopsoraceae | <i>Phakopsora tecta</i> | Hand collection | BRIP 61742 a |
| -29.06 | 167.94 | 29/09/2013 | Commelinaceae | <i>Commelina cyanea</i> | Phakopsoraceae | <i>Phakopsora tecta</i> | Hand collection | BRIP 60005 a |
| -29.05 | 167.92 | 12/10/2014 | Commelinaceae | <i>Commelina cyanea</i> | Incertae sedis | <i>Phoma</i> sp. | Hand collection | BRIP 61714 a |
| -29.01 | 167.93 | 17/02/2014 | Asteraceae | <i>Comiza</i> Less. | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60335 a |
| -29.13 | 167.95 | 14/10/2014 | Rubiaceae | <i>Coprosma baueri</i> Endl. | Davidiellaceae | <i>Cladosporium</i> sp. | Hand collection | BRIP 61698 b |
| -29.13 | 167.95 | 14/10/2014 | Rubiaceae | <i>Coprosma baueri</i> | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 61698 a |
| -29.03 | 167.93 | 2/10/2013 | Rubiaceae | <i>Coprosma</i> J.R.Forst. & G.Forst. | Glomerellaceae | <i>Colletotrichum siamense</i> | Hand collection | BRIP 59707 a |
| -29.03 | 167.93 | 19/02/2014 | Rubiaceae | <i>Coprosma</i> sp. | Phyllachoraceae | <i>Phyllachora</i> sp. | Hand collection | BRIP 61055 a |
| -29.04 | 167.94 | 16/06/2013 | Rubiaceae | <i>Coprosma</i> sp. | Mycosphaerellaceae | <i>Pseudocercospora coprosmae</i> | Hand collection | BRIP 59666 a |
| -29.03 | 167.94 | 16/06/2013 | Asparagaceae | <i>Cordyline oblecta</i> (Graham) Baker | Glomerellaceae | <i>Colletotrichum ti</i> | Hand collection | BRIP 59384 a |
| -29.03 | 167.94 | 16/06/2013 | Asparagaceae | <i>Cordyline oblecta</i> | Nectriaceae | <i>Fusarium</i> sp. | Hand collection | BRIP 59384 b |
| -29.06 | 167.96 | 18/12/2014 | Cucurbitaceae | <i>Cucumis melo</i> L. | Erysiphaceae | <i>Podosphaera xanthii</i> | Hand collection | BRIP 61947 a |
| -29.04 | 167.93 | 18/02/2014 | Cucurbitaceae | <i>Cucumis sativus</i> L. | Erysiphaceae | <i>Podosphaera xanthii</i> | Hand collection | BRIP 61043 a |
| -29.03 | 167.93 | 12/06/2013 | Cucurbitaceae | <i>Cucumis sativus</i> | Erysiphaceae | <i>Podosphaera xanthii</i> | Hand collection | BRIP 59563 a |
| -29.03 | 167.99 | 14/06/2013 | Cucurbitaceae | <i>Cucumis sativus</i> | Erysiphaceae | <i>Podosphaera xanthii</i> | Hand collection | BRIP 59570 a |
| -29.02 | 167.96 | 19/02/2014 | Cucurbitaceae | <i>Cucurbita maxima</i> Lam. | Erysiphaceae | <i>Podosphaera xanthii</i> | Hand collection | BRIP 61047 a |
| -29.01 | 167.93 | 30/09/2013 | Cucurbitaceae | <i>Cucurbita maxima</i> | Erysiphaceae | <i>Podosphaera xanthii</i> | Hand collection | BRIP 60016 a |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|---------------|---|--------------------|-------------------------------------|-------------------|--------------|
| -29.03 | 167.98 | 14/06/2013 | Cucurbitaceae | <i>Cucurbita pepo</i> L. | Erysiphaceae | <i>Podosphaera xanthii</i> | Hand collection | BRIP 59576 a |
| -29.01 | 167.93 | 30/09/2013 | Cucurbitaceae | <i>Cucurbita pepo</i> | Erysiphaceae | <i>Podosphaera xanthii</i> | Hand collection | BRIP 60007 a |
| -29.03 | 167.97 | 17/10/2014 | Cyathaceae | <i>Cyathea australis</i> subsp. <i>norfolkensis</i> Holttum | Mycosphaerellaceae | <i>Pseudocercospora</i> sp. | Hand collection | BRIP 61710 a |
| -29.03 | 167.95 | 17/10/2014 | Cyathaceae | <i>Cyathea brownii</i> Domin | Mycosphaerellaceae | <i>Pseudocercospora</i> sp. | Hand collection | BRIP 61711 a |
| -29.04 | 167.99 | 17/02/2014 | Poaceae | <i>Cymbopogon citratus</i> (DC.) Stapf | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60334 a |
| -29.04 | 167.92 | 29/09/2013 | Poaceae | <i>Cynodon dactylon</i> (L.) Pers. | Ustilaginaceae | <i>Ustilago cynodotis</i> | Hand collection | BRIP 60014 a |
| -29.02 | 167.97 | 3/10/2013 | Poaceae | <i>Cynodon dactylon</i> | Ustilaginaceae | <i>Ustilago cynodotis</i> | Hand collection | BRIP 60032 a |
| -29.12 | 167.96 | 15/10/2014 | Cyperaceae | <i>Cyperus lucidus</i> R.Br. | Incertae sedis | <i>Phoma</i> sp. | Hand collection | BRIP 61704 a |
| -29.12 | 167.95 | 14/10/2014 | Cyperaceae | <i>Cyperus lucidus</i> | Phaeosphaeriaceae | <i>Stagonospora</i> sp. | Hand collection | BRIP 61697 a |
| -29.04 | 167.99 | 18/02/2014 | Cyperaceae | <i>Cyperus rotundus</i> L. | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60338 a |
| -29.04 | 167.99 | 18/02/2014 | Cyperaceae | <i>Cyperus rotundus</i> | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60338 b |
| -29.04 | 167.93 | 18/02/2014 | Cyperaceae | <i>Cyperus rotundus</i> | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60340 a |
| -29.03 | 167.93 | 19/02/2014 | Cyperaceae | <i>Cyperus rotundus</i> | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60341 a |
| -29.12 | 167.95 | 15/10/2014 | Cyperaceae | <i>Cyperus rotundus</i> | Pucciniaceae | <i>Puccinia cyperi</i> | Hand collection | BRIP 61748 a |
| -29.04 | 167.96 | 19/02/2014 | Asteraceae | <i>Dahlia</i> Cav. | Pleosporaceae | <i>Stemphylium</i> sp. | Hand collection | BRIP 60357 a |
| -29.00 | 167.93 | 30/09/2013 | Solanaceae | <i>Datura stramonium</i> L. | Botryosphaeriaceae | <i>Neofusicoccum parvum</i> | Hand collection | BRIP 60083 a |
| -29.00 | 167.93 | 30/09/2013 | Solanaceae | <i>Datura stramonium</i> | Incertae sedis | <i>Phoma</i> sp. | Hand collection | BRIP 60083 b |
| -29.00 | 167.93 | 12/06/2013 | Apiaceae | <i>Daucus carota</i> | Mycosphaerellaceae | <i>Cercospora carotae</i> | Hand collection | BRIP 59565 a |
| -29.00 | 167.92 | 29/05/2014 | Apiaceae | <i>Daucus carota</i> | Mycosphaerellaceae | <i>Cercospora carotae</i> | Hand collection | BRIP 61416 a |
| -29.00 | 167.93 | 30/09/2013 | Apiaceae | <i>Daucus carota</i> | Diaporthiaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 59803 a |
| -29.00 | 167.94 | 16/10/2014 | Fabaceae | <i>Desmodium incanum</i> (G.Mey.) DC. | Chaetomiaceae | <i>Chaetomium</i> sp. | Hand collection | BRIP 61709 a |

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|-----------------|---|------------------|---|-------------------|--------------|
| -29.00 | 167.94 | 16/10/2014 | Fabaceae | <i>Desmodium incanum</i> | Pleosporaceae | <i>Epicoccum nigrum</i> | Hand collection | BRIP 61709 b |
| -29.01 | 167.93 | 13/06/2013 | | <i>Dianella</i> Lam. | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 59324 a |
| -29.04 | 167.96 | 14/10/2013 | Caryophyllaceae | <i>Dianthus caryophyllus</i> L. | Pucciniaceae | <i>Uromyces dianthi</i> | Hand collection | BRIP 60234 a |
| -29.04 | 167.96 | 19/02/2014 | Caryophyllaceae | <i>Dianthus caryophyllus</i> | Pucciniaceae | <i>Uromyces dianthi</i> | Hand collection | BRIP 61033 a |
| -29.01 | 167.94 | 25/05/2014 | Convolvulaceae | <i>Dichondra repens</i> J.R.Forst. & G.Forst. | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 61249 a |
| -29.01 | 167.94 | 21/0/2013 | Convolvulaceae | <i>Dichondra repens</i> | Pucciniaceae | <i>Puccinia dichondrae</i> | Hand collection | BRIP 60027 a |
| -29.03 | 167.95 | 16/02/2014 | Iridaceae | <i>Diets grandiflora</i> N.E.Br. | Glomerellaceae | <i>Colletotrichum queenslandicum</i> | Hand collection | BRIP 60355 a |
| -29.04 | 167.98 | 18/02/2014 | Poaceae | <i>Digitaria ciliaris</i> (Retz.) Koeler | Pucciniaceae | <i>Puccinia oahuensis</i> | Hand collection | BRIP 61041 a |
| -29.04 | 167.92 | 18/02/2014 | Poaceae | <i>Digitaria ciliaris</i> | Pucciniaceae | <i>Puccinia oahuensis</i> | Hand collection | BRIP 61054 a |
| -29.03 | 167.98 | 14/06/2013 | Poaceae | <i>Digitaria ciliaris</i> | Pucciniaceae | <i>Puccinia oahuensis</i> | Hand collection | BRIP 59578 a |
| -29.03 | 167.93 | 12/06/2013 | Poaceae | <i>Digitaria ciliaris</i> | Pucciniaceae | <i>Puccinia oahuensis</i> | Hand collection | BRIP 59660 a |
| -29.00 | 167.94 | 30/09/2013 | Poaceae | <i>Digitaria ciliaris</i> | Pucciniaceae | <i>Puccinia oahuensis</i> | Hand collection | BRIP 60212 a |
| -29.00 | 167.93 | 12/10/2014 | Poaceae | <i>Digitaria ciliaris</i> | Pucciniaceae | <i>Puccinia oahuensis</i> | Hand collection | BRIP 61731 a |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Digitaria</i> Haller | Magnaporthaceae | <i>Pyricularia</i> sp. | Hand collection | BRIP 60350 a |
| -29.03 | 167.94 | 17/02/2014 | Cucurbitaceae | <i>Diplocyclos palmatus</i> subsp. <i>affinis</i> (Endl.) P.S.Green | Glomerellaceae | <i>Colletotrichum simmondsii</i> | Hand collection | BRIP 60297 a |
| -29.05 | 167.96 | 17/06/2013 | Pontederiaceae | <i>Eichhornia crassipes</i> (Mart.) Solms | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 59387 a |
| -29.05 | 167.96 | 17/06/2013 | Pontederiaceae | <i>Eichhornia crassipes</i> | Incertae sedis | <i>Nigrospora sphaerica</i> | Hand collection | BRIP 59387 b |
| -29.03 | 167.94 | 28/05/2014 | Celastraceae | <i>Elaeodendron curtipendulum</i> Endl. | Hymenochaetaceae | <i>Phellinus noxius</i> | Hand collection | BRIP 61420 a |
| -29.02 | 167.96 | 30/05/2014 | Celastraceae | <i>Elaeodendron curtipendulum</i> | Hymenochaetaceae | <i>Phellinus noxius</i> | Hand collection | BRIP 61426 a |
| -29.05 | 167.92 | 12/10/2014 | Euphorbiaceae | <i>Euphorbia pepus</i> L. | Melampsoraceae | <i>Melampsora euphorbiae-gerrardiae</i> | Hand collection | BRIP 61755 a |
| -29.04 | 167.92 | 29/09/2013 | Euphorbiaceae | <i>Euphorbia pepus</i> | Melampsoraceae | <i>Melampsora euphorbiae-gerrardiae</i> | Hand collection | BRIP 60015 a |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|---------------|--|----------------|---------------------------------------|-------------------|--------------|
| -29.04 | 167.99 | 24/05/2014 | Euphorbiaceae | <i>Euphorbia peplus</i> | Erysiphaceae | <i>Podosphaera euphorbiae</i> | Hand collection | BRIP 61217 a |
| -29.04 | 167.96 | 18/02/2014 | Moraceae | <i>Ficus carica</i> L. | Phakopsoraceae | <i>Cerotelium fici</i> | Hand collection | BRIP 61040 a |
| -29.04 | 167.93 | 18/02/2014 | Moraceae | <i>Ficus carica</i> | Phakopsoraceae | <i>Cerotelium fici</i> | Hand collection | BRIP 61044 a |
| -29.04 | 167.99 | 26/05/2014 | Moraceae | <i>Ficus carica</i> | Phakopsoraceae | <i>Cerotelium fici</i> | Hand collection | BRIP 61225 a |
| -29.01 | 167.93 | 17/02/2014 | Moraceae | <i>Ficus carica</i> | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 60301 a |
| -29.02 | 167.96 | 19/02/2014 | Apiaceae | <i>Foeniculum vulgare</i> Mill. | Pleosporaceae | <i>Alternaria seini</i> | Hand collection | BRIP 60320 a |
| -29.00 | 167.93 | 12/06/2013 | Rosaceae | <i>Fragaria × ananassa</i> (Weston) Duchesne ex Rozier | Glomerellaceae | <i>Colletotrichum gloeosporioides</i> | Hand collection | BRIP 59323 b |
| -29.04 | 167.99 | 17/02/2014 | Rosaceae | <i>Fragaria × ananassa</i> | Nectriaceae | <i>Fusarium oxysporum</i> | Hand collection | BRIP 60306 b |
| -29.04 | 167.99 | 17/02/2014 | Rosaceae | <i>Fragaria × ananassa</i> | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 60306 a |
| -29.05 | 167.96 | 16/12/2014 | Rosaceae | <i>Fragaria × ananassa</i> | Mucoraceae | <i>Rhizopus stolonifer</i> | Hand collection | BRIP 61936 a |
| -29.00 | 167.93 | 12/06/2013 | Rosaceae | <i>Fragaria × ananassa</i> | Incertae sedis | <i>Sphaeronaemella fragariae</i> | Hand collection | BRIP 59323 a |
| -29.00 | 167.93 | 30/09/2013 | Papaveraceae | <i>Fumaria muralis</i> Sond. ex W.D.J.Koch | Erysiphaceae | <i>Erysiphe cruciferarum</i> | Hand collection | BRIP 60202 a |
| -29.13 | 167.95 | 14/10/2014 | Asteraceae | <i>Gamochaeta americana</i> (Mill.) Wedd. | Pucciniaceae | <i>Puccinia gnaphaliticola</i> | Hand collection | BRIP 61740 a |
| -29.04 | 167.94 | 11/10/2013 | Asteraceae | <i>Gamochaeta americana</i> | Pucciniaceae | <i>Puccinia gnaphaliticola</i> | Hand collection | BRIP 60010 a |
| -29.01 | 167.93 | 29/05/2014 | Asteraceae | <i>Gamochaeta americana</i> | Pucciniaceae | <i>Puccinia gnaphaliticola</i> | Hand collection | BRIP 61243 a |
| -29.00 | 167.93 | 15/12/2014 | Asteraceae | <i>Gamochaeta americana</i> | Pucciniaceae | <i>Puccinia gnaphaliticola</i> | Hand collection | BRIP 61952 a |
| -29.04 | 167.96 | 19/02/2014 | Asteraceae | <i>Gerbera</i> L. | Pleosporaceae | <i>Alternaria alternata</i> | Hand collection | BRIP 60322 a |
| -29.04 | 167.96 | 15/12/2014 | Asteraceae | <i>Gerbera</i> sp. | Pleosporaceae | <i>Alternaria</i> sp. | Hand collection | BRIP 61918 c |
| -29.04 | 167.96 | 15/12/2014 | Asteraceae | <i>Gerbera</i> sp. | Davidiellaceae | <i>Cladosporium</i> sp. | Hand collection | BRIP 61918 a |
| -29.04 | 167.96 | 15/12/2014 | Asteraceae | <i>Gerbera</i> sp. | Davidiellaceae | <i>Cladosporium</i> sp. | Hand collection | BRIP 61918 b |
| -29.03 | 167.99 | 21/02/2014 | Fabaceae | <i>Glycine max</i> (L.) Merr. | Diaporthaceae | <i>Diaporthe endophytica</i> | Hand collection | BRIP 60329 a |

| Lat.tude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|----------------|---|--------------------|--------------------------------------|-------------------|--------------|
| -29.03 | 167.99 | 21/02/2014 | Fabaceae | <i>Glycine max</i> | Diaporthaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 60329 b |
| -29.04 | 167.96 | 18/02/2014 | Proteaceae | <i>Grevillea robusta</i> A.Cum. ex R.Br. | Mycosphaerellaceae | <i>Pseudocercospora</i> sp. | Hand collection | BRIP 61039 a |
| -29.04 | 167.99 | 17/02/2014 | | <i>Hemerocallis</i> L. | Dothioraceae | <i>Aureobasidium microstictum</i> | Hand collection | BRIP 60300 a |
| -29.04 | 167.99 | 17/02/2014 | | <i>Hemerocallis</i> sp. | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 60300 b |
| -29.12 | 167.95 | 14/10/2014 | Malvaceae | <i>Hibiscus insularis</i> Endl. | Mycosphaerellaceae | <i>Aceruloseptoria</i> sp. | Hand collection | BRIP 61701 a |
| -29.12 | 167.95 | 14/10/2014 | Malvaceae | <i>Hibiscus insularis</i> | Nectriaceae | <i>Fusarium incarnatum</i> | Hand collection | BRIP 61720 a |
| -29.12 | 167.95 | 14/10/2014 | Malvaceae | <i>Hibiscus insularis</i> | Nectriaceae | <i>Fusarium incarnatum</i> | Hand collection | BRIP 61720 b |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Hordeum vulgare</i> | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60349 a |
| -29.04 | 167.93 | 18/02/2014 | Rhamnaceae | <i>Hovenia dulcis</i> Thunb. | Incertae sedis | <i>Phoma</i> sp. | Hand collection | BRIP 61045 a |
| -29.02 | 167.96 | 26/05/2014 | Areaceae | <i>Howea forsteriana</i> (C.Moore & F.Muell.) Becc. | Glomerellaceae | <i>Colletotrichum calearoa</i> | Hand collection | BRIP 61250 a |
| -29.01 | 167.93 | 29/09/2013 | Areaceae | <i>Howea forsteriana</i> | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 59799 a |
| -29.03 | 167.93 | 19/02/2014 | Areaceae | <i>Howea forsteriana</i> | Incertae sedis | <i>Trichothecium roseum</i> | Hand collection | BRIP 60319 a |
| -29.12 | 167.95 | 14/10/2014 | Asteraceae | <i>Hypochaeris radicata</i> L. | Pucciniaceae | <i>Puccinia hieracii</i> | Hand collection | BRIP 61741 a |
| -29.03 | 167.96 | 31/05/2014 | Convolvulaceae | <i>Ipomoea batatas</i> (L.) Lam. | Diaporthaceae | <i>Diaporthe batatas</i> | Hand collection | BRIP 61258 b |
| -29.03 | 167.96 | 31/05/2014 | Convolvulaceae | <i>Ipomoea batatas</i> | Nectriaceae | <i>Fusarium oxysporum</i> | Hand collection | BRIP 61258 a |
| -29.04 | 167.93 | 18/02/2014 | Convolvulaceae | <i>Ipomoea batatas</i> | Amphisphaeriaceae | <i>Pestalotiopsis</i> sp. | Hand collection | BRIP 60317 a |
| -29.03 | 167.94 | 27/05/2014 | Convolvulaceae | <i>Ipomoea indica</i> (Burm.) Merr. | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 61252 a |
| -29.04 | 167.94 | 21/02/2014 | Convolvulaceae | <i>Ipomoea indica</i> | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 60327 a |
| -29.02 | 167.97 | 16/10/2014 | Oleaceae | <i>Jasminum simplicifolium</i> G.Forst. | Glomerellaceae | <i>Colletotrichum queenslandicum</i> | Hand collection | BRIP 61706 a |
| -29.04 | 167.99 | 26/05/2014 | Fabaceae | <i>Lablab purpureus</i> (L.) Sweet | Pucciniaceae | <i>Uromyces vignae</i> | Hand collection | BRIP 61224 a |
| -29.03 | 167.93 | 12/06/2013 | Asteraceae | <i>Lactuca sativa</i> L. | Mycosphaerellaceae | <i>Septoria lactivae</i> | Hand collection | BRIP 59320 b |

NORFOLK ISLAND QUARANTINE SURVEY

| Lat.itude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|-----------|-----------|------------|----------------|--|--------------------|-----------------------------|-------------------|--------------|
| -29.03 | 167.93 | 12/06/2013 | Asteraceae | <i>Lactuca sativa</i> | Pleosporaceae | <i>Stemphylium</i> sp. | Hand collection | BRIP 59320 a |
| -29.03 | 167.94 | 16/06/2013 | Malvaceae | <i>Lagunaria patersonia</i> (Andrews) G. Don | Diaporthaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 59332 a |
| -29.06 | 167.94 | 20/02/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Nectriaceae | <i>Fusarium equiseti</i> | Hand collection | BRIP 60362 a |
| -29.05 | 167.92 | 12/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Nectriaceae | <i>Fusarium incarnatum</i> | Hand collection | BRIP 61695 b |
| -29.12 | 167.95 | 14/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Phakopsoraceae | <i>Phakopsora</i> sp. | Hand collection | BRIP 61738 a |
| -29.05 | 167.92 | 12/10/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Phakopsoraceae | <i>Phakopsora</i> sp. | Hand collection | BRIP 61695 a |
| -29.01 | 167.94 | 25/05/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Phakopsoraceae | <i>Phakopsora</i> sp. | Hand collection | BRIP 61219 a |
| -29.03 | 167.93 | 28/05/2014 | Malvaceae | <i>Lagunaria patersonia</i> | Hymenochaetales | <i>Phellinus noxius</i> | Hand collection | BRIP 61418 a |
| -29.04 | 167.96 | 15/12/2014 | Plumbaginaceae | <i>Limonium sinatum</i> (L.) Mill. | Mycosphaerellaceae | <i>Cercospora beticola</i> | Hand collection | BRIP 61920 a |
| -29.06 | 167.94 | 19/12/2014 | Campanulaceae | <i>Lobelia anceps</i> L.f. | Pucciniaceae | <i>Puccinia ancta</i> | Hand collection | BRIP 61951 a |
| -29.05 | 167.99 | 3/10/2013 | Campanulaceae | <i>Lobelia anceps</i> | Pucciniaceae | <i>Puccinia ancta</i> | Hand collection | BRIP 60028 a |
| -29.05 | 167.99 | 21/02/2014 | Campanulaceae | <i>Lobelia anceps</i> | Pucciniaceae | <i>Puccinia ancta</i> | Hand collection | BRIP 61061 a |
| -29.12 | 167.95 | 14/10/2014 | Poaceae | <i>Lolium perenne</i> L. | Pucciniaceae | <i>Puccinia coronata</i> | Hand collection | BRIP 61739 a |
| -29.03 | 167.96 | 4/10/2013 | Poaceae | <i>Lolium perenne</i> | Pucciniaceae | <i>Puccinia coronata</i> | Hand collection | BRIP 60223 a |
| -29.04 | 167.94 | 4/10/2013 | Fabaceae | <i>Lotus angustissimus</i> L. | Pucciniaceae | <i>Uromyces anthyllidis</i> | Hand collection | BRIP 60008 a |
| -29.01 | 167.94 | 3/10/2013 | Fabaceae | <i>Lotus uliginosus</i> Schkuhr | Pucciniaceae | <i>Uromyces anthyllidis</i> | Hand collection | BRIP 60033 a |
| -29.01 | 167.94 | 3/10/2013 | Fabaceae | <i>Lotus uliginosus</i> | Pucciniaceae | <i>Uromyces anthyllidis</i> | Hand collection | BRIP 60035 a |
| -29.01 | 167.94 | 22/02/2014 | Fabaceae | <i>Lotus uliginosus</i> | Pucciniaceae | <i>Uromyces anthyllidis</i> | Hand collection | BRIP 61064 a |
| -29.01 | 167.94 | 16/10/2014 | Fabaceae | <i>Lotus uliginosus</i> | Pucciniaceae | <i>Uromyces anthyllidis</i> | Hand collection | BRIP 61751 a |
| -29.12 | 167.95 | 15/10/2014 | Fabaceae | <i>Lupinus cosentinii</i> Guss. | Erysiphaceae | <i>Erysiphe trifoliorum</i> | Hand collection | BRIP 61702 a |
| -29.05 | 167.94 | 29/09/2013 | Fabaceae | <i>Lupinus cosentinii</i> | Erysiphaceae | <i>Erysiphe trifoliorum</i> | Hand collection | BRIP 60199 a |

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|-------------|--|--------------------|--|-------------------|--------------|
| -29.03 | 167.93 | 2/10/2013 | Fabaceae | <i>Lupinus cosentinii</i> | Erysiphaceae | <i>Erysiphe triflorum</i> | Hand collection | BRIP 60218 a |
| -29.03 | 167.93 | 28/05/2014 | Fabaceae | <i>Lupinus cosentinii</i> | Erysiphaceae | <i>Erysiphe triflorum</i> | Hand collection | BRIP 61239 a |
| -29.12 | 167.95 | 15/10/2014 | Fabaceae | <i>Lupinus cosentinii</i> | Nectriaceae | <i>Fusarium bactraioides</i> | Hand collection | BRIP 61702 b |
| -29.02 | 167.96 | 30/05/2014 | Proteaceae | <i>Macadamia integrifolia</i> Maiden & Betche | Hymenochaetaeae | <i>Phellinus noxius</i> | Hand collection | BRIP 61422 a |
| -29.03 | 167.94 | 16/06/2013 | Piperaceae | <i>Macropiper excelsum</i> subsp. <i>psittacorum</i> (Endl.) Sykes | Mycosphaerellaceae | <i>Cercospora</i> sp. | Hand collection | BRIP 59381 b |
| -29.03 | 167.94 | 16/06/2013 | Piperaceae | <i>Macropiper excelsum</i> subsp. <i>psittacorum</i> | Glomerellaceae | <i>Colletotrichum karsii</i> | Hand collection | BRIP 59381 a |
| -29.03 | 167.95 | 4/10/2013 | Fabaceae | <i>Macropitium atropurpureum</i> (DC.) Urb. | Diaporthaceae | <i>Diaporthe endophytica</i> | Hand collection | BRIP 60088 b |
| -29.03 | 167.95 | 4/10/2013 | Fabaceae | <i>Macropitium atropurpureum</i> | Diaporthaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 60088 a |
| -29.04 | 167.98 | 18/02/2014 | Fabaceae | <i>Macropitium atropurpureum</i> | Pucciniaeeae | <i>Uromyces appendiculatus</i> var. <i>crassimicatus</i> | Hand collection | BRIP 61032 a |
| -29.04 | 167.94 | 17/12/2014 | Fabaceae | <i>Macropitium atropurpureum</i> | Pucciniaeeae | <i>Uromyces appendiculatus</i> var. <i>crassimicatus</i> | Hand collection | BRIP 61945 a |
| -29.01 | 167.94 | 3/10/2013 | Fabaceae | <i>Macropitium atropurpureum</i> | Pucciniaeeae | <i>Uromyces appendiculatus</i> var. <i>crassimicatus</i> | Hand collection | BRIP 60034 a |
| -29.03 | 167.93 | 28/05/2014 | Fabaceae | <i>Macrotyloma axillare</i> var. <i>axillare</i> | Erysiphaceae | <i>Erysiphe triflorum</i> | Hand collection | BRIP 61238 a |
| -29.01 | 167.94 | 16/10/2014 | Fabaceae | <i>Macrotyloma axillare</i> (E.Mey.) Verdc. var. <i>axillare</i> | Erysiphaceae | <i>Erysiphe triflorum</i> | Hand collection | BRIP 61752 a |
| -29.03 | 167.94 | 17/02/2014 | Rosaceae | <i>Malus domestica</i> Borkh. | Glomerellaceae | <i>Colletotrichum simmondsii</i> | Hand collection | BRIP 60296 b |
| -29.04 | 167.99 | 14/06/2013 | Rosaceae | <i>Malus domestica</i> | Diaporthaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 59361 a |
| -29.03 | 167.94 | 28/05/2014 | Rosaceae | <i>Malus domestica</i> | Elsinoeaeae | <i>Elsinoë pyri</i> | Hand collection | BRIP 61353 a |
| -29.04 | 167.96 | 15/12/2014 | Rosaceae | <i>Malus domestica</i> | Botryosphaeriaceae | <i>Neofusicoccum parvum</i> | Hand collection | BRIP 61919 a |
| -29.04 | 167.99 | 1/10/2013 | Rosaceae | <i>Malus domestica</i> | Erysiphaceae | <i>Podosphaera leucotricha</i> | Hand collection | BRIP 60216 a |
| -29.03 | 167.94 | 17/02/2014 | Rosaceae | <i>Malus domestica</i> | Erysiphaceae | <i>Podosphaera leucotricha</i> | Hand collection | BRIP 60296 a |
| -29.03 | 167.94 | 28/05/2014 | Rosaceae | <i>Malus domestica</i> | Erysiphaceae | <i>Podosphaera leucotricha</i> | Hand collection | BRIP 61240 a |
| -29.03 | 167.93 | 28/05/2014 | Rosaceae | <i>Malus domestica</i> | Erysiphaceae | <i>Podosphaera leucotricha</i> | Hand collection | BRIP 61242 a |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|---------------|--|--------------------|--------------------------------------|-------------------|--------------|
| -29.01 | 167.93 | 13/06/2013 | Anacardiaceae | <i>Mangifera indica</i> L. | Glomerellaceae | <i>Colletotrichum asianum</i> | Hand collection | BRIP 59325 a |
| -29.01 | 167.93 | 30/09/2013 | Anacardiaceae | <i>Mangifera indica</i> | Diaporthaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 59718 a |
| -29.01 | 167.93 | 30/09/2013 | Anacardiaceae | <i>Mangifera indica</i> | Botryosphaeriaceae | <i>Neofusicoccum parvum</i> | Hand collection | BRIP 59718 b |
| -29.03 | 167.95 | 20/02/2014 | Fabaceae | <i>Medicago lupulina</i> L. | Erysiphaceae | <i>Erysiphe trifoliorum</i> | Hand collection | BRIP 61051 b |
| -29.03 | 167.95 | 4/10/2013 | Fabaceae | <i>Medicago lupulina</i> | Pucciniaceae | <i>Uromyces anthyllidis</i> | Hand collection | BRIP 60224 a |
| -29.03 | 167.95 | 20/02/2014 | Fabaceae | <i>Medicago lupulina</i> | Pucciniaceae | <i>Uromyces anthyllidis</i> | Hand collection | BRIP 61051 a |
| -29.01 | 167.92 | 20/02/2014 | Fabaceae | <i>Medicago lupulina</i> | Pucciniaceae | <i>Uromyces anthyllidis</i> | Hand collection | BRIP 61059 a |
| -29.12 | 167.95 | 14/10/2014 | Fabaceae | <i>Medicago polymorpha</i> L. | Erysiphaceae | <i>Erysiphe trifoliorum</i> | Hand collection | BRIP 61746 a |
| -29.02 | 167.93 | 26/05/2014 | Fabaceae | <i>Medicago polymorpha</i> | Erysiphaceae | <i>Erysiphe trifoliorum</i> | Hand collection | BRIP 61229 a |
| -29.05 | 167.94 | 29/09/2013 | Fabaceae | <i>Medicago polymorpha</i> | Incertae sedis | <i>Phoma</i> sp. | Hand collection | BRIP 60200 a |
| -29.00 | 167.93 | 12/10/2014 | Fabaceae | <i>Medicago polymorpha</i> | Dermateaceae | <i>Pseudopeziza medicaginis</i> | Hand collection | BRIP 61732 a |
| -29.05 | 167.94 | 29/09/2013 | Fabaceae | <i>Medicago polymorpha</i> | Pucciniaceae | <i>Uromyces anthyllidis</i> | Hand collection | BRIP 60002 a |
| -29.05 | 167.93 | 13/06/2013 | Fabaceae | <i>Medicago sativa</i> L. | Incertae sedis | <i>Phoma medicaginis</i> | Hand collection | BRIP 59376 a |
| -29.05 | 167.93 | 17/12/2014 | Fabaceae | <i>Medicago sativa</i> L. | Pucciniaceae | <i>Uromyces anthyllidis</i> | Hand collection | BRIP 61944 a |
| -29.05 | 167.92 | 20/02/2014 | Poaceae | <i>Megathyrsus maximus</i> var. <i>pubiglumis</i> (K.Schum.) | Pucciniaceae | <i>Puccinia substriata</i> | Hand collection | BRIP 61052 a |
| -29.04 | 167.93 | 18/02/2014 | Poaceae | <i>Megathyrsus maximus</i> var. <i>pubiglumis</i> | Pucciniaceae | <i>Puccinia substriata</i> | Hand collection | BRIP 61053 a |
| -29.03 | 167.93 | 16/02/2014 | Poaceae | <i>Megathyrsus maximus</i> var. <i>pubiglumis</i> | Pucciniaceae | <i>Puccinia substriata</i> | Hand collection | BRIP 61028 a |
| -29.03 | 167.93 | 28/05/2014 | Poaceae | <i>Megathyrsus maximus</i> var. <i>pubiglumis</i> | Pucciniaceae | <i>Puccinia substriata</i> | Hand collection | BRIP 61237 a |
| -29.03 | 167.98 | 28/05/2014 | Meliaceae | <i>Melia azedarach</i> L. | Mycosphaerellaceae | <i>Pseudocercospora</i> sp. | Hand collection | BRIP 61351 a |
| -29.02 | 167.96 | 17/06/2013 | Meliaceae | <i>Melia azedarach</i> | Mycosphaerellaceae | <i>Pseudocercospora subsexisilis</i> | Hand collection | BRIP 59663 a |
| -29.04 | 167.92 | 29/09/2013 | Fabaceae | <i>Melilotus indicus</i> (L.) All. | Diaporthaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 60080 a |

| Lat.itude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|-----------|-----------|------------|---------------|--|--------------------|---------------------------------|-------------------|--------------|
| -29.04 | 167.92 | 29/09/2013 | Fabaceae | <i>Melilotus indicus</i> | Diaporthiaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 60080 b |
| -29.04 | 167.92 | 29/09/2013 | Fabaceae | <i>Melilotus indicus</i> | Diaporthiaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 60080 c |
| -29.12 | 167.95 | 14/10/2014 | Fabaceae | <i>Melilotus indicus</i> | Erysiphaceae | <i>Erysiphe triflorum</i> | Hand collection | BRIP 61745 a |
| -29.00 | 167.93 | 30/09/2013 | Fabaceae | <i>Melilotus indicus</i> | Erysiphaceae | <i>Erysiphe triflorum</i> | Hand collection | BRIP 60229 a |
| -29.04 | 167.96 | 13/10/2014 | Fabaceae | <i>Melilotus indicus</i> | Pleosporaceae | <i>Stemphylium solani</i> | Hand collection | BRIP 61719 a |
| -29.02 | 167.93 | 26/05/2014 | Fabaceae | <i>Melilotus indicus</i> | Pucciniaceae | <i>Uromyces anthyllidis</i> | Hand collection | BRIP 61228 a |
| -29.03 | 167.95 | 16/06/2013 | Apocynaceae | <i>Melodinus baueri</i> Endl. | Phyllachoraceae | <i>Phyllachora</i> sp. | Hand collection | BRIP 59665 a |
| -29.04 | 167.96 | 19/02/2014 | Lamiaceae | <i>Mentha x pipperita</i> L. | Pucciniaceae | <i>Puccinia menthae</i> | Hand collection | BRIP 61035 a |
| -29.03 | 167.94 | 16/06/2013 | Araliaceae | <i>Meryta angustifolia</i> (Endl.) Seem. | Glomerellaceae | <i>Colletotrichum boninense</i> | Hand collection | BRIP 59328 a |
| -29.01 | 167.95 | 16/06/2013 | Polypodiaceae | <i>Microsorium pustulatum</i> (G.Forst.) Copel subsp. | Glomerellaceae | <i>Colletotrichum boninense</i> | Hand collection | BRIP 59330 b |
| -29.03 | 167.94 | 17/02/2014 | Polypodiaceae | <i>Microsorium pustulatum</i> subsp. <i>pustulatum</i> | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 60304 b |
| -29.03 | 167.94 | 17/02/2014 | Polypodiaceae | <i>Microsorium pustulatum</i> subsp. <i>pustulatum</i> | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 60304 a |
| -29.01 | 167.95 | 16/06/2013 | Polypodiaceae | <i>Microsorium pustulatum</i> subsp. <i>pustulatum</i> | Amphisphaeriaceae | <i>Pestalotiopsis</i> sp. | Hand collection | BRIP 59330 a |
| -29.04 | 167.94 | 4/10/2013 | Fabaceae | <i>Milletia australis</i> (Endl.) Benth. | Chaomiaceae | <i>Marasalia milleticola</i> | Hand collection | BRIP 60207 a |
| -29.04 | 167.94 | 21/02/2014 | Fabaceae | <i>Milletia australis</i> | Chaomiaceae | <i>Marasalia milleticola</i> | Hand collection | BRIP 61062 a |
| -29.00 | 167.93 | 30/09/2013 | Araceae | <i>Monstera deliciosa</i> Liebm. | Nectriaceae | <i>Fusarium</i> sp. | Hand collection | BRIP 59699 a |
| -29.00 | 167.93 | 20/02/2014 | Araceae | <i>Monstera deliciosa</i> | Nectriaceae | <i>Fusarium</i> sp. | Hand collection | BRIP 60324 a |
| -29.00 | 167.93 | 20/02/2014 | Araceae | <i>Monstera deliciosa</i> | Nectriaceae | <i>Fusarium</i> sp. | Hand collection | BRIP 60324 b |
| -29.00 | 167.93 | 30/09/2013 | Araceae | <i>Monstera deliciosa</i> | Pucciniaceae | <i>Puccinia paulula</i> | Hand collection | BRIP 60018 a |
| -29.04 | 167.99 | 14/06/2013 | Moraceae | <i>Morus alba</i> L. | Mycosphaerellaceae | <i>Pseudocerospora mori</i> | Hand collection | BRIP 59572 a |
| -29.01 | 167.93 | 30/09/2013 | Moraceae | <i>Morus alba</i> | Mycosphaerellaceae | <i>Pseudocerospora mori</i> | Hand collection | BRIP 60232 a |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|--------------|--|--------------------|--------------------------------------|-------------------|--------------|
| -29.01 | 167.94 | 18/12/2014 | Polygonaceae | <i>Muehlenbeckia australis</i> (G.Forst.) Meisn. | Pucciniaceae | <i>Puccinia tiritea</i> | Hand collection | BRIP 61949 a |
| -29.00 | 167.93 | 30/09/2013 | Musaceae | <i>Musa</i> × <i>paradisica</i> L. 'Bluggoe' | Tremellaceae | <i>Cryptococcus</i> sp. | Hand collection | BRIP 59800 b |
| -29.00 | 167.93 | 30/09/2013 | Musaceae | <i>Musa</i> × <i>paradisica</i> 'Bluggoe' | Mycosphaerellaceae | <i>Mycosphaerella</i> sp. | Hand collection | BRIP 59800 a |
| -29.00 | 167.93 | 30/09/2013 | Musaceae | <i>Musa</i> × <i>paradisica</i> 'Bluggoe' | Botryosphaeriaceae | <i>Phyllosticta maculata</i> | Hand collection | BRIP 59800 c |
| -29.04 | 167.99 | 17/02/2014 | Musaceae | <i>Musa acuminata</i> Colla | Glomerellaceae | <i>Colletotrichum queenslandicum</i> | Hand collection | BRIP 60298 b |
| -29.03 | 167.96 | 4/10/2013 | Musaceae | <i>Musa acuminata</i> | Glomerellaceae | <i>Colletotrichum queenslandicum</i> | Hand collection | BRIP 59712 a |
| -29.06 | 167.94 | 19/12/2014 | Musaceae | <i>Musa acuminata</i> | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 61933 a |
| -29.05 | 167.94 | 29/09/2013 | Musaceae | <i>Musa acuminata</i> | Incertae sedis | <i>Cordana johnstonii</i> | Hand collection | BRIP 60230 a |
| -29.06 | 167.94 | 19/12/2014 | Musaceae | <i>Musa acuminata</i> | Incertae sedis | <i>Cordana</i> sp. | Hand collection | BRIP 61933 b |
| -29.04 | 167.99 | 1/10/2013 | Musaceae | <i>Musa acuminata</i> | Diaporthaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 59702 a |
| -29.01 | 167.93 | 29/09/2013 | Musaceae | <i>Musa acuminata</i> | Mycosphaerellaceae | <i>Mycosphaerella musae</i> | Hand collection | BRIP 60231 a |
| -29.01 | 167.93 | 30/09/2013 | Musaceae | <i>Musa acuminata</i> | Mycosphaerellaceae | <i>Mycosphaerella musae</i> | Hand collection | BRIP 60233 a |
| -29.04 | 167.99 | 17/02/2014 | Musaceae | <i>Musa acuminata</i> | Botryosphaeriaceae | <i>Neofusicoccum parvum</i> | Hand collection | BRIP 60298 a |
| -29.03 | 167.98 | 16/10/2014 | Musaceae | <i>Musa acuminata</i> | Botryosphaeriaceae | <i>Phyllosticta capitata</i> ensis | Hand collection | BRIP 61708 a |
| -29.00 | 167.93 | 20/02/2014 | Musaceae | <i>Musa acuminata</i> | Mycosphaerellaceae | <i>Phyllosticta maculata</i> | Hand collection | BRIP 60360 a |
| -29.04 | 167.94 | 18/06/2013 | Musaceae | <i>Musa acuminata</i> | Mycosphaerellaceae | <i>Pseudocercospora fijiensis</i> | Hand collection | BRIP 59370 a |
| -29.03 | 167.99 | 17/06/2013 | Musaceae | <i>Musa acuminata</i> | Mycosphaerellaceae | <i>Pseudocercospora fijiensis</i> | Hand collection | BRIP 59585 a |
| -29.01 | 167.93 | 29/05/2014 | Musaceae | <i>Musa acuminata</i> | Mycosphaerellaceae | <i>Pseudocercospora fijiensis</i> | Hand collection | BRIP 61415 a |
| -29.01 | 167.93 | 29/05/2014 | Musaceae | <i>Musa acuminata</i> | Mycosphaerellaceae | <i>Pseudocercospora fijiensis</i> | Hand collection | BRIP 61415 b |
| -29.00 | 167.93 | 29/05/2014 | Musaceae | <i>Musa acuminata</i> | Mycosphaerellaceae | <i>Pseudocercospora</i> sp. | Hand collection | BRIP 61413 a |
| -29.04 | 167.99 | 14/06/2013 | Musaceae | <i>Musa acuminata</i> 'Cavendish' | Magraporthaceae | <i>Pyricularia</i> sp. | Hand collection | BRIP 59659 a |

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|------------------|--|--------------------|-------------------------------------|-------------------|--------------|
| -29.02 | 167.97 | 17/06/2013 | Scrophulariaceae | <i>Myoporum obscurum</i> Endl. | Incertae sedis | <i>Nigrospora sphaerica</i> | Hand collection | BRIP 59386 a |
| -29.05 | 167.97 | 13/06/2013 | Primulaceae | <i>Myrsine ralstoniae</i> (P.S.Green) Jackes | Glomerellaceae | <i>Colletotrichum karsii</i> | Hand collection | BRIP 59378 a |
| -29.05 | 167.97 | 13/06/2013 | Primulaceae | <i>Myrsine ralstoniae</i> | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 59378 b |
| -29.01 | 167.95 | 16/06/2013 | Primulaceae | <i>Myrsine ralstoniae</i> | Amphisphaeriaceae | <i>Pestalotiopsis</i> sp. | Hand collection | BRIP 59329 a |
| -29.02 | 167.96 | 30/05/2014 | Primulaceae | <i>Myrsine ralstoniae</i> | Hymenochaetales | <i>Phellinus noxius</i> | Hand collection | BRIP 61425 a |
| -29.05 | 167.97 | 13/06/2013 | Primulaceae | <i>Myrsine ralstoniae</i> | Botryosphaeriaceae | <i>Phyllosticta capitata</i> | Hand collection | BRIP 59378 c |
| -29.03 | 167.95 | 4/10/2013 | Fabaceae | <i>Neonotonia wightii</i> (Wight & Arn.) J.A.Lackey | Phakopsoraceae | <i>Phakopsora pachyrhizi</i> | Hand collection | BRIP 60228 a |
| -29.01 | 167.93 | 30/09/2013 | Fabaceae | <i>Neonotonia wightii</i> | Phakopsoraceae | <i>Phakopsora pachyrhizi</i> | Hand collection | BRIP 60021 a |
| -29.00 | 167.93 | 29/05/2014 | Fabaceae | <i>Neonotonia wightii</i> | Phakopsoraceae | <i>Phakopsora pachyrhizi</i> | Hand collection | BRIP 61245 a |
| -29.03 | 167.99 | 1/10/2013 | Fabaceae | <i>Neonotonia wightii</i> | Pucciniaceae | <i>Uromyces anthyllidis</i> | Hand collection | BRIP 60205 a |
| -29.00 | 167.93 | 30/09/2013 | Fabaceae | <i>Neonotonia wightii</i> | Pucciniaceae | <i>Uromyces anthyllidis</i> | Hand collection | BRIP 60209 a |
| -29.03 | 167.98 | 14/06/2013 | Solanaceae | <i>Nicandra physalodes</i> (L.) Gaertn. | Erysiphaceae | <i>Golovinomyces orontii</i> | Hand collection | BRIP 59577 a |
| -29.04 | 167.99 | 18/02/2014 | Lamiaceae | <i>Ocimum basilicum</i> L. | Nectriaceae | <i>Fusarium oxysporum</i> | Hand collection | BRIP 60309 a |
| -29.00 | 167.93 | 12/06/2013 | Lamiaceae | <i>Ocimum basilicum</i> | Pleosporaceae | <i>Stemphylium</i> sp. | Hand collection | BRIP 59322 a |
| -29.12 | 167.95 | 15/10/2014 | Oleaceae | <i>Olea europaea</i> subsp. <i>cuspidata</i> (Wall. ex G.Dom) Cif. | Incertae sedis | <i>Peyronellaea</i> sp. | Hand collection | BRIP 61705 a |
| -29.12 | 167.95 | 15/10/2014 | Oleaceae | <i>Olea europaea</i> subsp. <i>cuspidata</i> | Incertae sedis | <i>Toxicocladosporium</i> sp. | Hand collection | BRIP 61705 b |
| -29.02 | 167.93 | 26/05/2014 | Oxalidaceae | <i>Oxalis debilis</i> Kunth | Pucciniaceae | <i>Puccinia oxalidis</i> | Hand collection | BRIP 61227 a |
| -29.01 | 167.93 | 29/09/2013 | Oxalidaceae | <i>Oxalis debilis</i> | Pucciniaceae | <i>Puccinia oxalidis</i> | Hand collection | BRIP 60009 a |
| -29.06 | 167.94 | 29/09/2013 | Poaceae | <i>Panicum</i> L. | Pucciniaceae | <i>Uromyces setariae-italicae</i> | Hand collection | BRIP 60198 a |
| -29.02 | 167.92 | 16/02/2014 | Poaceae | <i>Paspalum dilatatum</i> Poir. | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60332 b |
| -29.02 | 167.92 | 16/02/2014 | Poaceae | <i>Paspalum dilatatum</i> | Davidiellaceae | <i>Cladosporium perangustum</i> | Hand collection | BRIP 60332 a |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|----------------|---|-----------------|---------------------------------------|-------------------|--------------|
| -29.03 | 167.95 | 16/06/2013 | Passifloraceae | <i>Passiflora edulis</i> Sims | Glomerellaceae | <i>Colletotrichum karsti</i> | Hand collection | BRIP 59331 a |
| -29.00 | 167.93 | 30/09/2013 | Passifloraceae | <i>Passiflora edulis</i> | Glomerellaceae | <i>Colletotrichum magna</i> | Hand collection | BRIP 60082 c |
| -29.00 | 167.93 | 30/09/2013 | Passifloraceae | <i>Passiflora edulis</i> | Glomerellaceae | <i>Colletotrichum novae-zelandiae</i> | Hand collection | BRIP 60082 f |
| -29.05 | 167.97 | 21/02/2014 | Passifloraceae | <i>Passiflora edulis</i> | Glomerellaceae | <i>Colletotrichum queenslandicum</i> | Hand collection | BRIP 60328 c |
| -29.05 | 167.97 | 21/02/2014 | Passifloraceae | <i>Passiflora edulis</i> | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 60328 b |
| -29.00 | 167.93 | 30/09/2013 | Passifloraceae | <i>Passiflora edulis</i> | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 60082 b |
| -29.00 | 167.93 | 30/09/2013 | Passifloraceae | <i>Passiflora edulis</i> | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 60082 d |
| -29.00 | 167.93 | 30/09/2013 | Passifloraceae | <i>Passiflora edulis</i> | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 60082 g |
| -29.03 | 167.95 | 16/06/2013 | Passifloraceae | <i>Passiflora edulis</i> | Pleosporaceae | <i>Curvularia</i> sp. | Hand collection | BRIP 59331 b |
| -29.00 | 167.93 | 30/09/2013 | Passifloraceae | <i>Passiflora edulis</i> | Nectriaceae | <i>Fusarium</i> sp. | Hand collection | BRIP 60082 e |
| -29.05 | 167.97 | 21/02/2014 | Passifloraceae | <i>Passiflora edulis</i> | Trichocomaceae | <i>Penicillium brevicompactum</i> | Hand collection | BRIP 60328 a |
| -29.00 | 167.93 | 30/09/2013 | Passifloraceae | <i>Passiflora edulis</i> | Incertae sedis | <i>Phoma</i> sp. | Hand collection | BRIP 60082 a |
| -29.04 | 167.96 | 13/10/2014 | Passifloraceae | <i>Passiflora ligularis</i> Juss. | Pleosporaceae | <i>Alternaria passiflorae</i> | Hand collection | BRIP 61716 a |
| -29.03 | 167.94 | 17/10/2014 | Passifloraceae | <i>Passiflora ligularis</i> | Pleosporaceae | <i>Alternaria</i> sp. | Hand collection | BRIP 61726 a |
| -29.02 | 167.96 | 17/06/2013 | Passifloraceae | <i>Passiflora ligularis</i> | Glomerellaceae | <i>Colletotrichum constrictum</i> | Hand collection | BRIP 59388 a |
| -29.04 | 167.96 | 13/10/2014 | Passifloraceae | <i>Passiflora ligularis</i> | Glomerellaceae | <i>Colletotrichum queenslandicum</i> | Hand collection | BRIP 61717 b |
| -29.04 | 167.96 | 13/10/2014 | Passifloraceae | <i>Passiflora ligularis</i> | Incertae sedis | <i>Stagonosporopsis</i> sp. | Hand collection | BRIP 61717 a |
| -29.04 | 167.99 | 26/05/2014 | Geraniaceae | <i>Pelargonium</i> × <i>hortorum</i> L.H.Bailey | Pucciniaceae | <i>Puccinia pelargonii-zonalis</i> | Hand collection | BRIP 61226 a |
| -29.03 | 167.99 | 14/06/2013 | Geraniaceae | <i>Pelargonium</i> × <i>hortorum</i> | Pucciniaceae | <i>Puccinia pelargonii-zonalis</i> | Hand collection | BRIP 59571 a |
| -29.00 | 167.93 | 30/09/2013 | Geraniaceae | <i>Pelargonium</i> × <i>hortorum</i> | Pucciniaceae | <i>Puccinia pelargonii-zonalis</i> | Hand collection | BRIP 60017 a |
| -29.04 | 167.99 | 17/02/2014 | Geraniaceae | <i>Pelargonium</i> L'Hér. ex Aiton | Schizoparmaceae | <i>Comella</i> sp. | Hand collection | BRIP 60305 a |

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|--------------|--|--------------------|--|-------------------|--------------|
| -29.00 | 167.93 | 30/09/2013 | Lauraceae | <i>Persea americana</i> Mill. | Glomerellaceae | <i>Colletotrichum gloeosporioides</i> | Hand collection | BRIP 59693 a |
| -29.00 | 167.93 | 12/06/2013 | Lauraceae | <i>Persea americana</i> | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 59321 a |
| -29.03 | 167.93 | 28/05/2014 | Lauraceae | <i>Persea americana</i> | Nectriaceae | <i>Cylindrocladium</i> sp. | Hand collection | BRIP 61259 b |
| -29.03 | 167.93 | 28/05/2014 | Lauraceae | <i>Persea americana</i> | Nectriaceae | <i>Cylindrocladium</i> sp. | Hand collection | BRIP 61259 c |
| -29.03 | 167.93 | 28/05/2014 | Lauraceae | <i>Persea americana</i> | Nectriaceae | <i>Cylindrocladium</i> sp. | Hand collection | BRIP 61259 d |
| -29.03 | 167.94 | 28/05/2014 | Lauraceae | <i>Persea americana</i> | Nectriaceae | <i>Cylindrocladium</i> sp. | Hand collection | BRIP 61260 b |
| -29.03 | 167.94 | 28/05/2014 | Lauraceae | <i>Persea americana</i> | Nectriaceae | <i>Cylindrocladium</i> sp. | Hand collection | BRIP 61260 c |
| -29.03 | 167.96 | 31/05/2014 | Lauraceae | <i>Persea americana</i> | Nectriaceae | <i>Cylindrocladium</i> sp. | Hand collection | BRIP 61354 a |
| -29.03 | 167.96 | 31/05/2014 | Lauraceae | <i>Persea americana</i> | Nectriaceae | <i>Cylindrocladium</i> sp. | Hand collection | BRIP 61354 b |
| -29.03 | 167.96 | 31/05/2014 | Lauraceae | <i>Persea americana</i> | Nectriaceae | <i>Cylindrocladium</i> sp. | Hand collection | BRIP 61354 c |
| -29.00 | 167.93 | 29/05/2014 | Lauraceae | <i>Persea americana</i> | Nectriaceae | <i>Cylindrocladium</i> sp. | Hand collection | BRIP 61352 a |
| -29.00 | 167.93 | 29/05/2014 | Lauraceae | <i>Persea americana</i> | Nectriaceae | <i>Cylindrocladium</i> sp. | Hand collection | BRIP 61352 b |
| -29.00 | 167.93 | 29/05/2014 | Lauraceae | <i>Persea americana</i> | Nectriaceae | <i>Cylindrocladium</i> sp. | Hand collection | BRIP 61352 c |
| -29.00 | 167.93 | 29/05/2014 | Lauraceae | <i>Persea americana</i> | Nectriaceae | <i>Cylindrocladium</i> sp. | Hand collection | BRIP 61352 d |
| -29.00 | 167.93 | 29/05/2014 | Lauraceae | <i>Persea americana</i> | Nectriaceae | <i>Cylindrocladium</i> sp. | Hand collection | BRIP 61352 e |
| -29.00 | 167.93 | 29/05/2014 | Lauraceae | <i>Persea americana</i> | Nectriaceae | <i>Cylindrocladium</i> sp. | Hand collection | BRIP 61352 f |
| -29.01 | 167.93 | 17/02/2014 | Lauraceae | <i>Persea americana</i> | Diaporthaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 60353 a |
| -29.03 | 167.94 | 28/05/2014 | Lauraceae | <i>Persea americana</i> | Nectriaceae | <i>Fusarium</i> sp. | Hand collection | BRIP 61260 a |
| -29.01 | 167.93 | 30/09/2013 | Lauraceae | <i>Persea americana</i> | Botryosphaeriaceae | <i>Neofusicoccum mangiferae</i> | Hand collection | BRIP 59696 a |
| -29.03 | 167.93 | 28/05/2014 | Lauraceae | <i>Persea americana</i> | Pythiaceae | <i>Phytophthora</i> sp. | Hand collection | BRIP 61259 a |
| -29.06 | 167.94 | 16/02/2014 | Polygonaceae | <i>Persicaria decipiens</i> (R.Br.) K.L.Wilson | Microbotryaceae | <i>Sphaelotheca polygoni-serrulati</i> | Hand collection | BRIP 61029 a |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|--------------|---|--------------------|--|-------------------|--------------|
| -29.02 | 167.97 | 3/10/2013 | Polygonaceae | <i>Persicaria decipiens</i> | Microbotryaceae | <i>Sphaelotheca polygoni-serrulati</i> | Hand collection | BRIP 60031 a |
| -29.04 | 167.99 | 18/02/2014 | Apiaceae | <i>Petroselinum crispum</i> (Mill.) Fuss | Pleosporaceae | <i>Alternaria alternata</i> | Hand collection | BRIP 60330 b |
| -29.04 | 167.99 | 18/02/2014 | Apiaceae | <i>Petroselinum crispum</i> | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60330 a |
| -29.05 | 167.94 | 29/09/2013 | Apiaceae | <i>Petroselinum crispum</i> | Mycosphaerellaceae | <i>Septoria petroselini</i> | Hand collection | BRIP 5997 a |
| -29.05 | 167.99 | 3/10/2013 | Apiaceae | <i>Petroselinum crispum</i> | Mycosphaerellaceae | <i>Septoria petroselini</i> | Hand collection | BRIP 60220 a |
| -29.03 | 167.98 | 20/02/2014 | Fabaceae | <i>Phaseolus vulgaris</i> L. | Diaportheaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 60365 a |
| -29.05 | 167.93 | 4/10/2013 | Fabaceae | <i>Phaseolus vulgaris</i> | Sclerotiniaceae | <i>Sclerotinia sclerotiorum</i> | Hand collection | BRIP 59711 a |
| -29.03 | 167.98 | 1/10/2013 | Fabaceae | <i>Phaseolus vulgaris</i> | Pucciniaceae | <i>Uromyces appendiculatus</i> | Hand collection | BRIP 60020 a |
| -29.03 | 167.98 | 27/05/2014 | Fabaceae | <i>Phaseolus vulgaris</i> | Pucciniaceae | <i>Uromyces appendiculatus</i> | Hand collection | BRIP 61234 a |
| -29.01 | 167.93 | 30/09/2013 | Fabaceae | <i>Phaseolus vulgaris</i> | Pucciniaceae | <i>Uromyces appendiculatus</i> | Hand collection | BRIP 60036 a |
| -29.00 | 167.93 | 30/09/2013 | Araceae | <i>Philodendron</i> Schott | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 59698 a |
| -29.03 | 167.95 | 17/06/2013 | Agavaceae | <i>Phormium tenax</i> J.R.Forst. & G.Forst. | Glomerellaceae | <i>Colletotrichum phormii</i> | Hand collection | BRIP 59335 a |
| -29.06 | 167.94 | 20/02/2014 | Agavaceae | <i>Phormium tenax</i> | Nectriaceae | <i>Fusarium</i> sp. | Hand collection | BRIP 60326 a |
| -29.06 | 167.94 | 20/02/2014 | Agavaceae | <i>Phormium tenax</i> | Phaeosphaeriaceae | <i>Phaeosphaeria</i> sp. | Hand collection | BRIP 60326 b |
| -29.00 | 167.93 | 30/09/2013 | Solanaceae | <i>Physalis peruviana</i> L. | Trichocomaceae | <i>Aspergillus fumigatus</i> | Hand collection | BRIP 60081 g |
| -29.00 | 167.93 | 30/09/2013 | Solanaceae | <i>Physalis peruviana</i> | Diaportheaceae | <i>Diaporthe endophytica</i> | Hand collection | BRIP 60081 c |
| -29.00 | 167.93 | 30/09/2013 | Solanaceae | <i>Physalis peruviana</i> | Diaportheaceae | <i>Diaporthe leucospermi</i> | Hand collection | BRIP 60081 a |
| -29.03 | 167.93 | 2/10/2013 | Poaceae | <i>Physalis peruviana</i> | Diaportheaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 59706 a |
| -29.00 | 167.93 | 30/09/2013 | Solanaceae | <i>Physalis peruviana</i> | Diaportheaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 60081 b |
| -29.00 | 167.93 | 30/09/2013 | Solanaceae | <i>Physalis peruviana</i> | Diaportheaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 60081 d |
| -29.00 | 167.93 | 30/09/2013 | Solanaceae | <i>Physalis peruviana</i> | Incertae sedis | <i>Phoma</i> sp. | Hand collection | BRIP 60081 e |

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|----------------|--|----------------------|----------------------------------|-------------------|--------------|
| -29.00 | 167.93 | 30/09/2013 | Solanaceae | <i>Physalis peruviana</i> | Plectosphaerellaceae | <i>Plectosphaerella</i> sp. | Hand collection | BRIP 60081 f |
| -29.00 | 167.93 | 30/09/2013 | Solanaceae | <i>Physalis peruviana</i> | Erysiphaceae | <i>Podosphaera xanthii</i> | Hand collection | BRIP 60201 a |
| -29.00 | 167.93 | 30/09/2013 | Solanaceae | <i>Physalis peruviana</i> | Sclerotiniaceae | <i>Sclerotinia sclerotiorum</i> | Hand collection | BRIP 59714 a |
| -29.02 | 167.96 | 19/02/2014 | Phytolaccaceae | <i>Phytolacca octandra</i> L. | Glomerellaceae | <i>Colletotrichum alienum</i> | Hand collection | BRIP 60356 a |
| -29.01 | 167.93 | 30/09/2013 | Fabaceae | <i>Pisum sativum</i> L. | Incertae sedis | <i>Peyronellaea pinodella</i> | Hand collection | BRIP 59796 a |
| -29.01 | 167.93 | 13/06/2013 | Fabaceae | <i>Pisum sativum</i> | Incertae sedis | <i>Peyronellaea pinodes</i> | Hand collection | BRIP 59359 a |
| -29.03 | 167.94 | 16/06/2013 | Pitosporaceae | <i>Pitiosporum bracteolatum</i> Endl. | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 59333 c |
| -29.03 | 167.94 | 16/06/2013 | Pitosporaceae | <i>Pitiosporum bracteolatum</i> | Amphisphaeriaceae | <i>Pestalotopsis</i> sp. | Hand collection | BRIP 59333 a |
| -29.03 | 167.94 | 16/06/2013 | Pitosporaceae | <i>Pitiosporum bracteolatum</i> | Incertae sedis | <i>Phoma</i> sp. | Hand collection | BRIP 59333 b |
| -29.00 | 167.94 | 16/10/2014 | Pitosporaceae | <i>Pitiosporum bracteolatum</i> | Botryosphaeriaceae | <i>Phyllosticta capitulensis</i> | Hand collection | BRIP 61725 a |
| -29.01 | 167.93 | 30/09/2013 | Plantaginaceae | <i>Plantago lanceolata</i> L. | Diaporthaceae | <i>Diaporthe subordinaria</i> | Hand collection | BRIP 60161 a |
| -29.01 | 167.93 | 30/09/2013 | Plantaginaceae | <i>Plantago lanceolata</i> | Diaporthaceae | <i>Diaporthe subordinaria</i> | Hand collection | BRIP 60161 b |
| -29.05 | 167.98 | 3/10/2013 | Plantaginaceae | <i>Plantago lanceolata</i> | Nectriaceae | <i>Fusarium solani</i> | Hand collection | BRIP 60164 a |
| -29.06 | 167.94 | 29/09/2013 | Plantaginaceae | <i>Plantago lanceolata</i> | Erysiphaceae | <i>Golovinomyces soridus</i> | Hand collection | BRIP 60196 a |
| -29.00 | 167.94 | 30/09/2013 | Plantaginaceae | <i>Plantago lanceolata</i> | Erysiphaceae | <i>Golovinomyces soridus</i> | Hand collection | BRIP 60214 a |
| -29.00 | 167.92 | 25/05/2014 | Plantaginaceae | <i>Plantago lanceolata</i> | Erysiphaceae | <i>Golovinomyces soridus</i> | Hand collection | BRIP 61221 a |
| -29.01 | 167.95 | 19/02/2014 | Plantaginaceae | <i>Plantago major</i> L. | Erysiphaceae | <i>Golovinomyces soridus</i> | Hand collection | BRIP 61057 a |
| -29.03 | 167.93 | 12/06/2013 | Apocynaceae | <i>Plumeria rubra</i> L. | Coleosporiaceae | <i>Coleosporium plumeriae</i> | Hand collection | BRIP 59559 a |
| -29.02 | 167.93 | 26/05/2014 | Poaceae | <i>Poa annua</i> L. | Pucciniaceae | <i>Puccinia brachypodii</i> | Hand collection | BRIP 61230 a |
| -29.01 | 167.94 | 2/10/2013 | Rosaceae | <i>Potentilla indica</i> (Andrews) Th. Wolf | Piragnidiaceae | <i>Piragnidium mexicanum</i> | Hand collection | BRIP 60026 a |
| -29.04 | 167.99 | 14/06/2013 | Rosaceae | <i>Prunus dulcis</i> (Mill.) D. A. Webb. | Uropyxidaceae | <i>Tranzschelia discolor</i> | Hand collection | BRIP 59574 a |

NORFOLK ISLAND QUARANTINE SURVEY

| Lat.itude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|-----------|-----------|------------|---------------|---|-------------------|--------------------------------------|-------------------|--------------|
| -29.04 | 167.98 | 18/02/2014 | Rosaceae | <i>Prunus persica</i> (L.) Batsch | Glomerellaceae | <i>Colletotrichum queenslandicum</i> | Hand collection | BRIP 60354 b |
| -29.03 | 167.99 | 20/02/2014 | Rosaceae | <i>Prunus persica</i> | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 60361 a |
| -29.03 | 167.99 | 20/02/2014 | Rosaceae | <i>Prunus persica</i> | Diaporthaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 60361 b |
| -29.03 | 167.95 | 19/12/2014 | Rosaceae | <i>Prunus persica</i> | Mucoraceae | <i>Mucor</i> sp. | Hand collection | BRIP 61938 a |
| -29.04 | 167.98 | 18/02/2014 | Rosaceae | <i>Prunus persica</i> | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 60354 a |
| -29.06 | 167.94 | 29/09/2013 | Rosaceae | <i>Prunus persica</i> | Taphrinaceae | <i>Taphrina deformans</i> | Hand collection | BRIP 60197 a |
| -29.04 | 167.99 | 14/06/2013 | Rosaceae | <i>Prunus persica</i> | Uropyxidaceae | <i>Transschelia discolor</i> | Hand collection | BRIP 59573 a |
| -29.01 | 167.95 | 16/06/2013 | Myrtaceae | <i>Psidium cattleianum</i> Sabine var. <i>cattleianum</i> | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 59334 b |
| -29.01 | 167.95 | 16/06/2013 | Myrtaceae | <i>Psidium cattleianum</i> var. <i>cattleianum</i> | Incertae sedis | <i>Khuskia oryzae</i> | Hand collection | BRIP 59334 a |
| -29.04 | 167.99 | 14/06/2013 | Myrtaceae | <i>Psidium guajava</i> L. | Diaporthaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 59326 a |
| -29.04 | 167.99 | 17/02/2014 | Rosaceae | <i>Pyrus communis</i> L. | Glomerellaceae | <i>Colletotrichum simmondsii</i> | Hand collection | BRIP 60299 a |
| -29.01 | 167.93 | 17/02/2014 | Rosaceae | <i>Pyrus communis</i> | Glomerellaceae | <i>Colletotrichum theobromicola</i> | Hand collection | BRIP 60352 a |
| -29.01 | 167.93 | 13/06/2013 | Rosaceae | <i>Pyrus communis</i> | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 59375 a |
| -29.00 | 167.93 | 30/09/2013 | Brassicaceae | <i>Raphanus sativus</i> L. | Erysiphaceae | <i>Golovinomyces orontii</i> | Hand collection | BRIP 60204 a |
| -29.03 | 167.99 | 20/02/2014 | Polygonaceae | <i>Rheum xhababarum</i> L. | Nectriaceae | <i>Fusarium</i> sp. | Hand collection | BRIP 60325 a |
| -29.03 | 167.99 | 1/10/2013 | Polygonaceae | <i>Rheum xhababarum</i> | Incertae sedis | <i>Phoma</i> sp. | Hand collection | BRIP 59716 a |
| -29.03 | 167.94 | 27/05/2014 | Areaceae | <i>Rhopalostylis baueri</i> (Seem) H.Wendl. & Drude | Glomerellaceae | <i>Colletotrichum karsii</i> | Hand collection | BRIP 61253 a |
| -29.03 | 167.94 | 27/05/2014 | Areaceae | <i>Rhopalostylis baueri</i> | Amphisphaeriaceae | <i>Pestalotiopsis</i> sp. | Hand collection | BRIP 61253 b |
| -29.04 | 167.94 | 21/02/2014 | Euphorbiaceae | <i>Ricinus communis</i> L. | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60346 a |
| -29.04 | 167.94 | 21/02/2014 | Euphorbiaceae | <i>Ricinus communis</i> | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60346 b |
| -29.03 | 167.95 | 17/06/2013 | Euphorbiaceae | <i>Ricinus communis</i> | Melampsoraceae | <i>Melampsora ricini</i> | Hand collection | BRIP 59581 a |

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|---------------|--|--------------------|--------------------------------------|-------------------|--------------|
| -29.02 | 167.93 | 16/12/2014 | Euphorbiaceae | <i>Ricinus communis</i> | Pleosporaceae | <i>Stemphylium solani</i> | Hand collection | BRIP 61921 a |
| -29.03 | 167.93 | 12/06/2013 | Rosaceae | <i>Rosa</i> L. | Dermateaceae | <i>Diplocarpon rosae</i> | Hand collection | BRIP 59368 a |
| -29.04 | 167.96 | 18/02/2014 | Rosaceae | <i>Rosa</i> sp. | Erysiphaceae | <i>Podosphaera pannosa</i> | Hand collection | BRIP 61030 a |
| -29.02 | 167.96 | 17/12/2014 | Lamiaceae | <i>Rosmarinus officinalis</i> L. | Botryosphaeriaceae | <i>Neofusicoccum parvum</i> | Hand collection | BRIP 61923 a |
| -29.02 | 167.96 | 17/12/2014 | Lamiaceae | <i>Rosmarinus officinalis</i> | Incertae sedis | <i>Phoma</i> sp. | Hand collection | BRIP 61923 b |
| -29.01 | 167.92 | 25/05/2014 | Rosaceae | <i>Rubus anglocandicans</i> A. Newton | Phragmidaceae | <i>Kuehneola uredinis</i> | Hand collection | BRIP 61223 a |
| -29.01 | 167.92 | 20/02/2014 | Rosaceae | <i>Rubus anglocandicans</i> | Phragmidaceae | <i>Phragmidium violaceum</i> | Hand collection | BRIP 61060 a |
| -29.06 | 167.96 | 3/10/2013 | Polygonaceae | <i>Rumex conglomeratus</i> Murray | Mycosphaerellaceae | <i>Cercospora</i> sp. | Hand collection | BRIP 59798 a |
| -29.02 | 167.96 | 2/10/2013 | Poaceae | <i>Saccharum officinarum</i> L. | Glomerellaceae | <i>Colleotrichum gloeosporioides</i> | Hand collection | BRIP 59709 b |
| -29.04 | 167.92 | 18/02/2014 | Poaceae | <i>Saccharum officinarum</i> | Nectriaceae | <i>Fusarium</i> sp. | Hand collection | BRIP 60314 a |
| -29.02 | 167.96 | 2/10/2013 | Poaceae | <i>Saccharum officinarum</i> | Incertae sedis | <i>Phoma</i> sp. | Hand collection | BRIP 59709 a |
| -29.04 | 167.99 | 18/02/2014 | Lamiaceae | <i>Salvia officinalis</i> L. | Pleosporaceae | <i>Alternaria alternata</i> | Hand collection | BRIP 60302 a |
| -29.05 | 167.98 | 3/10/2013 | Primulaceae | <i>Samolus repens</i> (L.R.Forst & G.Forst.) Pers. | Mycosphaerellaceae | <i>Stenella</i> sp. | Hand collection | BRIP 59801 a |
| -29.05 | 167.92 | 1/10/2013 | Asteraceae | <i>Senecio australis</i> Willd. | Pucciniaceae | <i>Puccinia lagenophorae</i> | Hand collection | BRIP 60022 a |
| -29.05 | 167.99 | 3/10/2013 | Asteraceae | <i>Senecio australis</i> | Pucciniaceae | <i>Puccinia lagenophorae</i> | Hand collection | BRIP 60029 a |
| -29.04 | 167.96 | 19/02/2014 | Poaceae | <i>Setaria pumila</i> (Poir.) Roem. & Schult. | Pucciniaceae | <i>Uromyces setariae-italicae</i> | Hand collection | BRIP 61056 a |
| -29.02 | 167.93 | 26/05/2014 | Poaceae | <i>Setaria pumila</i> | Pucciniaceae | <i>Uromyces setariae-italicae</i> | Hand collection | BRIP 61231 a |
| -29.01 | 167.94 | 3/10/2013 | Poaceae | <i>Setaria pumila</i> | Pucciniaceae | <i>Uromyces setariae-italicae</i> | Hand collection | BRIP 60222 a |
| -29.00 | 167.93 | 12/06/2013 | Poaceae | <i>Setaria pumila</i> | Pucciniaceae | <i>Uromyces setariae-italicae</i> | Hand collection | BRIP 59566 a |
| -29.00 | 167.93 | 30/09/2013 | Poaceae | <i>Setaria pumila</i> | Pucciniaceae | <i>Uromyces setariae-italicae</i> | Hand collection | BRIP 60210 a |
| -29.04 | 167.99 | 17/02/2014 | Asteraceae | <i>Sigesbeckia orientalis</i> L. | Erysiphaceae | <i>Podosphaera xanthii</i> | Hand collection | BRIP 61038 a |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|--------------|--|----------------------|----------------------------------|-------------------|--------------|
| -29.00 | 167.92 | 12/10/2014 | Brassicaceae | <i>Sisymbrium orientale</i> L. | Albuginaceae | <i>Albugo candida</i> | Hand collection | BRIP 61733 a |
| -29.00 | 167.92 | 29/05/2014 | Asteraceae | <i>Smilax szechuanensis</i> (Poepp.) H. Rob. | Plectosphaerellaceae | <i>Gibbelulopsis nigrescens</i> | Hand collection | BRIP 61417 a |
| -29.02 | 167.97 | 17/10/2014 | Solanaceae | <i>Solanum betaceum</i> Cav. | Erysiphaceae | <i>Golovinomyces orontii</i> | Hand collection | BRIP 61753 a |
| -29.03 | 167.93 | 12/06/2013 | Solanaceae | <i>Solanum lycopersicum</i> L. | Pleosporaceae | <i>Alternaria solani</i> | Hand collection | BRIP 59358 b |
| -29.03 | 167.93 | 2/10/2013 | Solanaceae | <i>Solanum lycopersicum</i> | Pleosporaceae | <i>Alternaria solani</i> | Hand collection | BRIP 59704 a |
| -29.03 | 167.93 | 19/02/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Pleosporaceae | <i>Alternaria solani</i> | Hand collection | BRIP 60318 a |
| -29.03 | 167.93 | 2/10/2013 | Solanaceae | <i>Solanum lycopersicum</i> | Davidiellaceae | <i>Cladosporium</i> sp. | Hand collection | BRIP 59705 a |
| -29.05 | 167.97 | 21/02/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Nectriaceae | <i>Fusarium</i> sp. | Hand collection | BRIP 60363 a |
| -29.03 | 167.93 | 12/06/2013 | Solanaceae | <i>Solanum lycopersicum</i> | Amphisphaeriaceae | <i>Pestalotiopsis</i> sp. | Hand collection | BRIP 59358 a |
| -29.02 | 167.96 | 17/12/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Amphisphaeriaceae | <i>Pestalotiopsis</i> sp. | Hand collection | BRIP 61924 a |
| -29.03 | 167.98 | 16/12/2014 | Solanaceae | <i>Solanum lycopersicum</i> | Mucoraceae | <i>Rhizopus oryzae</i> | Hand collection | BRIP 61937 a |
| -29.03 | 167.93 | 2/10/2013 | Solanaceae | <i>Solanum mauritianum</i> Scop. | Erysiphaceae | <i>Golovinomyces orontii</i> | Hand collection | BRIP 60206 a |
| -29.05 | 167.98 | 17/10/2014 | Solanaceae | <i>Solanum mauritianum</i> | Mycosphaerellaceae | <i>Passalora brachycarpa</i> | Hand collection | BRIP 61712 a |
| -29.03 | 167.94 | 16/06/2013 | Solanaceae | <i>Solanum mauritianum</i> | Mycosphaerellaceae | <i>Passalora brachycarpa</i> | Hand collection | BRIP 59582 a |
| -29.02 | 167.96 | 19/02/2014 | Solanaceae | <i>Solanum melongena</i> L. | Glomerellaceae | <i>Colletotrichum simmondsii</i> | Hand collection | BRIP 60321 a |
| -29.05 | 167.93 | 4/10/2013 | Solanaceae | <i>Solanum tuberosum</i> L. | Glomerellaceae | <i>Colletotrichum coccodes</i> | Hand collection | BRIP 60086 b |
| -29.05 | 167.93 | 4/10/2013 | Solanaceae | <i>Solanum tuberosum</i> | Diaporthaceae | <i>Diaporthe endophytica</i> | Hand collection | BRIP 60086 a |
| -29.05 | 167.93 | 4/10/2013 | Solanaceae | <i>Solanum tuberosum</i> | Diaporthaceae | <i>Diaporthe endophytica</i> | Hand collection | BRIP 60086 d |
| -29.05 | 167.93 | 4/10/2013 | Solanaceae | <i>Solanum tuberosum</i> | Diaporthaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 60086 c |
| -29.05 | 167.95 | 13/10/2014 | Solanaceae | <i>Solanum tuberosum</i> | Incertae sedis | <i>Monoerophella cucumerina</i> | Hand collection | BRIP 61934 a |
| -29.04 | 167.92 | 29/09/2013 | Asteraceae | <i>Sonchus oleraceus</i> L. | Pleosporaceae | <i>Alternaria daucifolia</i> | Hand collection | BRIP 59692 b |

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|-------------|--|------------------|-------------------------------------|-------------------|--------------|
| -29.04 | 167.92 | 29/09/2013 | Asteraceae | <i>Sonchus oleraceus</i> | Pleosporaceae | <i>Exserohilum turcicum</i> | Hand collection | BRIP 59692 a |
| -29.12 | 167.96 | 15/10/2014 | Asteraceae | <i>Sonchus oleraceus</i> | Pucciniaceae | <i>Miyagia pseudosphaeria</i> | Hand collection | BRIP 61747 a |
| -29.04 | 167.92 | 29/09/2013 | Asteraceae | <i>Sonchus oleraceus</i> | Pucciniaceae | <i>Miyagia pseudosphaeria</i> | Hand collection | BRIP 59692 c |
| -29.03 | 167.93 | 12/06/2013 | Asteraceae | <i>Sonchus oleraceus</i> | Pucciniaceae | <i>Miyagia pseudosphaeria</i> | Hand collection | BRIP 59562 a |
| -29.02 | 167.94 | 16/02/2014 | Asteraceae | <i>Sonchus oleraceus</i> | Pucciniaceae | <i>Miyagia pseudosphaeria</i> | Hand collection | BRIP 61036 a |
| -29.02 | 167.93 | 26/05/2014 | Poaceae | <i>Sorghum arundinaceum</i> (Desv.) Stapf | Pucciniaceae | <i>Puccinia purpurea</i> | Hand collection | BRIP 61232 a |
| -29.01 | 167.93 | 29/09/2013 | Poaceae | <i>Sorghum arundinaceum</i> | Pucciniaceae | <i>Puccinia purpurea</i> | Hand collection | BRIP 60003 a |
| -29.00 | 167.93 | 12/06/2013 | Poaceae | <i>Sorghum arundinaceum</i> | Pucciniaceae | <i>Puccinia purpurea</i> | Hand collection | BRIP 59564 a |
| -29.00 | 167.93 | 30/09/2013 | Poaceae | <i>Sorghum halepense</i> (L.) Pers. | Dothioraceae | <i>Aureobasidium</i> sp. | Hand collection | BRIP 59797 a |
| -29.04 | 167.99 | 17/02/2014 | Poaceae | <i>Sorghum halepense</i> | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60333 a |
| -29.04 | 167.99 | 17/02/2014 | Poaceae | <i>Sorghum halepense</i> | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60333 b |
| -29.04 | 167.93 | 18/02/2014 | Poaceae | <i>Sorghum halepense</i> | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60345 a |
| -29.00 | 167.93 | 30/09/2013 | Poaceae | <i>Sorghum halepense</i> | Clavicipitiaceae | <i>Claviceps africana</i> | Hand collection | BRIP 59797 b |
| -29.03 | 167.99 | 17/06/2013 | Poaceae | <i>Sorghum halepense</i> | Nectriaceae | <i>Fusarium proliferatum</i> | Hand collection | BRIP 59389 a |
| -29.04 | 167.93 | 18/02/2014 | Poaceae | <i>Sorghum halepense</i> | Incertae sedis | <i>Phoma</i> sp. | Hand collection | BRIP 60345 b |
| -29.06 | 167.96 | 19/12/2014 | Poaceae | <i>Spinifex sericeus</i> R.Br. | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 61931 a |
| -29.00 | 167.93 | 30/09/2013 | Poaceae | <i>Sporobolus africanus</i> (Poir.) Robyns & Tourmay | Pleosporaceae | <i>Alternaria</i> sp. | Hand collection | BRIP 59715 a |
| -29.01 | 167.95 | 19/02/2014 | Poaceae | <i>Sporobolus africanus</i> | Pucciniaceae | <i>Uromyces tenuitatis</i> | Hand collection | BRIP 61049 a |
| -29.00 | 167.95 | 4/10/2013 | Poaceae | <i>Sporobolus africanus</i> | Pucciniaceae | <i>Uromyces tenuitatis</i> | Hand collection | BRIP 60012 a |
| -29.02 | 167.92 | 16/02/2014 | Poaceae | <i>Stenotaphrum secundatum</i> (Walter) Kuntze | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60331 a |
| -29.06 | 167.96 | 19/12/2014 | Poaceae | <i>Stenotaphrum secundatum</i> | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 61930 a |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|-------------|--|-----------------|---------------------------------|-------------------|--------------|
| -29.04 | 167.99 | 24/05/2014 | Poaceae | <i>Stenotaphrum secundatum</i> | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 61247 a |
| -29.04 | 167.92 | 29/09/2013 | Poaceae | <i>Stenotaphrum secundatum</i> | Pucciniaceae | <i>Puccinia stenotaphni</i> | Hand collection | BRIP 60004 a |
| -29.06 | 167.96 | 19/12/2014 | Poaceae | <i>Stenotaphrum secundatum</i> | Magnaporthaceae | <i>Pyricularia</i> sp. | Hand collection | BRIP 61930 b |
| -29.00 | 167.93 | 20/02/2014 | Asteraceae | <i>Taraxacum officinale</i> F.H.Wigg. | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 60323 a |
| -29.04 | 167.99 | 17/02/2014 | Asteraceae | <i>Taraxacum officinale</i> | Pucciniaceae | <i>Puccinia hieracii</i> | Hand collection | BRIP 61037 a |
| -29.02 | 167.97 | 3/10/2013 | Asteraceae | <i>Taraxacum officinale</i> | Pucciniaceae | <i>Puccinia hieracii</i> | Hand collection | BRIP 60001 a |
| -29.01 | 167.93 | 29/09/2013 | Asteraceae | <i>Taraxacum officinale</i> | Pucciniaceae | <i>Puccinia hieracii</i> | Hand collection | BRIP 60013 a |
| -29.05 | 167.92 | 1/10/2013 | Aizoaceae | <i>Tetragonia implexicoma</i> (Miq.) Hook.f. | Nectriaceae | <i>Fusarium</i> sp. | Hand collection | BRIP 59703 a |
| -29.06 | 167.96 | 19/12/2014 | Aizoaceae | <i>Tetragonia implexicoma</i> | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 61928 b |
| -29.06 | 167.96 | 19/12/2014 | Aizoaceae | <i>Tetragonia implexicoma</i> | Pucciniaceae | <i>Puccinia tetragoniae</i> | Hand collection | BRIP 61928 a |
| -29.05 | 167.92 | 1/10/2013 | Aizoaceae | <i>Tetragonia implexicoma</i> | Pucciniaceae | <i>Puccinia tetragoniae</i> | Hand collection | BRIP 59703 b |
| -29.05 | 167.92 | 12/10/2014 | Aizoaceae | <i>Tetragonia implexicoma</i> | Pucciniaceae | <i>Puccinia tetragoniae</i> | Hand collection | BRIP 61735 a |
| -29.06 | 167.96 | 19/12/2014 | Aizoaceae | <i>Tetragonia tetragonoides</i> (Pall.) Kuntze | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 61929 a |
| -29.06 | 167.96 | 19/12/2014 | Aizoaceae | <i>Tetragonia tetragonoides</i> | Incertae sedis | <i>Nigrospora</i> sp. | Hand collection | BRIP 61929 b |
| -29.06 | 167.94 | 19/12/2014 | Aizoaceae | <i>Tetragonia tetragonoides</i> | Pucciniaceae | <i>Puccinia tetragoniae</i> | Hand collection | BRIP 61950 a |
| -29.05 | 167.92 | 1/10/2013 | Aizoaceae | <i>Tetragonia tetragonoides</i> | Pucciniaceae | <i>Puccinia tetragoniae</i> | Hand collection | BRIP 60023 a |
| -29.03 | 167.93 | 19/02/2014 | Meliaceae | <i>Toona ciliata</i> M.Roem. | Diaporthaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 60311 a |
| -29.03 | 167.93 | 19/02/2014 | Meliaceae | <i>Toona ciliata</i> | Incertae sedis | <i>Stagonosporopsis caricae</i> | Hand collection | BRIP 60311 b |
| -29.04 | 167.96 | 13/10/2014 | Fabaceae | <i>Trifolium campestre</i> var. <i>campestre</i> | Erysiphaceae | <i>Erysiphe trifoliorum</i> | Hand collection | BRIP 61736 a |
| -29.02 | 167.97 | 3/10/2013 | Fabaceae | <i>Trifolium campestre</i> Scireb. var. <i>campestre</i> | Erysiphaceae | <i>Erysiphe trifoliorum</i> | Hand collection | BRIP 60221 a |
| -29.00 | 167.94 | 16/10/2014 | Fabaceae | <i>Trifolium campestre</i> var. <i>campestre</i> | Erysiphaceae | <i>Erysiphe trifoliorum</i> | Hand collection | BRIP 61756 a |

| Lat.tude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|---------------|--|--------------------|-------------------------------------|-------------------|--------------|
| -29.03 | 167.95 | 4/10/2013 | Fabaceae | <i>Trifolium campestre</i> var. <i>campestre</i> | Pucciniaceae | <i>Uromyces trifolii-repentis</i> | Hand collection | BRIP 60225 a |
| -29.02 | 167.93 | 16/12/2014 | Fabaceae | <i>Trifolium dubium</i> Sibth. | Erysiphaceae | <i>Erysiphe trifoliorum</i> | Hand collection | BRIP 61954 a |
| -29.02 | 167.99 | 17/12/2014 | Fabaceae | <i>Trifolium dubium</i> | Pucciniaceae | <i>Uromyces anthyllidis</i> | Hand collection | BRIP 61955 a |
| -29.04 | 167.94 | 17/12/2014 | Fabaceae | <i>Trifolium pratense</i> L. | Pucciniaceae | <i>Uromyces trifolii-repentis</i> | Hand collection | BRIP 61946 a |
| -29.03 | 167.99 | 20/02/2014 | Fabaceae | <i>Trifolium repens</i> L. var. <i>repens</i> | Glomerellaceae | <i>Colletotrichum truncatum</i> | Hand collection | BRIP 60313 a |
| -29.01 | 167.93 | 16/10/2014 | Fabaceae | <i>Trifolium repens</i> var. <i>repens</i> | Mycosphaerellaceae | <i>Cymadothea trifolii</i> | Hand collection | BRIP 61749 a |
| -29.03 | 167.98 | 1/10/2013 | Fabaceae | <i>Trifolium repens</i> var. <i>repens</i> | Pucciniaceae | <i>Uromyces trifolii-repentis</i> | Hand collection | BRIP 60019 a |
| -29.03 | 167.94 | 28/05/2014 | Fabaceae | <i>Trifolium repens</i> var. <i>repens</i> | Pucciniaceae | <i>Uromyces trifolii-repentis</i> | Hand collection | BRIP 61241 a |
| -29.02 | 167.99 | 17/12/2014 | Fabaceae | <i>Trifolium repens</i> var. <i>repens</i> | Pucciniaceae | <i>Uromyces trifolii-repentis</i> | Hand collection | BRIP 61956 a |
| -29.01 | 167.93 | 29/09/2013 | Fabaceae | <i>Trifolium repens</i> var. <i>repens</i> | Pucciniaceae | <i>Uromyces trifolii-repentis</i> | Hand collection | BRIP 60208 a |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Triticum aestivum</i> L. | Davidiellaceae | <i>Cladosporium cladosporioides</i> | Hand collection | BRIP 60348 a |
| -29.03 | 167.99 | 21/02/2014 | Poaceae | <i>Triticum aestivum</i> | Incertae sedis | <i>Setophoma terrestris</i> | Hand collection | BRIP 60364 a |
| -29.00 | 167.93 | 30/09/2013 | Tropaeolaceae | <i>Tropaeolum majus</i> L. | Davidiellaceae | <i>Acroconidiella tropaeoli</i> | Hand collection | BRIP 60211 a |
| -29.03 | 167.93 | 2/10/2013 | Tropaeolaceae | <i>Tropaeolum majus</i> | Erysiphaceae | <i>Leveillula tropaeolicola</i> | Hand collection | BRIP 60025 a |
| -29.04 | 167.98 | 18/02/2014 | Verbenaceae | <i>Verbena incompta</i> P.W.Michael | Glomerellaceae | <i>Colletotrichum siamense</i> | Hand collection | BRIP 60310 a |
| -29.12 | 167.95 | 14/10/2014 | Verbenaceae | <i>Verbena incompta</i> | Erysiphaceae | <i>Podosphaera xanthii</i> | Hand collection | BRIP 61744 a |
| -29.03 | 167.99 | 17/06/2013 | Verbenaceae | <i>Verbena incompta</i> | Erysiphaceae | <i>Podosphaera xanthii</i> | Hand collection | BRIP 59584 a |
| -29.03 | 167.93 | 2/10/2013 | Fabaceae | <i>Vicia hirsuta</i> (L.) Gray | Diaporthaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 60084 a |
| -29.03 | 167.93 | 2/10/2013 | Fabaceae | <i>Vicia hirsuta</i> | Diaporthaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 60084 b |
| -29.03 | 167.93 | 2/10/2013 | Fabaceae | <i>Vicia hirsuta</i> | Diaporthaceae | <i>Diaporthe</i> sp. | Hand collection | BRIP 60084 c |
| -29.00 | 167.94 | 16/10/2014 | Fabaceae | <i>Vigna marina</i> (Burm.) Merr. | Incertae sedis | <i>Phoma</i> sp. | Hand collection | BRIP 61724 a |

NORFOLK ISLAND QUARANTINE SURVEY

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|---------------|-------------------------------------|--------------------|--|-------------------|--------------|
| -29.01 | 167.92 | 15/12/2014 | Fabaceae | <i>Vigna marina</i> | Pucciniaceae | <i>Uromyces vignae</i> | Hand collection | BRIP 61953 a |
| -29.00 | 167.94 | 30/09/2013 | Fabaceae | <i>Vigna marina</i> | Pucciniaceae | <i>Uromyces vignae</i> | Hand collection | BRIP 60213 a |
| -29.00 | 167.94 | 22/02/2014 | Fabaceae | <i>Vigna marina</i> | Pucciniaceae | <i>Uromyces vignae</i> | Hand collection | BRIP 61063 a |
| -29.00 | 167.94 | 16/10/2014 | Fabaceae | <i>Vigna marina</i> | Pucciniaceae | <i>Uromyces vignae</i> | Hand collection | BRIP 61935 a |
| -29.04 | 167.94 | 22/02/2014 | Lamiaceae | <i>Vitex</i> sp. | Glomerellaceae | <i>Colletotrichum simmondsii</i> | Hand collection | BRIP 60351 a |
| -29.02 | 167.96 | 3/10/2013 | Vitaceae | <i>Vitis vinifera</i> L. | Amphisphaeriaceae | <i>Pestalotiopsis</i> sp. | Hand collection | BRIP 59710 a |
| -29.04 | 167.99 | 1/10/2013 | Vitaceae | <i>Vitis vinifera</i> | Peronosporaceae | <i>Plasmopara viticola</i> | Hand collection | BRIP 60215 a |
| -29.04 | 167.98 | 18/02/2014 | Vitaceae | <i>Vitis vinifera</i> | Peronosporaceae | <i>Plasmopara viticola</i> | Hand collection | BRIP 61042 a |
| -29.00 | 167.93 | 20/02/2014 | Vitaceae | <i>Vitis vinifera</i> | Peronosporaceae | <i>Plasmopara viticola</i> | Hand collection | BRIP 61058 a |
| -29.01 | 167.95 | 30/05/2014 | Vitaceae | <i>Vitis vinifera</i> | Mycosphaerellaceae | <i>Pseudocercospora epispermosigonia</i> | Hand collection | BRIP 61257 a |
| -29.01 | 167.95 | 16/06/2013 | Thymelaeaceae | <i>Wikstroemia australis</i> Endl. | Nectriaceae | <i>Haematonectria haematococca</i> | Hand collection | BRIP 59382 a |
| -29.01 | 167.95 | 16/10/2014 | Thymelaeaceae | <i>Wikstroemia australis</i> | Amphisphaeriaceae | <i>Pestalotiopsis</i> sp. | Hand collection | BRIP 61723 a |
| -29.01 | 167.95 | 16/10/2014 | Thymelaeaceae | <i>Wikstroemia australis</i> | Amphisphaeriaceae | <i>Pestalotiopsis</i> sp. | Hand collection | BRIP 61723 b |
| -29.01 | 167.95 | 2/10/2013 | Thymelaeaceae | <i>Wikstroemia australis</i> | Pythiaceae | <i>Phytophthora nicotianae</i> | Hand collection | BRIP 60236 a |
| -29.12 | 167.95 | 14/10/2014 | Asteraceae | <i>Wollastonia biflora</i> (L.) DC. | Pucciniaceae | <i>Uromyces wedeliae</i> | Hand collection | BRIP 61737 a |
| -29.06 | 167.97 | 17/06/2013 | Asteraceae | <i>Wollastonia biflora</i> | Pucciniaceae | <i>Uromyces wedeliae</i> | Hand collection | BRIP 59586 a |
| -29.06 | 167.96 | 3/10/2013 | Asteraceae | <i>Wollastonia biflora</i> | Pucciniaceae | <i>Uromyces wedeliae</i> | Hand collection | BRIP 60000 a |
| -29.05 | 167.98 | 18/12/2014 | Asparagaceae | <i>Yucca aloifolia</i> L. | Botryosphaeriaceae | <i>Neofusicoccum lunatum</i> | Hand collection | BRIP 61926 a |
| -29.00 | 167.93 | 20/02/2014 | Poaceae | <i>Zea mays</i> L. | Pleosporaceae | <i>Exserohilum turcicum</i> | Hand collection | BRIP 61050 a |
| -29.01 | 167.93 | 13/06/2013 | Poaceae | <i>Zea mays</i> | Pucciniaceae | <i>Puccinia sorghi</i> | Hand collection | BRIP 59569 a |
| -29.01 | 167.93 | 30/09/2013 | Poaceae | <i>Zea mays</i> | Pucciniaceae | <i>Puccinia sorghi</i> | Hand collection | BRIP 60006 a |

| Latitude | Longitude | Date | Host Family | Host Species | Target Family | Target species | Collection method | Notes |
|----------|-----------|------------|---------------|---------------------------------|--------------------|----------------------------|-------------------|--------------|
| -29.12 | 167.95 | 14/10/2014 | Cucurbitaceae | <i>Zehmeria baueriana</i> Endl. | Glomerellaceae | <i>Colletotrichum</i> sp. | Hand collection | BRIP 61700 a |
| -29.03 | 167.94 | 16/06/2013 | Cucurbitaceae | <i>Zehmeria baueriana</i> | Amphisphaeriaceae | <i>Pestalotiopsis</i> sp. | Hand collection | BRIP 59363 a |
| -29.01 | 167.94 | 2/10/2013 | Cucurbitaceae | <i>Zehmeria baueriana</i> | Mycosphaerellaceae | <i>Pseudocerospora</i> sp. | Hand collection | BRIP 60219 a |
| -29.01 | 167.94 | 25/05/2014 | Cucurbitaceae | <i>Zehmeria baueriana</i> | Incertae sedis | <i>Uredo zehmeriae</i> | Hand collection | BRIP 61220 a |
| -29.01 | 167.95 | 30/05/2014 | Cucurbitaceae | <i>Zehmeria baueriana</i> | Incertae sedis | <i>Uredo zehmeriae</i> | Hand collection | BRIP 61246 a |

NORFOLK ISLAND QUARANTINE SURVEY

Table 7. Norfolk Island Quarantine Survey - veterinary pest and pathogen testing

| Host common name | Host species | Target common name | Target pest or disease family | Target name | Present or absent | Notes |
|------------------|-------------------------------------|--------------------|-------------------------------|---|-------------------|--|
| Cattle | <i>Bos taurus</i> Linnaeus, 1758 | Johnes's disease | Mycobacteriaceae | <i>Mycobacterium avium paratuberculosis</i> | Absent | Tested using Bovine JD ELISA. Most returned S/P% less than 45% (negative); a few returned = 50% (inconclusive); one returned 80% (positive); however, based on faecal culture, clinical examination and the complete set of serology results from all animals in the herd, final diagnosis determined to be negative for BJD. Tested using IS900 PCR. Results = negative (No DNA consistent with <i>Mycobacterium avium paratuberculosis</i>) |
| Cattle | <i>Bos taurus</i> | BVDV | Flaviviridae | Bovine viral diarrhoea virus 1 | Present | Cattle 9-12 months old tested using BVD antibody ELISA; overall status of BVDV = present |

| Host common name | Host species | Target common name | Target pest or disease family | Target name | Present or absent | Notes |
|------------------|-------------------|---------------------|-------------------------------|----------------------------|-------------------|---|
| Cattle | <i>Bos taurus</i> | bovine tuberculosis | Mycobacteriaceae | <i>Mycobacterium bovis</i> | Present | The customary technique for detecting bovine TB relies on detection of granulomas in the lungs of slaughtered cattle; Norfolk Island veterinarian Dr Candice Snell reports no granulomas have been detected in slaughtered cattle during her nine-year tenure; TB testing conducted on 155 cattle aged two or older; skin testing used the single intradermal comparative test administered in the mid-neck region described in the OIE manual (2013b); injections used McClintock automatic syringes and tuberculin fromASUREQuality; skin thicknesses were measured manually; reactions were assessed using the Bovine Brucellosis and Tuberculosis National Eradication Campaign Standard Definitions and Rules (ABAH, 1984) and the OIE manual (OIE, 2013). No sign of clinical disease; tested using <i>Brucella abortus</i> complement fixation test. No sign of clinical disease; tested using Q Fever complement fixation test. |
| Cattle | <i>Bos taurus</i> | brucellosis | Brucellaceae | <i>Brucella abortus</i> | Absent | |
| Cattle | <i>Bos taurus</i> | Q fever | Coxiellaceae | <i>Coxiella burnetii</i> | Absent | |
| Cattle | <i>Bos taurus</i> | BLV | Retroviridae | Bovine leukemia virus | Absent | No sign of clinical disease; tested using Enzootic Bovine Leucosis Antibody ELISA |

NORFOLK ISLAND QUARANTINE SURVEY

| Host common name | Host species | Target common name | Target pest or disease family | Target name | Present or absent | Notes |
|------------------|--------------------------------------|--------------------|-------------------------------|---|-------------------|---|
| Cattle | <i>Bos taurus</i> | leptospirosis | Leptospiroaceae | <i>Leptospira hardjo</i> | Absent | No sign of clinical disease; tested using microscopic agglutination test (MAT) |
| Cattle | <i>Bos taurus</i> | leptospirosis | Leptospiroaceae | <i>Leptospira pomona</i> | Present | No sign of clinical disease; tested using microscopic agglutination test (MAT); positive result detected in 15 of 161 samples |
| Cattle | <i>Bos taurus</i> | | Herpesviridae | <i>Bovine herpesvirus 1</i> | Present | No sign of clinical disease; tested using infectious b ovine Rhinotracheitis antibody ELISA |
| Cattle | <i>Bos taurus</i> | | Bunyaviridae | <i>Akabane virus</i> | Absent | Vector not present |
| Cattle | <i>Bos taurus</i> | anaplasmosis | Anaplasmataceae | <i>Anaplasma marginale</i> | Absent | Vector not present |
| Cattle | <i>Bos taurus</i> | babesiosis | Babesidae | <i>Babesia bigemina</i> , <i>B. bovis</i> , <i>B. divergens</i> | Absent | Vector not present |
| Cattle | <i>Bos taurus</i> | | Reoviridae | <i>Bluetongue virus</i> | Absent | Vector not present |
| Cattle | <i>Bos taurus</i> | buffalo fly | Muscidae | <i>Haematobia exigua</i> | Absent | Vector absent |
| Cattle | <i>Bos taurus</i> | | Bunyaviridae | <i>Crimean-Congo hemorrhagic fever virus</i> | Absent | Vector not present |
| Cattle | <i>Bos taurus</i> | | Reoviridae | <i>Epizootic hemorrhagic disease virus</i> | Absent | Vector not present |
| Cattle | <i>Bos taurus</i> | heartwater | Anaplasmataceae | <i>Ehrlichia ruminantium</i> | Absent | Vector not present |
| Cattle | <i>Bos taurus</i> | screwworm fly | Calliphoridae | <i>Chrysomya bezziana</i> | Absent | Not detected in vector monitoring |
| Cattle | <i>Bos taurus</i> | trypanosomiasis | Trypanosomatidae | <i>Trypanosoma</i> spp. | Absent | Vector not present |
| Cattle | <i>Bos taurus</i> | warble fly | Oestridae | <i>Hypoderma</i> spp. | Absent | Not detected in vector monitoring |
| Cat | <i>Felis catus</i> Linnaeus, 1758 | | Retroviridae | <i>Feline immunodeficiency virus</i> | Present | Serology |
| Cat | <i>Felis catus</i> | | Retroviridae | <i>Feline leukemia virus</i> | Absent | Serology |

| Host common name | Host species | Target common name | Target pest or disease family | Target name | Present or absent | Notes |
|---------------------------------|--|--------------------|-------------------------------|----------------------------|-------------------|--|
| Cat | <i>Felis catus</i> | | Herpesviridae | <i>Felid herpesvirus 1</i> | Present | Examination of clinical records showed presence in cat population |
| Black noddy, white-capped noddy | <i>Anous minutus</i> Boie, 1844 | | Orthomyxoviridae | <i>Influenza A virus</i> | Absent? | Only low pathogenic avian influenza present in Australia; tested using influenza A matrix PCR; only detected in feral chickens |
| Feral goose | <i>Anser anser</i> (Linnaeus, 1758) | | Orthomyxoviridae | <i>Influenza A virus</i> | Absent? | Only low pathogenic avian influenza present in Australia; tested using influenza A matrix PCR; only detected in feral chickens |
| White tern, fairy tern | <i>Gygis alba</i> (Sparman, 1786) | | Orthomyxoviridae | <i>Influenza A virus</i> | Absent? | Only low pathogenic avian influenza present in Australia; tested using influenza A matrix PCR; only detected in feral chickens |
| Masked booby | <i>Sula dactylatra</i> (Lesson, 1831) | | Orthomyxoviridae | <i>Influenza A virus</i> | Absent? | Only low pathogenic avian influenza present in Australia; tested using influenza A matrix PCR; only detected in feral chickens |
| Mallard | <i>Anas platyrhynchos</i> Linnaeus, 1758 | | Orthomyxoviridae | <i>Influenza A virus</i> | Absent? | Only low pathogenic avian influenza present in Australia; tested using influenza A matrix PCR; only detected in feral chickens |
| Red-tailed tropic bird | <i>Phaethon rubricauda</i> Boddaert, 1783 | | Orthomyxoviridae | <i>Influenza A virus</i> | Absent? | Only low pathogenic avian influenza present in Australia; tested using influenza A matrix PCR; only detected in feral chickens |
| Purple swamphen | <i>Porphyrio porphyrio</i> (Linnaeus, 1758) | | Orthomyxoviridae | <i>Influenza A virus</i> | Absent? | Only low pathogenic avian influenza present in Australia; tested using influenza A matrix PCR; only detected in feral chickens |
| Sooty tern | <i>Onychoprion fuscatus</i> (Linnaeus, 1766) | | Orthomyxoviridae | <i>Influenza A virus</i> | Absent? | Only low pathogenic avian influenza present in Australia; tested using influenza A matrix PCR; only detected in feral chickens |
| Wedge-tailed shearwater | <i>Ardenna pacificus</i> (Gmelin, 1789) | | Orthomyxoviridae | <i>Influenza A virus</i> | Absent? | Only low pathogenic avian influenza present in Australia; tested using influenza A matrix PCR; only detected in feral chickens |
| Chicken, (feral, domestic) | <i>Gallus gallus</i> (Linnaeus, 1758) | | Orthomyxoviridae | <i>Influenza A virus</i> | Present | No sign of clinical disease; tested using avian influenza antibody ELISA; low pathogenic avian influenza considered present as two positive results found (Poultry 41a and Poultry 130a) |

NORFOLK ISLAND QUARANTINE SURVEY

| Host common name | Host species | Target common name | Target pest or disease family | Target name | Present or absent | Notes |
|-----------------------------|--|--------------------|-------------------------------|---|-------------------|--|
| Chicken (feral, domestic) | <i>Gallus gallus</i> | | Birnaviridae | <i>Infectious bursal disease virus</i> | Present | No sign of clinical disease; tested using IBD Antibody AGID test; low virulent IBD strain considered present as 51 out of 62 samples found to be positive; result likely to be positive for low virulent IBD strain as no clinical disease symptoms observed |
| Chicken (feral, domestic) | <i>Gallus gallus</i> | | Flaviviridae | <i>West Nile virus</i> (Kunjin subtype) | Absent | No sign of clinical disease; tested using Flavivirus Serogroup Antibody ELISA |
| Chicken (feral, domestic) | <i>Gallus gallus</i> | | Paramyxoviridae | <i>Newcastle disease virus</i> | Present | No sign of clinical disease; tested using Newcastle disease virus haemagglutination inhibition test; positive result detected in six feral chicken samples (Poultry 14e, Poultry 36e, Poultry 63d, Poultry 70d, Poultry 93d, Poultry 135d) |
| chicken (feral) | <i>Gallus gallus</i> | | Mycobacteriaceae | <i>Mycobacterium avium avium</i> | Absent | Livers showed no external signs of necrotic granulomas; spleens showed no external signs of granulomas and no evidence of granulomas when dissected; guts run and no evidence of lesions |
| Feral pigeon | <i>Columba livia</i> Gmelin, 1789 | | Mycobacteriaceae | <i>Mycobacterium avium avium</i> | Absent | Livers showed no external signs of necrotic granulomas; spleens showed no external signs of granulomas and no evidence of granulomas when dissected; guts run and no evidence of lesions |
| Crimson rosella, red parrot | <i>Platyercus elegans</i> (Gmelin, 1788) | | Mycobacteriaceae | <i>Mycobacterium avium avium</i> | Absent | Livers showed no external signs of necrotic granulomas; spleens showed no external signs of granulomas and no evidence of granulomas when dissected; guts run and no evidence of lesions |

| Host common name | Host species | Target common name | Target pest or disease family | Target name | Present or absent | Notes |
|-------------------------|---|--------------------|-------------------------------|--|-------------------|--|
| Wedge-tailed shearwater | <i>Ardenna pacificus</i> | | Mycobacteriaceae | <i>Mycobacterium avium avium</i> | Absent | Livers showed no external signs of necrotic granulomas; spleens showed no external signs of granulomas and no evidence of granulomas when dissected; guts run and no evidence of lesions |
| Feral goose | <i>Anser anser</i> | | Mycobacteriaceae | <i>Mycobacterium avium avium</i> | Absent | Livers showed no external signs of necrotic granulomas; spleens showed no external signs of granulomas and no evidence of granulomas when dissected; guts run and no evidence of lesions |
| Mallard | <i>Anas platyrhynchos</i> | | Mycobacteriaceae | <i>Mycobacterium avium avium</i> | Absent | Livers showed no external signs of necrotic granulomas; spleens showed no external signs of granulomas and no evidence of granulomas when dissected; guts run and no evidence of lesions |
| Purple swamphen | <i>Porphyrio porphyrio</i> | | Mycobacteriaceae | <i>Mycobacterium avium avium</i> | Absent | Livers showed no external signs of necrotic granulomas; spleens showed no external signs of granulomas and no evidence of granulomas when dissected; guts run and no evidence of lesions |
| Horse | <i>Equus caballus</i> Linnaeus, 1758 | | Arteriviridae | <i>Equine arteritis virus</i> | Absent | No sign of clinical disease; tested using equine arteritis virus neutralization test |
| Horse | <i>Equus caballus</i> | | Retroviridae | <i>Equine infectious anaemia virus</i> | Absent | No sign of clinical disease. Tested using equine infectious anaemia virus antibody |
| Horse | <i>Equus caballus</i> | | Herpesviridae | <i>Equid herpesvirus 1</i> | Present | AGID test No sign of clinical disease; tested using equine herpes 1 virus neutralisation test; non-notifiable EHV considered present as 35 of 42 samples tested positive |
| Horse | <i>Equus caballus</i> | | Reoviridae | <i>African horse sickness virus</i> | Absent | Vector absent |

NORFOLK ISLAND QUARANTINE SURVEY

| Host common name | Host species | Target common name | Target pest or disease family | Target name | Present or absent | Notes |
|------------------|---|--------------------|-------------------------------|---|-------------------|---|
| Horse | <i>Equus caballus</i> | | Paramyxoviridae | Hendra virus | Absent | Vector absent |
| Pig | <i>Sus scrofa</i> Linnaeus, 1758 | | Flaviviridae | Classical swine fever virus | Absent | Clinically normal; tested using Pestivirus Antibody AGID test (BVD); eradicated from Australia |
| Pig | <i>Sus scrofa</i> | | Circoviridae | Porcine circovirus 2 | Present | Clinically normal; tested using porcine circovirus antibody ELISA; positive results detected in 14 out of 30 samples; porcine circovirus associated disease not present in Australia or on Norfolk Island |
| Pig | <i>Sus scrofa</i> | | Herpesviridae | Suid herpesvirus 1 | Absent | Clinically normal |
| Pig | <i>Sus scrofa</i> | | Asfarviridae | African swine fever virus | Absent | Clinically normal |
| Pig | <i>Sus scrofa</i> | | Leptospiraceae | <i>Leptospira pomona</i> | Absent | Clinically normal |
| Pig | <i>Sus scrofa</i> | | Coronaviridae | Alphacoronavirus 1 | Absent | Clinically normal |
| Pig | <i>Sus scrofa</i> | | Arteriviridae | Porcine reproductive and respiratory syndrome virus | Absent | Clinically normal; tested using porcine respiratory and reproductive syndrome virus indirect ELISA for antibody |
| Pig | <i>Sus scrofa</i> | | Paramyxoviridae | Nipah virus | Absent | Vector not present |
| Sheep | <i>Ovis aries</i> Linnaeus, 1758 | | Cardiobacteriaceae | <i>Dichelobacter nodosus</i> | Absent | No evidence of footrot or clinical disease |
| Sheep | <i>Ovis aries</i> | | Mycobacteriaceae | <i>Mycobacterium avium paratuberculosis</i> | Absent | No sign of clinical disease; tested using Ovine Johne's disease AGID |
| Sheep | <i>Ovis aries</i> | | Flaviviridae | Bovine viral diarrhoea virus | Absent | No sign of clinical disease; tested using pestivirus antibody AGID test (BVD) |
| Sheep | <i>Ovis aries</i> | | Reoviridae | Bluetongue virus | Absent | Vector not present |
| Sheep | <i>Ovis aries</i> | | Bunyaviridae | Nairobi sheep disease | Absent | Vector not present |
| Dog | <i>Canis familiaris</i> Linnaeus, 1758 | | Rhabdoviridae | Rabies virus | Absent | No sign of clinical disease; rabies fluorescent antibody virus neutralisation test; results less than 0.5 IU/mL |

| Host common name | Host species | Target common name | Target pest or disease family | Target name | Present or absent | Notes |
|------------------|-------------------------|--------------------|-------------------------------|-----------------------|-------------------|--|
| Dog | <i>Canis familiaris</i> | | Bruceellaceae | <i>Brucella canis</i> | Absent | No sign of clinical disease; Brucella Rose Bengal Rapid Plate Test conducted on neat serum |

